

# Cucumber Report

Aug 3, 2021 1:23:11 PM

**Start : Aug 03, 1:22:20.521 PM**

**End : Aug 03, 1:23:07.371 PM**

**Duration : 46.850 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 4**

**FAILED - 3**

**SKIPPED - 0**

**PASSED - 15**



**FAILED - 5**


**SKIPPED - 1**

**PASSED - 32**

**FAILED - 3**


**SKIPPED - 5**






#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	0.875 s
2	<u>Exception</u>	5	4	1	0	1.363 s
3	<u>Hook and step failures</u>	2	0	2	0	0.016 s
4	<u>Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title</u> *	1	1	0	0	2.176 s
5	<u>Scenario And Scenario Outline</u>	6	6	0	0	12.955 s
6	<u>Screenshots</u>	2	2	0	0	28.700 s
7	<u>Scenarios With No Step Definitions</u>	3	0	2	1	0.657 s

\* The feature name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	0.438 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	0.437 s
3	<u>Exception</u>	<u>Exception</u>	1	1	0	0	0.219 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	0.219 s
5	<u>Exception</u>	<u>Other Exception</u>	2	1	1	0	0.441 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	1	0	0	0.218 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	1	0	0	0.219 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.000 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.016 s
10	<u>Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature *</u>	<u>Wrapped up Scenario Title Name Longer the Better Title rapped up Scenario Title Name Longer the Better Title *</u>	3	3	0	0	2.176 s

\* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	2.156 s
12	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	2.172 s
13	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	2.156 s
14	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	2.157 s
15	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	2.156 s
16	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Eight Eight Eight</u>	3	3	0	0	2.158 s
17	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	20.500 s
18	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	8.200 s
19	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	1	0	0.219 s
20	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	1	0	0.219 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.219 s

**(F)- DataTable And DocString**



<b>PASSED</b>	<b>DURATION - 0.875 s</b>	Scenarios		Steps	
/ 1:22:20.521 PM // 1:22:21.396 PM /		Total - 2		Total - 4	
@tabledoc		Pass - 2		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- DataTable Scenario**

<b>PASSED</b>	<b>DURATION - 0.438 s</b>		Steps	
/ 1:22:20.521 PM // 1:22:20.959 PM /			Total - 2	
DataTable And DocString			Pass - 2	
@tabledoc			Fail - 0	
			Skip - 0	



#	Step / Hook Details												Status	Duration	
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()												PASSED	0.110 s	
1	Given Hello background												PASSED	0.000 s	
	AFTER_STEP - stepdefs.Stepdefs.afterStep()												PASSED	0.109 s	
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()												PASSED	0.110 s	
2	Given Customer orders the dishes												PASSED	0.000 s	
	one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell			*
	1	2	3	4	5	6	7	8	9	10	11	12			
	1	2	3	4	5	6	7	8	9	10	11	12			
	1	2	3	4	5	6	7	8	9	10	11	12			
	1	2	3	4	5	6	7	8	9	10	11	12			
	1	2	3	4	5	6	7	8	9	10	11	12			
	1	2	3	4	5	6	7	8	9	10	11	12			
	1	2	3	4	5	6	7	8	9	10	11	12			
	* The data cell text(s) and extra column(s) have been cropped to fit in the available space.														
	AFTER_STEP - stepdefs.Stepdefs.afterStep()												PASSED	0.109 s	

**(S)- Doc String to Custom Object**



<div>PASSED</div> <div>DURATION - 0.437 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:22:20.959 PM // 1:22:21.396 PM /</div>			
<div>DataTable And DocString</div>			
<div>@tabledoc</div>			

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
2	Given the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily  Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily  Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily  Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s

**(F)- Exception**



<div>FAILED</div> <div>DURATION - 1.363 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 1:22:21.396 PM // 1:22:22.759 PM /					
@exception					

**(S)- Exception**

<div>PASSED</div>	<div>DURATION - 0.219 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:22:21.396 PM // 1:22:21.615 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s



**(S)- No Exception**

<div>PASSED</div>	<div>DURATION - 0.219 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:22:21.615 PM // 1:22:21.834 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
1	Given Do not raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s





**(S)- Other Exception**

<div>FAILED</div>	<div>DURATION - 0.441 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 1:22:21.834 PM // 1:22:22.275 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.113 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
2	Given Raise exception  java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:105) at ?.Raise exception(classpath:stepdefs/exceptions.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s

**(S)- Check exception 1**

<div>PASSED</div>	<div>DURATION - 0.218 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:22:22.322 PM // 1:22:22.540 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s

**(S)- Check exception 2**



<div>PASSED</div>	<div>DURATION - 0.219 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:22:22.540 PM // 1:22:22.759 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s

**(F)- Hook and step failures**

<div>FAILED</div>	<div>DURATION - 0.016 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div><div></div></div>
<div>/ 1:22:22.759 PM // 1:22:22.775 PM /</div>					
<div>@failure</div>					

**(S)- Before Hook**

<div>FAILED</div>	<div>DURATION - 0.000 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
<div>/ 1:22:22.759 PM // 1:22:22.759 PM /</div>				
<div>Hook and step failures</div>				
<div>@failure</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:63)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:70)		

**(S)- After Hook**


<div>FAILED</div>	<div>DURATION - 0.016 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 1:22:22.759 PM // 1:22:22.775 PM /				
Hook and step failures				
@failure				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:63)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.016 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:70)		

## (F)- Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title



<b>PASSED</b>	<b>DURATION - 2.176 s</b>	Scenarios		Steps	
/ 1:22:22.790 PM // 1:22:24.966 PM /		Total - 1		Total - 3	
@longname		Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Wrapped up Scenario Title Name Longer the Better Title rapped up Scenario Title Name Longer the Better Title Wrapped up Scenario Title Name Longer the Better Title



PASSED		DURATION - 2.176 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> <div><div>3</div></div>
/ 1:22:22.790 PM // 1:22:24.966 PM /				
Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the *				
@longname				
				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
1	Given Write a 'given' step with precondition in 'Scenario Long Name'	PASSED	0.515 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
2	When Complete action in 'when' step in 'Scenario Long Name'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
3	Then Validate the outcome in 'then' step in 'Scenario Long Name'	PASSED	0.503 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s

**(F)- Scenario And Scenario Outline**



<b>PASSED</b>	<b>DURATION - 12.955 s</b>	Scenarios		Steps	
/ 1:22:24.966 PM // 1:22:37.921 PM /		Total - 6		Total - 18	
@both		Pass - 6		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- Scenario Outline Row 300**

<div>PASSED</div> <div>DURATION - 2.156 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>		<div></div>
<div>/ 1:22:24.966 PM // 1:22:27.122 PM /</div>					
<div>Scenario And Scenario Outline</div>					
<div>@both @sout @soodd</div>					



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
2	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s

**(S)- Scenario Outline Row 500**

<div><div>PASSED</div><div>DURATION - 2.172 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 1:22:27.122 PM // 1:22:29.294 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @sout @soodd</div>				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
2	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.516 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s



**(S)- Scenario Outline Row 400**

<div>PASSED</div> <div>DURATION - 2.156 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:22:29.294 PM // 1:22:31.450 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @sout @soeven</div>				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s

#	Step / Hook Details	Status	Duration
2	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s



**(S)- Scenario Outline Row 600**

PASSED		DURATION - 2.157 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>			
/ 1:22:31.450 PM // 1:22:33.607 PM /								
Scenario And Scenario Outline								
@both @sout @soeven								

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
2	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s





**(S)- Scenario Number Seven Seven Seven**

<div>PASSED</div> <div>DURATION - 2.156 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 1:22:33.607 PM // 1:22:35.763 PM /</div>		
<div>Scenario And Scenario Outline</div>		
<div>@both @scen</div>		

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s



**(S)- Scenario Number Eight Eight Eight**

<div>PASSED</div> <div>DURATION - 2.158 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:22:35.763 PM // 1:22:37.921 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @scen</div>				



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Write a 'given' step with precondition in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s

#	Step / Hook Details	Status	Duration
2	When Complete action in 'when' step in 'Scenario 888'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
3	Then Validate the outcome in 'then' step in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s

**(F)- Screenshots**

PASSED	DURATION - 28.700 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 1:22:37.921 PM // 1:23:06.621 PM /					
@website @skip					

**(S)- Scenario screenshot GIT**


PASSED	DURATION - 20.500 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 1:22:37.921 PM // 1:22:58.421 PM /				
Screenshots				
@website @skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	12.791 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
1	Given Go to https://github.com/	PASSED	6.245 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	AFTER - stepdefs.Stepdefs.afterSite()	PASSED	1.254 s
	first log second log second log third log third log third log		

PASSED DURATION - 8.200 s

## Screenshots

@website @skip
----------------



## Steps

Total - 1

## Pass - 1

Fail - 0

Skip - 0



[illegible]

#	Step / Hook Details	Status	Duration
			

### (F)- Scenarios With No Step Definitions



<div>FAILED</div>	<div>DURATION - 0.657 s</div>	<div>Scenarios</div>	<div><div><div></div><div></div><div></div></div><div>3</div></div>	<div>Steps</div>	<div><div><div></div><div></div><div></div></div><div>3</div></div>
<div>/ 1:23:06.714 PM // 1:23:07.371 PM /</div>		<div>Total - 3</div>		<div>Total - 3</div>	
		<div>Pass - 0</div>		<div>Pass - 0</div>	
		<div>Fail - 2</div>		<div>Fail - 2</div>	
<div>@skip</div>		<div>Skip - 1</div>		<div>Skip - 1</div>	

### (S)- No Step defined

<div>FAILED</div> <div>DURATION - 0.219 s</div>			Steps		
/ 1:23:06.714 PM // 1:23:06.933 PM /			Total - 1		
Scenarios With No Step Definitions			Pass - 0		
@skip @skipscenario			Fail - 1		
			Skip - 0		



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.110 s
1	Given No step definition methods	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.109 s

**(S)- Pending step**

<div>FAILED</div> <div>DURATION - 0.219 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 1:23:06.933 PM // 1:23:07.152 PM /</div>				
<div>Scenarios With No Step Definitions</div>				
<div>@skip</div>				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Pending step definition	FAILED	0.000 s
	io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:162) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s

**(S)- Skipped step**


SKIPPED	DURATION - 0.219 s		<b>Steps</b> Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 1:23:07.152 PM // 1:23:07.371 PM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.109 s
1	Given Skipped step definition	SKIPPED	0.000 s
	org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:167) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.110 s

(Step) AFTER - stepdefs.Stepdefs.  
afterSite()

(S) Scenario screenshot GIT

(F) Screenshots



(Step) AFTER - stepdefs.Stepdefs.  
afterSite()

(S) Scenario screenshot STACK

(F) Screenshots

