

Cucumber Report

May 11, 2022 11:18:23 AM

Start : May 11, 11:16:53.229 AM

End : May 11, 11:18:09.543 AM

Duration : 1 m 16.314 s

Features

Scenarios

Steps

PASSED - 5

FAILED - 3

SKIPPED - 0

PASSED - 16



FAILED - 6

SKIPPED - 1

PASSED - 35

FAILED - 4

SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DataTable And DocString</u>	0.844 s	2	2	0	0	4	4	0	0
<u>Exception</u>	1.244 s	5	3	2	0	6	4	2	0
<u>Hook and step failures</u>	0.017 s	2	0	2	0	4	0	0	4
<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & *</u>	4.213 s	2	2	0	0	6	6	0	0
<u>Scenario And Scenario Outline</u>	12.663 s	6	6	0	0	18	18	0	0
<u>Screenshots</u>	45.961 s	2	2	0	0	2	2	0	0
<u>Scenarios With No Step Definitions</u>	0.614 s	3	0	2	1	3	0	2	1
<u>Two Screenshots</u>	10.616 s	1	1	0	0	1	1	0	0

* The feature name has been cropped to fit in the available space.


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tabledoc	2	2	0	0	1	1	0	0
@exception	5	3	2	0	1	0	1	0
@failure	2	0	2	0	1	0	1	0
@longlong	2	2	0	0	1	1	0	0
@lengthyfeature	2	2	0	0	1	1	0	0
@lengthyscenario	1	1	0	0	1	1	0	0
@lengthyscariolengthyscenario	1	1	0	0	1	1	0	0
@lengthyscariolengthyscenarioscenario	1	1	0	0	1	1	0	0
@longlonglonglong	1	1	0	0	1	1	0	0
@smallscenario	1	1	0	0	1	1	0	0
@both	6	6	0	0	1	1	0	0
@sout	4	4	0	0	1	1	0	0
@soodd	2	2	0	0	1	1	0	0
@soeven	2	2	0	0	1	1	0	0
@scen	2	2	0	0	1	1	0	0
@website	2	2	0	0	1	1	0	0
@skip	5	2	2	1	2	1	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>@skipscenario</i>	1	0	1	0	1	0	1	0
<i>@twoimg</i>	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	0.844 s
2	<u>Exception</u>	5	3	2	0	1.244 s
3	<u>Hook and step failures</u>	2	0	2	0	0.017 s
4	<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names *</u>	2	2	0	0	4.213 s
5	<u>Scenario And Scenario Outline</u>	6	6	0	0	12.663 s
6	<u>Screenshots</u>	2	2	0	0	45.961 s
7	<u>Scenarios With No Step Definitions</u>	3	0	2	1	0.614 s
8	<u>Two Screenshots</u>	1	1	0	0	10.616 s

* The feature name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	0.415 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	0.402 s
3	<u>Exception</u>	<u>Exception</u>	1	0	1	0	0.204 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	0.201 s
5	<u>Exception</u>	<u>Other Exception</u>	2	2	0	0	0.400 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	0	1	0	0.200 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	1	0	0	0.200 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.002 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.000 s
10	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Long Name Scenario Long Name Scenario Long</u> <u>Name Scenario Long Name Scenario Long Name Scenario *</u>	3	3	0	0	2.101 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Normal Name</u>	3	3	0	0	2.101 s
12	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	2.101 s
13	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	2.100 s
14	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	2.102 s
15	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	2.102 s
16	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	2.103 s
17	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Eight Eight Eight</u>	3	3	0	0	2.100 s
18	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	36.385 s
19	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	9.556 s
20	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	1	0	0.201 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	1	0	0.202 s
22	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.200 s
23	<u>Two Screenshots</u>	<u>Scenario screenshot 2</u>	1	1	0	0	10.616 s

DataTable And DocString



PASSED	DURATION - 0.844 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:16:53.229 AM // 11:16:54.073 AM /					
@tabledoc					

DataTable Scenario

<div>PASSED</div>	<div>DURATION - 0.415 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:16:53.229 AM // 11:16:53.644 AM /</div>				
<div>DataTable And DocString</div>				
<div>@tabledoc</div>				

#	Step / Hook Details												Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()												PASSED	0.111 s
1	Given Hello background												PASSED	0.001 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()												PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()												PASSED	0.101 s
2	Given Customer orders the dishes												PASSED	0.002 s
	one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	1	2	3	4	5	6	7	8	9	10	11	12		
	* The data cell text(s) have been cropped to fit in the available space.													
	AFTER_STEP - stepdefs.Stepdefs.afterStep()												PASSED	0.100 s



Doc String to Custom Object

<div>PASSED</div>	<div>DURATION - 0.402 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:16:53.671 AM // 11:16:54.073 AM /</div>				
<div>DataTable And DocString</div>				
<div>@tabledoc</div>				



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	<div>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</div> <div>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</div> <div>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</div> <div>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</div> <div>Doing great. Spicy Meatballs for food and drink italian sicily</div> <div>Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</div> <div>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</div> <div>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</div> <div>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</div> <div>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</div> <div>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</div> <div>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</div>		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Exception



FAILED	DURATION - 1.244 s	Scenarios		Steps	
/ 11:16:54.084 AM // 11:16:55.328 AM /		Total - 5		Total - 6	
		Pass - 3		Pass - 4	
@exception		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

Exception

FAILED	DURATION - 0.204 s		<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:16:54.084 AM // 11:16:54.288 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:106) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646302477004/cucumber-pdf-plugin-report/src/test/resources/stepdefs/exceptions.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s



No Exception

<div>PASSED</div>	<div>DURATION - 0.201 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:16:54.301 AM // 11:16:54.502 AM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s



#	Step / Hook Details	Status	Duration
1	Given Do not raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s

Other Exception

<div>PASSED</div>	<div>DURATION - 0.400 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:16:54.511 AM // 11:16:54.911 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s



Check exception 1

FAILED	DURATION - 0.200 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 11:16:54.921 AM // 11:16:55.121 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:106) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646302477004/cucumber-pdf-plugin-report/src/test/resources/stepdefs/exceptions.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Check exception 2



PASSED	DURATION - 0.200 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 11:16:55.128 AM // 11:16:55.328 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Hook and step failures

FAILED	DURATION - 0.017 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 11:16:55.340 AM // 11:16:55.357 AM /					
@failure					

Before Hook

<div>FAILED</div> <div>DURATION - 0.002 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 11:16:55.340 AM // 11:16:55.342 AM /				
Hook and step failures				
@failure				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.002 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:64)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:71)		

After Hook

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:64)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:71)		



**Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario
Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature
& Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario
Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature &
Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature
& Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature &**

[illegible]

PASSED	DURATION - 4.213 s	Scenarios		Steps	
/ 11:16:55.375 AM // 11:16:59.588 AM /		Total - 2		Total - 6	
		Pass - 2		Pass - 6	
		Fail - 0		Fail - 0	
@longlong @lengthyfeature		Skip - 0		Skip - 0	



[illegible]

Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name
Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario
Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long
Name Scenario Long Name Scenario Long Name

PASSED	DURATION - 2.101 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:16:55.375 AM // 11:16:57.476 AM /				
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *				
@longlong @lengthyfeature @lengthyscenario @lengthyscenariolengthyscenario @lengthyscenariolengthyscenarioscenario *				



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Normal Name



PASSED	DURATION - 2.101 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:16:57.487 AM // 11:16:59.588 AM /				
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *				
@longlong @lengthyfeature @smallscenario				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario And Scenario Outline

PASSED	DURATION - 12.663 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 11:16:59.598 AM // 11:17:12.261 AM /					
@both					



Scenario Outline Row 300

PASSED	DURATION - 2.101 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:16:59.598 AM // 11:17:01.699 AM /				
Scenario And Scenario Outline				
@both @sout @soodd				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s



#	Step / Hook Details	Status	Duration
2	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Outline Row 500

PASSED		DURATION - 2.100 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0			
/ 11:17:01.713 AM // 11:17:03.813 AM /								
Scenario And Scenario Outline								
@both @sout @soodd								



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Outline Row 400

<div>PASSED</div> <div>DURATION - 2.102 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:17:03.821 AM // 11:17:05.923 AM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @sout @soeven</div>				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s



Scenario Outline Row 600

<div>PASSED</div> <div>DURATION - 2.102 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:17:05.934 AM // 11:17:08.036 AM /				
Scenario And Scenario Outline				
@both @sout @soeven				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s



#	Step / Hook Details	Status	Duration
2	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
3	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Scenario Number Seven Seven Seven

PASSED		DURATION - 2.103 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0			
/ 11:17:08.049 AM // 11:17:10.152 AM /								
Scenario And Scenario Outline								
@both @scen								



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s

Scenario Number Eight Eight Eight



PASSED		DURATION - 2.100 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 11:17:10.161 AM // 11:17:12.261 AM /							
Scenario And Scenario Outline							
@both @scen							

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Write a 'given' step with precondition in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When Complete action in 'when' step in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then Validate the outcome in 'then' step in 'Scenario 888'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Screenshots



<div>PASSED</div>	<div>DURATION - 45.961 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:17:12.268 AM // 11:17:58.229 AM /</div>					
<div>@website @skip</div>					

Scenario screenshot GIT

PASSED	DURATION - 36.385 s	 <p>A bar chart with a vertical axis from 0 to 10 and a horizontal axis with a single bar labeled '1'. The bar reaches the value 10, representing 100%.</p>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	 <p>A donut chart that is 100% green, with the number '1' in the center.</p>
/ 11:17:12.268 AM // 11:17:48.653 AM /				
Screenshots				
@website @skip				



[illegible]

Scenario screenshot STACK



PASSED	DURATION - 9.556 s	 <p>A bar chart with a vertical axis from 0 to 6 and a horizontal axis with a single bar labeled '1' reaching a value of 6.</p>	Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	 <p>A donut chart that is 100% green with the number '1' in the center.</p>
/ 11:17:48.673 AM // 11:17:58.229 AM /				
Screenshots				
@website @skip				

[illegible]

Scenarios With No Step Definitions



FAILED	DURATION - 0.614 s	Scenarios		Steps	
/ 11:17:58.308 AM // 11:17:58.922 AM /		Total - 3		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
@skip		Skip - 1		Skip - 1	

No Step defined

FAILED	DURATION - 0.201 s		Steps	
/ 11:17:58.308 AM // 11:17:58.509 AM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip @skipscenario			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given No step definition methods	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s



Pending step

FAILED	DURATION - 0.202 s		Steps	
/ 11:17:58.516 AM // 11:17:58.718 AM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Pending step definition	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:163) at ?.Pending step definition(file:///D:/eclipse-workspace/maven.1646302477004/cucumber-pdf-plugin-report/src/test/resources/stepdefs/skipdef.feature:11) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.101 s

Skipped step



SKIPPED	DURATION - 0.200 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 11:17:58.722 AM // 11:17:58.922 AM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given Skipped step definition org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:168) at ?.Skipped step definition(file:///D:/eclipse-workspace/maven.1646302477004/cucumber-pdf-plugin-report/src/test/resources/stepdefs/skipdef.feature:16) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.100 s

Two Screenshots

PASSED	DURATION - 10.616 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0					
/ 11:17:58.927 AM // 11:18:09.543 AM /									
@twoimg									

Scenario screenshot 2

PASSED	DURATION - 10.616 s	 <p>A bar chart with a vertical axis from 0 to 8 and a horizontal axis with a single bar labeled '1' reaching a value of 8.</p>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	 <p>A donut chart that is 100% green, with the number '1' in the center.</p>
/ 11:17:58.927 AM // 11:18:09.543 AM /				
Two Screenshots				
@twoimg				

[illegible]