

# Cucumber Report

Nov 6, 2020 2:12:47 PM

Started At : Nov 06,  
2:11:43.818 PM



Finished At : Nov 06,  
2:12:41.077 PM

Duration :  
57.259 s

Features

Scenarios

Steps




Passed - 3  
Failed - 3  
Skipped - 0

Passed - 14  
Failed - 5  
Skipped - 0

Passed - 28  
Failed - 3  
Skipped - 5




## FEATURES SUMMARY 1 - 6




#	Feature Name	T	P	F	S	Duration
1	DataTable And DocString	2	2	0	0	1.822 s
2	Exception	5	4	1	0	3.005 s
3	Hook and step failures	2	0	2	0	0.016 s
4	Scenario And Scenario Outline	6	6	0	0	16.157 s
5	Screenshots	2	2	0	0	34.629 s
6	Scenarios With No Step Definitions	2	0	2	0	1.106 s

## SCENARIOS SUMMARY 1 - 12



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And Doc...	DataTable Scenario	2	2	0	0	0.924 s
2	DataTable And Doc...	Doc String to Custom Object	2	2	0	0	0.804 s
3	Exception	Exception	1	1	0	0	0.526 s
4	Exception	No Exception	1	1	0	0	0.502 s
5	Exception	Other Exception	2	0	1	1	0.502 s
6	Exception	Check exception 1	1	1	0	0	0.500 s
7	Exception	Check exception 2	1	1	0	0	0.502 s
8	Hook and step failures	Before Hook	2	0	0	2	0.011 s
9	Hook and step failures	After Hook	2	0	0	2	0.004 s
10	Scenario And Scena...	Scenario Outline Row 300	3	3	0	0	2.605 s
11	Scenario And Scena...	Scenario Outline Row 500	3	3	0	0	2.604 s
12	Scenario And Scena...	Scenario Outline Row 400	3	3	0	0	2.602 s

SCENARIOS SUMMARY 13 - 19



#	Feature Name	Scenario Name	T	P	F	S	Duration
13	Scenario And Scena...	Scenario Outline Row 600	3	3	0	0	2.601 s
14	Scenario And Scena...	Scenario Number Seven Seven...	3	3	0	0	2.601 s
15	Scenario And Scena...	Scenario Number Eight Eight Ei...	3	3	0	0	2.606 s
16	Screenshots	Scenario screenshot GIT	1	1	0	0	24.043 s
17	Screenshots	Scenario screenshot STACK	1	1	0	0	10.483 s
18	Scenarios With No ...	No Step defined	1	0	1	0	0.501 s
19	Scenarios With No ...	Pending step	1	0	1	0	0.500 s

(F) - DataTable And DocString

// Nov 06, 2:11:43.818 PM // Nov 06, 2:11:45.640 PM //

@Tags - @tabledoc

Duration  
1.822 s

Scenarios

Total 2

Pass 2

Fail 0

Skip 0



Steps

Total 4

Pass 4

Fail 0

Skip 0




(F) - DataTable And DocString

(S) - DataTable Scenario

// Nov 06, 2:11:43.818 PM // Nov 06, 2:11:44.742 PM //

@Tags - @tabledoc

Duration  
0.924 s



Steps

Total 2

Pass 2

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.153 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Hello background	PASSED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Customer orders the dishes	PASSED	0.016 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	after - stepdefs.Stepdefs.before()	PASSED	0.153 s

(F) - DataTable And DocString


(S) - Doc String to Custom Object

// Nov 06, 2:11:44.836 PM // Nov 06, 2:11:45.640 PM //

@Tags - @tabledoc

Duration

0.804 s



Steps

Total 2

Pass 2

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.101 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Hello background	PASSED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	the doc string is	PASSED	0.001 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	after - stepdefs.Stepdefs.before()	PASSED	0.101 s

(F) - Exception

// Nov 06, 2:11:45.744 PM // Nov 06, 2:11:48.749 PM //

@Tags - @exception

Duration

3.005 s

Scenarios

Total 5

Pass 4

Fail 1

Skip 0




Steps

Total 6

Pass 4

Fail 1

Skip 1




(F) - Exception

**(S) - Exception**

// Nov 06, 2:11:45.744 PM // Nov 06, 2:11:46.270 PM //

@Tags - @exception



Steps

Total 1

Pass 1

Fail 0

Skip 0

Duration

0.526 s




#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Raise exception	PASSED	0.024 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F) - Exception

**(S) - No Exception**

// Nov 06, 2:11:46.374 PM // Nov 06, 2:11:46.876 PM //

@Tags - @exception



Steps

Total 1

Pass 1

Fail 0

Skip 0

Duration

0.502 s



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.101 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Do not raise exception	PASSED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.101 s

(F) - Exception


## (S) - Other Exception

// Nov 06, 2:11:46.992 PM // Nov 06, 2:11:47.494 PM //

@Tags - @exception

Duration

0.502 s



Steps

Total 2

Pass 0

Fail 1

Skip 1



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Raise exception java.lang.AssertionError: expected:<false> but was:<true> at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.failNotEquals(Assert.java:834) at org.junit.Assert.assertEquals(Assert.java:118) at org.junit.Assert.assertEquals(Assert.java:144) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:110) at .Raise exception(classpath:stepdefs/exceptions.feature:11)	FAILED	0.002 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	before_step - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Raise exception	SKIPPED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F) - Exception


## (S) - Check exception 1

// Nov 06, 2:11:47.644 PM // Nov 06, 2:11:48.144 PM //

@Tags - @exception

Duration

0.500 s



Steps

Total 1

Pass 1

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s




#	Step / Hook Text	Status	Duration
1	Raise exception	PASSED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F) - Exception

(S) - Check exception 2

// Nov 06, 2:11:48.247 PM // Nov 06, 2:11:48.749 PM //

@Tags - @exception



Steps

Total 1

Pass 1

Fail 0

Skip 0

Duration

0.502 s



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.101 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Raise exception	PASSED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.101 s

(F) - Hook and step failures

// Nov 06, 2:11:48.851 PM // Nov 06, 2:11:48.867 PM //

@Tags - @failure

Scenarios

Total 2

Pass 0

Fail 2

Skip 0



Steps

Total 4

Pass 0

Fail 0

Skip 4



Duration


0.016 s

(F) - Hook and step failures

## (S) - Before Hook

// Nov 06, 2:11:48.851 PM // Nov 06, 2:11:48.862 PM //

@Tags - @failure



Steps

Total 2

Pass 0

Fail 0

Skip 2

Duration

0.011 s




#	Step / Hook Text	Status	Duration
	<i>before - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)</i> ----- <i>FAILURE HI FAILURE HELLO</i>	FAILED	0.005 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	SKIPPED	0.000 s
1	Hook failure step	SKIPPED	0.000 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	SKIPPED	0.001 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	SKIPPED	0.000 s
2	Skip hook failure step	SKIPPED	0.000 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	SKIPPED	0.000 s
	<i>after - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)</i> ----- <i>FAILURE HI FAILURE HELLO</i>	FAILED	0.005 s

(F) - Hook and step failures

## (S) - After Hook

// Nov 06, 2:11:48.863 PM // Nov 06, 2:11:48.867 PM //

@Tags - @failure



Steps

Total 2

Pass 0

Fail 0

Skip 2

Duration

0.004 s



#	Step / Hook Text	Status	Duration
	<i>before - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)</i> ----- <i>FAILURE HI FAILURE HELLO</i>	FAILED	0.002 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	SKIPPED	0.000 s
1	<i>Hook failure step</i>	SKIPPED	0.000 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	SKIPPED	0.000 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	SKIPPED	0.000 s
2	<i>Skip hook failure step</i>	SKIPPED	0.000 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	SKIPPED	0.000 s
	<i>after - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)</i> ----- <i>FAILURE HI FAILURE HELLO</i>	FAILED	0.002 s

(F) - Scenario And Scenario Outline

// Nov 06, 2:11:48.908 PM // Nov 06, 2:12:05.065 PM //

@Tags - @both

Duration  
16.157 s

Scenarios

Total 6

Pass 6

Fail 0

Skip 0




Steps

Total 18

Pass 18

Fail 0

Skip 0




(F) - Scenario And Scenario Outline

(S) - Scenario Outline Row 300

// Nov 06, 2:11:48.908 PM // Nov 06, 2:11:51.513 PM //

@Tags - @both @soodd @sout

Duration  
2.605 s



Steps

Total 3

Pass 3

Fail 0

Skip 0




#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.101 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.501 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.500 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.501 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.101 s

(F) - Scenario And Scenario Outline

**(S) - Scenario Outline Row 500**

// Nov 06, 2:11:51.619 PM // Nov 06, 2:11:54.223 PM //

@Tags - @both @soodd @sout



Duration

2.604 s

Steps

Total 3

Pass 3

Fail 0

Skip 0




#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.501 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.501 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
3	Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.500 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F) - Scenario And Scenario Outline

**(S) - Scenario Outline Row 400**

// Nov 06, 2:11:54.330 PM // Nov 06, 2:11:56.932 PM //

@Tags - @both @soeven @sout



Duration

2.602 s

Steps

Total 3

Pass 3

Fail 0

Skip 0




#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.500 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.500 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.501 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F) - Scenario And Scenario Outline

**(S) - Scenario Outline Row 600**

// Nov 06, 2:11:57.036 PM // Nov 06, 2:11:59.637 PM //

@Tags - @both @soeven @sout



Duration

2.601 s

Steps

Total 3

Pass 3

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.500 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s


#	Step / Hook Text	Status	Duration
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	PASSED	0.100 s
2	Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.501 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	PASSED	0.200 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	PASSED	0.100 s
3	Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.500 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	PASSED	0.200 s
	<i>after - stepdefs.Stepdefs.before()</i>	PASSED	0.100 s

(F) - Scenario And Scenario Outline

**(S) - Scenario Number Seven Seven Seven**

// Nov 06, 2:11:59.752 PM // Nov 06, 2:12:02.353 PM //

@Tags - @both @scen



Steps  
Total 3  
Pass 3  
Fail 0  
Skip 0

Duration  
2.601 s




#	Step / Hook Text	Status	Duration
	<i>before - stepdefs.Stepdefs.before()</i>	PASSED	0.100 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	PASSED	0.100 s
1	Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.501 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	PASSED	0.200 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	PASSED	0.100 s
2	Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	PASSED	0.200 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	PASSED	0.100 s
3	Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	PASSED	0.200 s
	<i>after - stepdefs.Stepdefs.before()</i>	PASSED	0.100 s

(F) - Scenario And Scenario Outline

## (S) - Scenario Number Eight Eight Eight

// Nov 06, 2:12:02.459 PM // Nov 06, 2:12:05.065 PM //

@Tags - @both @scen



Duration

2.606 s

Steps

Total 3

Pass 3

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.101 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Write a 'given' step with precondition in 'Scenario 888'	PASSED	0.501 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
2	Complete action in 'when' step in 'Scenario 888'	PASSED	0.500 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Validate the outcome in 'then' step in 'Scenario 888'	PASSED	0.500 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.101 s

## (F) - Screenshots

// Nov 06, 2:12:05.169 PM // Nov 06, 2:12:39.798 PM //

@Tags - @website

Duration

34.629 s

Scenarios  
Total 2  
Pass 2  
Fail 0  
Skip 0



Steps

Total 2

Pass 2

Fail 0

Skip 0




(F) - Screenshots

## (S) - Scenario screenshot GIT

// Nov 06, 2:12:05.169 PM // Nov 06, 2:12:29.212 PM //

@Tags - @website



Steps

Total 1

Pass 1

Fail 0

Skip 0

Duration

24.043 s




#	Step / Hook Text	Status	Duration
	<i>before - stepdefs.Stepdefs.before()</i>	PASSED	0.101 s
	<i>before_step - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scen...</i>	PASSED	15.663 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	PASSED	0.100 s
1	Go to <a href="https://github.com/">https://github.com/</a> ----- <i>scenario website name - https://github.com/</i>	PASSED	6.479 s
	<i>after_step - stepdefs.Stepdefs.afterStep()</i>	PASSED	0.264 s
	<i>after_step - stepdefs.Stepdefs.afterSite()</i> ----- <i>Media saved - embedded\embedded1.png</i>	PASSED	1.335 s
	<i>after - stepdefs.Stepdefs.before()</i>	PASSED	0.101 s

(F) - Screenshots

## (S) - Scenario screenshot STACK

// Nov 06, 2:12:29.315 PM // Nov 06, 2:12:39.798 PM //

@Tags - @website



Steps

Total 1

Pass 1

Fail 0

Skip 0

Duration

10.483 s



#	Step / Hook Text	Status	Duration
	<i>before - stepdefs.Stepdefs.before()</i>	PASSED	0.100 s
	<i>before_step - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scen...</i>	PASSED	3.383 s
	<i>before_step - stepdefs.Stepdefs.beforeStep()</i>	PASSED	0.100 s
1	Go to <a href="https://stackoverflow.com/">https://stackoverflow.com/</a> ----- <i>scenario website name - https://stackoverflow.com/</i>	PASSED	5.554 s



#	Step / Hook Text	Status	Duration
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	after_step - stepdefs.Stepdefs.afterSite() ----- Media saved - embedded\embedded2.png	PASSED	1.045 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F) - Scenarios With No Step Definitions

// Nov 06, 2:12:39.971 PM // Nov 06, 2:12:41.077 PM //

@Tags - @skip

Duration  
1.106 s

Scenarios

Total 2

Pass 0

Fail 2

Skip 0



Steps

Total 2

Pass 0

Fail 2

Skip 0




(F) - Scenarios With No Step Definitions

(S) - No Step defined

// Nov 06, 2:12:39.971 PM // Nov 06, 2:12:40.472 PM //

@Tags - @skip @skipscenario

Duration  
0.501 s



Steps

Total 1

Pass 0

Fail 1

Skip 0




#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	No step definition methods	FAILED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F) - Scenarios With No Step Definitions

(S) - Pending step

// Nov 06, 2:12:40.577 PM // Nov 06, 2:12:41.077 PM //

@Tags - @skip



Steps

Total 1

Pass 0

Fail 1

Skip 0

Duration

0.500 s



#	Step / Hook Text	Status	Duration
	before - stepdefs.Stepdefs.before()	PASSED	0.100 s
	before_step - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Pending step definition	FAILED	0.000 s
	after_step - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	after - stepdefs.Stepdefs.before()	PASSED	0.100 s