

31

```
template<typename F, send... Args>
safe_thread (F&& f, Args&&... args)
    : thread (std::forward<F> (f), std::forward<Args> (args)...)
{
    static_assert (send<F>);
}
```

```
template<typename T>
struct is_send : std::bool_constant<
    (! (std::is_lvalue_reference_v<T>
        || std::is_pointer_v<std::remove_extent_t<T>>
        || is_lambda_v<T>))
    &&
    (std::is_move_constructible_v<T>
        || (is_function_pointer_v<std::decay_t<T>>
            && ! std::is_member_function_pointer_v<T>)))>
{};
```

```
template<typename T>
concept send = is_send<T>::value;
```

```
static_assert(is_send_v<const int>);  
static_assert(is_send_v<int>);  
static_assert(is_send_v<int&&>);  
static_assert(is_send_v<int>);
```

```
static_assert(! is_send_v<int&>);  
static_assert(! is_send_v<int*&>);  
static_assert(! is_send_v<const int&>);  
static_assert(! is_send_v<const int*&>);  
static_assert(! is_send_v<std::string&>);  
static_assert(! is_send_v<const std::string&>);  
static_assert(! is_send_v<std::string*&>);  
static_assert(! is_send_v<const std::string*&>);
```



Sent in C++: *Moved between threads*













Send in C++: *Moved between threads*

```
template<typename F, send... Args>
safe_thread (F&& f, Args&&... args)
    : thread (std::forward<F> (f), std::forward<Args> (args)...)
{
    static_assert (send<F>);
}
```

```
template<typename T>
struct is_send : std::bool_constant<
    (! (std::is_lvalue_reference_v<T>
        || std::is_pointer_v<std::remove_extent_t<T>>
        || is_lambda_v<T>))
    &&
    (std::is_move_constructible_v<T>
        || (is_function_pointer_v<std::decay_t<T>>
            && ! std::is_member_function_pointer_v<T>)))>
{};

template<typename T>
concept send = is_send<T>::value;
```

```
static_assert(is_send_v<const int>);
static_assert(is_send_v<int>);
static_assert(is_send_v<int&&>);
static_assert(is_send_v<int>);

static_assert(! is_send_v<int&>);
static_assert(! is_send_v<int*&>);
static_assert(! is_send_v<const int&>);
static_assert(! is_send_v<const int*&>);
static_assert(! is_send_v<std::string&>);
static_assert(! is_send_v<const std::string&>);
static_assert(! is_send_v<std::string*&>);
static_assert(! is_send_v<const std::string*&>);
```

Is T send?

