


TIMR (03) Timer - Stoppuhr


TIMR	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
TIMER 1 TIME	01:00 min:s					01:00 min:s
TIMER 1 MODE	INH					INH
TIMER 1 ON SWITCH	SWITCH +1					SWITCH +1
TIMER 1 OFF SWITCH	INH					INH
TIMER 2 TIME	01:00 min:s					01:00 min:s
TIMER 2 MODE	INH					INH
TIMER 2 ON SWITCH	SWITCH +1					SWITCH +1
TIMER 2 OFF SWITCH	INH					INH

ATV (14) ATV - Servowegeinstellung


ATV, Funktion QUE-1	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %




ATV, Funktion HOE-3	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %




ATV, Funktion MOT-2	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %




ATV, Funktion SEI-4	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %




ATV, Funktion ZU1-5	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %




ATV, Funktion ZU2-6	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %




ATV, Funktion ZU3-7	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %




ATV, Funktion ZU4-8	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
DELAY CHANNEL	0 %	0 %	0 %	0 %	0 %	0 %
DELAY CONDITION	0 %	0 %	0 %	0 %	0 %	0 %
CENTER	0 %	0 %	0 %	0 %	0 %	0 %
MODE	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL
LIMIT LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
LIMIT RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %

**AFR (15) AFR - Steuergeberwegeinstellung**


AFR, Funktion QUE-1	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	50 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	50 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %




AFR, Funktion HOE-3	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	50 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	50 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %




AFR, Funktion MOT-2	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %




AFR, Funktion SEI-4	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	0 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	0 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %




AFR, Funktion ZU1-5	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %




AFR, Funktion ZU2-6	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %



AFR, Funktion ZU3-7	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %




AFR, Funktion ZU4-8	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %




D/R (16) Dual Rate - zuschaltbare Steuergeberwegeinstellung

D/R	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
D/R1 ON/OFF	INH	INH	INH	INH	INH	INH
D/R1 CH	QUE-1	QUE-1	QUE-1	QUE-1	QUE-1	QUE-1
D/R1 SWITCH	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1
D/R1 RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
D/R1 RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
D/R1 TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
D/R1 RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
D/R1 RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %
D/R2 ON/OFF	INH	INH	INH	INH	INH	INH
D/R2 CH	HOE-3	HOE-2	HOE-2	HOE-2	HOE-2	HOE-3
D/R2 SWITCH	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1
D/R2 RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
D/R2 RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
D/R2 TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
D/R2 RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
D/R2 RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %
D/R3 ON/OFF	INH	INH	INH	INH	INH	INH
D/R3 CH	SEI-4	SEI-4	SEI-4	SEI-4	SEI-4	SEI-4
D/R3 SWITCH	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1	SWITCH +1
D/R3 RATE1 LEFT/DOWN	100 %	100 %	100 %	100 %	100 %	100 %
D/R3 RATE1 RIGHT/UP	100 %	100 %	100 %	100 %	100 %	100 %
D/R3 TYPE	EXP1	EXP1	EXP1	EXP1	EXP1	EXP1
D/R3 RATE2 LEFT/DOWN	0 %	0 %	0 %	0 %	0 %	0 %
D/R3 RATE2 RIGHT/UP	0 %	0 %	0 %	0 %	0 %	0 %


Dual-Rate 1:



Dual-Rate 2:



Dual-Rate 3:



PMX1 (40) Programmable Mix 1 - 1. frei programmierbarer Mischer bzw. Kurvenmischer

PMX1	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MIX ON/OFF	ACT	INH	INH	INH	INH	INH
MIX TYPE	LINEAR	LINEAR	LINEAR	LINEAR	LINEAR	LINEAR
MASTER FUNCTION	QUE-1	QUE-1	QUE-1	QUE-1	QUE-1	QUE-1
X	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF
MASTER SOURCE	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION
SLAVE FUNCTION	SEI-4	HOE-2	HOE-2	HOE-2	HOE-2	HOE-3
Y	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF
SWITCH	INH	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B
RATE LEFT/DOWN	100 %	50 %	50 %	50 %	50 %	50 %
RATE RIGHT/UP	100 %	50 %	50 %	50 %	50 %	50 %
DELAY EIN	0 %	0 %	0 %	0 %	0 %	0 %
DELAY AUS	0 %	0 %	0 %	0 %	0 %	0 %
TRIM	ON	OFF	OFF	OFF	OFF	OFF
OFFSET	0 %	0 %	0 %	0 %	0 %	0 %

Figure 1 shows five 4x4 grids, each representing a different configuration of black and white squares. The grids are arranged horizontally. Each grid has a 2x2 block of black squares in the top-left corner. The other squares are white, except for some black squares in the bottom-right 2x2 block of each grid. The patterns of black squares in the bottom-right 2x2 block vary between the five grids.

PMX2 (41) Programmable Mix 2 - 2. frei programmierbarer Mischer

PMX2	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MIX ON/OFF	ACT	INH	INH	INH	INH	INH
MASTER FUNCTION	ZU3-7	HOE-2	HOE-2	HOE-2	HOE-2	HOE-3
X	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF
MASTER SOURCE	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION
SLAVE FUNCTION	QUE-1	MOT-3	MOT-3	MOT-3	MOT-3	MOT-2
Y	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF
SWITCH	SWITCH +A	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B
RATE LEFT/DOWN	20 %	50 %	50 %	50 %	50 %	50 %
RATE RIGHT/UP	20 %	50 %	50 %	50 %	50 %	50 %
DELAY EIN	0 %	0 %	0 %	0 %	0 %	0 %
DELAY AUS	0 %	0 %	0 %	0 %	0 %	0 %
TRIM	OFF	OFF	OFF	OFF	OFF	OFF
OFFSET	0 %	0 %	0 %	0 %	0 %	0 %

PMX3 (42) Programmable Mix 3 - 3. frei programmierbarer Mischer

PMX3	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MIX ON/OFF	ACT	INH	INH	INH	INH	INH
MASTER FUNCTION	ZU3-7	MOT-3	MOT-3	MOT-3	MOT-3	MOT-2
X	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF
MASTER SOURCE	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION
SLAVE FUNCTION	SEI-4	SEI-4	SEI-4	SEI-4	SEI-4	SEI-4
Y	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF
SWITCH	SWITCH +A	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B
RATE LEFT/DOWN	-20 %	50 %	50 %	50 %	50 %	50 %
RATE RIGHT/UP	-20 %	50 %	50 %	50 %	50 %	50 %
DELAY EIN	0 %	0 %	0 %	0 %	0 %	0 %
DELAY AUS	0 %	0 %	0 %	0 %	0 %	0 %
TRIM	OFF	OFF	OFF	OFF	OFF	OFF
OFFSET	0 %	0 %	0 %	0 %	0 %	0 %

PMX4 (43) Programmable Mix 4 - 4. frei programmierbarer Mischer

PMX4	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MIX ON/OFF	ACT	INH	INH	INH	INH	INH
MASTER FUNCTION	ZU3-7	SEI-4	SEI-4	SEI-4	SEI-4	SEI-4
X	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF
MASTER SOURCE	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION
SLAVE FUNCTION	HOE-3	ZU1-5	ZU1-5	ZU1-5	ZU1-5	ZU1-5
Y	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF
SWITCH	SWITCH +A	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B
RATE LEFT/DOWN	20 %	50 %	50 %	50 %	50 %	50 %
RATE RIGHT/UP	20 %	50 %	50 %	50 %	50 %	50 %
DELAY EIN	0 %	0 %	0 %	0 %	0 %	0 %
DELAY AUS	0 %	0 %	0 %	0 %	0 %	0 %
TRIM	OFF	OFF	OFF	OFF	OFF	OFF
OFFSET	0 %	0 %	0 %	0 %	0 %	0 %

PMX5 (44) Programmable Mix 5 - 5. frei programmierbarer Mischer

PMX5	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MIX ON/OFF	INH	INH	INH	INH	INH	INH
MASTER FUNCTION	ZU1-5	ZU1-5	ZU1-5	ZU1-5	ZU1-5	ZU1-5
X	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF
MASTER SOURCE	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION
SLAVE FUNCTION	ZU2-6	ZU2-6	ZU2-6	ZU2-6	ZU2-6	ZU2-6
Y	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF
SWITCH	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B
RATE LEFT/DOWN	50 %	50 %	50 %	50 %	50 %	50 %
RATE RIGHT/UP	50 %	50 %	50 %	50 %	50 %	50 %
DELAY EIN	0 %	0 %	0 %	0 %	0 %	0 %
DELAY AUS	0 %	0 %	0 %	0 %	0 %	0 %
TRIM	OFF	OFF	OFF	OFF	OFF	OFF
OFFSET	0 %	0 %	0 %	0 %	0 %	0 %

PMX6 (45) Programmable Mix 6 - 6. frei programmierbarer Mischer

PMX6	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MIX ON/OFF	INH	INH	INH	INH	INH	INH
MASTER FUNCTION	ZU2-6	ZU2-6	ZU2-6	ZU2-6	ZU2-6	ZU2-6
X	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF	X-OFF
MASTER SOURCE	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION	FUNCTION
SLAVE FUNCTION	ZU3-7	ZU3-7	ZU3-7	ZU3-7	ZU3-7	ZU3-7
Y	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF	Y-OFF
SWITCH	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B	SWITCH +B
RATE LEFT/DOWN	50 %	50 %	50 %	50 %	50 %	50 %
RATE RIGHT/UP	50 %	50 %	50 %	50 %	50 %	50 %
DELAY EIN	0 %	0 %	0 %	0 %	0 %	0 %
DELAY AUS	0 %	0 %	0 %	0 %	0 %	0 %
TRIM	OFF	OFF	OFF	OFF	OFF	OFF
OFFSET	0 %	0 %	0 %	0 %	0 %	0 %

REVR (12) Servo Reverse - Servowegumpolung

REVR	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
DIRECTION QUE-1	REVERSE					NORMAL
DIRECTION HOE-3	NORMAL					NORMAL
DIRECTION MOT-2	NORMAL					NORMAL
DIRECTION SEI-4	REVERSE					NORMAL
DIRECTION ZU1-5	NORMAL					NORMAL
DIRECTION ZU2-6	NORMAL					NORMAL
DIRECTION ZU3-7	NORMAL					NORMAL
DIRECTION ZU4-8	NORMAL					NORMAL
DIRECTION CH9-9	NORMAL					NORMAL

TRIM (29) Trim - Einstellung der Trimmung

TRIM	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
RATE F1	100 %	100 %	100 %	100 %	100 %	100 %
RATE F2	100 %	100 %	100 %	100 %	100 %	100 %
RATE F3	100 %	100 %	100 %	100 %	100 %	100 %
RATE F4	100 %	100 %	100 %	100 %	100 %	100 %
RATE CROSS TRIMM	NORMAL					NORMAL
RATE TH_ATL	NORMAL					NORMAL
TRIM MEMORY F1	35 %	0 %	0 %	0 %	0 %	0 %
TRIM MEMORY F2	0 %	0 %	0 %	0 %	0 %	0 %
TRIM MEMORY F3	-9 %	0 %	0 %	0 %	0 %	0 %
TRIM MEMORY F4	0 %	0 %	0 %	0 %	0 %	0 %

F/S (22) Fail Safe - Fail Safe Modi und Positionen

F/S	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MODE QUE-1	HOLD					HOLD
MODE HOE-3	HOLD					HOLD
MODE MOT-2	HOLD					HOLD
MODE SEI-4	HOLD					HOLD
MODE ZU1-5	HOLD					HOLD
MODE ZU2-6	HOLD					HOLD
MODE ZU3-7	HOLD					HOLD
MODE ZU4-8	HOLD					HOLD
POSITION QUE-1	50 %					50 %
POSITION HOE-3	50 %					50 %
POSITION MOT-2	50 %					50 %
POSITION SEI-4	50 %					50 %
POSITION ZU1-5	50 %					50 %
POSITION ZU2-6	50 %					50 %
POSITION ZU3-7	50 %					50 %
POSITION ZU4-8	50 %					50 %
BATTERY MODE	MOT					MOT
THR/ABR POS	41.2 %					41.2 %

PARA (28) Parameter - Grundeinstellungen

PARA	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
PCM/PPM	PPM					PCM
CH9 SWITCH	SWITCH +A					SWITCH +A
CH10 SWITCH	SWITCH +B					SWITCH +B
SPRACHE	DEUTSCH					ENGLISCH

FUNC (21) Function Change - Steuergeberzuordnung

FUNC	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
NAME 1	QUE					AIL
NAME 2	HOE					ELE
NAME 3	MOT					THR
NAME 4	SEI					RUD
NAME 5	ZU1					AUX
NAME 6	ZU2					AUX
NAME 7	ZU3					AUX
NAME 8	ZU4					AUX
QUE SOURCE CH1	FUNC +1	FUNC +1	FUNC +1	FUNC +1	FUNC +1	FUNC +1
HOE SOURCE CH2	FUNC +3	FUNC +2	FUNC +2	FUNC +2	FUNC +2	FUNC +2
MOT SOURCE CH3	FUNC +2	FUNC +3	FUNC +3	FUNC +3	FUNC +3	FUNC +3
SEI SOURCE CH4	FUNC +4	FUNC +4	FUNC +4	FUNC +4	FUNC +4	FUNC +4
ZU1 SOURCE CH5	FUNC +5	FUNC +5	FUNC +5	FUNC +5	FUNC +5	FUNC +5
ZU2 SOURCE CH6	FUNC +6	FUNC +6	FUNC +6	FUNC +6	FUNC +6	FUNC +6
ZU3 SOURCE CH7	FUNC +7	FUNC +7	FUNC +7	FUNC +7	FUNC +7	FUNC +7
ZU4 SOURCE CH8	FUNC +8	FUNC +8	FUNC +8	FUNC +8	FUNC +8	FUNC +8

CHSW (35) Channel Switch - Kanalschalter

CHSW	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
FUNCTION SW E	INH					INH
OFFSET SW E	50 %					50 %
FUNCTION SW F	INH					INH
OFFSET SW F	50 %					50 %
FUNCTION SW G	INH					INH
OFFSET SW G	50 %					50 %
FUNCTION SW H	INH					INH
OFFSET SW H	50 %					50 %
FUNCTION SW I	INH	INH	INH	INH	INH	INH
OFFSET SW I	50 %	50 %	50 %	50 %	50 %	50 %
FUNCTION SW J	INH	INH	INH	INH	INH	INH
OFFSET SW J	50 %	50 %	50 %	50 %	50 %	50 %
FUNCTION SW K	INH	INH	INH	INH	INH	INH
OFFSET SW K	50 %	50 %	50 %	50 %	50 %	50 %
FUNCTION SW L	INH	INH	INH	INH	INH	INH
OFFSET SW L	50 %	50 %	50 %	50 %	50 %	50 %

MULT (27) Multi Switch - Kanalwahl für Multi-Switch- bzw. Multi-Prop-Modul

MULT	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MULTI 1	INH					INH
MULTI 2	INH					INH

MxTY (13) Model Type - Auswahl des Modelltyps

MxTY	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
MODELLTYP	STANDARD					STANDARD
MxSW FLIGHT1	INH					INH
MxSW FLIGHT2	INH					INH
MxSW FLIGHT3	INH					INH
MxSW FLIGHT4	INH					INH

MxSW (09) Mix Switch - Auswahl Mischerschalter

MxSW	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
FLIGHT1	INH					INH
FLIGHT2	INH					INH
FLIGHT3	INH					INH
FLIGHT4	INH					INH

MTRM (50) Trim Memory - Trimmerwege

MTRM	NORMAL	FLIGHT1	FLIGHT2	FLIGHT3	FLIGHT4	DEFAULT
TRIM RATE 1	100 %	100 %	100 %	100 %	100 %	100 %
TRIM RATE 2	100 %	100 %	100 %	100 %	100 %	100 %
TRIM RATE 3	100 %	100 %	100 %	100 %	100 %	100 %
TRIM RATE 4	100 %	100 %	100 %	100 %	100 %	100 %
TRIM RATE 5	100 %	100 %	100 %	100 %	100 %	100 %
TRIM RATE 6	100 %	100 %	100 %	100 %	100 %	100 %
TRIM RATE 7	100 %	100 %	100 %	100 %	100 %	100 %
TRIM RATE 8	100 %	100 %	100 %	100 %	100 %	100 %
TRIM MODE 1	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG
TRIM MODE 2	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG
TRIM MODE 3	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG
TRIM MODE 4	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG
TRIM MODE 5	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG
TRIM MODE 6	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG
TRIM MODE 7	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG
TRIM MODE 8	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG