Proposal Literature Review

In the name of Allah

Literature Review

With advancement in technologies and trading strategies the sea areas of countries are getting huge importance. Pakistan's offshore territory of 240,000sqkm has expanded by another 50,000sqkm allowing the country to benefit from the natural resources contained in it(sajjad syed, 2015). Pakistan is going to develop a multi-dollars project in collaboration with China on Arabian Sea near Gwadar, Balochistan. it is a game changer project which will transform the fate of Pakistan and will help Pakistan modernize(Abid & Ashfaq, 2015). At the same time with extension in seabed area there are also challenges for security and defence as most of the sea lines of communications to Pacific Ocean, Africa and Europe will pass through the Pakistani Exclusive Economic Zone or in its proximity, hence all the ships passing through this 290,058 square kilometer area will be highly vulnerable to threats emerging out from Sea and Air(Malik, 2018). This situation encourages the researcher to explore for resources underwater and establish defensive smart systems across the seabed boundaries.

Performing reliable localization and navigation within highly unstructured underwater environments is a difficult task(Corke et al., 2007). There are mostly two types of vehicle used underwater. First is Remotely operated vehicle (ROV) which is connected through wire with basic purpose of seabed inspection, maintenance and repair operations(Grøtli, Tjønnås, Azpiazu, Transeth, & Ludvigsen, 2016).second is Autonomous underwater vehicle (AUV) which is self driving vehicle with no directly connected wire. AUV is now being used for a variety of tasks, including oceanographic surveys, demining, and bathymetric data collection in marine and riverine environments. Accurate localization and navigation is essential to ensure the accuracy of the gathered data for these applications(Paull, Saeedi, Seto, & Li, 2014). A number of techniques are used, or proposed, to estimate vehicle motion which can be categorized as either acoustic or vision-based(Corke et al., 2007)

For underwater tracking generally three types of methods are used which are instrument-assisted method, active and passive mode based method and tracking optimization method. According to the tracking instrument and tracking mode, researchers have proposed numerous algorithms to improve the tracking accuracy and stability. However, other optimization methods have also been investigated for further

improvement(Paull et al., 2014).

Acoustic systems are better approach for underwater tracking, exploration and localization. Underwater acoustic imaging systems are useful in providing underwater observation and inspection capabilities whenever optical systems cannot (Sutton, 1979). For localization different geo-reffered techniques are used like Global positioning system (GPS) but radio - frequency signals cannot be received directly by the AUV when underwater, hence we have to rely on acoustic positioning systems (Khan, Taher, & Hover, 2010). Such positioning systems consists on different positioning and inertial sensors. Choosing a convenient fusion policy, that reduces the impact of un-modeled noise, and is computationally efficient, is an open research issue(Chame, Dos Santos, & da Costa Botelho, 2018). Adaptable fusion is possible using Kalman filters. In (Drolet, Michaud, & Côté, 2000) an algorithm can handle any number of redundant sensors by using multi-filter fusion and can work asynchronously with different sensor data rates through a filter switching process. But Kalman filters performs poorly under presence of unstructured noise. Particle filter are good known filters which can perform finely under un-modeled noise but they are slow responsive with very high computational cost. For optimum and efficient computation there is need of a choosing a convenient fusion policy which can perform accurately even in presence of unstructured noise.

It has been seen for last few years that neural networks are very optimum and efficient for approximation and classification. PC/BC-DIM can also perform optimal cue integration with a non-flat prior and network's cue integration with a prior is near optimal even when the input distributions are noisy(Spratling, 2016). So there is need to implement such PC/BC-DIM type neural algorithm to describe accurate location of acoustic source and underwater exploration which can perform multi-sensory fusion optimally even in the presence of unstructured noise.

References

- Abid, M., & Ashfaq, A. (2015). Cpec: Challenges and opportunities for pakistan. *Journal of Pakistan Vision*, 16(2), 142–169.
- Chame, H. F., Dos Santos, M. M., & da Costa Botelho, S. S. (2018). Neural network for black-box fusion of underwater robot localization under unmodeled noise. *Robotics and Autonomous Systems*, 110, 57–72.
- Corke, P., Detweiler, C., Dunbabin, M., Hamilton, M., Rus, D., & Vasilescu, I. (2007). Experiments with underwater robot localization and tracking. In *Robotics and automation*, 2007 ieee international conference on (pp. 4556–4561).
- Drolet, L., Michaud, F., & Côté, J. (2000). Adaptable sensor fusion using multiple kalman filters. In *Intelligent robots* and systems, 2000. (iros 2000). proceedings. 2000 ieee/rsj international conference on (Vol. 2, pp. 1434–1439).
- Grøtli, E. I., Tjønnås, J., Azpiazu, J., Transeth, A. A., & Ludvigsen, M. (2016). Towards more autonomous rov operations: Scalable and modular localization with experiment data. *IFAC-PapersOnLine*, 49(23), 173–180.
- Khan, R. R., Taher, T., & Hover, F. S. (2010). Accurate geo-referencing method for auvs for oceanographic sampling. In *Oceans 2010* (pp. 1–5).
- Malik, D. H. Y. (2018). Pakistan's Exclusive Economic Zone for Trade Protection through China Pakistan Economic Corridor. "https://pakobserver.net/establishing-air-defence-identification-zone-over-pakistans

- -exclusive-economic-zone-for-trade-protection-through-china-pakistan-economic-corridor/". ([Online; accessed December 19, 2018])
- Paull, L., Saeedi, S., Seto, M., & Li, H. (2014). Auv navigation and localization: A review. *IEEE Journal of Oceanic Engineering*, 39(1), 131–149.
- sajjad syed, B. (2015). Pakistan seabed territory grows by 50,000 square kilometres. https://www.dawn.com/news/1170986/. ([Online; accessed 3-february-2019])
- Spratling, M. W. (2016). A neural implementation of bayesian inference based on predictive coding. *Connection Science*, 28(4), 346–383.
- Sutton, J. L. (1979). Underwater acoustic imaging. Proceedings of the IEEE, 67(4), 554–566.