

Introduction to Fitness

A Technical Book on Fitness

Mihail Dunaev

Contents

1	Introduction	3
2	Nutrition	5
2.1	Calories, BMR, TDEE	5
2.2	Body Fat Percentage	6
2.3	Macronutrients	9
2.4	Fat Stores, Distribution and Carb Stores	11
2.5	Bulking & Cutting	12
2.6	Metabolism and Adaptive Thermogenesis	14
2.7	Intermittent Fasting	15
2.8	Tracking Calories, Meal Prep, Cooking	16

Chapter 1

Introduction

I have no background in fitness or nutrition. In school I studied Computer Science and now I work as a Software Engineer. What made me get more into fitness was my weight: I was fat. Multiple times in my life. First, growing up as a kid I was fat and I managed to lose the weight in secondary school just by eating less. Second time I got fat was in university, just because I lacked any motivation to study for exams and would power my way through with food and energy drinks. After uni I found it much harder to lose weight than I previously knew. I would follow a lot of diets (keto¹, food replacement like soylent² or huel³), sometimes going really low in calories intake, feeling like I have no energy and gaining the weight back on after ending the diet. I needed a better solution to this: I decided to start going to the gym.

I guess my goal was to build muscle and lose fat. I've always liked muscles as a kid, just never got the time to look into it and start working out. This was my chance. I had a lot of questions: how do I train? What do I eat? Are there other things I need to pay attention to? One solution would be to hire a personal trainer to help me achieve this goal. What stopped me from doing this is the way my brain works: I knew I would just be given a list of things to do without any explanation. I really like to understand how things work and I would end up being disappointed. This is also a big part of my life by now, I definitely wanted to understand well how everything works. I started looking into fitness the same way I look into everything: start searching on google, looking at professional bodybuilders, what they say, does it make sense etc. I feel that if you want to know a subject really well you should look for competitions related to that subject, and see what the people involved have to say about it. This is why I started following people that compete in bodybuilding shows, strongman competitions and so on. What bothered me was how poorly organised the fitness information I found was. I couldn't find a single place that could take me from 0 knowledge to getting started in a matter of few hours. I had to watch a lot of youtube videos, read a lot of articles and posts in fitness communities until things were clear in my head. Now that I know all this information I think it's possible to put it all in one place: this is the purpose of this book, to get you started with your fitness journey, especially if your goal is to build muscles and lose fat. And as I understand, this is the case for most people working out.

¹Ketogenic Diet on Wikipedia

²Soylent on Wikipedia

³Huel on Wikipedia

I just want to stress out: there is nothing wrong with being fat. If you get really fat it is unhealthy and you'll end up with health problems. However, the main reason I don't want to be fat is because I get anxiety from it. I feel like crap, especially if I take my shirt off in public. Saying I don't care about it is just lying to myself and I try my best to not do that, just for my mental health. This anxiety is something I can't control so for me the only solution would be to stay in shape. Besides, I already said I like muscles, so becoming muscular would make me feel proud of myself.

The book is structured in two parts: nutrition & workout. There is a lot of information in here, you don't necessarily need to understand all of it to get going. That's why at the end I just added an example of everything I did to get in my current shape without extra explanations. I will try my best to present information in an unbiased way, presenting what people think works and what not, what I tried on myself etc. If you think something is wrong or don't agree with some of the information presented here, this is an open source book so feel free to submit a PR!⁴ At the end of the day I am a practical person, I only believe in results and what works in real life. I can say that the information I describe in this book worked really well on me, as you can see in the picture below.



Figure 1.1: From fat to muscular in 7 years: my lifelong struggle with being fat

⁴About Pull Requests on Github Docs

Chapter 2

Nutrition

2.1 Calories, BMR, TDEE

I feel like I need to explain how food works first before anything else. Your body is an energy convertor. It gets energy from food¹ and converts it to heat, movement (kinetic energy) and electrical energy for thinking. The amount of energy needed without movement (so for heat, thinking and perhaps others things too) is referred to as basal metabolic rate or BMR² and it doesn't change much from day to day. If you include the energy for movement too you get your total daily energy expenditure or TDEE. If you eat more than your TDEE in a day, the extra food will be stored on your body either as fat or muscle. If you eat less then your body will have to go to fat stores and muscles and break them down to get the extra food energy you need. Energy is measured in *kcal*, but most of the time you will only see the term calorie with the same meaning (basically *kcal* is the scientific term which was replaced by calorie when it started being used by food industries). To put energy values into perspective, the average human would need 2,000 calories for heat every day, or so I've seen in a physics course a long time ago. If I run on the treadmill for 1h I get a message that I burned roughly 600 calories. 1 Big Mac has almost 600 calories. It's important to understand that knowing exactly how many calories a meal has is next to impossible. There will always be small differences in every ingredient you use. For example not all loafs of bread are the same size, not all strawberries contain the same amount of sugar and so on. It's also impossible to know exactly how much energy you burn in a day. However, estimates work really well in practice. As long as you eat the same meals every week, you will either lose, gain or maintain weight.

People have tried to come up with formulas to compute BMR from different factors, such as height, age, sex or body fat percentage (this is just the proportion of fat you have in your body relative to your whole mass, so $100 \times \text{fat mass} / \text{body mass}$). At first only mass (m), height (h) and age were taken into account in Harris-Benedict formula for BMR from 1919³

$$BMR = 13.7516m + 5.0033h + 66.4730 \quad (2.1)$$

¹Food Energy on Wikipedia

²Basal Metabolic Rate on Wikipedia

³Harris-Benedict on Wikipedia

This formula was later revised in 1984 with just a few minor changes. Later in 1990 Mifflin St Jeor⁴ came with 2 formulas for BMR, one for men (2.2) and one for women (2.3).

$$BMR(males) = 10m + 6.25h - 5a + 5 \quad (2.2)$$

$$BMR(females) = 10m + 6.25h - 5a - 161 \quad (2.3)$$

Finally Katch-McArdle⁵ included body fat percentage (f) into the equation, removing age and height

$$BMR = 370 + (21.6m(1 - \frac{f}{100})) \quad (2.4)$$

This is an interesting point because body fat percentage does affect how many calories you burn even at rest. The rule I know is that 10 pounds of muscle would burn 50 kcal in a day at rest, while 10 pounds of fat will only burn 20 kcal⁶ (less than half), so if you're 80kg with 15% body fat you will burn more calories at rest than someone who is 80kg with 20% body fat. This also explains the Mifflin St Jeor above, since women have naturally more fat than men.

Let's take an example using the last formula: if you weight 70kg and your body fat percentage is 18% then your BMR should be $370 + (21.6 \times 70 \times (1 - 18/100)) = 1609.84$ calories. Add your movement energy to this and you get your TDEE. I haven't spent the time trying to derive how to compute this one (e.g. from kinetic energy) because all of these formulas are great but at the end of the day they are just for your orientation. The best way to compute your TDEE is to actually measure it: without changing your habits, eat 2,000 calories every day for 1-2 weeks. Weight yourself every day: does your weight change? If no then it's safe to assume your TDEE is 2,000 calories. Does your weight go up? It probably means your TDEE is lower. Keep adjusting your calories intake until you find your TDEE.

In theory you should be able to tell your TDEE without having to change your diet again just by looking at how much weight you gained / lost in the initial 1-2 weeks: you should lose 1lb (or 0.45kg) of mass at a total deficit of 3500 calories⁷. Let's take an example again: you ate 2,000 calories for 2 weeks. During these 2 weeks you gained 2.2lbs (or 1kg) on the scale. According to the 3500 rule, you were at a total surplus of $3500 \times 2.2 = 7700$ calories. This surplus was achieved in 14 days, so the surplus each day was 550 calories. This means your actual TDEE is 2,550 calories. However I found this rule to not work on me, trying to adjust accordingly didn't put me at maintenance and I kept changing weight. As long as you always adjust to results you will be fine. I would personally start with an online TDEE calculator⁸ (there are plenty out there) just to get a value to work with, then keep adjusting intake until I hit my maintenance.

2.2 Body Fat Percentage

Body fat percentage is discussed a lot in fitness because it affects how you look. Fat is something that is stored on your body between skin and muscles. The more fat you have

⁴A new predictive equation for resting energy expenditure in healthy individuals (1990)

⁵Essentials of Exercise Physiology Book by Katch & McArdle (2006)

⁶Burning Calories on WebMD

⁷What is the Required Energy Deficit per unit Weight Loss? (2008)

⁸Example of online TDEE calculator

on you the less visible your muscles will be. However, just taking the absolute value of fat mass is not a good indicator of how well your muscles are showing, since taller people will have more fat mass but more body surface to spread it across. So instead we can look at the proportion of fat in relation to muscles. The body fat percentage will normally dictate certain features you can see on your body, for example the average guy will have his abdominal muscles ("abs") showing around 10-14% body fat⁹. To better understand what I'm talking about look at the image below that I found on builtlean.com¹⁰. I cannot confirm the numbers to be correct but they give a good indication in my opinion to what body fat percentage looks like at different values (note that lower body fat percentage will not give you bigger muscles, it just happens to be the case in the pictures). Usually people say that an ideal body fat % (both in terms of health and looks) is around 12% for men and around 24% for women. Another thing to keep in mind is that your genetics will influence how low in body fat % you can get. For some men reaching 5% might be impossible without taking steroids for example. Also going under 10% is usually not considered healthy anymore, a lot of people complain about mood, sleep and even sex drive problems once you are that low in body fat %¹¹.



Figure 2.1: Different body fat % for both men and women

⁹Healthline Article on Abs

¹⁰Body Fat Percentage Photos Of Men & Women

¹¹VitruvianPhysique on Optimal Body Fat % on Youtube

Computing body fat percentage is not easy. There is no 100% accurate way of doing it. You can take pictures of yourself in the mirror and then compare with the images above, a lot of people estimate this way and I find it good as well. If you want a more accurate way of doing it though, there are a few options out there. The most accurate way is an MRI scan¹². However this is not available to the public as far as I know. This leaves us with the second most accurate option I know, which is a DEXA scan¹³. This is a machine that does an x-ray scan of your body. It shows quite some details, for example the lean mass and fat mass in your arms, trunk (core) and legs. You can see an example of a DEXA scan result below. However, DEXA scans can have errors too, and a lot of people talk against it¹⁴¹⁵.




Figure 2.2: Result of a DEXA scan, showing body fat for different body parts

¹²Cadaver validation of skeletal muscle measurement by magnetic resonance imaging and computerized tomography

¹³DEXA on Wikipedia

The scan is also expensive, I did it in London at bodyscan for roughly £100.

Before DEXA scans, hydrostatic weighing¹⁶ was considered the most accurate method available to the public. You had to step on a scale underwater and the value you get helps estimate your body density, which can be used to approximate your body fat percentage. Another way of estimating body fat percentage which is similar to hydrostatic weighing is whole-body air displacement plethysmography¹⁷ (for example Bod Pod¹⁸).

More common methods of estimating body fat are the skinfold methods¹⁹ (using a device called caliper) and using bioelectrical impedance analysis²⁰. The first method tries to determine the thickness of the fat layer under the skin. You use the caliper at various spots on the body and look up the measurement in a table which will tell you the estimated body fat. It's best if you use a personal trainer or someone with experience to perform the reading. For bioelectrical impedance analysis a small electric current is sent through the body and the resistance of the whole body is computed, which depends on body fat percentage. Some scales also state they can compute body fat percentage just from your weight, height, age and sex. However this is not really possible unless you don't lift at all and the extra weight comes from fat alone. Just to recap all the methods described in this section, from most accurate to least one:

1. Magnetic Resonance Imaging (MRI) and Computerized Tomography (CT)
2. Dual-energy X-ray absorptiometry (DEXA / DXA)
3. Hydrostatic weighing
4. Whole-body air displacement plethysmography
5. Skinfold methods (calipers)
6. Bioelectrical impedance analysis

2.3 Macronutrients

The food you eat can be broken down into different components. The stuff that gives you energy (e.g. for movement) is called macronutrients — these are carbohydrates (carbs), fat & protein. The stuff that doesn't give you energy is called micronutrients (e.g. vitamins & minerals). You still need micronutrients to be a healthy individual. The reason people talk so much about macronutrients (or macros) is because your body process them differently: carbs can be broken down and used for energy faster than fats, proteins are the only macros that can be stored as muscle on your body and so on. It's hard for you to tell how many

¹⁴Greg Doucette on DEXA Scans on Youtube

¹⁵Brain Shaw on DEXA Scans on Youtube

¹⁶Hydrostatic Weighing on Wikipedia

¹⁷Air Displacement Plethysmography on Wikipedia

¹⁸Bod Pod

¹⁹Skinfold Methods on Wikipedia

²⁰Bioelectrical Impedance Analysis on Wikipedia

carbs, fats and proteins the food you're eating contains. You have to read the label or research in advance. To give some example of macros in different types of food: bread is mostly carbs, in 100g of bread you have 49g of carbs, 9g of protein and 3.2g of fat. This composition is also what tells us how many calories 100g of bread has. The rule is that 1g of carbs has 4 calories, 1g of fat has 9 calories and 1g of protein has 4 calories, just like carbs. If we add these values up for bread we get $49 \times 4 + 9 \times 4 + 3.2 \times 9 = 196 + 36 + 28.8 = 260.8$ calories. Your body can convert carbs and proteins into fat to store on your body as fuel for future days, but it cannot convert back fat to carbs or proteins. It's worth mentioning that fats and carbs cannot be converted to proteins either, so for building muscles you need proteins from food alone, since there's no way to store proteins on your body.

There are different theories that you should eat this many grams of carbs and this many grams of fat. One such example is the zone diet²¹. This says you should eat 40% carbs, 30% fat and 30% protein. For example, if you need to eat 2,000 calories a day and want to follow the zone diet, you should aim to eat 145.5g of carbs (582kcal), 109g of fat (981kcal) and 109g of protein (436kcal). However, from my experience it doesn't really matter how you split carbs and fat, it's just a matter of preference. At the end of the day it's calories in and calories out that matters²². You should pick a diet you feel comfortable with, so if you like carbs just eat more carbs, if you like fat just eat more fat. It does matter how much protein you have though, since it's the only thing your body can use for muscle growth. A common recommendation for building muscles is to eat 1g of protein per pound of body weight, or 2.2g per kg²³. For example, if you weight 70kg you should eat 154g of protein every day.

If you really want to try and follow a certain macro split, you might want to compute how many grams of carbs, fat and protein to consume based on their percentage. I know I had to compute this when I was trying to follow certain percentages. To make your life easier you can plug in your values into the formulas below. The value c is the percentage of carbs, f is percentage of fat, p is percentage of protein and T is the total caloric intake:

$$Carbs(g) = c \times \frac{T}{4 \times c + 9 \times f + 4 \times p} \quad (2.5)$$

$$Fat(g) = f \times \frac{T}{4 \times c + 9 \times f + 4 \times p} \quad (2.6)$$

$$Protein(g) = p \times \frac{T}{4 \times c + 9 \times f + 4 \times p} \quad (2.7)$$

In our previous example, $T = 2000$, $c = 40\% = 0.4$, $f = 30\% = 0.3$ and $p = 30\% = 0.3$. If we plug these values in the formulas above we get

$$\frac{T}{4 \times c + 9 \times f + 4 \times p} = \frac{2000}{4 \times 0.4 + 9 \times 0.3 + 4 \times 0.3} = 363.63$$

$$Carbs = 363.63 \times 0.4 = 145.5g$$

²¹The Zone Diet on Healthline

²²Greg Doucette on Macros on Youtube

²³Protein Intake on Healthline

$$Fats = 363.63 \times 0.3 = 109g$$

$$Protein = 363.63 \times 0.3 = 109g$$

2.4 Fat Stores, Distribution and Carb Stores

If you eat more than you should in a day, so more than your TDEE, your body will store the excess food either as fat or muscle on your body. As I previously mentioned, only proteins can be stored as muscle and only if you train accordingly (more on this later). The way fat gets stored across your body (fat distribution) for example on arms, belly, hips etc, depends on genetics and you can't really influence it unless of course, you undergo surgery to remove fat cells from your body. For example some people store a lot of fat on hips, others store it on legs and bums, others on face and so on. One clear factor that influences fat distribution is gender, usually women will store fat on legs, bums, arms and breasts while men will store most fat around their belly. I have a pretty unfortunate fat distribution, since I store fat the same way women do, I get a lot on arms, legs, bum and even around breasts. I used to think this is due to hormonal imbalances (maybe too much estrogen and too low testosterone) but it turns out this is not the case, since my testosterone levels are really high and estrogen really low. From what I've read, the fat distribution is influenced by fat cell receptors: alpha-2 and beta receptors. The beta receptors will release fat while the alpha-2 will stall it, so the ratio of alpha-2 to beta receptors will dictate how you lose or gain fat in different places on your body²⁴²⁵. I don't know much more about it, but it seems to be purely genetic. The important thing to remember here is that you cannot control how your body stores or burns fat and from which areas. This is also what people mean when they say that losing fat is not site specific, you cannot burn fat from your belly just by doing crunches. Your body will decide where it takes the fat from based on the receptors I previously mentioned.

Your body also has a carbohydrate storage just like it has for fat. This is used as an emergency source of energy, since the body can process carbs faster than fat, for example if you come face to face with a lion and you have to run for your life, the carb storage will be used instead of the fat on your body. Usually high intensity activities, such as sprinting really fast or lifting heavy weights for a short amount of time (anaerobic exercise) will make use of the carb stores. Just because you use carbs instead of fat it doesn't mean you will not lose weight if you are dieting. These carb stores are not permanent like fat, they get replenished every day (I usually associate this with computer memory — carb stores are like volatile memory or RAM while fat stores are like disk memory). So if you burn 100kcal of carbs in a high intensity activity, your body will take 100kcal of carbs from your next meal to replenish these stores, so your meal will have 100kcal less that can be stored as fat. At the end of the day, it's calories in and calories out that matters. Most of the carb stores are located in muscles and it's called muscle glycogen. You also have them in liver as liver

²⁴VitruvianPhysique on Body Fat Distribution on Youtube

²⁵VitruvianPhysique on Body Fat Distribution Part 2 on Youtube

glycogen and a little bit in blood as plasma glucose. An average human adult will have around 503g of carbs (2012kcal) stored in body: around 400g in muscle glycogen, 100g in liver glycogen and 3g as plasma glucose.

Glycogen is important to understand random weight fluctuations, because it holds water. If you suddenly stop eating carbs (so the keto diet I previously mentioned), you will completely deplete your body of glycogen. This will result in a sudden loss of around 2kg of water from your body, which has nothing to do with you losing fat. If one day you have more carbs than the previous day then it's highly likely that your weight will go up the next day just because you have more glycogen and more water in your body, and not because you suddenly gained fat. It's a thing to keep in mind while you are dieting, and not get scared when you see sudden jumps in weight. Glycogen manipulation is something bodybuilders do before a contest too (peak week), to make themselves look more muscular, but more on this later.

2.5 Bulking & Cutting

Your TDEE is the total amount of energy your body needs every day to be able to function properly. If you eat less than that, your body has to go to fat stores or muscles to get that energy. If you eat more, the excess food will be stored on your body as fat or muscle. This is the reason people say that you need to be at a surplus to gain muscles, if you are at a caloric deficit then the proteins that should be stored on your muscles will be used for heat and movement instead. This phase in which you eat more than you should to build muscles is called bulking. Being at a caloric surplus will make it impossible for you to burn fat however, in fact you might end up gaining fat mass as well since the body is not optimal at storing pure muscles. To get rid of the excess fat you need to put yourself at a caloric deficit when you try to burn the fat stores while keeping the muscles you gained. This phase is called cutting. Bulking and cutting are normal cycles for bodybuilders, they will bulk, cut, bulk, cut and so on. There are instances when you can build muscles and cut down fat at the same time, I experienced this on myself when I started training again after a 3 months absence. I've read that it can also happen when you start training for the first time or if you take steroids, but more on steroids later. Building muscles and losing fat at the same time is also referred to as body recomposition²⁶.

If you keep training (e.g. lifting weights) while cutting, your body will value your muscles more than the fat, so it will rather use fat to get the extra energy it needs. This is an oversimplified explanation of how everything works, in reality it's more complex than this. A different explanation would be this: the body has workers that take macronutrients (carbs, fat & proteins) from food to places where they need to be. In this case the workers that take proteins to muscle is the testosterone in your body. Testosterone will race other workers that take macronutrients to produce heat and convert them to movement — these workers prefer carbs and fat over protein. Based on how much testosterone you have and how easy it is for your body to rebuild the muscles you might be able to use all the proteins you get to gain muscles while the body will have to go to fat stores to get all the energy, so basically

²⁶Healthline Article on Body Recomposition

building muscles and losing fat at the same time. I've seen this analogy of testosterone with construction workers used a lot in fitness.

Knowing your TDEE, what is the caloric surplus you should aim for during a bulking phase? Most people seem to go 10-20% more for what's considered a "lean bulk"²⁷²⁸²⁹. For example if your TDEE is 2,500 calories a day, you should eat 2,750 - 3,000 calories to lean bulk. If you go more than that it's considered a "dirty bulk" in which you gain more fat than you should. This happens because there is a limit to how much muscle you can gain. Eating more might make you feel stronger, however strength and muscle growth are not perfectly correlated, but more on this later. Doing a dirty bulk means you'll be spending more time to cut the fat afterwards. It can also make you feel like shit, eating this much and dieting for so long. Sure it might give you more energy in the gym and make you even stronger but it all depends on what you want to achieve. If you want to stay in shape all of the time then it's probably not for you, since the only time you'll be in shape is at the end of a cut for a short period of time. A lot of people speak against dirty bulks³⁰³¹ and I don't approve of them myself since I tried it once — I felt like shit, out of shape and it made no sense to me since losing fat was one of the main reasons I got into this. You might also experience stretch marks on dirty bulks if you gain weight too fast³². One mistake I notice people make when bulking is that they fall into thinking that overeating junk food is fine, since they are bulking anyway. I made this mistake myself as well. You should still "diet" and track your calories and weight accordingly, and have cheat days if you really feel like eating junk food.

How much should you eat when cutting down? The same holds true as for bulking, you should aim to eat 10-20% less than you need every day. For a TDEE of 2,500 calories you should eat 2,000 - 2,250 calories. If you lose weight too fast there is the risk of losing muscles too, and you don't want this to happen since you worked so hard to gain them in the first place. What many consider a good and safe pace to lose weight is 0.45-0.9kg per week (or 1-2 pounds)³³. The idea is that if you eat too little, your body will go into shock and try to use anything it can to keep you alive, including muscle stores. Transitioning from a bulk to a cut (and the other way around) should always happen gradually, to give your body time to accommodate³⁴. I noticed this on myself, I increased my caloric intake by more than 1,000 all of a sudden and I gained quite a bit of fat in a short amount of time. I would personally go back to maintenance and stay there for 1-2 weeks before starting to lean bulk.

Now that you know about bulking & cutting phase, how long do you do each and how do you plan them? For example, you could be bulking for 4 months and cutting for 1 month. However, there is no standard here, it depends on a lot of factors — what type of bulk you did, how easy you gain fat, what type of cut you are going to do. A common approach is to pick your ideal body fat % (from experience or if you can't, just estimate it looking at pictures) and try to stay close to that value when you bulk & cut. For example my ideal

²⁷VitruvianPhysique on Lean Bulking on Youtube

²⁸Lean Bulk on Myprotein website

²⁹Mike Thurston on Lean Bulking on Youtube

³⁰Greg Doucette on Bulking and Cutting on Youtube

³¹Greg Doucette on Bulking on Youtube

³²Article on Stretchmarks on Bodybuilding.com

³³Losing Weight too Fast on Healthline

³⁴Transitioning from Bulking to Cutting on ironbuiltfitness.com

body fat % is 12%. I want to end a bulk at +5% of that value, so 17%, and a cut at -5% so 7% body fat. Since single digit body fat is not that amazing I'm happy to end it around 10% body fat. If you never lifted before I would recommend starting with a bulk (to gain muscles, increase your metabolism and train your body to burn fat easier) for 3-4 months. After this bulking phase, I would cut for however long it takes me to get down to 10% (could be 1 month or even 5+). After my cutting phase is over I would switch again to bulking until I hit 17-20% then cut down again to 10% and so on. Another thing to keep in mind is that you might want to end a cutting phase in a certain time of the year, for example before summer and then maybe maintain it over summer. This is also possible, you're in charge of however you want to split your bulking, cutting and maintenance phases. I would normally bulk over winter, like most people do and start my cutting phase in time to get down to 10% for the summer. I usually start my cut beginning of March to reach my goal by June. A more detailed explanation: let's say I am at 80kg at an estimated 17% body fat — this means 66.4kg lean mass and 13.6kg of fat. To get down to 10% keeping my lean mass means I have to go down to 73.8kg (66.4kg lean mass and 7.4kg of fat), this means I need to lose 6.2kg of fat. I know I feel comfortable with a diet where I lose 0.7kg per week. Doing the math, this means I need to diet for 8.9 weeks. Knowing that it gets harder to lose fat as you drop body fat % and that my cheat days will set me back quite a bit, I think 12 weeks is a safe bet for me to reach my goal physique, this means I have to start my cutting phase start of March to get in shape by June! Even if I don't hit my goal of 10%, I will be in pretty damn good shape for the summer.

2.6 Metabolism and Adaptive Thermogenesis

When people say metabolism they usually mean BMR, which is the amount of energy you normally need in a day without extra physical activity. I talked about BMR before, and that it should depend on mass and body fat percentage. When people say they have a fast or slow metabolism I take it with a pinch of salt, because I know it should mostly depend on mass and body fat percentage. What I know however from experience is that I'm really bad at estimating how many calories I eat in a day. If everyone would track exactly how many calories they eat and how much they burn through exercise then the BMR values should be in accordance with the formulas described above. While this is true for most people, BMR can actually change for the same individual at the same mass and body fat percentage. Remember when I said that the energy your body needs to produce heat makes up most of BMR's value? It turns out your body can change how much heat it produces (this has nothing to do with your body's temperature, you just radiate more or less heat in the surrounding environment) which can affect BMR. This happens usually if you are at a caloric deficit or surplus for a longer period of time, your body will try to adapt to your new intake. This process is called adaptive thermogenesis³⁵, or metabolic damage³⁶³⁷.

If BMR adjusts to your diet then how can you ever lose weight? This is not as bad as it sounds and it won't keep you from losing weight. From my experience, this metabolic

³⁵Adaptive Thermogenesis in Humans Article

³⁶VitruvianPhysique on Metabolic Damage on Youtube

³⁷Greg Doucette on Metabolic Damage on Youtube

damage is not enough to keep you from losing weight. The BMR changes are really slow and there is always a limit to how low it can get. Notice that as you lose weight you'll also burn less calories for movement since you have less mass, so to keep a steady weight loss pace you need to continuously adapt either your diet or your cardio. Eating less also means less calories burned, since it takes a bit of energy to break down food into macros. This is called the thermic effect of food and I will discuss it in more details later. The good news is that metabolic damage is not permanent and it has been proven to recover after you increase your caloric intake again.

I've never had any issues with my weight getting stuck at a certain value. I would advice against going too low in caloric intake, whenever I did that I would feel like crap with no energy. A better approach is to just increase the cardio you are doing in a day, just run more to burn more calories. Even if you do more cardio, stay at a comfortable deficit overall, being in a big deficit will result in you losing muscles, which will decrease BMR by quite a bit. As a final note, I don't think you can get stuck while doing cardio and training to build muscle (e.g. by lifting weights), if you eat too much you'll end up gaining more muscle which will increase your caloric maintenance value (also called set point) which should result in being at a deficit eventually if you keep eating the same.

2.7 Intermittent Fasting

You might have heard of Intermittent Fasting³⁸ before. This is a diet where you allow yourself to eat only in a specific time interval (for example from 1pm until 9pm — this means skipping breakfast). I've heard many people saying how good this diet is for losing weight. A diet like this could work because it's harder to overeat in the 8h you are allowed to. I tried it in the past too and found it good for me. In my case it worked because I find it easier stay hungry in the morning — I usually drink 1-2 cups of coffee in the morning and this supresses hunger. I also feel I can focus better when I don't eat in the morning so I felt great overall. Some would argue that it's also good to train in the morning on empty stomach, since your body is forced to go to fat stores to get the energy it needs (I would assume this to be the case if your glycogen stores are depleted, so maybe while doing a keto diet). Personally I don't think it really matters when you exercise, as long as you are at an overall deficit, and it might be easier to exercise after you had something to eat. The thing that I realised however is that if you train to build muscle, intermittent fasting might not be the best option for you. When you lift weights you damage the muscle, so a repair process will start to take place, also known as muscle protein synthesis. This process is known to take up to 36h³⁹, or even 48h⁴⁰. While your muscles are being repaired, you need to have proteins available in your stomach to go on the muscle. This is why it's recommended to eat something high in protein before going to bed (preferably casein protein, which is slow digesting) and also in the morning (whey protein, which is fast digesting). If you skip breakfast and you stay on empty stomach for too long then the muscle protein synthesis process will not be optimal. After I realized this I stopped doing intermittent fasting even when cutting down. Some

³⁸Intermittent Fasting on Healthline

³⁹The time course for elevated muscle protein synthesis following heavy resistance exercise

⁴⁰Exercise, protein metabolism, and muscle growth

bodybuilders also speak against it if you're trying to build muscle⁴¹.

2.8 Tracking Calories, Meal Prep, Cooking

So now you know your TDEE, you know whether you want to bulk or cut, so you have a caloric intake goal. To hit this goal you have to start counting how much you eat every day (as I've said before, I would advice against estimating this, since big errors will make it impossible for you to hit your goal). You can track in multiple ways, for example you can read the label of everything you eat and just write it down somewhere. You can also use a phone app to help you with that (for example myfitnesspal ⁴² has such a feature. For me this seemed like a big burden, to always remember to log every meal and make sure I hit my calories for the day. An alternative would be to make a meal plan: you plan your meals for the week, you cook in advance and then you don't need to track anymore. This option worked really well for me, and I feel like it saves me a lot of time. However, not everyone enjoys doing this, making a meal plan is not straightforward and takes time to perfect and unless you try really hard to diversify it, it might be hard to add something spontaneous to it by swapping a meal with something that has more or less the same calories. I personally don't care that much to eat something completely new every single day and I think most people don't either, they would have the same meals every other day.

I will describe how I made my meal plan for myself, but keep in mind this: making a meal plan is not something you do once and that's it. You might make an initial plan but this will have to change and adapt until it actually works for you and you're extremely happy and can stick with it. I started by making a spreadsheet with all the food I normally like to eat, splitting them into different sections (high in carbs, fat, protein etc) and adding their nutritional values. I then made a table where I can adjust the amount of each type of food and it will automatically add the nutritional values. Once I hit how many calories and proteins I need in a day, I call that a day meal plan. I made a copy of my meal plan calculator spreadsheet available for everyone online at⁴³. You can copy that spreadsheet to a private one for yourself to edit. Just update the *Food* column with the food you like, add the macros, add your goals on the bottom right then keep adjusting the units in the calculator until you hit your goals!

It might be difficult to decide what amount to use for each type of food, I started from experience (e.g. a typical chicken breast meal I would buy from the supermarket would have around 200g of chicken breast and 250g of rice or something similar). I also had to take into account the preparation process for these meals and in what quantities I can buy the groceries. For example I can find 1kg of chicken breast, so using 200g a day for 5 days is really easy to do — cook the 1kg and split into 5. If I ended up in my table with a random odd number for the amount of chicken breast in a day (something like 167g), then buying for the week would be impossible. So there is a bit of tweaking the numbers until you get everything right. If you want to have different meals on different days you repeat the process until you have something planned to eat for each day. In my case I don't mind eating the

⁴¹Greg Doucette on Fasting on Youtube

⁴²MyFitnessPal website

⁴³Meal Plan Calculator on Google Spreadsheets

same thing Monday to Friday, so I cook 5 times the food I would eat in a day every Sunday for the next week. On the weekends I allow myself to eat different things, but I try to stick to food high in protein and fiber so I don't end up overeating. After I have a meal plan, I move it to a different spreadsheet and label it accordingly.

Cooking the food is not as hard as you might think. If you're not pretentious with your food then it doesn't require any cooking skills at all. I will describe the way I do it, which I think it's really fast and for me it tastes good too. For example in my cutting meal plan I have a few dishes that require cooking: the classic chicken, rice and broccoli dish, salmon with bread and vegetables and eggs. I usually buy frozen broccoli/vegetables so I just need to heat them up in the microwave before eating. This means I still have to cook the rice, chicken breast and salmon. For both the chicken breast and salmon I use a slow cooker. I would buy 1kg of chicken breast, wash it, put it in the slow cooker with a bit of water and leave it on high for 4h (you could do 6h on low but at the end of the day it depends, you can tweak the timer after you see how long it normally takes). After the chicken breast is cooked I just split it into 5 portions (for Monday to Friday). I use a kitchen scale to split it as equal as possible, but sometimes I don't have time for this so I just eyeball it. I do the same with the salmon (500g in my case), for which I don't add any water. I don't use seasoning but you can use if you really want. I use Frank's Red Hot sauce⁴⁴ to season these 2 meals since it has almost no calories and it's like liquid salt with a bit of spice.

⁴⁴Frank's Red Hot Website