


2 Layer / 1.6T

Symbol	Count	Hole Size	Plated	Hole Type	Drill Layer Pair	Via/Pad	Pad Shape	Template
○	1	0.889mm (35.00mil)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c137h89m142
☆	1	1.200mm (47.24mil)	NPTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c120hn120m130
⊠	1	3.000mm (118.11mil)	NPTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c300hn300m0mx0
⊙	4	0.800mm (31.50mil)	PTH	Slot	Top Layer - Bottom Layer	Pad	Rounded	r262_131h80_190r100
◇	4	1.800mm (70.87mil)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)
⊠	4	3.200mm (125.98mil)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c600h320
▽	5	0.700mm (27.56mil)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c110h70
▽	6	0.600mm (23.62mil)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)
□	6	1.000mm (39.37mil)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)
⊠	6	1.100mm (43.31mil)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)
⊠	9	0.250mm (9.84mil)	PTH	Round	Top Layer - Bottom Layer	Via	Rounded	v50h25m0mx0
⊙	10	0.900mm (35.43mil)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)
⊙	96	0.600mm (23.62mil)	PTH	Round	Top Layer - Bottom Layer	Via	Rounded	v100h60m0mx0(To10-0)
⊠	288	0.300mm (11.81mil)	PTH	Round	Top Layer - Bottom Layer	Via	Rounded	(Mixed)
441 Total								

Slot definitions : Routed Path Length = Calculated from tool start centre position to tool end centre position.  
Hole Length = Routed Path Length + Tool Size = Slot length as defined in the PCB layout


Lumir_Power_Board	
VER	V2.0
Drill Drawing	




Lumir_Power_Board	
VER	V2.0
Bottom Layer	




Lumir_Power_Board	
VER	V2.0
Bottom Overlay	




Lumir_Power_Board	
VER	V2.0
Bottom Solder	




Lumir_Power_Board	
VER	V2.0
Top Layer	



Lumir_Power_Board	
VER	V2.0
Top Overlay	



Lumir_Power_Board	
VER	V2.0
Top Solder	



Lumir_Power_Board	
VER	V2.0
Top Sheet	