

What's Wrong with these Recipes? 4

Directions: Names that are longer than 20 characters are considered long names. Write a function that takes in a person's name and returns true if it is a long name and false if it is not.

Contract and Purpose Statement

Every contract has three parts...

; long-name? : String -> Boolean
function name domain range

; Check if a name is longer than 20 characters
what does the function do?

Examples

Write some examples, then circle and label what changes...

(EXAMPLE (long-name? "John Joseph Jingleheimer Schmidt")
function name input(s)
(EXAMPLE (long-name? "Jos Jaime Juarez") (> (string=? "Jos Jaime Juarez") 10))
function name input(s) what the function produces
10)

Definition

Write the definition, giving variable names to all your input values...

(define (long? name)
function name variable(s)
(< name 20)
what the function does with those variable(s)

Directions: Write a function, offscreen?, which returns true if Sam the butterfly's x-coordinate is less than -50 or greater than 690.

Contract and Purpose Statement

Every contract has three parts...

; offscreen? : Number -> Boolean
function name domain range

; Given an x-coordinate, returns true if the coordinate is less than -50
what does the function do?

Examples

Write some examples, then circle and label what changes...

(EXAMPLE (offscreen? 60) true)
function name input(s) what the function produces
(EXAMPLE (offscreen? 800) false)
function name input(s) what the function produces

Definition

Write the definition, giving variable names to all your input values...

(define (off-screen x-coord)
function name variable(s)
(and (< x-coord -50) (> x-coord 690))
what the function does with those variable(s)