

THE ALSPAC STUDY

B FILE

DATA COLLECTED FROM THE QUESTIONNAIRES

*Having a Baby
&
Your Home and Lifestyle*

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 4f of the built file.

January 2019

© University of Bristol

CONTENTS

Part 1:

The ALSPAC Study

- Study eligibility criteria
- Enrolment
- Questionnaire administration during pregnancy
- Time of administration

Contents of questionnaires

- Having a Baby (HAB)
- Your Home and Lifestyle (YHL)

Coding

Part 2:

Format of the variable descriptors

Administration of questionnaires

Update summary

The variables

References

PART 1

THE ALSPAC STUDY

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

Enrolment

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The

mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

Questionnaire Administration during Pregnancy

Approximately 7 days after the brochure had been sent out and provided we had not heard from the mother that she did not want to take part in the study, the first questionnaire was posted to her. The nature of the questionnaire depended on her gestation at enrolment. The scheme for sending the questionnaires is illustrated in Figure

1. In brief, there were 4 questionnaires administered to the mother during pregnancy, and these were designed so that two were to be sent out at a fixed time point - 'Having a Baby' at 18 weeks' gestation and 'Your Pregnancy' at 32 weeks' gestation. Provided she enrolled before 14 weeks' gestation, the questionnaire 'Your Environment' was sent to her immediately after enrolment. This questionnaire was designed to identify those features of the early environment that might be responsible for effects on the fetus. The fourth questionnaire 'About Yourself' was mainly concerned with features that referred to the mother's past medical, social and environmental history, and consequently the time during pregnancy at which this was administered was relatively unimportant. If necessary, therefore, this questionnaire was sent out after the baby had been born.

For questionnaires sent during pregnancy the reminder and follow-up phase was fairly intensive. If a response had not been received within 7 days, a reminder letter was sent. If the questionnaire had still not been received after a further 10 days, a second reminder letter was sent. Finally, if no response had been received after 1 month, a member of the study team either rang the mother or visited the home, and encouraged, or helped, the mother to complete the questionnaire.

For mothers who did not enrol until long after the 18-week contact, the 'Having a Baby' questionnaire was not likely to be valid. Much of the detail in that questionnaire was concerned with attitudes, activities and emotional well-being at that particular point during pregnancy. Nevertheless, for those mothers who had enrolled late, there was a certain amount of information concerning the environment and lifestyle that could and should validly be collected. For these women, therefore, the appropriate information, otherwise obtained from the questionnaires 'Your Environment' and 'Having a Baby', was combined into a single questionnaire 'Your Home & Lifestyle'.

For a variety of reasons some mothers did not receive the questionnaire 'Your Pregnancy' which includes questions on ethnic origin, education, social, and occupation levels. It also includes the questions on early sexual experience. All such questions which were not specific to the third trimester of pregnancy were therefore included in a short questionnaire entitled 'Filling the Gaps' which was administered when the child was 12 months of age.

Time of administration

The questionnaire YE was administered according to the gestation at which the mother enrolled (see below). For mothers enrolling after 23 weeks a different questionnaire 'Your Home and Lifestyle' was used. This included many of the questions as asked in YE. For further details of the methodology used, refer to the ALSPAC protocol.

<u>Gestation at enrolment</u>	<u>Env</u>	<u>AY</u>	<u>HAB</u>	<u>YP</u>	<u>YHL</u>
<6	<6	14	18	32	-
6	6	14	18	32	-
7	7	14	18	32	-
8	8	14	18	32	-
9	9	14	18	32	-
10	10	14	18	32	-
11	11	23	18	32	-
12	12	23	18	32	-
13	13	23	18	32	-
14	14	23	18	32	-
15	22	26	18	32	-
16	22	26	18	32	-
17	22	26	18	32	-
18	22	26	18	32	-
19	24	28	19	32	-
20	24	28	20	32	-
21	24	28	21	32	-
22	28	36	22	32	-
23	28	36	23	32	-
24	-	33	-	29	24
25	-	34	-	30	25
26	-	35	-	31	26
27	-	36	-	32	27
28	-	36	-	32	28
29	-	36	-	32	29
30	-	37	-	33	30
31	-	X	-	31	34
32	-	X	-	32	35
33	-	X	-	33	36
34	-	X	-	34	37
35	-	X	-	35	37
36	-	X	-	36	38
37	-	X	-	37	39
38	-	X	-	38	40
39	-	X	-	39	41
40	-	X	-	40	41

X = to be administered 4 months after delivery; ENV = Your Environment; AY= About Yourself; HAB= Having a Baby; YP= Your Pregnancy; YHL= Your Home and Lifestyle; AY was accompanied by 'You and Your Environment', HAB or YHL by 'Partner's Questionnaire'.

CONTENTS OF QUESTIONNAIRES

Having a Baby (HAB)

This questionnaire was sent to the mother at 18-20 weeks' gestation. It was 40 pages in length. The specific aim of this questionnaire was to identify features of the mothers' lifestyle that might be responsible for preterm delivery - hence its timing. It also elicited other information that was not specific to this during pregnancy. It was in 8 sections.

Section A. Your Previous Pregnancies

This elicited the past obstetric history of the mother, including whether this was the first pregnancy with the current partner, number of miscarriages, terminations, stillbirths, deaths, low birthweight babies. It asked whether there had been a previous caesarean section, the age of the mother at her first pregnancy, the outcome of the immediately preceding pregnancy, breast-feeding of the last baby.

Section B. Your Health

This included a subjective assessment by the mother of her health before and during pregnancy up to the current stage and asked for specific signs and symptoms during the first 3 months of the pregnancy and in the period from the 4th month until the questionnaire was completed. This set of questions also asked whether specific tests had been carried out, such as x-ray, amniocentesis, CVS, AFP and ultrasound. Details of any hospital admissions were sought and use of medication for specific problems was asked using a 16-item scale which included details as to whether medication was taken in the first 3 months of pregnancy or later. Other details were data on dietary supplements such as iron, zinc, calcium and other vitamins. This section also enquired about the frequency with which aspirin, paracetamol, codeine, Anadin, sleeping tablets and valium had been taken, and history of other homeopathic medicines. The mother was then asked to list all drugs taken in the preceding 3 months including the number of days taken and the gestation. As in the questionnaire 'Your Environment', there was a reminder to include various substances.

Section C Your Reactions to Becoming a Parent

This included whether the mother had been deliberately trying to get pregnant and for how long she had been trying, her reactions on becoming pregnant and the reactions of the partner. The desired sex of the child was also recorded.

Section D. Your Feelings

This section comprised questions from the Crown-Crisp Experiential Index (CCEI) measuring free-floating anxiety, depression and somatic symptoms, followed by the 10 questions comprising the Edinburgh Postnatal Depression Scale (EPDS).

Section E. Occupation

This section was concerned with the mother's occupation during the pregnancy (or if she was not in paid work during the time, then her most recent job). Details concerning

the pregnancy included whether the mother did shift work, whether she enjoyed her job or had problems at work, whether the work was noisy or particularly smoky, the length of time taken to travel to and from work, with details of the mode of transport. Data were collected concerning various aspects of work in the year before pregnancy, in the first 3 months of the pregnancy, and in the period from the 4th month until the mother completed the questionnaire. These questions included the use of a visual display unit, the posture of the mother, the boredom of the tasks, the amount of physical energy and whether in contact with fumes or chemicals.

Section F. Recent Events

This was a life events inventory of 42 items.

Section G. Activities and Lifestyle

This section was concerned with physical activity of the mother before and during pregnancy, and included details of lifting, bending and stooping, having rest periods and using vibrating machinery. The questions were derived by the study team and tested by Wildschut *et al.* The section also requested life history of smoking, with details of the type of cigarette usually smoked, information on the mother's own parents' smoking history, and whether her mother smoked when expecting her. Information on partner's smoking was also elicited as was that of other household members. In addition, information on smoking marijuana and the taking of various specified illicit drugs was determined, the frequency of alcohol consumption before pregnancy, in the first 3 months and at around quickening, together with the number of binges in the last month and the type of preferred alcoholic drink. The partner's alcohol consumption was also asked. The total number of average drinks on weekdays and weekend days was obtained specifically for beverages such as tea, coffee, cola, milk and various alcoholic beverages.

Finally, information was requested to identify bulimia in the past or during pregnancy whether by vomiting or taking laxatives. A 10-point scale elicited feelings about body image before and during pregnancy. These questions were derived from the scales developed by Fairburn & Stein in Oxford. The last question concerned the type of activities currently carried out by the mother including jogging, aerobics, antenatal exercises, keep-fit exercises, yoga, squash, tennis/badminton, swimming, brisk walking, weight-training, cycling and other specified physical activity, also developed by Wildschut *et al.*

Section H About Yourself

36 questions eliciting personality using the Inter-Personal Sensitivity Measure.

Your Home & Lifestyle (YHL)

This questionnaire was sent only to mothers who had missed 'Your Environment' and 'Having a Baby' because of late enrolment. It was oatmeal in colour and 40 pages in length. It asked questions that were not gestation-specific but basically included the same format as in the questionnaires from which they were derived. Those similar to HAB are indicated in the variable descriptions in Part 2.

Coding

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number that then can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding, a supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

PART 2

Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist).
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

Administration

The first printing of HAB was a version finalised on 24th August 1990. This, however, was found to have a number of errors which were corrected in the 2nd version (5th February 1991), the 3rd (8th May 1991), 4th (10th August 1991), 5th (6th February 1992) had only minor changes.

A number of mothers enrolled for a 2nd pregnancy and it was obviously inappropriate to ask some questions on two occasions (e.g. lifetime smoking history). These questions were therefore omitted from this version (HAB 24 0991).

YHL had 2 versions printed on 20 February 1991 and 6 February 1992. There were only minute changes between the two.

The numbers of pregnancies concerned in the data base for which either HAB or YHL was completed and returned was 13,274 (out of approximately 14,193 pregnancies enrolled and pregnant until 18-20 weeks' gestation, a response rate of 93.5%). Some of these cases were later identified as being ineligible or duplicate enrolments and records for triplet and quadruplet pregnancies were dropped, so the number of records on the current built file is 13,190. [Mothers were invited to return the questionnaires blank if they had no time or did not want to complete them. These have been omitted from this data set].

UPDATE SUMMARY

Built version 4b – September 2004

- 59 records were removed, so the sample size dropped from 13263 to 13204. 1 of these records belonged to what turned out to be a false pregnancy, 39 belonged to cases discovered to be out of area after enrolment and 19 were scrapped identities for pregnancies that were enrolled more than once.
- A number of questions do not appear in some versions of the questionnaires. The resulting variables were set to -7 for such occurrences, with an appropriate value label indicating the versions for which the data item is not available. Note that for respondents completing the short version the following variables based on questions omitted from the short version had been imputed from the full version completed by the same mother for her first pregnancy: B002, B003, B023, B650 – B658, B680 – B682 & B880 – B921m.
- An error in the calculation of B032 (parity) has been corrected.
- Note that, apart from B001 & B032, the frequency tables in this documentation have not been updated, so they will not exactly match those generated from the current version of the built file.

Built version 4c – December 2006

Undocumented changes based on text responses relating to infections.

Built version 4d – December 2008

The undocumented changes made in creating version 4c have been dropped but may be reintroduced in a controlled manner in a future update. The changes described below are therefore changes from version 4b.

A further 10 records identified as belonging to ineligible pregnancies were removed. Due to extension of direct access to ALSPAC data to non-ALSPAC staff and in order to comply with guidance issued in 1996 by the ALSPAC Law & Ethics Committee regarding the confidentiality of multiple pregnancies 4 records for triplet and quadruplet pregnancies were removed.

The sample size has therefore dropped from 13204 to 13190. Note that the frequency tables in this documentation have not been updated, except for variable B001.

The variables

b001 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Having a Baby, version 1 - 24/09/90	1624	12.3	12.3	12.3
	2 Having a Baby, version 2 - 05/02/91	2400	18.2	18.2	30.5
	3 Having a Baby, version 3 - 08/05/91	1592	12.1	12.1	42.6
	4 Having a Baby, version 4 - 01/08/91	4174	31.6	31.6	74.2
	5 Having a Baby, version 5 - 06/02/92	2340	17.7	17.7	92.0
	6 Having a Baby, short version - 24/09/91	83	.6	.6	92.6
	7 Your Home & Lifestyle, version 1 - 20/02/91	758	5.7	5.7	98.3
	8 Your Home & Lifestyle, version 2 - 06/02/92	219	1.7	1.7	100.0
	Total	13190	100.0	100.0	

[The short version was sent to mothers who had been in the study for a 2nd pregnancy].

Built version 4e – October 2018

The previous version of the release file has the following data added to the file:

A weighted index score of the mother's leisure-time physical activity [*b862*]

Built version 4f – January 2019

Variables b672 and b686 removed for confidentiality, data available on request, tar and nicotine content variables calculated from them are in the dataset (b673/b687 & b674/b688 respectively).

SECTION A: YOUR PREVIOUS PREGNANCIES [YHL Section E]

A1. *Have you ever been pregnant before?*

Yes

No

B002 Previously PREG		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
Yes		1	8871	66.8	66.8	66.8
No		2	4403	33.2	33.2	100.0
		Total	13274	100.0	100.0	
Valid cases	13274	Missing cases	0			

If yes,

A2. a) *How many times have you been pregnant altogether before this time?*

B003 NO of previous PREGS (Gravidity)		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
none		0	4403	33.2	33.4	33.4
		1	4270	32.2	32.4	65.7
		2	2433	18.3	18.4	84.2
		3	1229	9.3	9.3	93.5
		4	468	3.5	3.5	97.0
		5	212	1.6	1.6	98.6
		6	94	.7	.7	99.3
		7	48	.4	.4	99.7
		8	20	.2	.2	99.8
		9	9	.1	.1	99.9
		10	5	.0	.0	100.0
		11	3	.0	.0	100.0
		13	1	.0	.0	100.0
		17	1	.0	.0	100.0
		25	1	.0	.0	100.0
Missing		-1	77	.6	Missing	
		Total	13274	100.0	100.0	
Valid cases	13197	Missing cases	77			

b) *Is this the first pregnancy with your present partner?*

Yes

No

Am not sure

B004 1ST PREG with PRES PTNR		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
Y		1	5876	44.3	44.9	44.9
N		2	7206	54.3	55.0	99.9
not sure		9	15	.1	.1	100.0
Missing		-1	177	1.3	Missing	
		Total	13274	100.0	100.0	
Valid cases	13097	Missing cases	177			

A3. a) *How many children still living, of your own do you have?*

B005 NO of living CH

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none		0	5677	42.8	43.8	43.8
		1	4683	35.3	36.1	79.9
		2	1874	14.1	14.4	94.3
		3	528	4.0	4.1	98.4
		4	142	1.1	1.1	99.5
		5	50	.4	.4	99.8
		6	12	.1	.1	99.9
		7	3	.0	.0	100.0
		8	2	.0	.0	100.0
		9	1	.0	.0	100.0
		11	1	.0	.0	100.0
		13	1	.0	.0	100.0
Missing		-1	300	2.3	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 12974 Missing cases 300

b) *Do they all live with you?*

B006 All mums CH live with mum

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	7108	53.5	96.5	96.5
N		2	259	2.0	3.5	100.0
Missing		-1	5907	44.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 7367 Missing cases 5907

A4. a) *Have you ever had any miscarriages?*

Yes

No

B007 Miscarriages

Value	Label	Value	Frequency	Percent	Percent	Valid Percent	Cum Percent
Y		1	2814	21.2	21.5	21.5	
N		2	10289	77.5	78.5	100.0	
Missing		1	171	1.3	Missing		
					-----	-----	-----
	Total		13274	100.0	100.0		

Valid cases 13103 Missing cases 171

(3 mothers stated 'not known' - they have been put to -1)

b) *If yes, how many times have you miscarried?*

B008 NO of miscarriages

Value	Label	Value	Frequency	Percent	Percent	Valid Percent	Cum Percent
none		0	10289	77.5	78.6	78.6	
		1	2108	15.9	16.1	94.7	
		2	508	3.8	3.9	98.6	
		3	119	.9	.9	99.5	
		4	38	.3	.3	99.8	
		5	11	.1	.1	99.8	
		6	9	.1	.1	99.9	
		7	6	.0	.0	100.0	
		8	4	.0	.0	100.0	
		9	1	.0	.0	100.0	
		11	1	.0	.0	100.0	
Missing		-1	180	1.4	Missing		
				-----	-----	-----	-----
	Total		13274	100.0	100.0		

Valid cases 13094 Missing cases 180

(1 mother said yes to A4a but 0 to A4b. They have been recoded to -1 on A4b)

A5. a) *Have you ever had any abortions or terminations?*

Yes

No

B009 Abortions or terminations			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Y		1	1920	14.5	14.7	14.7
N		2	11140	83.9	85.3	100.0
Missing		-1	214	1.6	Missing	
				-----	-----	-----
		Total	13274	100.0	100.0	
Valid cases		13060	Missing cases	214	-	

A5. b) *If yes, how many?*

B010 NO of abortions or terminations			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
none		0	11140	83.9	85.5	85.5
		1	1618	12.2	12.4	97.9
		2	224	1.7	1.7	99.7
		3	41	.3	.3	100.0
		4	1	.0	.0	100.0
		5	2	.0	.0	100.0
Missing		-1	248	1.9	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	
Valid cases		13026	Missing cases	248		

(3 mothers said yes to A5a but 0 to A5b. They have been recoded to -1 or A5b)

A6. a) *Have you ever had a stillborn baby?*

Yes

No

B011 Stillbirths--

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	
Y		1	121	.9	.9	.9
N		2	12954	97.6	99.1	100.0
Missing		-1	199	1.5	Missing	
				-----	-----	-----
		-Total	13274	100.0	100.0	
Valid cases	13075	Missing cases	199			

b) If yes, how many?

B012 NO of stillbirths

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
none		0	12954	97.6	99.2	99.2
		1	106	.8	.8	100.0
		2	3	.0	.0	100.0
		3	1	.0	.0	100.0
Missing		-1	210	1.6	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

A7. a) *Have you ever had any babies who were born alive but died later?*

Yes

No

B013 CH born alive but died later

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	180	1.4	1.4	1.4
N		2	12901	97.2	98.6	100.0
Missing		-1	193	1.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13081 Missing cases 193

If yes, please describe:

b) *how many?*

B014 NO of CH born alive but died later

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none		0	12901	97.2	98.6	98.6
		1	168	1.3	1.3	99.9
		2	10	.1	.1	100.0
		3	2	.0	.0	100.0
Missing		-1	193	1.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13081 Missing cases 193

c) *what caused their death?*

[in 1st version of HAB was phrased ‘what did they die of’]

d) *how old were they when they died?*

(keyed as text not yet available)

A8. *Were any of your babies under 5lb 8oz (2500 grammes) at birth?*

Yes *No* *Don't know*

B020 Babies U 5lb 8oz at birth (mothers who had never been pregnant before are included in -1)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	614	4.6	8.3	8.3
N	2	6783	51.1	91.7	100.0
Missing	-1	5877	44.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 7397 Missing cases 5877

A9. a) *Were any of your babies born more than 3 weeks early?*

Yes *No* *Don't know*

B021 Babies born >3WKS early (mothers who had never been pregnant before are included in -1)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	727	5.5	9.8	9.8
N	2	6705	50.5	90.2	100.0
Missing	-1	5842	44.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 7432 Missing cases 5842

A9. b) *Have you ever had a caesarean section?*

Yes *No* *Don't know*

B022 Ever had a caesarean section (mothers who had never been pregnant before are coded 2)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	788	5.9	6.2	6.2
N	2	11898	89.6	93.8	100.0
Missing	-1	588	4.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12686 Missing cases 588

(mothers who had never been pregnant before are coded 2)

A10. *How old were you when you became pregnant for the very first time?* years

B023 Mums age when 1ST PREG (mothers who had not been pregnant before were coded to current age)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
10		1	1	.0	.0	.0
12		1	1	.0	.0	.0
13		9	9	.1	.1	.1
14		38	38	.3	.3	.4
15		147	147	1.1	1.1	1.5
16		430	430	3.2	3.2	4.7
17		602	602	4.5	4.5	9.3
18		700	700	5.3	5.3	14.6
19		741	741	5.6	5.6	20.1
20		720	720	5.4	5.4	25.6
21		762	762	5.7	5.8	31.3
22		743	743	5.6	5.6	36.9
23		838	838	6.3	6.3	43.3
24		996	996	7.5	7.5	50.8
25		1022	1022	7.7	7.7	58.5
26		1002	1002	7.5	7.6	66.1
27		921	921	6.9	7.0	73.0
28		833	833	6.3	6.3	79.3
29		761	761	5.7	5.7	85.1
30		570	570	4.3	4.3	89.4
31		414	414	3.1	3.1	92.5
32		307	307	2.3	2.3	94.8
33		192	192	1.4	1.4	96.2
34		165	165	1.2	1.2	97.5
35		114	114	.9	.9	98.4
36		78	78	.6	.6	98.9
37		55	55	.4	.4	99.4
38		39	39	.3	.3	99.7
39		21	21	.2	.2	99.8
40		13	13	.1	.1	99.9
41		7	7	.1	.1	100.0
42		4	4	.0	.0	100.0
44		1	1	.0	.0	100.0
Missing		-1	27	.2	Missing	
				-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 13247 Missing cases 27

A11. a) *What was the outcome of the last pregnancy before this pregnancy?*

miscarriage
abortion or termination
stillbirth
liveborn baby that died
liveborn baby still alive
other (please describe)

[‘or termination’ missing from 1st version of HAB]

B024 Outcome of last PREG		Value	Frequency	Percent	Valid Percent	Cum Percent
No previous PREG	0	4403	33.2	33.7	33.7	
Miscarriage	1	1581	11.9	12.1	45.8	
Termination	2	881	6.6	6.7	52.5	
Stillbirth	3	36	.3	.3	52.8	
Liveborn CH died	4	61	.5	.5	53.3	
CH still alive	5	6027	45.4	46.1	99.4	
Other	6	81	.6	.6	100.0	
Missing	-1	204	1.5	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	13070		Missing cases	204		

b) *Please give the date of your last birth/miscarriage/abortion or termination before this pregnancy:*

day *month* *year*

(not kept on this file, but used to derive interpregnancy interval B030)

c) *Did you breast feed your last baby?*

Yes *No* *Have not had a baby*

B028 Breast fed last baby		Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5207	39.2	70.3	70.3	
N	2	2196	16.5	29.7	100.0	
Missing	-1	5871	44.2	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	7403		Missing cases	5871		

(mothers who had not had a baby before were put to missing)

d) *If yes, for how long?*

under 1 month

1-3 months

more than 3 months

B029 Duration of breast feeding last baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all	0	2196	16.5	29.7	29.7
<1 MTH	1	986	7.4	13.3	43.0
1-3 MTHS	2	1416	10.7	19.1	62.2
>3 MTHS	3	2798	21.1	37.8	100.0
Missing	-1	5878	44.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 7396 Missing cases 5878

Derived variables

Interpregnancy interval - defined as the length of time between the preceding delivery and the last menstrual period before the current conception. (This variable was put to -1 if the date of the last delivery or LMP was missing).

B030 Interpregnancy interval in months
(highest value)

range 0-291 given for 7411 mothers
 -1 missing for 1460 mothers - if date of last pregnancy missing
 or LMP date
 missing or not in the range 0-291 then it was set to -1
 -2 first pregnancy for 4403 mothers

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	129	1.0	1.7	1.7
	1.00	181	1.4	2.4	4.2
	2.00	196	1.5	2.6	6.8
	3.00	174	1.3	2.3	9.2
	4.00	158	1.2	2.1	11.3
	5.00	153	1.2	2.1	13.4
	6.00	162	1.2	2.2	15.6
	7.00	169	1.3	2.3	17.8
	8.00	200	1.5	2.7	20.5
	9.00	196	1.5	2.6	23.2
	10.00	195	1.5	2.6	25.8
	11.00	212	1.6	2.9	28.7
	12.00	199	1.5	2.7	31.4
	13.00	212	1.6	2.9	34.2
	14.00	214	1.6	2.9	37.1
	15.00	219	1.6	3.0	40.1
	16.00	190	1.4	2.6	42.6
	17.00	217	1.6	2.9	45.6
	18.00	207	1.6	2.8	48.3
	19.00	193	1.5	2.6	51.0
	20.00	177	1.3	2.4	53.3

B030 contd

Valid Value	Cum Label	Value	Frequency	Percent	Percent	Percent
21.00		181	1.4	2.4	55.8	
22.00		178	1.3	2.4	58.2	
23.00		168	1.3	2.3	60.5	
24.00		166	1.3	2.2	62.7	
25.00		142	1.1	1.9	64.6	
26.00		138	1.0	1.9	66.5	
27.00		107	.8	1.4	67.9	
28.00		99	.7	1.3	69.2	
29.00		114	.9	1.5	70.8	
30.00		106	.8	1.4	72.2	
31.00		94	.7	1.3	73.5	
32.00		82	.6	1.1	74.6	
33.00		88	.7	1.2	75.8	
34.00		93	.7	1.3	77.0	
35.00		74	.6	1.0	78.0	
36.00		66	.5	.9	78.9	
37.00		57	.4	.8	79.7	
38.00		61	.5	.8	80.5	
39.00		51	.4	.7	81.2	
40.00		47	.4	.6	81.8	
41.00		46	.3	.6	82.5	
42.00		58	.4	.8	83.2	
43.00		60	.5	.8	84.1	
44.00		48	.4	.6	84.7	
45.00		44	.3	.6	85.3	
46.00		39	.3	.5	85.8	
47.00		41	.3	.6	86.4	
48.00		41	.3	.6	86.9	
49.00		38	.3	.5	87.4	
50.00		48	.4	.6	88.1	
51.00		28	.2	.4	88.5	
52.00		20	.2	.3	88.7	
53.00		23	.2	.3	89.0	
54.00		29	.2	.4	89.4	
55.00		29	.2	.4	89.8	
56.00		24	.2	.3	90.1	
57.00		15	.1	.2	90.4	
58.00		22	.2	.3	90.6	
59.00		28	.2	.4	91.0	
60.00		29	.2	.4	91.4	
61.00		16	.1	.2	91.6	
62.00		11	.1	.1	91.8	
63.00		13	.1	.2	92.0	
64.00		14	.1	.2	92.1	
65.00		18	.1	.2	92.4	
66.00		18	.1	.2	92.6	
67.00		16	.1	.2	92.8	
68.00		14	.1	.2	93.0	
69.00		14	.1	.2	93.2	
70.00		16	.1	.2	93.4	
71.00		11	.1	.1	93.6	
72.00		16	.1	.2	93.8	
73.00		10	.1	.1	93.9	
74.00		13	.1	.2	94.1	
75.00		11	.1	.1	94.3	
76.00		18	.1	.2	94.5	
77.00		12	.1	.2	94.7	
78.00		9	.1	.1	94.8	
79.00		12	.1	.2	95.0	
80.00		7	.1	.1	95.0	

B030 contd

Valid Value	Label	Frequency	Percent	Percent	Percent
81.00		7	.1	.1	95.1
82.00		10	.1	.1	95.3
83.00		6	.0	.1	95.4
84.00		8	.1	.1	95.5
85.00		7	.1	.1	95.6
86.00		7	.1	.1	95.7
87.00		14	.1	.2	95.8
88.00		10	.1	.1	96.0
89.00		9	.1	.1	96.1
90.00		4	.0	.1	96.2
91.00		10	.1	.1	96.3
92.00		8	.1	.1	96.4
93.00		7	.1	.1	96.5
94.00		3	.0	.0	96.5
95.00		8	.1	.1	96.6
96.00		6	.0	.1	96.7
97.00		9	.1	.1	96.8
98.00		7	.1	.1	96.9
99.00		6	.0	.1	97.0
100.00		3	.0	.0	97.1
101.00		7	.1	.1	97.2
102.00		4	.0	.1	97.2
103.00		7	.1	.1	97.3
104.00		5	.0	.1	97.4
105.00		5	.0	.1	97.4
106.00		6	.0	.1	97.5
107.00		4	.0	.1	97.6
108.00		4	.0	.1	97.6
109.00		2	.0	.0	97.7
110.00		4	.0	.1	97.7
111.00		3	.0	.0	97.7
112.00		4	.0	.1	97.8
113.00		5	.0	.1	97.9
114.00		8	.1	.1	98.0
115.00		5	.0	.1	98.0
116.00		4	.0	.1	98.1
117.00		2	.0	.0	98.1
118.00		8	.1	.1	98.2
119.00		10	.1	.1	98.4
120.00		4	.0	.1	98.4
121.00		3	.0	.0	98.5
122.00		2	.0	.0	98.5
123.00		6	.0	.1	98.6
124.00		5	.0	.1	98.6
125.00		3	.0	.0	98.7
126.00		4	.0	.1	98.7
127.00		5	.0	.1	98.8
128.00		4	.0	.1	98.9
129.00		5	.0	.1	98.9
130.00		2	.0	.0	98.9
131.00		1	.0	.0	99.0
132.00		3	.0	.0	99.0
133.00		2	.0	.0	99.0
134.00		1	.0	.0	99.0
136.00		1	.0	.0	99.1
137.00		1	.0	.0	99.1
139.00		4	.0	.1	99.1
140.00		2	.0	.0	99.1

B030 contd

Valid Value	Cum Label	Value	Frequency	Percent	Percent	Percent
		141.00	3	.0	.0	99.2
		142.00	2	.0	.0	99.2
		145.00	1	.0	.0	99.2
		146.00	3	.0	.0	99.3
		147.00	2	.0	.0	99.3
		149.00	3	.0	.0	99.3
		150.00	1	.0	.0	99.4
		151.00	2	.0	.0	99.4
		152.00	1	.0	.0	99.4
		153.00	3	.0	.0	99.4
		155.00	2	.0	.0	99.5
		156.00	1	.0	.0	99.5
		158.00	1	.0	.0	99.5
		160.00	1	.0	.0	99.5
		161.00	1	.0	.0	99.5
		162.00	2	.0	.0	99.5
		163.00	1	.0	.0	99.6
		167.00	2	.0	.0	99.6
		169.00	1	.0	.0	99.6
		171.00	1	.0	.0	99.6
		172.00	2	.0	.0	99.6
		173.00	1	.0	.0	99.6
		175.00	2	.0	.0	99.7
		178.00	1	.0	.0	99.7
		179.00	1	.0	.0	99.7
		181.00	2	.0	.0	99.7
		185.00	1	.0	.0	99.7
		188.00	1	.0	.0	99.8
		194.00	2	.0	.0	99.8
		195.00	1	.0	.0	99.8
		196.00	1	.0	.0	99.8
		197.00	1	.0	.0	99.8
		200.00	1	.0	.0	99.8
		202.00	1	.0	.0	99.9
		208.00	1	.0	.0	99.9
		210.00	1	.0	.0	99.9
		212.00	1	.0	.0	99.9
		229.00	1	.0	.0	99.9
		231.00	1	.0	.0	99.9
		233.00	1	.0	.0	99.9
		255.00	2	.0	.0	100.0
		269.00	1	.0	.0	100.0
		284.00	1	.0	.0	100.0
		291.00	1	.0	.0	100.0
First pregnancy		-2.00	4403	33.2	Missing	
Missing		-1.00	1460	11.0	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	
Valid cases		7411	Missing cases	5863		

B031 Interpregnancy interval - grouped

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
< 3 MTHS	1.00	506	3.8	6.8	6.8
3 - 5 MTHS	2.00	485	3.7	6.5	13.4
6 - 11 MTHS	3.00	1134	8.5	15.3	28.7
12 - 17 MTHS	4.00	1251	9.4	16.9	45.6
18 - 35 MTHS	5.00	2407	18.1	32.5	78.0
36 - 59 MTHS	6.00	963	7.3	13.0	91.0
60 + MTHS	7.00	665	5.0	9.0	100.0
	-1.00	5863	44.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 7411 Missing cases 5863

Derived variables – Parity

Parity (variable B032) is defined as the number of previous pregnancies resulting in either a livebirth or a stillbirth. If B003 was missing then B032 was set to -1. Otherwise, it was calculated as $B032 = B003 - B008 - B010$, where missing values in B008 & B010 were temporarily recoded to 0. If this computation produced a negative value, i.e. if $B032 < B008 + B010$, then B032 was recoded to -2. Then B032 was recoded to -1 if both B008 and B010 were missing (-1) and B032 was recoded to -7 for short version questionnaires (B001 = 6). Note that this means that B032 contains cases where either B008 or B010 was omitted (but not both) with the missing response being assumed to be zero. A second version of parity has been created (B032a) that is set to -1 if any of the components were omitted.

B032 Parity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5819	44.1	44.9	44.9
	1	4519	34.2	34.8	79.7
	2	1859	14.1	14.3	94.0
	3	542	4.1	4.2	98.2
	4	162	1.2	1.2	99.5
	5	46	.3	.4	99.8
	6	15	.1	.1	99.9
	7	2	.0	.0	99.9
	8	4	.0	.0	100.0
	11	1	.0	.0	100.0
	13	1	.0	.0	100.0
	22	1	.0	.0	100.0
	Total	12971	98.2	100.0	
Missing	-7 HaB short	83	.6		
	-2 Inconsistent data	66	.5		
	-1 Missing	84	.6		
	Total	233	1.8		
Total		13204	100.0		

b032a Parity (complete cases only)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5774	43.7	45.2	45.2
	1	4439	33.6	34.7	79.9
	2	1817	13.8	14.2	94.1
	3	528	4.0	4.1	98.2
	4	160	1.2	1.3	99.5
	5	45	.3	.4	99.8
	6	15	.1	.1	99.9
	7	2	.0	.0	99.9
	8	4	.0	.0	100.0
	11	1	.0	.0	100.0
	13	1	.0	.0	100.0
	22	1	.0	.0	100.0
	Total	12787	96.8	100.0	
Missing	-7 HaB short	83	.6		
	-2 Inconsistent data	66	.5		
	-1 Missing	268	2.0		
	Total	417	3.2		
Total		13204	100.0		

SECTION B: YOUR HEALTH

B1. How would you describe your health:

<i>Always</i>	<i>Usually</i>	<i>Sometimes</i>	<i>Often</i>	<i>Always</i>
<i>fit & well</i>	<i>fit & well</i>	<i>unwell</i>	<i>unwell</i>	<i>unwell</i>

a) up to the time of your present pregnancy

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B040 Health up to PRES PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
1	always well	1	3854	29.0	31.9	31.9	
2	usually well	2	7270	54.8	60.1	92.0	
3	SMTS unwell	3	849	6.4	7.0	99.0	
4	often unwell	4	106	.8	.9	99.9	
5	always unwell	5	16	.1	.1	100.0	
-1	Missing	-1	1179	8.9	Missing		
		-----		-----		-----	
		Total	13274	100.0	100.0		

Valid cases 12095 Missing cases 1179

b) in the first months of this pregnancy

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B041 Health in 1ST MTHS of PRES PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
1	always well	1	1329	10.0	11.1	11.1	
2	usually well	2	3498	26.4	29.2	40.2	
3	SMTS unwell	3	3886	29.3	32.4	72.6	
4	often unwell	4	2396	18.1	20.0	92.6	
5	always unwell	5	886	6.7	7.4	100.0	
-1	Missing	-1	1279	9.6	Missing		
		-----		-----		-----	
		Total	13274	100.0	100.0		

Valid cases 11995 Missing cases 1279

c) *in the last two weeks*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B042 Health in last 2WKS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always well	1	2931	22.1	26.1	26.1
usually well	2	5432	40.9	48.4	74.6
SMTS unwell	3	2216	16.7	19.8	94.3
often unwell	4	496	3.7	4.4	98.8
always unwell	5	139	1.0	1.2	100.0
Missing	-1	2060	15.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11214 Missing cases 2060

B2. *During this pregnancy so far have you had any of the following:*

Yes,in 1st 3 months Yes in period 4th month No, not at all Don't know to now

B2. a) *nausea*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B043 Nausea during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	7730	58.2	63.3	63.3
Y 4 MTHS to now	2	977	7.4	8.0	71.3
Y both time periods	3	644	4.9	5.3	76.5
not at all	4	2868	21.6	23.5	100.0
Missing	-1	1055	7.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12219 Missing cases 1055

B044 Nausea in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8374	63.1	68.5	68.5
No	2.00	3845	29.0	31.5	100.0
Missing	-1.00	1055	7.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12219 Missing cases 1055

B2. b) vomiting

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B045 Vomiting during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	4684	35.3	38.3	38.3
Y 4 MTHS to now	2	915	6.9	7.5	45.8
Y both time periods	3	431	3.2	3.5	49.3
not at all	4	6194	46.7	50.7	100.0
Missing	-1	1050	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B046 Vomiting in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	5115	38.5	41.8	41.8
No	2.00	7109	53.6	58.2	100.0
Missing	-1.00	1050	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B2. c) diarrhoea

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B047 Diarrhoea during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	1912	14.4	15.6	15.6
Y 4 MTHS to now	2	852	6.4	7.0	22.6
Y both time periods	3	101	.8	.8	23.4
not at all	4	9359	70.5	76.6	100.0
Missing	-1	1050	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B048 Diarrhoea in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2013	15.2	16.5	16.5
No	2.00	10211	76.9	83.5	100.0
Missing	-1.00	1050	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B2 d) *vaginal bleeding*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B049 Vaginal bleeding during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	1797	13.5	14.7	14.7
Y 4 MTHS to now	2	281	2.1	2.3	17.0
Y both time periods	3	64	.5	.5	17.5
not at all	4	10082	76.0	82.5	100.0
Missing	-1	1050	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B050 Vaginal Bleeding in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1861	14.0	15.2	15.2
No	2.00	10363	78.1	84.8	100.0
Missing	-1.00	1050	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B2. e) *jaundice*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B051 Jaundice during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	8	.1	.1	.1
not at all	4	12219	92.1	99.9	100.0
Missing	-1	1047	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12227 Missing cases 1047

B052 Jaundice in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8	.1	.1	.1
No	2.00	12219	92.1	99.9	100.0
Missing	-1.00	1047	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12227 Missing cases 1047

B2. f) *urinary infection*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B053 Urinary infection during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	542	4.1	4.4	4.4
Y 4 MTHS to now	2	299	2.3	2.4	6.9
Y both time periods	3	25	.2	.2	7.1
not at all	4	11357	85.6	92.9	100.0
Missing	-1	1051	7.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12223 Missing cases 1051

B054 Urinary infection in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	567	4.3	4.6	4.6
No	2.00	11656	87.8	95.4	100.0
Missing	-1.00	1051	7.9	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12223 Missing cases 1051

B2. g) *influenza*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B055 Influenza during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	994	7.5	8.1	8.1
Y 4 MTHS to now	2	663	5.0	5.4	13.6
Y both time periods	3	33	.2	.3	13.8
not at all	4	10534	79.4	86.2	100.0
Missing	-1	1050	7.9	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B056 Influenza in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1027	7.7	8.4	8.4
No	2.00	11197	84.4	91.6	100.0
Missing	-1.00	1050	7.9	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12224 Missing cases 1050

B2. h) rubella (german measles)

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B057 Rubella during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	3	.0	.0	.0
Y 4 MTHS to now	2	2	.0	.0	.0
not at all	4	12220	92.1	100.0	100.0
Missing	-1	1049	7.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12225 Missing cases 1049

B058 Rubella in 1 st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3	.0	.0	.0
No	2.00	12222	92.1	100.0	100.0
Missing	-1.00	1049	7.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12225 Missing cases 1049

B2. j) thrush (candida)

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B059 Thrush during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	981	7.4	8.0	8.0
Y 4 MTHS to now	2	574	4.3	4.7	12.7
Y both time periods	3	109	.8	.9	13.6
not at all	4	10558	79.5	86.4	100.0
Missing	-1	1052	7.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12222 Missing cases 1052

B060 Thrush in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1090	8.2	8.9	8.9
No	2.00	11132	83.9	91.1	100.0
Missing	-1.00	1052	7.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12222 Missing cases 1052

B2. k) *genital herpes*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B061 Genital herpes during this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	26	.2	.2	.2
Y 4 MTHS to now	2	14	.1	.1	.3
Y both time periods	3	2	.0	.0	.3
not at all	4	12183	91.8	99.7	100.0
Missing	-1	1049	7.9	Missing	
		-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12225 Missing cases 1049

B062 Genital herpes in 1st 3 months				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	28	.2	.2	.2
No	2.00	12197	91.9	99.8	100.0
Missing	-1.00	1049	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12225 Missing cases 1049

B2. l) *other infection (please describe)*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B063 Other infection during this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	489	3.7	4.0	4.0
Y 4 MTHS to now	2	345	2.6	2.8	6.8
Y both time periods	3	69	.5	.6	7.4
not at all	4	11316	85.2	92.6	100.0
Missing	-1	1055	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12219 Missing cases 1055

B064 Other infection in 1st 3 months				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	558	4.2	4.6	4.6
No	2.00	11661	87.8	95.4	100.0
Missing	-1.00	1055	7.9	Missing	
	-----	-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 12219 Missing cases 1055

Derived variable

Any infection in 1st 3 months. This was obtained if any of B054, B056, B058, B060, B062, B064 were coded 1.

B065 Any infection in 1st 3 months

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	2797	21.1	22.9	22.9
No		2.00	9428	71.0	77.1	100.0
Missing		-1.00	1049	7.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12225 Missing cases 1049

B2. *Yes, in 1st 3 months Yes in period 4 months* *No, not at all* *Don't know*

During this pregnancy: to now

B2. m) *injury or shock to you (please describe)*

[If the first 2 boxes were ticked, '3' was coded]
[not in YHL]

B067 Injury or shock during this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS		1	561	4.2	4.6	4.6
Y 4 MTHS to now		2	404	3.0	3.3	7.9
Y both time periods		3	19	.1	.2	8.0
not at all		4	11244	84.7	92.0	100.0
Missing		-1	1046	7.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12228 Missing cases 1046

B068 Injury or shock in 1st 3 months

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	580	4.4	4.7	4.7
No		2.00	11648	87.8	95.3	100.0
Missing		-1.00	1046	7.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12228 Missing cases 1046

B2. n) sugar in urine

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B071 Sugar in urine during this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	248	1.9	2.0	2.0
Y 4 MTHS to now	2	219	1.6	1.8	3.8
Y both time periods	3	19	.1	.2	4.0
not at all	4	11728	88.4	96.0	100.0
Missing	-1	1060	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12214 Missing cases 1060

B072 Sugar in urine in 1st 3 months				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	267	2.0	2.2	2.2
No	2.00	11947	90.0	97.8	100.0
Missing	-1.00	1060	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12214 Missing cases 1060

B2. o) x-ray

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B073 Xray during this PREG during this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	230	1.7	1.9	1.9
Y 4 MTHS to now	2	70	.5	.6	2.5
Y both time periods	3	2	.0	.0	2.5
not at all	4	11911	89.7	97.5	100.0
Missing	-1	1061	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12213 Missing cases 1061

B074 Xray in 1st 3 months				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	232	1.7	1.9	1.9
No	2.00	11981	90.3	98.1	100.0
Missing	-1.00	1061	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12213 Missing cases 1061

B2. p) *amniocentesis*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B075 Amniocentesis during this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	65	.5	.5	.5
Y 4 MTHS to now	2	340	2.6	2.8	3.3
not at all	4	11804	88.9	96.7	100.0
Missing	-1	1065	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12209 Missing cases 1065

B076 Aminocentesis in 1st 3 months

				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	65	.5	.5	.5
No	2.00	12144	91.5	99.5	100.0
Missing	-1.00	1065	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12209 Missing cases 1065

B2. q) *chorionic villus sampling (CVS)*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B077 CVS during this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	114	.9	.9	.9
Y 4 MTHS to now	2	81	.6	.7	1.6
Y both time periods	3	1	.0	.0	1.6
not at all	4	12011	90.5	98.4	100.0
Missing	-1	1067	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12207 Missing cases 1067

B078 CVS in 1st 3 months

				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	115	.9	.9	.9
No	2.00	12092	91.1	99.1	100.0
Missing	-1.00	1067	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12207 Missing cases 1067

B2. r) *AFP test (spina bifida test)*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B079 AFP test during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	1575	11.9	12.9	12.9
Y 4 MTHS to now	2	7535	56.8	61.7	74.6
Y both time periods	3	8	.1	.1	74.7
not at all	4	3089	23.3	25.3	100.0
Missing	-1	1067	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12207 Missing cases 1067

B080 AFP test in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1583	11.9	13.0	13.0
No	2.00	10624	80.0	87.0	100.0
Missing	-1.00	1067	8.0	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12207 Missing cases 1067

B2. s) *ultrasound scan*

[If the first 2 boxes were ticked, '3' was coded]
 [not in YHL]

B081 Ultrasound scan during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	2243	16.9	18.4	18.4
Y 4 MTHS to now	2	7623	57.4	62.5	80.9
Y both time periods	3	1101	8.3	9.0	89.9
not at all	4	1233	9.3	10.1	100.0
Missing	-1	1074	8.1	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12200 Missing cases 1074

B082 Ultrasound scan in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3344	25.2	27.4	27.4
No	2.00	8856	66.7	72.6	100.0
Missing	-1.00	1074	8.1	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12200 Missing cases 1074

B3. a) *Have you been admitted to hospital during this pregnancy?*

Yes No .

[not in YHL]

B083 Admitted to hospital during this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	475	3.6	3.9	3.9
N		2	11682	88.0	96.1	100.0
Missing		-1	1117	8.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12157 Missing cases 1117

B3. b) *If yes, give reason for each admission:*

Reason *Date admitted* *Number of days stayed*

B4.

[YHL B2]

During this pregnancy have you ever taken any medicines, pills or used ointment or suppositories for the following:

[1st version of HAB was worded ‘during your pregnancy have you ever taken any medicine, pills or ointment for the following’]

<i>Medicine, pills or ointments for:</i>	<i>Yes, taken in 1st 3 months</i>	<i>Yes, taken later in pregnancy</i>	<i>No, not at all</i>

B4. a) nausea

[If the first 2 boxes were ticked, ‘3’ was coded]

B100 Medication for nausea this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	561	4.2	4.3	4.3
Y 4 MTHS to now	2	99	.7	.8	5.0
Y both time periods	3	36	.3	.3	5.3
not at all	4	12451	93.8	94.7	100.0
Missing	-1	127	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	13147	Missing cases	127		

B101 Medication for nausea in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	597	4.5	4.5	4.5
No	2.00	12550	94.5	95.5	100.0
Missing	-1.00	127	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	13147	Missing cases	127		

B4. b) heartburn

[If the first 2 boxes were ticked, '3' was coded]

B102 Medication for heartburn this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	688	5.2	5.2	5.2
Y 4 MTHS to now	2	1111	8.4	8.5	13.7
Y both time periods	3	171	1.3	1.3	15.0
not at all	4	11156	84.0	85.0	100.0
Missing	-1	148	1.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13126 Missing cases 148

B103 Medication for heartburn in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	859	6.5	6.5	6.5
No	2.00	12267	92.4	93.5	100.0
Missing	-1.00	148	1.1	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13126 Missing cases 148

B4. c) vomiting

[If the first 2 boxes were ticked, '3' was coded]

B104 Medication for vomiting this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	434	3.3	3.3	3.3
Y 4 MTHS to now	2	115	.9	.9	4.2
Y both time periods	3	35	.3	.3	4.4
not at all	4	12561	94.6	95.6	100.0
Missing	-1	129	1.0	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13145 Missing cases 129

B105 Medication for vomiting in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	469	3.5	3.6	3.6
No	2.00	12676	95.5	96.4	100.0
Missing	-1.00	129	1.0	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13145 Missing cases 129

B4. d) anxiety

[If the first 2 boxes were ticked, '3' was coded]

B106 Medication for anxiety this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	58	.4	.4	.4
Y 4 MTHS to now	2	19	.1	.1	.6
Y both time periods	3	12	.1	.1	.7
not at all	4	13056	98.4	99.3	100.0
Missing	-1	129	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13145 Missing cases 129

B107 Medication for anxiety in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	70	.5	.5	.5
No	2.00	13075	98.5	99.5	100.0
Missing	-1.00	129	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13145 Missing cases 129

B4. e) infection

[If the first 2 boxes were ticked, '3' was coded]

B108 Medication for infection this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	983	7.4	7.5	7.5
Y 4 MTHS to now	2	718	5.4	5.5	12.9
Y both time periods	3	81	.6	.6	13.6
not at all	4	11354	85.5	86.4	100.0
Missing	-1	138	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13136 Missing cases 138

B109 Medication for infection in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1064	8.0	8.1	8.1
No	2.00	12072	90.9	91.9	100.0
Missing	-1.00	138	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13136 Missing cases 138

B4. f) *migraine*

[If the first 2 boxes were ticked, '3' was coded]

B110 Medication for migraine this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	1285	9.7	9.8	9.8
Y 4 MTHS to now	2	742	5.6	5.7	15.5
Y both time periods	3	261	2.0	2.0	17.4
not at all	4	10830	81.6	82.6	100.0
Missing	-1	156	1.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13118 Missing cases 156

B111 Medication for migraine in first 3 month				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	1546	11.6	11.8	11.8
No	2.00	11572	87.2	88.2	100.0
Missing	-1.00	156	1.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13118 Missing cases 156

B4. g) *difficulty going to sleep*

[If the first 2 boxes were ticked, '3' was coded]

B112 Medication for sleeping PROB this PREG				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Y in 1-3 MTHS	1	94	.7	.7	.7
Y 4 MTHS to now	2	134	1.0	1.0	1.7
Y both time periods	3	18	.1	.1	1.9
not at all	4	12892	97.1	98.1	100.0
Missing	-1	136	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13138 Missing cases 136

B113 Medication for sleeping in 1st 3 months				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	112	.8	.9	.9
No	2.00	13026	98.1	99.1	100.0
Missing	-1.00	136	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13138 Missing cases 136

B4. h) pain

[If the first 2 boxes were ticked, '3' was coded]

B114 Medication for pain this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	1186	8.9	9.0	9.0
Y 4 MTHS to now	2	908	6.8	6.9	16.0
Y both time periods	3	325	2.4	2.5	18.4
not at all	4	10702	80.6	81.6	100.0
Missing	-1	153	1.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13121 Missing cases 153

B115 Medication for pain in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1511	11.4	11.5	11.5
No	2.00	11610	87.5	88.5	100.0
Missing	-1.00	153	1.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13121 Missing cases 153

B4. i) allergies

[If the first 2 boxes were ticked, '3' was coded]

B116 Medication for allergies this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	223	1.7	1.7	1.7
Y 4 MTHS to now	2	179	1.3	1.4	3.1
Y both time periods	3	114	.9	.9	3.9
not at all	4	12619	95.1	96.1	100.0
Missing	-1	139	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13135 Missing cases 139

B117 Medication for allergies in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	337	2.5	2.6	2.6
No	2.00	12798	96.4	97.4	100.0
Missing	-1.00	139	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13135 Missing cases 139

B4. j) skin condition

[If the first 2 boxes were ticked, '3' was coded]

B118 Medication for skin condition this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	606	4.6	4.6	4.6
Y 4 MTHS to now	2	472	3.6	3.6	8.2
Y both time periods	3	287	2.2	2.2	10.4
not at all	4	11764	88.6	89.6	100.0
Missing	-1	145	1.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13129 Missing cases 145

B119 Medic. for skin conditions in 1st 3 mont

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	893	6.7	6.8	6.8
No	2.00	12236	92.2	93.2	100.0
Missing	-1.00	145	1.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13129 Missing cases 145

B4. k) bleeding

[If the first 2 boxes were ticked, '3' was coded]

B120 Medication for bleeding this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	56	.4	.4	.4
Y 4 MTHS to now	2	20	.2	.2	.6
Y both time periods	3	5	.0	.0	.6
not at all	4	13060	98.4	99.4	100.0
Missing	-1	133	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13141 Missing cases 133

B121 Medication for bleeding in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	61	.5	.5	.5
No	2.00	13080	98.5	99.5	100.0
Missing	-1.00	133	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13141 Missing cases 133

B4. l) depression

[If the first 2 boxes were ticked, '3' was coded]

B122 Medication for depression this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	64	.5	.5	.5
Y 4 MTHS to now	2	50	.4	.4	.9
Y both time periods	3	14	.1	.1	1.0
not at all	4	13016	98.1	99.0	100.0
Missing	-1	130	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13144 Missing cases 130

B123 Medication for depression in 1st 3 month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	78	.6	.6	.6
No	2.00	13066	98.4	99.4	100.0
Missing	-1.00	130	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13144 Missing cases 130

B4. m) piles

[If the first 2 boxes were ticked, '3' was coded]

B124 Medication for piles this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	210	1.6	1.6	1.6
Y 4 MTHS to now	2	252	1.9	1.9	3.5
Y both time periods	3	63	.5	.5	4.0
not at all	4	12611	95.0	96.0	100.0
Missing	-1	138	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13136 Missing cases 138

B125 Medication for piles in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	273	2.1	2.1	2.1
No	2.00	12863	96.9	97.9	100.0
Missing	-1.00	138	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13136 Missing cases 138

B4. n) constipation

[If the first 2 boxes were ticked, '3' was coded]

B126 Medication for constipation this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	562	4.2	4.3	4.3
Y 4 MTHS to now	2	362	2.7	2.8	7.0
Y both time periods	3	121	.9	.9	8.0
not at all	4	12084	91.0	92.0	100.0
Missing	-1	145	1.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13129 Missing cases 145

B127 Medic. for constipation in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	683	5.1	5.2	5.2
No	2.00	12446	93.8	94.8	100.0
Missing	-1.00	145	1.1	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13129 Missing cases 145

B4. o) cough

[If the first 2 boxes were ticked, '3' was coded]

B128 Medication for cough this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in 1-3 MTHS	1	655	4.9	5.0	5.0
Y 4 MTHS to now	2	571	4.3	4.3	9.3
Y both time periods	3	37	.3	.3	9.6
not at all	4	11867	89.4	90.4	100.0
Missing	-1	144	1.1	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13130 Missing cases 144

B129 Medication for cough in 1st 3 months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	692	5.2	5.3	5.3
No	2.00	12438	93.7	94.7	100.0
Missing	-1.00	144	1.1	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13130 Missing cases 144

B4. p) other reason (please describe)

[If the first 2 boxes were ticked, '3' was coded]

B130 Medication for other reason this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not known how long	0	140	1.1	1.1	1.1
Y in 1-3 MTHS	1	588	4.4	4.5	5.5
Y 4 MTHS to now	2	463	3.5	3.5	9.1
Y both time periods	3	221	1.7	1.7	10.7
not at all	4	11730	88.4	89.3	100.0
Missing	-1	132	1.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13142 Missing cases 132

B131 Medication for other reasons in 1st 3 mo

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	809	6.1	6.2	6.2
No	2.00	12193	91.9	93.8	100.0
Missing	-1.00	272	2.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13002 Missing cases 272

B5.

[YHL B3]

During this pregnancy have you been taking any of the following?

Yes

No

a) iron

B140 Taking iron during this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2951	22.2	22.5	22.5
N		2	10177	76.7	77.5	100.0
Missing		-1	146	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13128 Missing cases 146

B5 b) zinc

B141 Taking zinc during this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	169	1.3	1.3	1.3
N		2	12959	97.6	98.7	100.0
Missing		-1	146	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13128 Missing cases 146

B5. c) calcium

B142 Taking calcium during this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	463	3.5	3.5	3.5
N		2	12658	95.4	96.5	100.0
Missing		-1	153	1.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13121 Missing cases 153

B5. d) folic acid/folate

B143 Taking folic acid during this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	1181	8.9	9.0	9.0
N		2	11934	89.9	91.0	100.0
Missing		-1	159	1.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13115 Missing cases 159

B5. e) vitamins (please name brand)

B144 Taking vitamins during this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2150	16.2	16.4	16.4
N	2	10940	82.4	83.6	100.0
Missing	-1	184	1.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13090 Missing cases 184

B5. f) other supplements or diet foods (please describe)

B149 Other supplements or diet food this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	350	2.6	2.8	2.8
	2.00	12135	91.4	97.2	100.0
Missing	-1.00	789	5.9	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12485 Missing cases 789

B6. [YHL B4]

a) Do you ever take homeopathic medicines?

<i>Yes</i>	<i>Yes</i>	<i>No</i>
	<i>often</i>	<i>sometimes</i>

B160 Ever used homeopathic medicines

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	117	.9	.9	.9
Y SMTS	2	1162	8.8	8.9	9.8
N	3	11803	88.9	90.2	100.0
Missing	-1	192	1.4	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13082 Missing cases 192

b) If yes, please describe:

(keyed as text)

B7.

[YHL B5]

- a) Please indicate how often you have taken the following pills during this pregnancy.

Every day Most days Some-times Not at all

- i) aspirin

[when more than 1 box was ticked the one with the lower code was used]

B170 FREQ of aspirin use this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Daily	1	74	.6	.6	.6
	Most days	2	12	.1	.1	.7
	Sometimes	3	544	4.1	4.1	4.8
	Never	4	12545	94.5	95.2	100.0
	Missing	-1	99	.7	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13175 Missing cases 99

B7a. ii) paracetamol

[when more than 1 box was ticked the one with the lower code was used]

B171 FREQ of paracetamol use this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Daily	1	22	.2	.2	.2
	Most days	2	178	1.3	1.4	1.5
	Sometimes	3	6963	52.5	53.0	54.5
	Never	4	5984	45.1	45.5	100.0
	Missing	-1	127	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13147 Missing cases 127

B7a. iii) codeine/anadin

[when more than 1 box was ticked the one with the lower code was used]

B172 FREQ of codeine or anadin use this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Daily	1	2	.0	.0	.0
	Most days	2	4	.0	.0	.0
	Sometimes	3	324	2.4	2.5	2.5
	Never	4	12841	96.7	97.5	100.0
	Missing	-1	103	.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13171 Missing cases 103

B7a. iv) *mogadon, or other sleeping tablets*

[when more than 1 box was ticked the one with the lower code was used]

B173 FREQ of sleeping tablet use this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	4	.0	.0	.0
Most days	2	2	.0	.0	.0
Sometimes	3	57	.4	.4	.5
Never	4	13110	98.8	99.5	100.0
Missing	-1	101	.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13173 Missing cases 101

B7a. v) *valium, or other tranquillisers*

[when more than 1 box was ticked the one with the lower code was used]

B174 FREQ of tranquilliser use this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	8	.1	.1	.1
Most days	2	3	.0	.0	.1
Sometimes	3	22	.2	.2	.3
Never	4	13136	99.0	99.7	100.0
Missing	-1	105	.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13169 Missing cases 105

B7.

[YHL B5]

b) Please name any pills, medicines and ointments you have taken or used in the past 3 months.

What did you take: About how many How many weeks
 days did you take pregnant were
 or use it? you?

Check Have you included the contraceptive pill, iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine?

(coders added the number of different items)

No. medicaments used:

B180 Medication use in past 3MTHS

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		4837	36.4	36.4	36.4	36.4
1		3839	28.9	28.9	28.9	65.4
2		2392	18.0	18.0	18.0	83.4
3		1252	9.4	9.4	9.4	92.8
4		527	4.0	4.0	4.0	96.8
5		241	1.8	1.8	1.8	98.6
6		90	.7	.7	.7	99.3
7		50	.4	.4	.4	99.7
8		25	.2	.2	.2	99.8
9		6	.0	.0	.0	99.9
10		6	.0	.0	.0	99.9
11		3	.0	.0	.0	100.0
12		1	.0	.0	.0	100.0
13		1	.0	.0	.0	100.0
15		2	.0	.0	.0	100.0
16		1	.0	.0	.0	100.0
17		1	.0	.0	.0	100.0
<hr/>						
		Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

SECTION C: YOUR REACTIONS TO BECOMING A PARENT

C1. [YHL D8]

a) Were you deliberately trying to get pregnant this time?

Yes

No

B300 This PREG intentional		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Y		1	9075	68.4	68.9	68.9
N		2	4093	30.8	31.1	100.0
Missing		-1	106	.8	Missing	

		Total	13274	100.0	100.0	
Valid cases	13168	Missing cases	106			

If yes,

b) for how long had you been trying?

under 6 months

6-11 months

1-2 years

3 years or more

[when more than 1 box was ticked the one with the higher code was used]

B301 Duration of trying for PREG		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
<6 MTHS		1	6730	50.7	73.9	73.9
6-11 MTHS		2	1274	9.6	14.0	87.9
1-2 YRS		3	782	5.9	8.6	96.5
3 or more years		4	323	2.4	3.5	100.0
Tried, time NS		-2	46	.3	Missing	
Not tried		-1	4119	31.0	Missing	

		Total	13274	100.0	100.0	
Valid cases	9109	Missing cases	4165			

C2.

[YHL D9]

How would you describe your reaction when you first found you were pregnant this time? (tick one only)

overjoyed
pleased
mixed feelings
not happy
very unhappy
no particular feelings

[when more than 1 box was ticked the one with the higher code was used]

B302 Reaction on discovering this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Overjoyed		1	5185	39.1	39.4	39.4
Pleased		2	3953	29.8	30.0	69.4
Mixed feelings		3	3387	25.5	25.7	95.2
Not happy		4	363	2.7	2.8	97.9
V unhappy		5	215	1.6	1.6	99.6
Indifferent		6	55	.4	.4	100.0
Missing		-1	116	.9	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 13158 Missing cases 116

C3.

[YHL D10]

a) *Does being a mother mean giving up something that is important to you?*

yes, a great deal
yes, quite a lot
not really
definitely not
don't know

[when more than 1 box was ticked the one with the higher code was used]

Please add any extra comments you wish to make:

B303 Motherhood means personal sacrifice

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y great deal		1	557	4.2	4.3	4.3
Y quite a lot		2	1783	13.4	13.9	18.3
Not really		3	6586	49.6	51.4	69.6
Definitely not		4	3895	29.3	30.4	100.0
Missing		-1	453	3.4	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 12821 Missing cases 453

C3. b) *Does becoming a mother give you new opportunities and interests?*

yes, a great deal
yes, quite a lot
not really
definitely not
don't know

[when more than 1 box was ticked the one with the higher code was used]

Please add any extra comments you wish to make:

B304 Comments made

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	1875	14.1	14.1	14.1
No		2	11399	85.9	85.9	100.0
			-----	-----	-----	-----
	Total		13274	100.0	100.0	

Valid cases 13274 Missing cases 0

C4. [YHL D11]

How do you feel about your pregnancy now?

overjoyed
pleased
mixed feelings
not happy
very unhappy
no particular feelings

[when more than 1 box was ticked the one with the higher code was used]

B320 PRES feelings about PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Overjoyed		1	5412	40.8	41.1	41.1
Pleased		2	6117	46.1	46.5	87.6
Mixed feelings		3	1486	11.2	11.3	98.9
Not happy		4	34	.3	.3	99.2
V unhappy		5	54	.4	.4	99.6
Indifferent		6	54	.4	.4	100.0
Missing		-1	117	.9	Missing	
			-----	-----	-----	-----
	Total		13274	100.0	100.0	

Valid cases 13157 Missing cases 117

C5.

[YHL D12]

How do you think your partner feels about your pregnancy?

*overjoyed
pleased
mixed feelings
have no partner
not happy
very unhappy
no particular feelings*

[‘have no partner’ was missing from 1st version of HAB]

[when more than 1 box was ticked the one with the higher code was used]

B321 PTNRS feelings about this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Overjoyed	1	5111	38.5	39.7	39.7
	Pleased	2	5892	44.4	45.8	85.5
	Mixed feelings	3	1577	11.9	12.3	97.8
	Not happy	4	118	.9	.9	98.7
	V unhappy	5	97	.7	.8	99.4
	Indifferent	6	71	.5	.6	100.0
	No partner	-2	187	1.4	Missing	
	Missing	-1	221	1.7	Missing	
			-----	-----	-----	-----
	Total		13274	100.0	100.0	
Valid cases		12866	Missing cases		408	

C6.

[YHL D13]

How has your partner reacted to you since you became pregnant this time?

	<i>When he first knew</i>	<i>Now</i>
<i>supportive</i>		
<i>indifferent</i>		
<i>resentful</i>		
<i>have no partner</i>		
<i>other (please describe)</i>		

[The 1st version of HAB had only 1 set of responses and were not divided into the 2 options] (these have been amalgamated into both B322 and B323)

B322 Partners first reaction to mum since PRE

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Supportive		1.00	10639	80.1	83.1	83.1
Indifferent		2.00	1516	11.4	11.8	94.9
Resentful		3.00	327	2.5	2.6	97.5
Other		4.00	321	2.4	2.5	100.0
Has N PTNR		-2.00	187	1.4	Missing	
Missing		-1.00	284	2.1	Missing	
		-----	-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 12803 Missing cases 471

B323 Partners reaction now to mum since PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Supportive		1.00	10930	82.3	88.4	88.4
Indifferent		2.00	1126	8.5	9.1	97.5
Resentful		3.00	68	.5	.5	98.1
Other		4.00	241	1.8	1.9	100.0
Has N PTNR		-2.00	187	1.4	Missing	
Missing		-1.00	722	5.4	Missing	
		-----	-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 12365 Missing cases 909

C7. *Do you want a boy or girl?*

boy
girl
don't mind

[If the baby's sex was already known, code '4' was used; if they replied 'one of each', code 5 was used]
[not in YHL]

B326 Prefer boy or girl

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Boy	1	1345	10.1	11.0	11.0
Girl	2	2177	16.4	17.8	28.8
Dont mind	3	8641	65.1	70.8	99.6
Sex known	4	32	.2	.3	99.9
Twins forecast	5	18	.1	.1	100.0
Missing	-1	1061	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	12213		Missing cases	1061	

C8. *Do you think your partner wants a boy or girl?*

boy
girl
doesn't mind
he doesn't know I'm pregnant yet
I have no partner

[codes 4 and 5 as for C7]

[not in YHL]

B327 PTNR prefers boy or girl

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Boy	1	2983	22.5	25.0	25.0
Girl	2	1899	14.3	15.9	40.9
Doesnt mind	3	7030	53.0	59.0	99.9
Twins forecast	5	6	.0	.1	99.9
Sex known	6	6	.0	.1	100.0
PTNR DK of PREG	-3	6	.0	Missing	
Has N PTNR	-2	187	1.4	Missing	
Missing	-1	1157	8.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11924		Missing cases	1350	

SECTION D: YOUR FEELINGS

[not in YHL]

[Questions D1-D23 were part of the Crown-Crisp Experiential Index (CCEI)]

The questions in this section ask you about your feelings and behaviour.

Please indicate the way you feel at this stage in your pregnancy.

Very Often Not very often Never

D1. Do you feel upset for no obvious reason?

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

Upset for no obvious reason at PRES				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
V often		1	672	5.1	5.6
Often		2	2737	20.6	22.7
Not V often		3	6511	49.1	53.9
Never		4	2160	16.3	17.9
Missing		-1	1194	9.0	Missing
				-----	-----
		Total	13274	100.0	100.0
Valid cases	12080	Missing cases	1194		

D2. Do you get troubled by dizziness or shortness of breath?

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

Dizziness or breathlessness at PRES					
Value	Label	Value	Frequency	Percent	Valid Percent
V often		1	399	3.0	3.3
Often		2	1828	13.8	15.1
Not V often		3	5001	37.7	41.3
Never		4	4874	36.7	40.3
Missing		-1	1172	8.8	Missing
		-----		-----	
		Total	13274	100.0	100.0
Valid cases		12102	Missing cases	1172	

D3. Have you felt as though you might faint?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B330 Feeling faint at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	291	2.2	2.4	2.4
Often	2	1204	9.1	10.0	12.4
Not V often	3	4660	35.1	38.5	50.9
Never	4	5939	44.7	49.1	100.0
Missing	-1	1180	8.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12094 Missing cases 1180

D4. Do you feel sick or have indigestion?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B331 Nausea or indigestion at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	1191	9.0	9.8	9.8
Often	2	2993	22.5	24.7	34.6
Not V often	3	5078	38.3	41.9	76.5
Never	4	2844	21.4	23.5	100.0
Missing	-1	1168	8.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12106 Missing cases 1168

D5. Do you feel that life is too much effort?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B332 Life seems too demanding at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	269	2.0	2.2	2.2
Often	2	1193	9.0	9.9	12.1
Not V often	3	3923	29.6	32.5	44.6
Never	4	6697	50.5	55.4	100.0
Missing	-1	1192	9.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12082 Missing cases 1192

D6. Do you feel uneasy and restless?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B333 Unease & restlessness at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	305	2.3	2.5	2.5
Often	2	1625	12.2	13.4	16.0
Not V often	3	4638	34.9	38.4	54.3
Never	4	5519	41.6	45.7	100.0
Missing	-1	1187	8.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12087 Missing cases 1187

D7. Do you feel tingling or prickling sensations in your body, arms or legs?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B334 Tingling or prickling sensations at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	249	1.9	2.1	2.1
Often	2	948	7.1	7.9	9.9
Not V often	3	2258	17.0	18.7	28.6
Never	4	8619	64.9	71.4	100.0
Missing	-1	1200	9.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12074 Missing cases 1200

D8. Do you regret much of your past behaviour?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B335 Regret past behaviour at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	313	2.4	2.6	2.6
Often	2	815	6.1	6.8	9.4
Not V often	3	3404	25.6	28.4	37.8
Never	4	7471	56.3	62.2	100.0
Missing	-1	1271	9.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12003 Missing cases 1271

D9. Do you sometimes feel panicky?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B336 Panicky at PRES		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
V often	1	195	1.5	1.6	1.6	
Often	2	954	7.2	7.9	9.5	
Not V often	3	3821	28.8	31.6	41.1	
Never	4	7120	53.6	58.9	100.0	
Missing	-1	1184	8.9	Missing		
		-----	-----	-----		
		Total	13274	100.0	100.0	
Valid cases	12090	Missing cases	1184			

D10. Do you find that you have little or no appetite?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B337 Loss of appetite at PRES		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
V often	1	358	2.7	3.0	3.0	
Often	2	1488	11.2	12.3	15.3	
Not V often	3	3993	30.1	33.1	48.3	
Never	4	6242	47.0	51.7	100.0	
Missing	-1	1193	9.0	Missing		
		-----	-----	-----		
		Total	13274	100.0	100.0	
Valid cases	12081	Missing cases	1193			

D11. Do you wake unusually early in the morning?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B338 Wake unusually early at PRES		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
V often	1	1557	11.7	12.9	12.9	
Often	2	3098	23.3	25.6	38.5	
Not V often	3	3676	27.7	30.4	68.9	
Never	4	3763	28.3	31.1	100.0	
Missing	-1	1180	8.9	Missing		
		-----	-----	-----		
		Total	13274	100.0	100.0	
Valid cases	12094	Missing cases	1180			

D12. Do you worry a lot?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B339 Worry a lot at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	1112	8.4	9.2	9.2
Often	2	3182	24.0	26.3	35.5
Not V often	3	5725	43.1	47.3	82.8
Never	4	2086	15.7	17.2	100.0
Missing	-1	1169	8.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12105 Missing cases 1169

D13. Do you feel tired or exhausted?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B340 Tired or exhausted at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	2715	20.5	22.4	22.4
Often	2	6055	45.6	50.0	72.4
Not V often	3	3079	23.2	25.4	97.8
Never	4	272	2.0	2.2	100.0
Missing	-1	1153	8.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12121 Missing cases 1153

D14. Do you experience long periods of sadness?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B341 Long periods of sadness at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	260	2.0	2.1	2.1
Often	2	943	7.1	7.8	9.9
Not V often	3	4790	36.1	39.6	49.5
Never	4	6115	46.1	50.5	100.0
Missing	-1	1166	8.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12108 Missing cases 1166

D15. Do you feel strung-up inside?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B342 Feeling strung-up inside at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	273	2.1	2.3	2.3
Often	2	1485	11.2	12.3	14.6
Not V often	3	4505	33.9	37.3	51.9
Never	4	5810	43.8	48.1	100.0
Missing	-1	1201	9.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12073 Missing cases 1201

D16. Can you get off to sleep alright?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B343 Go off to sleep OK at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	5940	44.7	49.2	49.2
Often	2	4049	30.5	33.5	82.7
Not V often	3	1708	12.9	14.1	96.8
Never	4	384	2.9	3.2	100.0
Missing	-1	1193	9.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12081 Missing cases 1193

D17. Do you ever have the feeling you are going to pieces?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B344 Feeling of going to pieces at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	199	1.5	1.6	1.6
Often	2	779	5.9	6.4	8.1
Not V often	3	3038	22.9	25.1	33.2
Never	4	8069	60.8	66.8	100.0
Missing	-1	1189	9.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12085 Missing cases 1189

D18. Do you often have excessive sweating or fluttering of the heart?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B345 Extra sweating or heart flutters at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	123	.9	1.0	1.0
Often	2	732	5.5	6.0	7.1
Not V often	3	2777	20.9	22.9	30.0
Never	4	8477	63.9	70.0	100.0
Missing	-1	1165	8.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12109 Missing cases 1165

D19. Do you find yourself needing to cry?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B346 Need to cry at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	535	4.0	4.4	4.4
Often	2	2299	17.3	19.0	23.4
Not V often	3	6351	47.8	52.4	75.8
Never	4	2926	22.0	24.2	100.0
Missing	-1	1163	8.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12111 Missing cases 1163

D20. Do you have bad dreams which upset you when you wake up?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B347 Upsetting dreams at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	313	2.4	2.6	2.6
Often	2	1106	8.3	9.1	11.7
Not V often	3	4308	32.5	35.6	47.3
Never	4	6388	48.1	52.7	100.0
Missing	-1	1159	8.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12115 Missing cases 1159

D21. Do you lose the ability to feel sympathy for others?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B348 Less sympathetic at PRES

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	150	1.1	1.2	1.2
Often		2	794	6.0	6.6	7.8
Not V often		3	3689	27.8	30.5	38.3
Never		4	7459	56.2	61.7	100.0
Missing		-1	1182	8.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12092 Missing cases 1182

D22. Can you think quickly?

[In the 1st version this was 'can you think as quickly as you used to']
 [when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B349 Quick thinking at PRES

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	3141	23.7	26.1	26.1
Often		2	6174	46.5	51.2	77.3
Not V often		3	2416	18.2	20.0	97.3
Never		4	325	2.4	2.7	100.0
Missing		-1	1218	9.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12056 Missing cases 1218

D23. Do you have to make a special effort to face up to a crisis or difficulty?

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B350 Need special effort for crises at PRES

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	272	2.0	2.3	2.3
Often		2	1536	11.6	12.8	15.0
Not V often		3	5328	40.1	44.2	59.2
Never		4	4908	37.0	40.8	100.0
Missing		-1	1230	9.3	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12044 Missing cases 1230

Derived variables

The first 23 questions in this section comprised the sub-scales of Crown-Crisp Experiential Index (CCEI) relating to free-floating anxiety, depression and somaticism. Although the total score of the 48 items in the original index has been shown to be a useful measure of psycho-neurotic pathology in the community, the need to limit the number of items and our specific interest in depression and anxiety guided the selection of these items. Indeed most studies using the CCEI, including those of the original authors have in fact focused on the sub-scales and it has been used in this way in the study of mental health of mothers during pregnancy and the post-natal year. The 3 sub-scales had varying styles of response, some being a two-point yes/no scale, while others had 3-point categories. We modified the response categories for our study so that each item had 4 consistent response categories in which the respondent indicated frequency of symptoms from 'never' to 'very often'. These modifications were extensively pilot tested including a validation study against the Present State Examination (PSE).

Subscales of the Crown-Crisp Experiential Index were derived from questions D1 to D23.

The variables were initially recoded as follows: d1, d15, d17, (1,2 = 2)(3,4 = 0) / d3, d6, d12, d20, (1,1 = 2)(3 = 1) (4 = 0) d5, d14, d19, d23 (1,2 = 2)(3 = 1) (4 = 0) / d8, d11, d21 (1,2 = 2)(3,4 = 0) / d22, d16 (1,2 = 0) (3,4 = 2) / d2, d7, d13 (1,2 = 2) (3 = 1) (4 = 0) / d4, d10, d18 (1, 2 = 2) (3, 4 = 0) / d9 (1,"3 = 2) (4 = 0).

CCEI Anxiety subscale I

B351 Crown Crisp - Anxiety = d1 + d9 + d15 + d17 + d3 + d6 + d12 + d20 provided all 8 values were valid (otherwise put to -1).

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not anxious					
	.00	707	5.3	6.0	6.0
	1.00	1286	9.7	10.8	16.8
	2.00	1580	11.9	13.3	30.1
	3.00	1348	10.2	11.4	41.5
	4.00	1277	9.6	10.8	52.2
	5.00	1188	8.9	10.0	62.2
	6.00	1078	8.1	9.1	71.3
	7.00	844	6.4	7.1	78.4
	8.00	601	4.5	5.1	83.5
	9.00	508	3.8	4.3	87.8
	10.00	397	3.0	3.3	91.1
	11.00	331	2.5	2.8	93.9
	12.00	268	2.0	2.3	96.2
	13.00	167	1.3	1.4	97.6
	14.00	153	1.2	1.3	98.9
	15.00	80	.6	.7	99.5
	16.00	55	.4	.5	100.0
very anxious					
Missing	-1.00	1406	10.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11868		Missing cases	1406	

CCEI Anxiety subscale II

B352A Anxiety subscale of CCEI in HAB = d1 + d9 + d15 + d17 + d3 + d6 + d12 + d20 putting missing values as the mode . If all 8 variables values were missing then B352A was coded as -1.

B352A anxiety subscale of CCEI in HAB			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
not anxious	.00	715	5.4	5.9
	1.00	1311	9.9	10.8
	2.00	1621	12.2	13.4
	3.00	1383	10.4	11.4
	4.00	1315	9.9	10.8
	5.00	1211	9.1	10.0
	6.00	1101	8.3	9.1
	7.00	863	6.5	7.1
	8.00	618	4.7	5.1
	9.00	518	3.9	4.3
	10.00	405	3.1	3.3
	11.00	340	2.6	2.8
	12.00	276	2.1	2.3
	13.00	172	1.3	1.4
	14.00	156	1.2	1.3
	15.00	80	.6	.7
very anxious	16.00	55	.4	.5
Missing	-1.00	1134	8.5	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12140	Missing cases	1134	

No. of variables with missing values on anxiety subscale.

B352B No. missing values in anxiety subscale			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
	.00	11868	89.4	89.4
	1.00	225	1.7	1.7
	2.00	19	.1	.1
	3.00	10	.1	.1
	4.00	6	.0	.0
	5.00	4	.0	.0
	6.00	2	.0	.0
	7.00	6	.0	.0
	8.00	1134	8.5	8.5
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	13274	Missing cases	0	

CCEI Depression subscale I

B353 Crown Crisp - Depression = d5 + d14 + d19 + d23 + d8 +d11 + d21 + d22 provided all 8 values were valid (otherwise put to -1)

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
not depressed	.00	836	6.3	7.1	7.1
	1.00	1171	8.8	9.9	17.0
	2.00	1616	12.2	13.7	30.7
	3.00	1574	11.9	13.4	44.1
	4.00	1509	11.4	12.8	56.9
	5.00	1268	9.6	10.8	67.6
	6.00	1057	8.0	9.0	76.6
	7.00	782	5.9	6.6	83.2
	8.00	676	5.1	5.7	89.0
	9.00	471	3.5	4.0	93.0
	10.00	295	2.2	2.5	95.5
	11.00	208	1.6	1.8	97.2
	12.00	140	1.1	1.2	98.4
	13.00	84	.6	.7	99.1
	14.00	57	.4	.5	99.6
	15.00	21	.2	.2	99.8
very depressed	16.00	23	.2	.2	100.0
Missing	-1.00	1486	11.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11788 Missing cases 1486

CCEI Depression subscale II

B354A Depression subscale of CCEI in HAB = B353 (but putting missing values as the mode). If all 8 variables are missing, this was coded as missing

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
not depressed	.00	851	6.4	7.0	7.0
	1.00	1191	9.0	9.8	16.8
	2.00	1670	12.6	13.8	30.6
	3.00	1624	12.2	13.4	44.0
	4.00	1565	11.8	12.9	56.8
	5.00	1309	9.9	10.8	67.6
	6.00	1096	8.3	9.0	76.7
	7.00	805	6.1	6.6	83.3
	8.00	697	5.3	5.7	89.0
	9.00	481	3.6	4.0	93.0
	10.00	306	2.3	2.5	95.5
	11.00	210	1.6	1.7	97.2
	12.00	141	1.1	1.2	98.4
	13.00	90	.7	.7	99.2
	14.00	59	.4	.5	99.6
	15.00	21	.2	.2	99.8
very depressed	16.00	23	.2	.2	100.0
Missing	-1.00	1135	8.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12139 Missing cases 1135

B354B No. missing values in the 8 variables used in the depression subscale.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	11788	88.8	88.8	88.8
	1.00	277	2.1	2.1	90.9
	2.00	40	.3	.3	91.2
	3.00	13	.1	.1	91.3
	4.00	3	.0	.0	91.3
	5.00	4	.0	.0	91.3
	6.00	4	.0	.0	91.4
	7.00	10	.1	.1	91.4
	8.00	1135	8.6	8.6	100.0
		-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

CCEI Somatic subscale I

B355 Crown Crisp - Somatic = d2 + d7 + d13 + d4 + d10 + d18 + d16, omitting any that were missing on any of these 7 variables.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not affected	.00	120	.9	1.0	1.0
	1.00	1065	8.0	8.9	9.9
	2.00	2018	15.2	16.9	26.9
	3.00	1852	14.0	15.5	42.4
	4.00	1866	14.1	15.7	58.1
	5.00	1528	11.5	12.8	70.9
	6.00	1241	9.3	10.4	81.3
	7.00	805	6.1	6.8	88.0
	8.00	655	4.9	5.5	93.5
	9.00	333	2.5	2.8	96.3
	10.00	222	1.7	1.9	98.2
	11.00	84	.6	.7	98.9
	12.00	101	.8	.8	99.7
	13.00	13	.1	.1	99.8
very affected	14.00	18	.1	.2	100.0
Missing	-1.00	1353	10.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11921		Missing cases	1353	

CCEI Somatic subscale II

B356A Somatic subscale of CCEI in HAB = B355 (but putting missing values as the mode) if all 7 variables are missing this was coded as missing

Value Label	Value	Frequency	Percent	Percent	Cum Percent
not somatic	.00	120	.9	1.0	1.0
	1.00	1080	8.1	8.9	9.9
	2.00	2063	15.5	17.0	26.9
	3.00	1899	14.3	15.6	42.5
	4.00	1900	14.3	15.6	58.1
	5.00	1555	11.7	12.8	70.9
	6.00	1266	9.5	10.4	81.4
	7.00	821	6.2	6.8	88.1
	8.00	664	5.0	5.5	93.6
	9.00	337	2.5	2.8	96.4
	10.00	224	1.7	1.8	98.2
	11.00	85	.6	.7	98.9
	12.00	101	.8	.8	99.7
	13.00	13	.1	.1	99.9
very somatic	14.00	18	.1	.1	100.0
Missing	-1.00	1128	8.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	12146		Missing cases	1128	

B356B No. missing values in the 7 variables used in somatic subscale.

Value Label	Value	Valid		Cum	
		Frequency	Percent	Percent	Percent
	.00	11921	89.8	89.8	89.8
	1.00	171	1.3	1.3	91.1
	2.00	23	.2	.2	91.3
	3.00	10	.1	.1	91.3
	4.00	10	.1	.1	91.4
	5.00	5	.0	.0	91.5
	6.00	6	.0	.0	91.5
	7.00	1128	8.5	8.5	100.0
		-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

CCEI Score I

Total Crown Crisp Experiential Index score, computed by adding the anxiety, depression and somatic scales.

B357 Crown Crisp - Total = B351 + B353 + B355 All with missing values put to -1.

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
not affected	.00	34	.3	.3	.3
	1.00	107	.8	.9	1.2
	2.00	208	1.6	1.8	3.0
	3.00	297	2.2	2.6	5.6
	4.00	403	3.0	3.5	9.1
	5.00	496	3.7	4.3	13.5
	6.00	568	4.3	4.9	18.4
	7.00	583	4.4	5.1	23.5
	8.00	630	4.7	5.5	29.0
	9.00	646	4.9	5.6	34.6
	10.00	643	4.8	5.6	40.2
	11.00	621	4.7	5.4	45.6
	12.00	551	4.2	4.8	50.4
	13.00	543	4.1	4.7	55.1
	14.00	547	4.1	4.8	59.9
	15.00	503	3.8	4.4	64.3
	16.00	450	3.4	3.9	68.2
	17.00	456	3.4	4.0	72.2
	18.00	431	3.2	3.8	75.9
	19.00	331	2.5	2.9	78.8
	20.00	284	2.1	2.5	81.3
	21.00	285	2.1	2.5	83.7
	22.00	266	2.0	2.3	86.1
	23.00	215	1.6	1.9	87.9
	24.00	203	1.5	1.8	89.7
	25.00	178	1.3	1.5	91.2
	26.00	158	1.2	1.4	92.6
	27.00	141	1.1	1.2	93.9
	28.00	139	1.0	1.2	95.1
	29.00	114	.9	1.0	96.1
	30.00	81	.6	.7	96.8
	31.00	70	.5	.6	97.4
	32.00	55	.4	.5	97.8
	33.00	51	.4	.4	98.3
	34.00	49	.4	.4	98.7
	35.00	31	.2	.3	99.0
	36.00	32	.2	.3	99.3
	37.00	23	.2	.2	99.5
	38.00	13	.1	.1	99.6
	39.00	16	.1	.1	99.7
	40.00	8	.1	.1	99.8
	41.00	12	.1	.1	99.9
	42.00	8	.1	.1	100.0
	43.00	1	.0	.0	100.0
very affected	44.00	3	.0	.0	100.0
Missing	-1.00	1790	13.5	Missing	
	Total	13274	100.0	100.0	
Valid cases	11484	Missing cases	1790		

CCEI score II

B358 CCEI in HAB = B357 (but putting missing values as the mode) if all 23 variables missing then was coded as missing

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
not affected	.00	36	.3	.3	.3
	1.00	110	.8	.9	1.2
	2.00	215	1.6	1.8	3.0
	3.00	310	2.3	2.6	5.5
	4.00	418	3.1	3.4	9.0
	5.00	517	3.9	4.3	13.2
	6.00	593	4.5	4.9	18.1
	7.00	616	4.6	5.1	23.2
	8.00	671	5.1	5.5	28.7
	9.00	678	5.1	5.6	34.3
	10.00	683	5.1	5.6	39.9
	11.00	664	5.0	5.5	45.4
	12.00	581	4.4	4.8	50.2
	13.00	584	4.4	4.8	55.0
	14.00	578	4.4	4.8	59.7
	15.00	533	4.0	4.4	64.1
	16.00	470	3.5	3.9	68.0
	17.00	478	3.6	3.9	71.9
	18.00	463	3.5	3.8	75.7
	19.00	350	2.6	2.9	78.6
	20.00	302	2.3	2.5	81.1
	21.00	299	2.3	2.5	83.6
	22.00	291	2.2	2.4	85.9
	23.00	235	1.8	1.9	87.9
	24.00	219	1.6	1.8	89.7
	25.00	188	1.4	1.5	91.2
	26.00	164	1.2	1.4	92.6
	27.00	152	1.1	1.3	93.8
	28.00	151	1.1	1.2	95.1
	29.00	119	.9	1.0	96.1
	30.00	87	.7	.7	96.8
	31.00	72	.5	.6	97.4
	32.00	57	.4	.5	97.8
	33.00	54	.4	.4	98.3
	34.00	50	.4	.4	98.7
	35.00	34	.3	.3	99.0
	36.00	34	.3	.3	99.3
	37.00	24	.2	.2	99.4
	38.00	14	.1	.1	99.6
	39.00	19	.1	.2	99.7
	40.00	10	.1	.1	99.8
	41.00	12	.1	.1	99.9
	42.00	8	.1	.1	100.0
	43.00	1	.0	.0	100.0
	44.00	3	.0	.0	100.0
very affected					
Missing	-1.00	1127	8.5	Missing	
	Total	13274	100.0	100.0	
	Valid cases	12147		Missing cases	1127

B359 No of variables with missing values in CCEI.

Value	Label	Valid		Cum	
		Value	Frequency	Percent	Percent
.00		11484	86.5	86.5	86.5
1.00		483	3.6	3.6	90.2
2.00		97	.7	.7	90.9
3.00		23	.2	.2	91.1
4.00		13	.1	.1	91.2
5.00		9	.1	.1	91.2
6.00		1	.0	.0	91.2
7.00		2	.0	.0	91.2
8.00		2	.0	.0	91.3
9.00		2	.0	.0	91.3
10.00		4	.0	.0	91.3
11.00		3	.0	.0	91.3
12.00		2	.0	.0	91.3
13.00		2	.0	.0	91.4
14.00		4	.0	.0	91.4
15.00		2	.0	.0	91.4
18.00		3	.0	.0	91.4
19.00		2	.0	.0	91.4
20.00		2	.0	.0	91.5
21.00		4	.0	.0	91.5
22.00		3	.0	.0	91.5
23.00		1127	8.5	8.5	100.0
-----		-----	-----	-----	-----
Total		13274	100.0	100.0	

Valid cases 13274 Missing cases 0

Questions D24-D33 comprise the Edinburgh Postnatal Depression Scale

Your feelings in the past week.

D24. I have been able to laugh and see the funny side of things:

*As much as I always could
Not quite so much now
Definitely not so much now
Not at all*

[when more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B360 Sense of humour in past wk

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As always		1	8593	64.7	70.4	70.4
Not as much		2	3020	22.8	24.7	95.1
Definitely less		3	534	4.0	4.4	99.5
Not at all		4	65	.5	.5	100.0
Missing		-1	1062	8.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12212	Missing cases	1062			

D25. I have looked forward with enjoyment to things:

*As much as I ever did
Rather less than I used to
Definitely less than I used to
Hardly at all*

[when more than 1 box was ticked the one with the higher code was used] [not in YHL]

B361 Looked forward to things in past wk

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As always		1	8711	65.6	71.4	71.4
< than usual		2	2973	22.4	24.4	95.8
Lot < than usual		3	409	3.1	3.4	99.1
Hardly at all		4	104	.8	.9	100.0
Missing		-1	1077	8.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12197	Missing cases	1077			

D26. *I have blamed myself unnecessarily when things went wrong:*

Yes, most of the time
Yes, some of the time
Not very often
No never

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B362 Unnecessary self blame in past WK			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Y mostly		1	875	6.6	7.2	7.2
Y SMTS		2	3936	29.7	32.3	39.4
Not V often		3	4843	36.5	39.7	79.1
Never		4	2546	19.2	20.9	100.0
Missing		-1	1074	8.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12200	Missing cases	1074			

D27. *I have been anxious or worried for no good reason:*

No, not at all
Hardly ever
Yes, sometimes
Yes, often

[when more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B363 Unnecessary anxiety or worry in past WK			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Never		1	3375	25.4	27.7	27.7
Hardly ever		2	3148	23.7	25.8	53.5
Y SMTS		3	4986	37.6	40.9	94.4
Y often		4	688	5.2	5.6	100.0
Missing		-1	1077	8.1	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12197	Missing cases	1077			

In the past week:

D28. *I have felt scared or panicky for no very good reason:*

Yes, quite a lot
Yes, sometimes
No, not much
No, not at all

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B364 Unnecessary panic or fear in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y quite a lot	1	365	2.7	3.0	3.0
Y SMTS	2	1795	13.5	14.7	17.7
Not much	3	3157	23.8	25.9	43.6
Never	4	6891	51.9	56.4	100.0
Missing	-1	1066	8.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12208 Missing cases 1066

D29. *Things have been getting on top of me:*

Yes, most of the time
Yes, sometimes
No, hardly ever
No, not at all

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B365 Things getting too much in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly	1	709	5.3	5.8	5.8
Y SMTS	2	4905	37.0	40.2	46.0
Not V often	3	3420	25.8	28.0	74.0
Never	4	3168	23.9	26.0	100.0
Missing	-1	1072	8.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12202 Missing cases 1072

D30. *I have been so unhappy that I have had difficulty sleeping:*

Yes, most of the time
Yes, sometimes
Not very often
No, not all

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B366 Sleeping PROB due to sadness in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Y mostly		1	128	1.0	1.0	1.0	
Y SMTS		2	889	6.7	7.3	8.3	
Not V often		3	2369	17.8	19.4	27.7	
Never		4	8825	66.5	72.3	100.0	
Missing		-1	1063	8.0	Missing		
		-----		-----		-----	
		Total	13274	100.0	100.0		

D31. *I have felt sad or miserable:*

Yes, most of the time
Yes, quite often
Not very often
No, not at all

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B367 Sad or miserable in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Y mostly		1	305	2.3	2.5	2.5	
Y quite often		2	1896	14.3	15.5	18.0	
Not V often		3	5588	42.1	45.8	63.8	
Never		4	4422	33.3	36.2	100.0	
Missing		-1	1063	8.0	Missing		
		-----		-----		-----	
		Total	13274	100.0	100.0		

Valid cases 12211 Missing cases 1063

In the past week:

D32. I have been so unhappy that I have been crying:

Yes, most of the time

Yes, quite often

Only occasionally

No, never

[when more than 1 box was ticked the one with the lower code was used]

[not in YHL]

B368 Crying due to unhappiness in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly		1	129	1.0	1.1	1.1
Y quite often		2	790	6.0	6.5	7.5
Not V often		3	4557	34.3	37.3	44.9
Never		4	6727	50.7	55.1	100.0
Missing		-1	1071	8.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases		12203	Missing cases	1071		

D33. The thought of harming myself has occurred to me:

Yes, quite often

Sometimes

Hardly ever

Never

[when more than 1 box was ticked the one with the lower code was used]

[not in YHL]

B369 Considered selfharm in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y quite often		1	169	1.3	1.4	1.4
Y sometimes		2	494	3.7	4.1	5.4
Hardly ever		3	581	4.4	4.8	10.2
Never		4	10952	82.5	89.8	100.0
Missing		-1	1078	8.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases		12196	Missing cases	1078		

Derived variable

The 10 items D24-D33 formed the depression scale of the Edinburgh Post-Natal Depression Scale (EPDS) developed by Cox et al. The items in this scale were specifically chosen by the authors because they did not involve somatic items. Each question had 4 response categories scored from 0 to 3 and referred to the feelings of the mother in the past week. Although the measure was developed specifically for use with puerperal women, none of the 10 items is specific to the post-natal experience. The principle feature of the scale that designates it as a post-natal scale is that it does not include somatic items because of the possibility of confounding somatic symptoms of depression with normal physiological symptoms at this time. The feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the post-partum years. During pregnancy, there is the possibility too of confounding normal physiological symptoms with those of depression. Both our own pilot studies and the study of Murray and Carrothers found the measure to be acceptable to respondents, producing high completion rates with little evidence of response error. Validation of the scale during pregnancy, the post-partum period and early parenthood has been examined using standardised psychiatric interviews as the validating measures and shown to have high sensitivity and specificity.

These variables were recoded as follows:

d24, d25, d27, (1 = 0) (2 = 1) (3 = 2) (4 = 3)
d26, d28, d29, d30, d31, d32, d33 (1 = 3) (2 = 2) (3 = 1) (4 = 0)

EPDS score I

B370 Edinburgh Post-natal Depression Score = d24 + d25 + d26 + d27 + d28 + d29 + d30 + d31 + d32 + d33. All with a missing value on any of the 10 variables were put to -1.

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		742	5.6	6.1	6.1	
1.00		769	5.8	6.4	12.5	
2.00		910	6.9	7.5	20.1	
3.00		916	6.9	7.6	27.7	
4.00		963	7.3	8.0	35.6	
5.00		940	7.1	7.8	43.4	
6.00		972	7.3	8.1	51.5	
7.00		883	6.7	7.3	58.8	
8.00		834	6.3	6.9	65.7	
9.00		741	5.6	6.1	71.8	
10.00		643	4.8	5.3	77.2	
11.00		599	4.5	5.0	82.1	
12.00		481	3.6	4.0	86.1	
13.00		396	3.0	3.3	89.4	
14.00		327	2.5	2.7	92.1	
15.00		255	1.9	2.1	94.2	
16.00		202	1.5	1.7	95.9	
17.00		141	1.1	1.2	97.1	
18.00		99	.7	.8	97.9	
19.00		80	.6	.7	98.6	
20.00		48	.4	.4	99.0	
21.00		48	.4	.4	99.4	
22.00		25	.2	.2	99.6	
23.00		24	.2	.2	99.8	
24.00		10	.1	.1	99.8	
25.00		8	.1	.1	99.9	
26.00		4	.0	.0	99.9	
27.00		3	.0	.0	100.0	
28.00		3	.0	.0	100.0	
29.00		1	.0	.0	100.0	
Missing		-1.00	1207	9.1	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 12067 Missing cases 1207

B371 EPDS in HAB = B370 (but with missing values put as the mode value).
 If all 10 values were missing then B371 put to -1.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not depressed	.00	743	5.6	6.1	6.1
	1.00	773	5.8	6.3	12.4
	2.00	915	6.9	7.5	19.8
	3.00	923	7.0	7.5	27.4
	4.00	969	7.3	7.9	35.3
	5.00	953	7.2	7.8	43.1
	6.00	999	7.5	8.2	51.2
	7.00	916	6.9	7.5	58.7
	8.00	849	6.4	6.9	65.6
	9.00	763	5.7	6.2	71.9
	10.00	653	4.9	5.3	77.2
	11.00	610	4.6	5.0	82.2
	12.00	489	3.7	4.0	86.2
	13.00	401	3.0	3.3	89.4
	14.00	331	2.5	2.7	92.1
	15.00	257	1.9	2.1	94.2
	16.00	204	1.5	1.7	95.9
	17.00	146	1.1	1.2	97.1
	18.00	100	.8	.8	97.9
	19.00	80	.6	.7	98.6
	20.00	49	.4	.4	99.0
	21.00	48	.4	.4	99.3
	22.00	26	.2	.2	99.6
	23.00	24	.2	.2	99.8
	24.00	10	.1	.1	99.8
	25.00	8	.1	.1	99.9
	26.00	4	.0	.0	99.9
	27.00	4	.0	.0	100.0
	28.00	3	.0	.0	100.0
very depressed	30.00	1	.0	.0	100.0
Missing	-1.00	1023	7.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12251 Missing cases 1023

B372 No. of variables with missing values in EPDS.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	12067	90.9	90.9	90.9
	1.00	90	.7	.7	91.6
	2.00	49	.4	.4	92.0
	3.00	8	.1	.1	92.0
	4.00	6	.0	.0	92.1
	5.00	1	.0	.0	92.1
	6.00	4	.0	.0	92.1
	7.00	1	.0	.0	92.1
	8.00	24	.2	.2	92.3
	9.00	1	.0	.0	92.3
	10.00	1023	7.7	7.7	100.0
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

The final questions in this section concerned perceived change (physical, behavioural and emotional) during the period of early pregnancy, i.e. change and stability in both the mother herself and her partner. These scales were developed by the study team and extensively pilot tested with results indicating strong relationships with emotional status of the parents.

D34. Since you became pregnant have you noticed any change in:

<i>Yes, increased a lot</i>	<i>Yes, increased a little</i>	<i>No change</i>	<i>Yes decreased a little</i>	<i>Yes decreased a lot</i>
-------------------------------------	--	----------------------	---------------------------------------	------------------------------------

a) How irritable you are

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B375 Irritability since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	2460	18.5	20.2	20.2
Increased a bit	2	6223	46.9	51.2	71.4
N change	3	2912	21.9	23.9	95.3
Decreased a bit	4	440	3.3	3.6	98.9
Decreased a lot	5	131	1.0	1.1	100.0
Missing	-1	1108	8.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	12166		Missing cases	1108	

D34. b) How nervous you are

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B376 Nervousness since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	413	3.1	3.4	3.4
Increased a bit	2	2461	18.5	20.3	23.7
N change	3	8887	67.0	73.2	96.8
Decreased a bit	4	301	2.3	2.5	99.3
Decreased a lot	5	87	.7	.7	100.0
Missing	-1	1125	8.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	12149		Missing cases	1125	

D34. c) *How healthy you are*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B377 Healthiness since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	391	2.9	3.2	3.2
Increased a bit	2	1369	10.3	11.3	14.5
N change	3	6073	45.8	50.0	64.5
Decreased a bit	4	3704	27.9	30.5	95.0
Decreased a lot	5	602	4.5	5.0	100.0
Missing	-1	1135	8.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12139 Missing cases 1135

d) *How communicative you are*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B378 Communicativeness since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	189	1.4	1.6	1.6
Increased a bit	2	875	6.6	7.2	8.8
N change	3	9217	69.4	76.2	85.0
Decreased a bit	4	1688	12.7	14.0	99.0
Decreased a lot	5	123	.9	1.0	100.0
Missing	-1	1182	8.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12092 Missing cases 1182

e) *How active you are*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B379 Activeness since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	178	1.3	1.5	1.5
Increased a bit	2	669	5.0	5.5	7.0
N change	3	4278	32.2	35.3	42.3
Decreased a bit	4	5765	43.4	47.5	89.8
Decreased a lot	5	1236	9.3	10.2	100.0
Missing	-1	1148	8.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12126 Missing cases 1148

f) *How able you are to think and concentrate*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B380 Ability to think & CONC since PREG			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
Increased a lot	1	89	.7	.7
Increased a bit	2	275	2.1	2.3
N change	3	6737	50.8	55.6
Decreased a bit	4	4547	34.3	37.5
Decreased a lot	5	476	3.6	3.9
Missing	-1	1150	8.7	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 12124 Missing cases 1150

g) *How physically attractive you are*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B381 Physical attractiveness since PREG			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
Increased a lot	1	137	1.0	1.1
Increased a bit	2	866	6.5	7.2
N change	3	5532	41.7	45.8
Decreased a bit	4	4404	33.2	36.4
Decreased a lot	5	1146	8.6	9.5
Missing	-1	1189	9.0	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 12085 Missing cases 1189

Derived variables

CHANGE Score I

B382 Direction of change = d34a + d34b + d34c + d34d + d34e + d34f + d35g.
 If any of the values of the 7 variables was missing, B382 = -1.

To calculate the change scores, d34a and d34b were recoded as follows:
 (1=5) (2 = 4) (3 = 3) (4 = 2) (5 = 1)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
positive change					
	7.00	1	.0	.0	.0
	11.00	5	.0	.0	.1
	12.00	6	.0	.1	.1
	13.00	10	.1	.1	.2
	14.00	12	.1	.1	.3
	15.00	31	.2	.3	.5
	16.00	52	.4	.4	1.0
	17.00	77	.6	.6	1.6
	18.00	118	.9	1.0	2.6
	19.00	250	1.9	2.1	4.7
	20.00	431	3.2	3.6	8.3
	21.00	1079	8.1	9.1	17.4
	22.00	1642	12.4	13.8	31.2
	23.00	1875	14.1	15.7	46.9
	24.00	1803	13.6	15.1	62.0
	25.00	1486	11.2	12.5	74.5
	26.00	1087	8.2	9.1	83.6
	27.00	788	5.9	6.6	90.2
	28.00	547	4.1	4.6	94.8
	29.00	280	2.1	2.3	97.2
	30.00	159	1.2	1.3	98.5
	31.00	100	.8	.8	99.3
	32.00	47	.4	.4	99.7
	33.00	17	.1	.1	99.9
	34.00	9	.1	.1	100.0
negative change	35.00	5	.0	.0	100.0
Missing	-1.00	1357	10.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11917		Missing cases	1357	

CHANGE Score II

B383 Sum of scores = d34a + d34b + d34c + d34d + d34e + d34f + d34g

To calculate B383 the original values of d34a and d34b were used

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increase	7.00	5	.0	.0	.0
	8.00	4	.0	.0	.1
	9.00	9	.1	.1	.2
	10.00	7	.1	.1	.2
	11.00	9	.1	.1	.3
	12.00	19	.1	.2	.4
	13.00	24	.2	.2	.6
	14.00	49	.4	.4	1.1
	15.00	70	.5	.6	1.6
	16.00	101	.8	.8	2.5
	17.00	199	1.5	1.7	4.2
	18.00	372	2.8	3.1	7.3
	19.00	818	6.2	6.9	14.1
	20.00	1512	11.4	12.7	26.8
	21.00	2217	16.7	18.6	45.4
	22.00	2265	17.1	19.0	64.4
	23.00	1850	13.9	15.5	80.0
	24.00	1204	9.1	10.1	90.1
	25.00	642	4.8	5.4	95.5
	26.00	325	2.4	2.7	98.2
	27.00	133	1.0	1.1	99.3
	28.00	42	.3	.4	99.7
	29.00	25	.2	.2	99.9
	30.00	11	.1	.1	100.0
	31.00	2	.0	.0	100.0
	32.00	2	.0	.0	100.0
decrease	33.00	1	.0	.0	100.0
Missing	-1.00	1357	10.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11917 Missing cases 1357

D35. How frequently in the past few weeks have you been:

Always Often Sometimes Rarely Never

a) Irritable

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B386 Irritable in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	290	2.2	2.4	2.4
Often		2	3066	23.1	25.2	27.6
SMTS		3	5850	44.1	48.1	75.8
Rarely		4	2347	17.7	19.3	95.1
Never		5	598	4.5	4.9	100.0
Missing		-1	1123	8.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12151 Missing cases 1123

b) Nervous

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B387 Nervous in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	79	.6	.7	.7
Often		2	644	4.9	5.3	6.0
SMTS		3	2677	20.2	22.0	28.0
Rarely		4	4013	30.2	33.0	61.0
Never		5	4730	35.6	39.0	100.0
Missing		-1	1131	8.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12143 Missing cases 1131

c) Active

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B388 Active in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	1260	9.5	10.4	10.4
Often		2	4082	30.8	33.7	44.1
SMTS		3	4894	36.9	40.4	84.6
Rarely		4	1594	12.0	13.2	97.7
Never		5	274	2.1	2.3	100.0
Missing		-1	1170	8.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12104 Missing cases 1170

d) *In good health*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B389 Healthy in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	3171	23.9	26.2	26.2
Often		2	5689	42.9	46.9	73.1
SMTS		3	2562	19.3	21.1	94.2
Rarely		4	601	4.5	5.0	99.2
Never		5	102	.8	.8	100.0
Missing		-1	1149	8.7	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12125 Missing cases 1149

e) *Communicative*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B390 Communicative in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	3162	23.8	26.3	26.3
Often		2	5417	40.8	45.1	71.4
SMTS		3	2946	22.2	24.5	95.9
Rarely		4	386	2.9	3.2	99.1
Never		5	112	.8	.9	100.0
Missing		-1	1251	9.4	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12023 Missing cases 1251

f) *Able to think and concentrate*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B391 Able to think & CONC in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	2733	20.6	22.6	22.6
Often		2	5291	39.9	43.7	66.3
SMTS		3	3383	25.5	28.0	94.3
Rarely		4	593	4.5	4.9	99.2
Never		5	100	.8	.8	100.0
Missing		-1	1174	8.8	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12100 Missing cases 1174

g) *Feeling attractive*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B392 Feeling attractive in past WK			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Always		1	543	4.1	4.5	4.5
Often		2	2396	18.1	19.8	24.3
SMTS		3	5830	43.9	48.3	72.6
Rarely		4	2552	19.2	21.1	93.8
Never		5	751	5.7	6.2	100.0
Missing		-1	1202	9.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12072	Missing cases	1202			

Derived variables

FEEL GOOD SCORE I

To calculate B393, the variables d35a and d35b were recoded as follows:

(1 = 5) (2 = 4) (3 = 3) (4 = 2) (5 = 1)

B393 Direction of change = d35a + d35b + d35c + d35d + d35e + d35f + d35g.
If any of the values of the 7 variables were missing, B393 = -1.

Value Label	Value	Frequency	Valid	Cum
			Percent	Percent
positive	7.00	39	.3	.3
	8.00	50	.4	.8
	9.00	160	1.2	1.4
	10.00	283	2.1	2.4
	11.00	434	3.3	3.7
	12.00	575	4.3	4.9
	13.00	695	5.2	5.9
	14.00	893	6.7	7.6
	15.00	1177	8.9	10.0
	16.00	1243	9.4	10.5
	17.00	1183	8.9	10.0
	18.00	1145	8.6	9.7
	19.00	952	7.2	8.1
	20.00	822	6.2	7.0
	21.00	656	4.9	5.6
	22.00	477	3.6	4.0
	23.00	362	2.7	3.1
	24.00	261	2.0	2.2
	25.00	158	1.2	1.3
	26.00	102	.8	.9
	27.00	82	.6	.7
	28.00	34	.3	.3
	29.00	16	.1	.1
	30.00	9	.1	.1
	31.00	4	.0	.0
	32.00	1	.0	.0
negative	33.00	1	.0	.0
Missing	-1.00	1460	11.0	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 11814 Missing cases 1460

D36. Since becoming pregnant have you noticed any change in your partner in any of the following?

Yes, increased a lot	Yes, increased a little	No change	Yes decreased	Yes decreased a lot
----------------------------	-------------------------------	--------------	------------------	---------------------------

a) How irritable he is

[when more than 1 box was ticked the one with the lower code was used] [not in YHL]

B397 Irritability of PTNR since PREG			Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent	
Increased a lot	1	289	2.2	2.5
Increased a bit	2	2272	17.1	19.3
N change	3	8705	65.6	74.1
Decreased a bit	4	397	3.0	3.4
Decreased a lot	5	82	.6	.7
Missing	-1	1529	11.5	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	11745		Missing cases	1529

b) How nervous he is

[when more than 1 box was ticked the one with the lower code was used] [not in YHL]

B398 Nervousness of PTNR since PREG			Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent	
Increased a lot	1	123	.9	1.0
Increased a bit	2	1060	8.0	9.0
N change	3	10440	78.6	88.9
Decreased a bit	4	86	.6	.7
Decreased a lot	5	34	.3	.3
Missing	-1	1531	11.5	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	11743		Missing cases	1531

c) How healthy he is

[when more than 1 box was ticked the one with the higher code was used] [not in YHL]

B399 Healthiness of PTNR since PREG			Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent	
Increased a lot	1	145	1.1	1.2
Increased a bit	2	560	4.2	4.8
N change	3	10324	77.8	87.9
Decreased a bit	4	664	5.0	5.7
Decreased a lot	5	52	.4	.4
Missing	-1	1529	11.5	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	11745		Missing cases	1529

d) *How communicative he is*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B400 Communicativeness of PTNR since PREG					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	183	1.4	1.6	1.6
Increased a bit	2	1342	10.1	11.5	13.0
N change	3	9295	70.0	79.3	92.3
Decreased a bit	4	818	6.2	7.0	99.3
Decreased a lot	5	81	.6	.7	100.0
Missing	-1	1555	11.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11719		Missing cases	1555	

e) *How active he is*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B401 Activeness of PTNR since PREG					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	415	3.1	3.5	3.5
Increased a bit	2	1390	10.5	11.8	15.4
N change	3	9453	71.2	80.5	95.9
Decreased a bit	4	438	3.3	3.7	99.7
Decreased a lot	5	41	.3	.3	100.0
Missing	-1	1537	11.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11737		Missing cases	1537	

f) *How able he is to think and concentrate*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B402 PTNRS ability to think & CONC since PREG					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increased a lot	1	135	1.0	1.2	1.2
Increased a bit	2	413	3.1	3.5	4.7
N change	3	10780	81.2	91.9	96.5
Decreased a bit	4	368	2.8	3.1	99.7
Decreased a lot	5	37	.3	.3	100.0
Missing	-1	1541	11.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11733		Missing cases	1541	

g) *How physically attractive he is*

[when more than 1 box was ticked the one with the higher code was used] [not in YHL]

B403 Attractiveness of PTNR since PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Increased a lot		1	429	3.2	3.7	3.7
Increased a bit		2	1273	9.6	10.8	14.5
N change		3	9684	73.0	82.5	97.0
Decreased a bit		4	298	2.2	2.5	99.6
Decreased a lot		5	51	.4	.4	100.0
Missing		-1	1539	11.6	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11735 Missing cases 1539

Derived variable

PARTNER CHANGE Score I

This was calculated in a similar way to B382.

B404 Direction of change

B404 Direction of change			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
positive change		7.00	3	.0	.0	.0
		8.00	1	.0	.0	.0
		9.00	2	.0	.0	.1
		10.00	6	.0	.1	.1
		11.00	9	.1	.1	.2
		12.00	11	.1	.1	.3
		13.00	25	.2	.2	.5
		14.00	34	.3	.3	.8
		15.00	76	.6	.7	1.4
		16.00	95	.7	.8	2.2
		17.00	203	1.5	1.7	4.0
		18.00	337	2.5	2.9	6.9
		19.00	695	5.2	6.0	12.8
		20.00	1361	10.3	11.7	24.5
		21.00	5952	44.8	51.1	75.6
		22.00	1577	11.9	13.5	89.1
		23.00	697	5.3	6.0	95.1
		24.00	288	2.2	2.5	97.6
		25.00	139	1.0	1.2	98.8
		26.00	63	.5	.5	99.3
		27.00	37	.3	.3	99.6
		28.00	21	.2	.2	99.8
		29.00	8	.1	.1	99.9
		30.00	9	.1	.1	99.9
		31.00	3	.0	.0	100.0
		32.00	2	.0	.0	100.0
		33.00	1	.0	.0	100.0
negative change		35.00	1	.0	.0	100.0
Missing		-1.00	1618	12.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11656 Missing cases 1618

PARTNER CHANGE Score II

Calculated in a similar way to B383.

B405 Sum of scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increase					
	7.00	5	.0	.0	.0
	8.00	2	.0	.0	.1
	9.00	2	.0	.0	.1
	10.00	4	.0	.0	.1
	11.00	10	.1	.1	.2
	12.00	13	.1	.1	.3
	13.00	33	.2	.3	.6
	14.00	43	.3	.4	1.0
	15.00	84	.6	.7	1.7
	16.00	139	1.0	1.2	2.9
	17.00	274	2.1	2.4	5.2
	18.00	498	3.8	4.3	9.5
	19.00	1139	8.6	9.8	19.3
	20.00	2311	17.4	19.8	39.1
	21.00	6045	45.5	51.9	91.0
	22.00	723	5.4	6.2	97.2
	23.00	225	1.7	1.9	99.1
	24.00	59	.4	.5	99.6
	25.00	27	.2	.2	99.8
	26.00	10	.1	.1	99.9
	27.00	6	.0	.1	100.0
	28.00	3	.0	.0	100.0
Decrease	31.00	1	.0	.0	100.0
Missing	-1.00	1618	12.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11656 Missing cases 1618

D37. How frequently in the past few weeks has he been:

Always Often Sometimes Rarely Never

a) Irritable

[when more than 1 box was ticked the one with the lower code was used] [not in YHL]

B408 PTNR irritable in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	95	.7	.8	.8
Often	2	1234	9.3	10.5	11.4
SMTS	3	4943	37.2	42.2	53.6
Rarely	4	3650	27.5	31.2	84.8
Never	5	1781	13.4	15.2	100.0
Missing	-1	1571	11.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11703 Missing cases 1571

b) Nervous

[when more than 1 box was ticked the one with the lower code was used] [not in YHL]

B409 PTNR nervous in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	37	.3	.3	.3
Often	2	282	2.1	2.4	2.7
SMTS	3	1422	10.7	12.2	14.9
Rarely	4	3406	25.7	29.2	44.1
Never	5	6534	49.2	55.9	100.0
Missing	-1	1593	12.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11681 Missing cases 1593

c) Active

[when more than 1 box was ticked the one with the higher code was used] [not in YHL]

B410 PTNR active in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	2916	22.0	25.0	25.0
Often	2	4621	34.8	39.6	64.7
SMTS	3	3208	24.2	27.5	92.2
Rarely	4	616	4.6	5.3	97.5
Never	5	296	2.2	2.5	100.0
Missing	-1	1617	12.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11657 Missing cases 1617

d) *In good health*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B411 PTNR healthy in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	5573	42.0	47.6	47.6
Often	2	4564	34.4	39.0	86.7
SMTS	3	1249	9.4	10.7	97.3
Rarely	4	188	1.4	1.6	98.9
Never	5	123	.9	1.1	100.0
Missing	-1	1577	11.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11697 Missing cases 1577

e) *Communicative*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B412 PTNR communicative in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	3567	26.9	30.7	30.7
Often	2	4697	35.4	40.4	71.1
SMTS	3	2732	20.6	23.5	94.6
Rarely	4	439	3.3	3.8	98.4
Never	5	187	1.4	1.6	100.0
Missing	-1	1652	12.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11622 Missing cases 1652

f) *Able to think and concentrate*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B413 PTNR able to think & CONC in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	5241	39.5	44.9	44.9
Often	2	4482	33.8	38.4	83.3
SMTS	3	1606	12.1	13.8	97.1
Rarely	4	183	1.4	1.6	98.7
Never	5	155	1.2	1.3	100.0
Missing	-1	1607	12.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11667 Missing cases 1607

g) *Looking attractive*

[in the 1st version of HAB this was worded ‘feeling attractive’]

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B414 PTNR looking attractive in past WK

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	3940	29.7	34.1	34.1
Often		2	4551	34.3	39.4	73.5
SMTS		3	2645	19.9	22.9	96.3
Rarely		4	230	1.7	2.0	98.3
Never		5	193	1.5	1.7	100.0
Missing		-1	1715	12.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11559 Missing cases 1715

Derived variable

PARTNER FEEL GOOD SCORE

To calculate B415, the variables d37a and d37b were recoded as follows:

(1 = 5) (2 = 4) (3 = 3) (4 = 2) (5 = 1)

Computed in a similar way to B393.

		Direction of change = d37a + d37b + d37c + d37d + d37e + d37f + d37g			
		Value	Frequency	Percent	Percent
Value	Label			Valid	Cum
positive					
7.00		430	3.2	3.8	3.8
8.00		510	3.8	4.5	8.3
9.00		804	6.1	7.1	15.3
10.00		822	6.2	7.2	22.5
11.00		1016	7.7	8.9	31.5
12.00		998	7.5	8.8	40.2
13.00		1073	8.1	9.4	49.7
14.00		1094	8.2	9.6	59.3
15.00		1076	8.1	9.5	68.7
16.00		946	7.1	8.3	77.1
17.00		684	5.2	6.0	83.1
18.00		512	3.9	4.5	87.6
19.00		409	3.1	3.6	91.2
20.00		298	2.2	2.6	93.8
21.00		251	1.9	2.2	96.0
22.00		133	1.0	1.2	97.2
23.00		88	.7	.8	97.9
24.00		68	.5	.6	98.5
25.00		36	.3	.3	98.8
26.00		21	.2	.2	99.0
27.00		85	.6	.7	99.8
28.00		11	.1	.1	99.9
29.00		9	.1	.1	99.9
30.00		1	.0	.0	100.0
31.00		3	.0	.0	100.0
32.00		1	.0	.0	100.0
negative		33.00	1	.0	.0
Missing		-1.00	1894	14.3	Missing
		-----	-----	-----	-----
		Total	13274	100.0	100.0
Valid cases		11380	Missing cases	1894	

SECTION E: OCCUPATION

[not in YHL]

E1. a) *Have you ever had a paid job?*

Yes No *If no, go to E5, on page 23.*

[not in YHL]

B500 Ever had paid job

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	12663	95.4	96.8	96.8
N		2	420	3.2	3.2	100.0
Missing		-1	191	1.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13083 Missing cases 191

If yes,

b) *Are you currently working?* Yes *If yes, go to E2.*

No

[not in YHL]

B501 Currently working

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	7112	53.6	61.0	61.0
No		2	4553	34.3	39.0	100.0
Never had a paid job		-2	420	3.2	Missing	
Missing		-1	1189	9.0	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11665 Missing cases 1609

If no,

c) What date did you stop work?/...../19.....

[not in YHL]

B502 Date stopped work in relation to PREG (From the date given and the LMP, the following codes were created)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
> 1 year pre LMP	1.00	634	4.8	6.4	6.4
<1 year before LMP	2.00	722	5.4	7.3	13.8
since LMP	3.00	1393	10.5	14.1	27.9
still working	4.00	7112	53.6	72.1	100.0
Never had a paid job	-2.00	420	3.2	Missing	
Missing	-1.00	2993	22.5	Missing	
		-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 9861 Missing cases 3413

d) Why did you stop work at this time?

ill health/tiredness

looking after children/preparing for baby

made redundant

didn't like the job

moved house

other (please describe)

[The options in the 1st versions of HAB were: 'ill health; tiredness; company rules; to prepare for a baby; other'. The changes were from 8.5.91]

[If more than 1 box ticked, 'other' was ticked and the options listed]

[not in YHL]

B505 Reason for stopping work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
health PROB	1	385	2.9	9.0	9.0
PREP for baby	2	1629	12.3	38.0	47.0
made redundant	3	300	2.3	7.0	54.0
didn't like job	4	909	6.8	21.2	75.3
moved house	5	574	4.3	13.4	88.7
other	6	485	3.7	11.3	100.0
Still working	-2	7532	56.7	Missing	
Missing	-1	1460	11.0	Missing	
		-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 4282 Missing cases 8992

e) Are you now on paid maternity leave?

Yes

No

[not in YHL]

B507 On paid maternity leave

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	55	.4	1.2	1.2
N		2	4442	33.5	98.8	100.0
Still working		-2	7532	56.7	Missing	
Missing		-1	1245	9.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 4497 Missing cases 8777

E2. a) What is your present job? If you are not working, what was your most recent job?

[not in YHL]

b) Are/were you working:

full-time part-time casually

[not in YHL]

B510 Type of work

Value	Label	Value	Frequency	Valid Percent	Cum Percent	Percent
full time		1	7752	58.4	63.7	63.7
part time		2	3981	30.0	32.7	96.4
casually		3	441	3.3	3.6	100.0
Missing		-1	1100	8.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12174 Missing cases 1100

c) type of industry or service given:

[not in YHL]

E2. d) Do/did you do shift work?

Yes

No

[not in YHL]

B515 Shift work		Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	1761	13.3	15.1	15.1
N		2	9871	74.4	84.9	100.0
Missing		-1	1642	12.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11632 Missing cases 1642

e) If yes, does/did this include night shift

Yes

No

[not in YHL]

B516 Night work		Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	867	6.5	7.5	7.5
N		2	10746	81.0	92.5	100.0
Missing		-1	1661	12.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11613 Missing cases 1661

E3. *What is your job like: (If you are no longer working answer for your most recent job this pregnancy). [‘This pregnancy’ omitted from 1st versions of HAB; included from 8.5.91]*

*Yes, Yes, Some- Not Never
always mostly times very
often*

a) *Do you enjoy your job?*

[when more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B517 Enjoy job		Value	Label	Frequency	Percent	Valid	Cum
						Percent	Percent
Y always	1	1840	13.9	13.9	17.8	17.8	
Y mostly	2	6143	46.3	46.3	59.3	77.1	
SMTS	3	1761	13.3	13.3	17.0	94.1	
not V often	4	523	3.9	3.9	5.1	99.1	
never	5	89	.7	.7	.9	100.0	
Missing	-1	2918	22.0	22.0	Missing		
		-----		-----		-----	
	Total	13274		100.0		100.0	
Valid cases	10356		Missing cases	2918			

b) *Do you have problems at work?*

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B518 Problems at work		Value	Label	Frequency	Percent	Valid	Cum
						Percent	Percent
Y always	1	182	1.4	1.4	1.8	1.8	
Y mostly	2	364	2.7	2.7	3.5	5.3	
SMTS	3	3206	24.2	24.2	31.1	36.3	
not V often	4	4430	33.4	33.4	42.9	79.2	
never	5	2143	16.1	16.1	20.8	100.0	
Missing	-1	2949	22.2	22.2	Missing		
	Total	13274		100.0		100.0	
Valid cases	10325		Missing cases	2949			

c) *Are the people at your work friendly?*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B519 Work colleagues friendly

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y always	1	4376	33.0	43.0	43.0
Y mostly	2	5065	38.2	49.7	92.7
SMTS	3	592	4.5	5.8	98.5
not V often	4	111	.8	1.1	99.6
never	5	44	.3	.4	100.0
Missing	-1	3086	23.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 10188 Missing cases 3086

d) *Are the people at your work supportive?*

[when more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B520 Work colleagues supportive

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y always	1	3383	25.5	33.4	33.4
Y mostly	2	4700	35.4	46.4	79.8
SMTS	3	1450	10.9	14.3	94.1
not V often	4	481	3.6	4.7	98.9
never	5	113	.9	1.1	100.0
Missing	-1	3147	23.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 10127 Missing cases 3147

e) *Is it very noisy?*

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B521 Noisy at work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y always	1	969	7.3	9.4	9.4
Y mostly	2	1238	9.3	12.1	21.5
SMTS	3	3423	25.8	33.3	54.8
not V often	4	3314	25.0	32.3	87.1
never	5	1324	10.0	12.9	100.0
Missing	-1	3006	22.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 10268 Missing cases 3006

f) Do you work in a smoky atmosphere?

B522 Smoky atmosphere at work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y always	1	495	3.7	4.8	4.8
Y mostly	2	459	3.5	4.5	9.3
SMTS	3	1298	9.8	12.6	21.9
not V often	4	2195	16.5	21.3	43.2
never	5	5848	44.1	56.8	100.0
Missing	-1	2979	22.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 10295 Missing cases 2979

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

E4. a) About how long does/did it take you altogether to travel, to get to work each day?

hours minutes

[not in YHL]

B525 Travelling time to work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<15 min	1	4111	31.0	41.4	41.4
15-29 min	2	3259	24.6	32.8	74.1
30-44 min	3	1236	9.3	12.4	86.6
45-59 min	4	746	5.6	7.5	94.1
1 hour	5	502	3.8	5.0	99.1
2 hours +	6	87	.7	.9	100.0
Missing	-1	3333	25.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 9941 Missing cases 3333

E4. b) About how long does/did it take you altogether to travel, to get back from work each day?

[This question was numbered E4b in all versions of HAB prior to 8.5.91]

[In the 1st versions of HAB there was only 1 question: 'About how long does/did it take you altogether to travel, to get to and from work each day?' The change was from 8.5.91]

B526 Travelling time from work

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<15 min		1	4008	30.2	40.3	40.3
15-29 min		2	3141	23.7	31.6	71.8
30-44 min		3	1297	9.8	13.0	84.9
45-59 min		4	784	5.9	7.9	92.7
1 hour		5	563	4.2	5.7	98.4
2 hours +		6	159	1.2	1.6	100.0
Missing		-1	3322	25.0	Missing	

	Total		13274	100.0	100.0	
Valid cases	9952	Missing cases	3322			

Derived variable

If B526 NE -1 and B525 NE -1, $B527 = B525 + B526$

B527 Total daily travel

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<15 min		1	2356	17.7	23.8	23.8
15-29 min		2	1623	12.2	16.4	40.2
30-44 min		3	2756	20.8	27.8	68.0
45-59 min		4	600	4.5	6.1	74.0
1 hour		5	1840	13.9	18.6	92.6
2 hours +		6	732	5.5	7.4	100.0
Missing		-1	3367	25.4	Missing	

		Total	13274	100.0	100.0	
Valid cases		9907	Missing cases	3367		

E4. c) *How do/did you travel to work?*

[Where more than 1 box ticked, 'other' was coded]

[This question was numbered E4b in all versions of HAB prior to 8.5.91]

B529 Mode of transport to work (see E4c)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
by foot	1	1095	8.2	10.9	10.9
public transport	2	1261	9.5	12.5	23.4
bicycle	3	70	.5	.7	24.1
car	4	6329	47.7	62.8	86.9
work at home	5	255	1.9	2.5	89.4
other	6	1066	8.0	10.6	100.0
Missing	-1	3198	24.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	10076	Missing cases	3198		

E5. *In the year before this pregnancy, in the first months of this pregnancy, and now did/do you do any of the following (whether at home, at school, at work or elsewhere):*

[In the 1st version of HAB 'In the year before this pregnancy was replaced by 'before you became pregnant']

<i>(i)</i>	<i>(ii)</i>	<i>(iii)</i>
<i>In the year before this pregnancy</i>	<i>In the first 3 months of this pregnancy</i>	<i>From 4 months of this pregnancy until now</i>

a) *Did/do you use a VDU? (television type screen)*

B531 VDU use in YR PRE PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	5205	39.2	41.0	41.0
N		2	7485	56.4	59.0	100.0
Missing		-1	584	4.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12690 Missing cases 584

B532 VDU use in 1-3MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	4535	34.2	35.6	35.6
N		2	8209	61.8	64.4	100.0
Missing		-1	530	4.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12744 Missing cases 530

B533 VDU use since 4MTHS PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	4131	31.1	32.4	32.4
N		2	8615	64.9	67.6	100.0
Missing		-1	528	4.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12746 Missing cases 528

b) Are/were you mostly sitting?

B535 Mostly sitting in YR PRE PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5519	41.6	43.0	43.0
N	2	7315	55.1	57.0	100.0
Missing	-1	440	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12834 Missing cases 440

B536 Mostly sitting in 1-3MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5772	43.5	45.0	45.0
N	2	7068	53.2	55.0	100.0
Missing	-1	434	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12840 Missing cases 434

B537 Mostly sitting since 4MTHS PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5614	42.3	43.7	43.7
N	2	7221	54.4	56.3	100.0
Missing	-1	439	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12835 Missing cases 439

c) Are/were you bending a lot?

B539 Bending a lot in YR PRE PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6273	47.3	48.8	48.8
N	2	6576	49.5	51.2	100.0
Missing	-1	425	3.2	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12849 Missing cases 425

B540 Bending a lot in 1-3MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5438	41.0	42.3	42.3
N	2	7420	55.9	57.7	100.0
Missing	-1	416	3.1	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12858 Missing cases 416

B541 Bending a lot since 4MTHS PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	4748	35.8	37.0	37.0
N	2	8096	61.0	63.0	100.0
Missing	-1	430	3.2	Missing	
	-----	-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12844 Missing cases 430

d) Are/were you standing much of the time?

B543 Standing a lot in YR PRE PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	5615	42.3	43.7	43.7
N		2	7236	54.5	56.3	100.0
Missing		-1	423	3.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12851 Missing cases 423

B544 Standing a lot in 1-3MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	4794	36.1	37.3	37.3
N		2	8069	60.8	62.7	100.0
Missing		-1	411	3.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12863 Missing cases 411

B545 Standing a lot since 4MTHS PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	4209	31.7	32.8	32.8
N		2	8638	65.1	67.2	100.0
Missing		-1	427	3.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12847 Missing cases 427

e) Are/were you doing repetitive, boring tasks?

B547 Repetitive tasks in YR PRE PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2975	22.4	23.2	23.2
N		2	9865	74.3	76.8	100.0
Missing		-1	434	3.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12840 Missing cases 434

B548 Repetitive tasks in 1-3MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2795	21.1	21.7	21.7
N		2	10056	75.8	78.3	100.0
Missing		-1	423	3.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12851 Missing cases 423

B549 Repetitive tasks since 4MTHS PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2574	19.4	20.0	20.0
N		2	10270	77.4	80.0	100.0
Missing		-1	430	3.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12844 Missing cases 430

f) Did/does your job involve challenging and mentally demanding tasks?

B551 Demanding tasks in job in YR PRE PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6606	49.8	51.5	51.5
N	2	6229	46.9	48.5	100.0
Missing	-1	439	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12835 Missing cases 439

B552 Demanding tasks in job in 1-3MTHS of PRE

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5873	44.2	45.7	45.7
N	2	6970	52.5	54.3	100.0
Missing	-1	431	3.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12843 Missing cases 431

B553 Demanding tasks since 4MTHS PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5493	41.4	42.8	42.8
N	2	7344	55.3	57.2	100.0
Missing	-1	437	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12837 Missing cases 437

g) Are/were you using a lot of physical energy?

B555 Physical exertion in YR PRE PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	5717	43.1	44.5	44.5
N		2	7132	53.7	55.5	100.0
Missing		-1	425	3.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12849 Missing cases 425

B556 Physical exertion in 1-3MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	4702	35.4	36.6	36.6
N		2	8151	61.4	63.4	100.0
Missing		-1	421	3.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12853 Missing cases 421

B557 Physical exertion since 4MYHS PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	4171	31.4	32.5	32.5
N		2	8674	65.3	67.5	100.0
Missing		-1	429	3.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12845 Missing cases 429

h) In your job are/were you in contact with fumes or chemicals? (please describe)

[If a description was given but no box ticked, 0 was coded - this has been put to -1 for the moment]

B559 CHEMS & fumes in job in YR PRE PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	1411	10.6	11.0	11.0
N		2	11429	86.1	89.0	100.0
Missing		-1	434	3.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12840 Missing cases 434

B560 CHEMS & fumes in job in 1-3MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	1208	9.1	9.4	9.4
N		2	11636	87.7	90.6	100.0
Missing		-1	430	3.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12844 Missing cases 430

B561 CHEMS & fumes in job since 4MTHS PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	1012	7.6	7.9	7.9
N		2	11813	89.0	92.1	100.0
Missing		-1	449	3.4	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12825 Missing cases 449

SECTION F: RECENT EVENTS [not in YHL]

These involved a life-events inventory of 42 items which were derived for the present study using previous inventories as a basis for selection of items. Three main sources were used in this way - those of Brown & Harris, Barnett et al and Stanley. Each life event had 5 response categories indicating not only whether or not the event occurred but also how greatly the respondent was affected by it. An additional open item in which the respondent was able to name any event which was not on the inventory was also included. On the basis of these items, two scores may be calculated, the number of life events occurring, and the perceived impact of life events. Analysis of pilot study results showed these two scores to be highly correlated, but the impact score being a more sensitive predictor of emotional well-being.

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since you became pregnant? If so, please assess how much effect it had on you.

Yes &	Yes,	Yes,	Yes, but	No did
affected	moderately	mildly	did not	not
me a lot	affected	affected	affect me	happen

Since becoming pregnant: *at all*

[N.B. 4th option in the 1st version of HAB included the words 'at all', and the 5th version did not include 'at all']

F1. Your partner died

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B570 PTNR died since PREG		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
affected a lot		1	3	.0	.0	.0
fairly affected		2	16	.1	.1	.2
mildly affected		3	1	.0	.0	.2
N effect at all		4	2	.0	.0	.2
didnt happen		5	11977	90.2	99.8	100.0
Missing		-1	1275	9.6	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	11999	Missing cases	1275			

F2. One of your children died

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B571 CH died since PREG		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
affected a lot		1	9	.1	.1	.1
fairly affected		2	5	.0	.0	.1
mildly affected		3	1	.0	.0	.1
N effect at all		4	1	.0	.0	.1
didnt happen		5	11976	90.2	99.9	100.0
Missing		-1	1282	9.7	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	11992	Missing cases	1282			

F3. A friend or relative died

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B572 Friend or relative died since PREG			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
affected a lot	1	360	2.7	3.0
fairly affected	2	361	2.7	3.0
mildly affected	3	547	4.1	4.6
N effect at all	4	285	2.1	2.4
didn't happen	5	10458	78.8	87.1
Missing	-1	1263	9.5	100.0
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12011		Missing cases	1263

F4. One of your children was ill

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B573 CH was ill since PREG			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
affected a lot	1	215	1.6	1.8
fairly affected	2	333	2.5	2.8
mildly affected	3	778	5.9	6.5
N effect at all	4	639	4.8	5.3
didn't happen	5	10017	75.5	83.6
Missing	-1	1292	9.7	100.0
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	11982		Missing cases	1292

F5. Your partner was ill

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B574 PTNR was ill since PREG			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
affected a lot	1	135	1.0	1.1
fairly affected	2	209	1.6	1.7
mildly affected	3	587	4.4	4.9
N effect at all	4	590	4.4	4.9
didn't happen	5	10465	78.8	87.3
Missing	-1	1288	9.7	100.0
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	11986		Missing cases	1288

F6. A friend or relative was ill

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B575 Friend or relative was ill since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	365	2.7	3.0	3.0
fairly affected	2	443	3.3	3.7	6.7
mildly affected	3	832	6.3	6.9	13.7
N effect at all	4	649	4.9	5.4	19.1
didn't happen	5	9715	73.2	80.9	100.0
Missing	-1	1270	9.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12004 Missing cases 1270

F7. You were admitted to hospital

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B576 Admitted to hospital since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	151	1.1	1.3	1.3
fairly affected	2	94	.7	.8	2.0
mildly affected	3	118	.9	1.0	3.0
N effect at all	4	82	.6	.7	3.7
didn't happen	5	11563	87.1	96.3	100.0
Missing	-1	1266	9.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12008 Missing cases 1266

F8. You were in trouble with the law

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B577 In trouble with the law since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	30	.2	.2	.2
fairly affected	2	16	.1	.1	.4
mildly affected	3	32	.2	.3	.6
N effect at all	4	27	.2	.2	.9
didn't happen	5	11901	89.7	99.1	100.0
Missing	-1	1268	9.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12006 Missing cases 1268

F9. You were divorced

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B578 Divorced since PREG		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
1	affected a lot	21	.2	.2	.2	.2
2	fairly affected	18	.1	.2	.2	.3
3	mildly affected	21	.2	.2	.2	.5
4	N effect at all	54	.4	.5	.5	1.0
5	didn't happen	11886	89.5	99.1	99.1	100.0
-1	Missing	1274	9.6	Missing		
		-----	-----	-----		
		Total	13274	100.0	100.0	
Valid cases 12000		Missing cases 1274				

F10. You found that your partner didn't want your child

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B579 PTNR rejected PREG		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
1	affected a lot	206	1.6	1.7	1.7	1.7
2	fairly affected	59	.4	.5	.5	2.2
3	mildly affected	63	.5	.5	.5	2.7
4	N effect at all	53	.4	.4	.4	3.2
5	didn't happen	11602	87.4	96.8	96.8	100.0
-1	Missing	1291	9.7	Missing		
		-----	-----	-----		
		Total	13274	100.0	100.0	
Valid cases 11983		Missing cases 1291				

F11. You were very ill

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B580 V ill since PREG		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
1	affected a lot	353	2.7	2.9	2.9	2.9
2	fairly affected	253	1.9	2.1	2.1	5.1
3	mildly affected	330	2.5	2.8	2.8	7.8
4	N effect at all	147	1.1	1.2	1.2	9.0
5	didn't happen	10908	82.2	91.0	91.0	100.0
-1	Missing	1283	9.7	Missing		
		-----	-----	-----		
		Total	13274	100.0	100.0	
Valid cases 11991		Missing cases 1283				

F12. Your partner lost his job

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B581 PTNR lost job since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	245	1.8	2.0	2.0
fairly affected	2	230	1.7	1.9	4.0
mildly affected	3	223	1.7	1.9	5.8
N effect at all	4	80	.6	.7	6.5
didnt happen	5	11198	84.4	93.5	100.0
Missing	-1	1298	9.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11976 Missing cases 1298

F13. Your partner had problems at work

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B582 PTNR had PROBS at work since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	312	2.4	2.6	2.6
fairly affected	2	568	4.3	4.8	7.4
mildly affected	3	1080	8.1	9.0	16.4
N effect at all	4	472	3.6	4.0	20.4
didnt happen	5	9506	71.6	79.6	100.0
Missing	-1	1336	10.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11938 Missing cases 1336

F14. You had problems at work

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B583 PROBS at work since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	291	2.2	2.4	2.4
fairly affected	2	353	2.7	2.9	5.4
mildly affected	3	806	6.1	6.7	12.1
N effect at all	4	291	2.2	2.4	14.5
didnt happen	5	10248	77.2	85.5	100.0
Missing	-1	1285	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11989 Missing cases 1285

F15. You lost your job

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B584 Lost job since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	125	.9	1.0	1.0
fairly affected	2	81	.6	.7	1.7
mildly affected	3	125	.9	1.0	2.8
N effect at all	4	111	.8	.9	3.7
didnt happen	5	11543	87.0	96.3	100.0
Missing	-1	1289	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11985 Missing cases 1289

F16. Your partner went away

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B585 PTNR went away since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	263	2.0	2.2	2.2
fairly affected	2	178	1.3	1.5	3.7
mildly affected	3	279	2.1	2.3	6.0
N effect at all	4	267	2.0	2.2	8.2
didnt happen	5	10993	82.8	91.8	100.0
Missing	-1	1294	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11980 Missing cases 1294

F17. Your partner was in trouble with the law

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B586 PTNR in trouble with law since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	77	.6	.6	.6
fairly affected	2	48	.4	.4	1.0
mildly affected	3	102	.8	.9	1.9
N effect at all	4	80	.6	.7	2.6
didnt happen	5	11680	88.0	97.4	100.0
Missing	-1	1287	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11987 Missing cases 1287

F18. You and your partner separated

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B587 Separated since PREG					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	253	1.9	2.1	2.1
fairly affected	2	74	.6	.6	2.7
mildly affected	3	69	.5	.6	3.3
N effect at all	4	63	.5	.5	3.8
didn't happen	5	11527	86.8	96.2	100.0
Missing	-1	1288	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11986 Missing cases 1288

F19. Your income was reduced

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B588 Income reduced since PREG					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	605	4.6	5.0	5.0
fairly affected	2	651	4.9	5.4	10.5
mildly affected	3	878	6.6	7.3	17.8
N effect at all	4	361	2.7	3.0	20.8
didn't happen	5	9487	71.5	79.2	100.0
Missing	-1	1292	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11982 Missing cases 1292

F20. You argued with your partner

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B589 Argued with PTNR since PREG					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	827	6.2	6.9	6.9
fairly affected	2	864	6.5	7.2	14.1
mildly affected	3	2187	16.5	18.2	32.4
N effect at all	4	2160	16.3	18.0	50.4
didn't happen	5	5949	44.8	49.6	100.0
Missing	-1	1287	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11987 Missing cases 1287

F21. You had arguments with your family or friends

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B590 Argued with family or friends since PREG			Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent	
affected a lot	1	340	2.6	2.8
fairly affected	2	378	2.8	6.0
mildly affected	3	836	6.3	13.0
N effect at all	4	594	4.5	17.9
didn't happen	5	9841	74.1	100.0
Missing	-1	1285	9.7	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 11989 Missing cases 1285

F22. You moved house

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B591 Moved house since PREG			Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent	
affected a lot	1	303	2.3	2.5
fairly affected	2	290	2.2	4.9
mildly affected	3	320	2.4	7.6
N effect at all	4	314	2.4	10.2
didn't happen	5	10765	81.1	89.8
Missing	-1	1282	9.7	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 11992 Missing cases 1282

F23. Your partner hurt you physically

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B592 PTNR hurt mum since PREG			Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent	
affected a lot	1	83	.6	.7
fairly affected	2	38	.3	1.0
mildly affected	3	59	.4	1.5
N effect at all	4	29	.2	1.7
didn't happen	5	11775	88.7	98.3
Missing	-1	1290	9.7	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 11984 Missing cases 1290

F24. You became homeless

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B593 Became homeless since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	102	.8	.9	.9
fairly affected	2	25	.2	.2	1.1
mildly affected	3	25	.2	.2	1.3
N effect at all	4	19	.1	.2	1.4
didn't happen	5	11824	89.1	98.6	100.0
Missing	-1	1279	9.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11995 Missing cases 1279

F25. You had a major financial problem

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B594 Major financial PROB since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	525	4.0	4.4	4.4
fairly affected	2	452	3.4	3.8	8.1
mildly affected	3	511	3.8	4.3	12.4
N effect at all	4	161	1.2	1.3	13.7
didn't happen	5	10349	78.0	86.3	100.0
Missing	-1	1276	9.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11998 Missing cases 1276

F26. You got married

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B595 Got married since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	115	.9	1.0	1.0
fairly affected	2	86	.6	.7	1.7
mildly affected	3	60	.5	.5	2.2
N effect at all	4	143	1.1	1.2	3.4
didn't happen	5	11577	87.2	96.6	100.0
Missing	-1	1293	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11981 Missing cases 1293

F27. Your partner hurt your children physically

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B596 PTNR hurt CH since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	7	.1	.1	.1
fairly affected	2	3	.0	.0	.1
mildly affected	3	7	.1	.1	.1
N effect at all	4	2	.0	.0	.2
didn't happen	5	11961	90.1	99.8	100.0
Missing	-1	1294	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11980 Missing cases 1294

F28. You attempted suicide

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B597 Attempted suicide since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	8	.1	.1	.1
mildly affected	3	5	.0	.0	.1
N effect at all	4	2	.0	.0	.1
didn't happen	5	11983	90.3	99.9	100.0
Missing	-1	1276	9.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11998 Missing cases 1276

F29. You were convicted of an offence

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B598 Convicted of an offence since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	11	.1	.1	.1
fairly affected	2	3	.0	.0	.1
mildly affected	3	7	.1	.1	.2
N effect at all	4	14	.1	.1	.3
didn't happen	5	11949	90.0	99.7	100.0
Missing	-1	1290	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11984 Missing cases 1290

F30. You were bleeding and thought you might miscarry

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B599 Bled & thought might miscarry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	1030	7.8	8.6	8.6
fairly affected	2	482	3.6	4.0	12.6
mildly affected	3	392	3.0	3.3	15.9
N effect at all	4	93	.7	.8	16.6
didn't happen	5	10015	75.4	83.4	100.0
Missing	-1	1262	9.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12012 Missing cases 1262

F31. You started a new job

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B600 Started new job since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	92	.7	.8	.8
fairly affected	2	131	1.0	1.1	1.9
mildly affected	3	149	1.1	1.2	3.1
N effect at all	4	200	1.5	1.7	4.8
didn't happen	5	11409	85.9	95.2	100.0
Missing	-1	1293	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11981 Missing cases 1293

F32. You had a test to see if your baby was abnormal

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B601 Test to see if baby abnormal

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	601	4.5	5.0	5.0
fairly affected	2	827	6.2	6.9	12.0
mildly affected	3	1798	13.5	15.1	27.0
N effect at all	4	3195	24.1	26.8	53.8
didn't happen	5	5510	41.5	46.2	100.0
Missing	-1	1343	10.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11931 Missing cases 1343

F33. You had a result on a test that suggested your baby might not be normal

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B602 Test result suggesting POSS abnormality

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	229	1.7	1.9	1.9
fairly affected	2	76	.6	.6	2.6
mildly affected	3	74	.6	.6	3.2
N effect at all	4	69	.5	.6	3.8
didn't happen	5	11433	86.1	96.2	100.0
Missing	-1	1393	10.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11881 Missing cases 1393

F34. You were told that you were going to have twins

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B603 Told having twins

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	143	1.1	1.2	1.2
fairly affected	2	48	.4	.4	1.6
mildly affected	3	41	.3	.3	1.9
N effect at all	4	26	.2	.2	2.2
didn't happen	5	11710	88.2	97.8	100.0
Missing	-1	1306	9.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11968 Missing cases 1306

F35. You heard that something that had happened might be harmful to the baby

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B604 POSS harm to baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	261	2.0	2.2	2.2
fairly affected	2	238	1.8	2.0	4.2
mildly affected	3	414	3.1	3.5	7.6
N effect at all	4	114	.9	1.0	8.6
didn't happen	5	10939	82.4	91.4	100.0
Missing	-1	1308	9.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11966 Missing cases 1308

F36. You tried to have an abortion

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B605 Tried to have abortion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	75	.6	.6	.6
fairly affected	2	7	.1	.1	.7
mildly affected	3	16	.1	.1	.8
N effect at all	4	14	.1	.1	.9
didnt happen	5	11869	89.4	99.1	100.0
Missing	-1	1293	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11981 Missing cases 1293

F37. You took an examination

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B606 Took an exam since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	67	.5	.6	.6
fairly affected	2	88	.7	.7	1.3
mildly affected	3	144	1.1	1.2	2.5
N effect at all	4	404	3.0	3.4	5.9
didnt happen	5	11225	84.6	94.1	100.0
Missing	-1	1346	10.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11928 Missing cases 1346

F38. Your partner was emotionally cruel to you

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B607 PTNR was EMOT cruel to mum since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	319	2.4	2.7	2.7
fairly affected	2	146	1.1	1.2	3.9
mildly affected	3	202	1.5	1.7	5.6
N effect at all	4	63	.5	.5	6.1
didnt happen	5	11215	84.5	93.9	100.0
Missing	-1	1329	10.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11945 Missing cases 1329

F39. Your partner was emotionally cruel to your children

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B608 PTNR was EMOT cruel to CH since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	31	.2	.3	.3
fairly affected	2	15	.1	.1	.4
mildly affected	3	28	.2	.2	.6
N effect at all	4	5	.0	.0	.7
didnt happen	5	11877	89.5	99.3	100.0
Missing	-1	1318	9.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11956 Missing cases 1318

F40. Your house or car was burgled

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B609 House or car burgled since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	86	.6	.7	.7
fairly affected	2	130	1.0	1.1	1.8
mildly affected	3	234	1.8	2.0	3.8
N effect at all	4	164	1.2	1.4	5.1
didnt happen	5	11372	85.7	94.9	100.0
Missing	-1	1288	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11986 Missing cases 1288

F41. You had an accident

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B610 Had an accident since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	52	.4	.4	.4
fairly affected	2	80	.6	.7	1.1
mildly affected	3	206	1.6	1.7	2.8
N effect at all	4	123	.9	1.0	3.8
didnt happen	5	11525	86.8	96.2	100.0
Missing	-1	1288	9.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11986 Missing cases 1288

F42. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope since becoming pregnant?

[not in YHL]

B611 Other concern since PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	1347	10.1	12.5	12.5
N		2	9430	71.0	87.5	100.0
Missing		-1	2497	18.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 10777 Missing cases 2497

If yes, b) please describe:

c) *How did this affect you?*

a lot moderately mildly not at all

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B612 Degree of effect of other concern

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
great		1	943	7.1	7.8	7.8
moderate		2	385	2.9	3.2	10.9
mild		3	75	.6	.6	11.5
none		4	18	.1	.1	11.7
did not happen		5	10746	81.0	88.3	100.0
Missing		-1	1107	8.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases		12167	Missing cases		1107	

Derived variables

Weighted life events

To calculate B613 the variables B570 to B610 were recoded as follows (1,2,3,4 = 4,3,2,1) (5 = 0)

Weighted life events were derived from variables B570-B610 using the following formula:

$$\begin{aligned} B613 = & B570 + B571 + B572 + B573 + B574 + B575 + B576 + B577 + B578 + B579 + B580 + \\ & B581 + B582 + B583 + B584 + B585 + B586 + B587 + B588 + B589 + B590 + B591 + B592 + \\ & B593 + B594 + B595 + B596 + B597 + B598 + B599 + B600 + B601 + B602 + B603 + B604 + \\ & B605 + B606 + B607 + B608 + B609 + B610 \end{aligned}$$

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		815	6.1	6.7	6.7	
1.00		814	6.1	6.7	13.4	
2.00		959	7.2	7.9	21.3	
3.00		956	7.2	7.9	29.2	
4.00		968	7.3	8.0	37.2	
5.00		795	6.0	6.6	43.7	
6.00		785	5.9	6.5	50.2	
7.00		694	5.2	5.7	55.9	
8.00		636	4.8	5.2	61.2	
9.00		582	4.4	4.8	65.9	
10.00		496	3.7	4.1	70.0	
11.00		433	3.3	3.6	73.6	
12.00		426	3.2	3.5	77.1	
13.00		313	2.4	2.6	79.7	
14.00		321	2.4	2.6	82.3	
15.00		252	1.9	2.1	84.4	
16.00		266	2.0	2.2	86.6	
17.00		166	1.3	1.4	88.0	
18.00		185	1.4	1.5	89.5	
19.00		159	1.2	1.3	90.8	
20.00		139	1.0	1.1	92.0	
21.00		138	1.0	1.1	93.1	
22.00		116	.9	1.0	94.0	
23.00		102	.8	.8	94.9	
24.00		83	.6	.7	95.6	
25.00		56	.4	.5	96.0	
26.00		61	.5	.5	96.5	
27.00		51	.4	.4	97.0	
28.00		56	.4	.5	97.4	
29.00		36	.3	.3	97.7	
30.00		29	.2	.2	97.9	
31.00		32	.2	.3	98.2	
32.00		26	.2	.2	98.4	
33.00		22	.2	.2	98.6	
34.00		16	.1	.1	98.7	
35.00		24	.2	.2	98.9	
36.00		15	.1	.1	99.1	
37.00		11	.1	.1	99.2	
38.00		13	.1	.1	99.3	
39.00		7	.1	.1	99.3	
40.00		6	.0	.0	99.4	
41.00		8	.1	.1	99.4	
42.00		12	.1	.1	99.5	
43.00		4	.0	.0	99.6	
44.00		6	.0	.0	99.6	
45.00		6	.0	.0	99.7	
46.00		7	.1	.1	99.7	
47.00		10	.1	.1	99.8	
48.00		4	.0	.0	99.8	
49.00		5	.0	.0	99.9	
50.00		4	.0	.0	99.9	
51.00		1	.0	.0	99.9	
52.00		2	.0	.0	99.9	
54.00		1	.0	.0	99.9	
55.00		2	.0	.0	100.0	
56.00		2	.0	.0	100.0	
60.00		1	.0	.0	100.0	
61.00		1	.0	.0	100.0	
63.00		1	.0	.0	100.0	
-1.00		1137	8.6	Missing		
Total		13274	100.0	100.0		
Valid cases	12137	Missing cases	1137			

Life events

To calculate B614 the variables B570 to B610 were recoded as follows (1,2,3,4 = 1) (5 = 0). If any of the values for the variables B570 to B610 were missing, and some of the other values were in the range (1,5), then the missing values were recoded to 0.

B614 = B570 + B571 + B572 + B573 + B574 + B575 + B576 + B577 + B578 + B579 + B580 + B581 + B582 + B583 + B584 + B585 + B586 + B587 + B588 + B589 + B590 + B591 + B592 + B593 + B594 + B595 + B596 + B597 + B598 + B599 + B600 + B601 + B602 + B603 + B604 + B605 + B606 + B607 + B608 + B609 + B610

B614

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	.00	815	6.1	6.7	6.7
	1.00	1771	13.3	14.6	21.3
	2.00	2110	15.9	17.4	38.7
	3.00	1955	14.7	16.1	54.8
	4.00	1673	12.6	13.8	68.6
	5.00	1245	9.4	10.3	78.8
	6.00	904	6.8	7.4	86.3
	7.00	633	4.8	5.2	91.5
	8.00	402	3.0	3.3	94.8
	9.00	230	1.7	1.9	96.7
	10.00	161	1.2	1.3	98.0
	11.00	96	.7	.8	98.8
	12.00	55	.4	.5	99.3
	13.00	35	.3	.3	99.6
	14.00	26	.2	.2	99.8
	15.00	11	.1	.1	99.9
	16.00	9	.1	.1	100.0
	17.00	4	.0	.0	100.0
	18.00	2	.0	.0	100.0
	-1.00	1137	8.6	Missing	
	Total	13274	100.0	100.0	
Valid cases	12137				
Missing cases	1137				

F43. *Becoming pregnant is an important event. How did this affect you?*
a lot moderately mildly not at all

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B619 Degree of effect of becoming PREG

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
great	1	6097	45.9	52.1	52.1
moderate	2	3631	27.4	31.0	83.1
mild	3	1161	8.7	9.9	93.1
none	4	811	6.1	6.9	100.0
Missing	-1	1574	11.9	Missing	
	Total	13274	100.0	100.0	
Valid cases	11700				
Missing cases	1574				

SECTION G: ACTIVITIES AND LIFESTYLE

G1. Which of the following statements best applied to you just before you became pregnant, in the early months and now.

*Very Quite Lacking in
energetic energetic energy*

a) before you became pregnant

[when more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B630 Energetic before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
very	1	3280	24.7	27.0	27.0
quite	2	8202	61.8	67.5	94.5
lacking	3	667	5.0	5.5	100.0
Missing	-1	1125	8.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12149 Missing cases 1125

b) in the first 3 months

[when more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B631 Energetic in 1ST 3MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
very	1	509	3.8	4.2	4.2
quite	2	3689	27.8	30.4	34.6
lacking	3	7920	59.7	65.4	100.0
Missing	-1	1156	8.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12118 Missing cases 1156

c) now

[when more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B632 Energetic now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
very	1	666	5.0	5.5	5.5
quite	2	6797	51.2	56.2	61.7
lacking	3	4634	34.9	38.3	100.0
Missing	-1	1177	8.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12097 Missing cases 1177

d) *Compared with other pregnant women of your age, would you consider yourself to be:*

*much more active
somewhat more active
about the same
somewhat less active
much less active*

[when more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B633 Activity CF PREG women of same age			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
much more		1	677	5.1	5.6	5.6
somewhat more		2	2388	18.0	19.8	25.4
about same		3	7450	56.1	61.8	87.2
somewhat less		4	1317	9.9	10.9	98.2
much less		5	222	1.7	1.8	100.0
Missing		-1	1220	9.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12054	Missing cases	1220			

e) *Nowadays, at least once a week do you engage in any regular activity like brisk walking, gardening, housework, jogging, cycling, etc. long enough to work up a sweat?*

Yes *No*

[not in YHL]

B634 Physical activity once PWK at PRES			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Y		1	8331	62.8	68.5	68.5
N		2	3828	28.8	31.5	100.0
Missing		-1	1115	8.4	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12159	Missing cases	1115			

f) *how many hours a week:*

hours

[All the time was coded 98; <1 hr to 97; otherwise rounded down; if a range was given, the upper limit was taken]
 (97 was put to 0, 98 was put to 50)

B635 NO of HRS of activity PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	3851	29.0	33.7	33.7
	1	653	4.9	5.7	39.4
	2	1287	9.7	11.3	50.6
	3	941	7.1	8.2	58.9
	4	831	6.3	7.3	66.1
	5	622	4.7	5.4	71.6
	6	408	3.1	3.6	75.2
	7	441	3.3	3.9	79.0
	8	284	2.1	2.5	81.5
	9	52	.4	.5	81.9
	10	666	5.0	5.8	87.8
	11	15	.1	.1	87.9
	12	174	1.3	1.5	89.4
	13	12	.1	.1	89.5
	14	202	1.5	1.8	91.3
	15	128	1.0	1.1	92.4
	16	32	.2	.3	92.7
	17	14	.1	.1	92.8
	18	30	.2	.3	93.1
	19	2	.0	.0	93.1
	20	240	1.8	2.1	95.2
	21	76	.6	.7	95.9
	22	10	.1	.1	96.0
	23	7	.1	.1	96.0
	24	40	.3	.3	96.4
	25	46	.3	.4	96.8
	26	6	.0	.1	96.8
	27	3	.0	.0	96.8
	28	36	.3	.3	97.2
	29	1	.0	.0	97.2
	30	78	.6	.7	97.8
	31	1	.0	.0	97.9
	32	4	.0	.0	97.9
	33	1	.0	.0	97.9
	35	38	.3	.3	98.2
	36	7	.1	.1	98.3
	37	4	.0	.0	98.3
	38	2	.0	.0	98.3
	39	5	.0	.0	98.4
	40	38	.3	.3	98.7
	42	7	.1	.1	98.8
	43	1	.0	.0	98.8
	44	1	.0	.0	98.8
	45	8	.1	.1	98.9
	47	1	.0	.0	98.9
	48	15	.1	.1	99.0
	49	2	.0	.0	99.0
50+ hours	50	111	.8	1.0	100.0
Missing	-1	1840	13.9	Missing	-----
	Total	13274	100.0	100.0	

Valid cases 11434 Missing cases 1840

The hours were then grouped as follows:

B636 NO of HRS of activity PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	.00	3851	29.0	33.7	33.7
1-4	1.00	3712	28.0	32.5	66.1
5-9	2.00	1807	13.6	15.8	81.9
10-14	3.00	1069	8.1	9.3	91.3
15+	4.00	995	7.5	8.7	100.0
Missing	-1.00	1840	13.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11434 Missing cases 1840

G2. *In a normal day now, whether at home or not, how often do you:*

Often Occasionally Not at all

a) *lift and carry heavy objects (more than 10Kg)*

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B640 Lift & carry heavy objects

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
often	1	1244	9.4	10.4	10.4
occasionally	2	4827	36.4	40.4	50.8
not at all	3	5887	44.3	49.2	100.0
Missing	-1	1316	9.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11958 Missing cases 1316

b) *lift and carry young children*

[when more than 1 box was ticked the one with the lower code was used]
[not in YHL]

B641 Lift & carry young CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
often	1	4645	35.0	38.1	38.1
occasionally	2	2897	21.8	23.8	61.9
not at all	3	4642	35.0	38.1	100.0
Missing	-1	1090	8.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12184 Missing cases 1090

c) *bend and stoop*

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B642 Bend & stoop		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
often	1	5795	43.7	47.7	47.7	
occasionally	2	5773	43.5	47.5	95.1	
not at all	3	591	4.5	4.9	100.0	
Missing	-1	1115	8.4	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		

Valid cases 12159 Missing cases 1115

d) *have rest periods*

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B643 Have rest periods		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
often	1	2814	21.2	23.1	23.1	
occasionally	2	8078	60.9	66.4	89.5	
not at all	3	1274	9.6	10.5	100.0	
Missing	-1	1108	8.3	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		

Valid cases 12166 Missing cases 1108

e) *use vibrating machinery*

[when more than 1 box was ticked the one with the lower code was used]
 [not in YHL]

B644 Use vibrating machinery		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
often	1	165	1.2	1.4	1.4	
occasionally	2	688	5.2	5.7	7.1	
not at all	3	11245	84.7	92.9	100.0	
Missing	-1	1176	8.9	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		

Valid cases 12098 Missing cases 1176

G3.

[YHL G1]

a) *Have you ever been a smoker?*

Yes No

B650 Ever smoked

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	6701	50.5	50.9	50.9
N		2	6458	48.7	49.1	100.0
Missing		-1	115	.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13159 Missing cases 115

G3. b) *at what age did you start smoking regularly?*

years

B651 Age started REG smoking

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		2	5	.0	.1	.1
		7	6	.0	.1	.2
		8	12	.1	.2	.3
		9	22	.2	.3	.7
		10	42	.3	.6	1.3
		11	118	.9	1.8	3.1
		12	220	1.7	3.3	6.4
		13	364	2.7	5.5	11.9
		14	662	5.0	10.0	21.9
		15	941	7.1	14.2	36.1
		16	1534	11.6	23.2	59.3
		17	851	6.4	12.8	72.1
		18	887	6.7	13.4	85.5
		19	303	2.3	4.6	90.1
		20	252	1.9	3.8	93.9
		21	133	1.0	2.0	95.9
		22	86	.6	1.3	97.2
		23	46	.3	.7	97.9
		24	29	.2	.4	98.3
		25	32	.2	.5	98.8
		26	25	.2	.4	99.2
		27	15	.1	.2	99.4
		28	21	.2	.3	99.7
		29	7	.1	.1	99.8
		30	4	.0	.1	99.9
		31	1	.0	.0	99.9
		32	1	.0	.0	99.9
		33	2	.0	.0	100.0
		36	2	.0	.0	100.0
Never smoked		-2	6458	48.7	Missing	
Missing		-1	193	1.5	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 6623 Missing cases 6651

B652 Age started REG smoking			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
0-13		1.00	789	5.9	11.9
14-15		2.00	1603	12.1	24.2
16-19		3.00	3575	26.9	54.0
20+		4.00	656	4.9	9.9
Never smoked		-2.00	6458	48.7	Missing
Missing		-1.00	193	1.5	Missing
			-----	-----	-----
		Total	13274	100.0	100.0

Valid cases 6623 Missing cases 6651

c) which of the following have you smoked regularly?

cigarette
pipe
cigar
other

B653 Smoked CIGS REG			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
Y		1	6575	49.5	49.6
N		2	6694	50.4	50.4
Missing		-1	5	.0	Missing
			-----	-----	-----
		Total	13274	100.0	100.0

Valid cases 13269 Missing cases 5

B654 Smoked pipe REG			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
Y		1	5	.0	.0
N		2	13267	99.9	100.0
Missing		-1	2	.0	Missing
			-----	-----	-----
		Total	13274	100.0	100.0

Valid cases 13272 Missing cases 2

B655 Smoked cigar REG			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
Y		1	47	.4	.4
N		2	13226	99.6	99.6
Missing		-1	1	.0	Missing
			-----	-----	-----
		Total	13274	100.0	100.0

Valid cases 13273 Missing cases 1

B656 Smoked other REG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	135	1.0	4.0	4.0
N		2	3263	24.6	96.0	100.0
Missing		-1	9876	74.4	Missing	
					-----	-----
		Total	13274	100.0	100.0	

Valid cases 3398 Missing cases 9876

d) *What was the maximum number of times a day you smoked?*

30+	25-29	20-24	15-19
10-14	5-9	1-4	0

B658 MAX NO of times per day smoked

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		0	26	.2	.4	.4
1-4		1	596	4.5	9.0	9.4
5-9		5	984	7.4	14.8	24.2
10-14		10	1448	10.9	21.8	46.1
15-19		15	1434	10.8	21.6	67.7
20-24		20	1437	10.8	21.7	89.4
25-29		25	407	3.1	6.1	95.5
30+		30	298	2.2	4.5	100.0
Never smoked		-2	6458	48.7	Missing	
Missing		-1	186	1.4	Missing	
					-----	-----
		Total	13274	100.0	100.0	

Valid cases 6630 Missing cases 6644

G3. e) *Have you now stopped smoking?*

Yes No

B659 Stopped smoking now

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	3905	29.4	58.8	58.8
N		2	2733	20.6	41.2	100.0
Missing		-1	6636	50.0	Missing	
					-----	-----
		Total	13274	100.0	100.0	

Valid cases 6638 Missing cases 6636

If yes, how long ago?

Years Months

[If weeks were given they were rounded up to the next whole month]

B660 Time in years given up smoking		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
0		650	4.9	23.4	23.4	
1		306	2.3	11.0	34.4	
2		316	2.4	11.4	45.7	
3		279	2.1	10.0	55.7	
4		200	1.5	7.2	62.9	
5		182	1.4	6.5	69.5	
6		176	1.3	6.3	75.8	
7		138	1.0	5.0	80.7	
8		122	.9	4.4	85.1	
9		63	.5	2.3	87.4	
10		130	1.0	4.7	92.1	
>11 years		11	221	1.7	7.9	100.0
Not given up		-2	9369	70.6	Missing	
Missing		-1	1122	8.5	Missing	
					-----	-----
		Total	13274	100.0	100.0	

Valid cases 2783 Missing cases 10491

B661 If gave up <1 yr, time in m		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
.00		13	.1	1.9	1.9	
1.00		43	.3	6.4	8.4	
2.00		46	.3	6.9	15.3	
3.00		99	.7	14.8	30.1	
4.00		167	1.3	25.0	55.1	
5.00		129	1.0	19.3	74.4	
6.00		95	.7	14.2	88.6	
7.00		19	.1	2.8	91.5	
8.00		12	.1	1.8	93.3	
9.00		15	.1	2.2	95.5	
10.00		16	.1	2.4	97.9	
11.00		14	.1	2.1	100.0	
Missing		-1.00	12606	95.0	Missing	
					-----	-----
		Total	13274	100.0	100.0	

Valid cases 668 Missing cases 12606

G3. f) Did you smoke regularly at any of the following times in the last 9 months?

Before pregnancy	First 3 months of pregnancy	Last 2 weeks
------------------	-----------------------------	--------------

No

Yes, cigarettes

Yes, cigars

Yes, pipe

Yes, other (please describe)

[If more than 1 type of smoking given, code 5 was used; if no box was ticked, no was assumed].

B663 Tobacco smoked REG PRE PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	8781	66.2	66.2	66.2
Y CIGS	2	4403	33.2	33.2	99.3
Y cigars	3	14	.1	.1	99.4
Y pipe	4	1	.0	.0	99.4
Y other	5	75	.6	.6	100.0

	Total	13274	100.0	100.0	

Valid cases 13274

Missing cases 0

B665 Tobacco smoked in 1ST 3MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	9930	74.8	74.8	74.8
Y CIGS	2	3279	24.7	24.7	99.5
Y cigars	3	8	.1	.1	99.6
Y other	5	57	.4	.4	100.0

	Total	13274	100.0	100.0	

Valid cases 13274

Missing cases 0

B667 Tobacco smoked in last 2WKS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	10622	80.0	80.0	80.0
Y CIGS	2	2601	19.6	19.6	99.6
Y cigars	3	6	.0	.0	99.7
Y other	5	45	.3	.3	100.0

	Total	13274	100.0	100.0	

Valid cases 13274

Missing cases 0

g) *how many times per day did you smoke -*

i) *just before you became pregnant per day*

30+	25-29	20-24	15-19
10-14	5-9	1-4	0

[occasional smoker was coded 97]

B669 NO smoked per day just PRE PREG				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
0		0	8781	66.2	66.7
1-4		1	507	3.8	3.9
5-9		5	660	5.0	5.0
10-14		10	894	6.7	6.8
15-19		15	1016	7.7	7.7
20-24		20	907	6.8	6.9
25-29		25	243	1.8	1.8
30+		30	156	1.2	1.2
Missing		-1	110	.8	Missing
				-----	-----
Total				13274	100.0
					100.0
Valid cases	13164	Missing cases	110		

ii) *in the first 3 months of your pregnancy per day*

30+	25-29	20-24	15-19
10-14	5-9	1-4	0

[occasional smoker was coded 97, but edited to -1]

B670 NO smoked per day in 1ST 3MTHS of PREG				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
0		0	9930	74.8	75.1
1-4		1	709	5.3	5.4
5-9		5	747	5.6	5.7
10-14		10	799	6.0	6.0
15-19		15	518	3.9	3.9
20-24		20	374	2.8	2.8
25-29		25	105	.8	.8
30+		30	35	.3	.3
Missing		-1	57	.4	Missing
				-----	-----
Total				13274	100.0
					100.0
Valid cases	13217	Missing cases	57		

iii) in the last 2 weeks?

per day

30+	25-29	20-24	15-19
10-14	5-9	1-4	0

[occasional smoker was coded 97]

B671 NO smoked per day in last 2WKS

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		0	10622	80.0	80.3	80.3
1-4		1	522	3.9	3.9	84.3
5-9		5	637	4.8	4.8	89.1
10-14		10	626	4.7	4.7	93.9
15-19		15	417	3.1	3.2	97.0
20-24		20	288	2.2	2.2	99.2
25-29		25	76	.6	.6	99.8
30+		30	32	.2	.2	100.0
Missing		-1	54	.4	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 13220 Missing cases 54

G3. h) *What brand and type of cigarette or tobacco do/did you usually smoke? (i) brand:*

(The given brands were coded so that there was a unique code for each brand described)

Tar (b673) and nicotine content (b674) were calculated based on cigarette type (b672). Details of cigarette type have been coded and are available on request.

Derived variables

Information was obtained from the Government chemist that enabled the tar and nicotine content to be derived (see thesis of Hazel Gilchrist).

B673 Tar content of cigarette brand			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
Under 4				
	3.00	6	.0	.1
	4.00	38	.3	.8
	5.00	4	.0	.1
	7.00	999	7.5	20.9
	8.00	323	2.4	27.3
	9.00	204	1.5	31.4
	10.00	21	.2	31.8
	11.00	19	.1	32.2
	12.00	271	2.0	37.5
	13.00	2378	17.9	84.9
	14.00	536	4.0	95.6
	15.00	175	1.3	99.1
	16.00	41	.3	99.9
	17.00	4	.0	100.0
	21.00	1	.0	100.0
Missing	-1.00	8254	62.2	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	5020	Missing cases	8254	

B674 Nicotine content of cigarette brand			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
	.30	6	.0	.1
	.40	38	.3	.8
	.50	4	.0	.1
	.60	24	.2	.5
	.70	1182	8.9	23.5
	.80	268	2.0	30.3
	.90	85	.6	32.0
	1.00	186	1.4	35.7
	1.10	2289	17.2	81.3
	1.20	589	4.4	93.0
	1.30	297	2.2	99.0
	1.40	10	.1	99.2
	1.50	42	.3	.8
Missing	-1.00	8254	62.2	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	5020	Missing cases	8254	

Daily tar exposure

Calculated by multiplying no. of cigarettes per day by the tar content of the cigarette.

B675A Daily intake of tar pre-pregnancy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8781	66.2	70.2	70.2
	4.00	3	.0	.0	70.2
	7.00	136	1.0	1.1	71.3
	8.00	28	.2	.2	71.5
	9.00	8	.1	.1	71.6
	10.00	3	.0	.0	71.6
	12.00	11	.1	.1	71.7
	13.00	160	1.2	1.3	73.0
	14.00	24	.2	.2	73.2
	15.00	13	.1	.1	73.3
	16.00	1	.0	.0	73.3
	20.00	4	.0	.0	73.3
	30.00	3	.0	.0	73.3
	35.00	137	1.0	1.1	74.4
	40.00	40	.3	.3	74.8
	45.00	39	.3	.3	75.1
	50.00	3	.0	.0	75.1
	60.00	41	.3	.3	75.4
	65.00	250	1.9	2.0	77.4
	70.00	203	1.5	1.6	79.0
	75.00	5	.0	.0	79.1
	80.00	48	.4	.4	79.5
	90.00	39	.3	.3	79.8
	100.00	4	.0	.0	79.8
	105.00	137	1.0	1.1	80.9
	110.00	5	.0	.0	80.9
	120.00	95	.7	.8	81.7
	130.00	387	2.9	3.1	84.8
	135.00	47	.4	.4	85.2
	140.00	166	1.3	1.3	86.5
	150.00	16	.1	.1	86.6
	160.00	43	.3	.3	87.0
	165.00	2	.0	.0	87.0
	175.00	25	.2	.2	87.2
	180.00	103	.8	.8	88.0
	195.00	450	3.4	3.6	91.6
	200.00	9	.1	.1	91.7
	212.00	128	1.0	1.0	92.7
	220.00	9	.1	.1	92.8
	225.00	27	.2	.2	93.0
	240.00	68	.5	.5	93.5
	260.00	392	3.0	3.1	96.7
	270.00	6	.0	.0	96.7
	275.00	2	.0	.0	96.7
	280.00	118	.9	.9	97.7
	300.00	39	.3	.3	98.0
	320.00	4	.0	.0	98.0
	325.00	104	.8	.8	98.9
	330.00	1	.0	.0	98.9
	340.00	3	.0	.0	98.9
	350.00	21	.2	.2	99.1
	360.00	9	.1	.1	99.1
	375.00	9	.1	.1	99.2
	390.00	60	.5	.5	99.7
	400.00	3	.0	.0	99.7
	420.00	33	.2	.3	100.0
	425.00	1	.0	.0	100.0
	450.00	3	.0	.0	100.0
Missing	-1.00	765	5.8	Missing	
				-----	-----
Total		13274	100.0	100.0	

Valid cases 12509

Missing cases 765

B676A Daily intake of tar in first 3 MONS

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		9930	74.8	78.0	78.0	
4.00		3	.0	.0	.0	78.0
7.00		157	1.2	1.2	1.2	79.2
8.00		39	.3	.3	.3	79.5
9.00		39	.3	.3	.3	79.8
10.00		1	.0	.0	.0	79.8
12.00		29	.2	.2	.2	80.1
13.00		240	1.8	1.9	1.9	81.9
14.00		59	.4	.5	.5	82.4
15.00		12	.1	.1	.1	82.5
16.00		1	.0	.0	.0	82.5
20.00		9	.1	.1	.1	82.6
30.00		1	.0	.0	.0	82.6
35.00		101	.8	.8	.8	83.4
40.00		35	.3	.3	.3	83.7
45.00		40	.3	.3	.3	84.0
50.00		3	.0	.0	.0	84.0
55.00		2	.0	.0	.0	84.0
60.00		37	.3	.3	.3	84.3
65.00		309	2.3	2.4	2.4	86.7
70.00		182	1.4	1.4	1.4	88.2
75.00		12	.1	.1	.1	88.2
80.00		47	.4	.4	.4	88.6
90.00		49	.4	.4	.4	89.0
100.00		2	.0	.0	.0	89.0
105.00		51	.4	.4	.4	89.4
110.00		4	.0	.0	.0	89.4
120.00		69	.5	.5	.5	90.0
130.00		372	2.8	2.9	2.9	92.9
135.00		24	.2	.2	.2	93.1
140.00		105	.8	.8	.8	93.9
150.00		14	.1	.1	.1	94.0
160.00		19	.1	.1	.1	94.2
165.00		3	.0	.0	.0	94.2
175.00		8	.1	.1	.1	94.3
180.00		50	.4	.4	.4	94.7
195.00		236	1.8	1.9	1.9	96.5
200.00		7	.1	.1	.1	96.6
210.00		63	.5	.5	.5	97.1
220.00		5	.0	.0	.0	97.1
225.00		7	.1	.1	.1	97.2
240.00		33	.2	.3	.3	97.4
260.00		173	1.3	1.4	1.4	98.8
280.00		45	.3	.4	.4	99.1
300.00		18	.1	.1	.1	99.3
320.00		2	.0	.0	.0	99.3
325.00		46	.3	.4	.4	99.6
340.00		2	.0	.0	.0	99.7
350.00		10	.1	.1	.1	99.7
360.00		3	.0	.0	.0	99.8
375.00		3	.0	.0	.0	99.8
390.00		15	.1	.1	.1	99.9
400.00		1	.0	.0	.0	99.9
420.00		9	.1	.1	.1	100.0
425.00		1	.0	.0	.0	100.0
450.00		1	.0	.0	.0	100.0
Missing		-1.00	536	4.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12738

Missing cases 536

B677A Daily intake of tar in last 2 weeks

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		10622	80.0	82.7	82.7	
3.00		2	.0	.0	.0	82.8
4.00		2	.0	.0	.0	82.8
7.00		105	.8	.8	.8	83.6
8.00		23	.2	.2	.2	83.8
9.00		38	.3	.3	.3	84.1
10.00		1	.0	.0	.0	84.1
12.00		18	.1	.1	.1	84.2
13.00		171	1.3	1.3	1.3	85.5
14.00		54	.4	.4	.4	86.0
15.00		10	.1	.1	.1	86.0
20.00		8	.1	.1	.1	86.1
30.00		3	.0	.0	.0	86.1
35.00		68	.5	.5	.5	86.7
40.00		34	.3	.3	.3	86.9
45.00		51	.4	.4	.4	87.3
50.00		2	.0	.0	.0	87.3
55.00		4	.0	.0	.0	87.4
60.00		40	.3	.3	.3	87.7
65.00		276	2.1	2.1	2.1	89.8
70.00		124	.9	1.0	1.0	90.8
75.00		5	.0	.0	.0	90.8
80.00		41	.3	.3	.3	91.2
90.00		43	.3	.3	.3	91.5
100.00		1	.0	.0	.0	91.5
105.00		31	.2	.2	.2	91.7
110.00		2	.0	.0	.0	91.8
120.00		55	.4	.4	.4	92.2
130.00		273	2.1	2.1	2.1	94.3
135.00		18	.1	.1	.1	94.4
140.00		107	.8	.8	.8	95.3
150.00		9	.1	.1	.1	95.3
160.00		9	.1	.1	.1	95.4
165.00		2	.0	.0	.0	95.4
175.00		1	.0	.0	.0	95.4
180.00		45	.3	.4	.4	95.8
195.00		193	1.5	1.5	1.5	97.3
200.00		4	.0	.0	.0	97.3
210.00		48	.4	.4	.4	97.7
220.00		5	.0	.0	.0	97.7
225.00		8	.1	.1	.1	97.8
240.00		27	.2	.2	.2	98.0
260.00		127	1.0	1.0	1.0	99.0
280.00		43	.3	.3	.3	99.3
300.00		13	.1	.1	.1	99.4
320.00		1	.0	.0	.0	99.4
325.00		34	.3	.3	.3	99.7
330.00		1	.0	.0	.0	99.7
340.00		3	.0	.0	.0	99.7
350.00		7	.1	.1	.1	99.8
360.00		2	.0	.0	.0	99.8
375.00		3	.0	.0	.0	99.8
390.00		12	.1	.1	.1	99.9
420.00		6	.0	.0	.0	100.0
450.00		1	.0	.0	.0	100.0
480.00		1	.0	.0	.0	100.0
630.00		1	.0	.0	.0	100.0
Missing		-1.00	436	3.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12838

Missing cases 436

Daily nicotine exposure

Calculated by multiplying no. of cigarettes per day by the nicotine content.

B675B Daily intake of nicotine pre-pregnancy			Valid Percent	Cum Percent
Value	Label	Frequency	Percent	
.00		8781	66.2	70.2
.40		3	.0	70.2
.70		155	1.2	71.5
.80		16	.1	71.6
.90		2	.0	71.6
1.00		5	.0	71.6
1.10		158	1.2	72.9
1.20		30	.2	73.1
1.30		17	.1	73.3
1.50		1	.0	73.3
2.00		4	.0	73.3
3.00		6	.0	73.4
3.50		154	1.2	74.6
4.00		44	.3	75.0
4.50		16	.1	75.1
5.00		17	.1	75.2
5.50		242	1.8	77.2
6.00		72	.5	77.7
6.50		22	.2	77.9
7.00		169	1.3	79.3
7.50		5	.0	79.3
8.00		55	.4	79.7
9.00		19	.1	79.9
10.00		30	.2	80.1
10.50		158	1.2	81.4
11.00		374	2.8	84.4
12.00		147	1.1	85.6
13.00		29	.2	85.8
13.50		25	.2	86.0
14.00		108	.8	86.8
15.00		49	.4	87.2
16.00		47	.4	87.6
16.50		425	3.2	91.0
17.50		26	.2	91.2
18.00		157	1.2	92.5
19.50		32	.2	92.7
20.00		62	.5	93.2
21.00		19	.1	93.4
22.00		378	2.8	96.4
22.50		3	.0	96.4
24.00		134	1.0	97.5
25.00		17	.1	97.6
26.00		39	.3	97.9
27.00		3	.0	98.0
27.50		99	.7	98.8
28.00		4	.0	98.8
30.00		42	.3	99.1
32.50		10	.1	99.2
33.00		49	.4	99.6
35.00		2	.0	99.6
36.00		33	.2	99.9
37.50		3	.0	99.9
39.00		12	.1	100.0
Missing		-1.00	5.8	Missing
		-----	-----	-----
		Total	13274	100.0
				100.0

Valid cases 12509

Missing cases 765

B676B Daily intake of nicotine in first 3 MONS

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		9930	74.8	78.0	78.0	
.40		3	.0	.0	78.0	
.60		4	.0	.0	78.0	
.70		176	1.3	1.4	79.4	
.80		49	.4	.4	79.8	
.90		9	.1	.1	79.8	
1.00		14	.1	.1	80.0	
1.10		236	1.8	1.9	81.8	
1.20		63	.5	.5	82.3	
1.30		23	.2	.2	82.5	
1.50		3	.0	.0	82.5	
2.00		9	.1	.1	82.6	
3.00		3	.0	.0	82.6	
3.50		119	.9	.9	83.5	
4.00		42	.3	.3	83.9	
4.50		16	.1	.1	84.0	
5.00		30	.2	.2	84.2	
5.50		293	2.2	2.3	86.5	
6.00		107	.8	.8	87.4	
6.50		29	.2	.2	87.6	
7.00		96	.7	.8	88.3	
7.50		9	.1	.1	88.4	
8.00		64	.5	.5	88.9	
9.00		18	.1	.1	89.1	
10.00		34	.3	.3	89.3	
10.50		58	.4	.5	89.8	
11.00		354	2.7	2.8	92.6	
12.00		133	1.0	1.0	93.6	
13.00		31	.2	.2	93.9	
13.50		13	.1	.1	94.0	
14.00		25	.2	.2	94.2	
15.00		33	.2	.3	94.4	
16.00		15	.1	.1	94.5	
16.50		215	1.6	1.7	96.2	
17.50		10	.1	.1	96.3	
18.00		88	.7	.7	97.0	
19.50		17	.1	.1	97.1	
20.00		28	.2	.2	97.3	
21.00		3	.0	.0	97.4	
22.00		165	1.2	1.3	98.7	
24.00		51	.4	.4	99.1	
25.00		5	.0	.0	99.1	
26.00		17	.1	.1	99.2	
27.00		1	.0	.0	99.2	
27.50		42	.3	.3	99.6	
28.00		3	.0	.0	99.6	
30.00		21	.2	.2	99.8	
32.50		5	.0	.0	99.8	
33.00		12	.1	.1	99.9	
35.00		1	.0	.0	99.9	
36.00		7	.1	.1	100.0	
37.50		1	.0	.0	100.0	
39.00		5	.0	.0	100.0	
Missing		-1.00	536	4.0	Missing	
		Total	13274	100.0	100.0	

Valid cases 12738

Missing 536

B677B Daily intake of nicotine in last 2 weeks				Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent	Percent
.00		10622	80.0	82.7	82.7	
.30		2	.0	.0	82.8	
.40		2	.0	.0	82.8	
.60		4	.0	.0	82.8	
.70		115	.9	.9	83.7	
.80		40	.3	.3	84.0	
.90		9	.1	.1	84.1	
1.00		9	.1	.1	84.1	
1.10		166	1.3	1.3	85.4	
1.20		54	.4	.4	85.9	
1.30		23	.2	.2	86.0	
2.00		8	.1	.1	86.1	
3.00		7	.1	.1	86.2	
3.50		78	.6	.6	86.8	
4.00		57	.4	.4	87.2	
4.50		19	.1	.1	87.4	
5.00		29	.2	.2	87.6	
5.50		263	2.0	2.0	89.6	
6.00		78	.6	.6	90.2	
6.50		20	.2	.2	90.4	
7.00		66	.5	.5	90.9	
7.50		5	.0	.0	90.9	
8.00		60	.5	.5	91.4	
9.00		18	.1	.1	91.6	
10.00		34	.3	.3	91.8	
10.50		39	.3	.3	92.1	
11.00		254	1.9	2.0	94.1	
12.00		116	.9	.9	95.0	
13.00		20	.2	.2	95.2	
13.50		8	.1	.1	95.2	
14.00		23	.2	.2	95.4	
15.00		27	.2	.2	95.6	
16.00		9	.1	.1	95.7	
16.50		176	1.3	1.4	97.1	
17.50		2	.0	.0	97.1	
18.00		75	.6	.6	97.7	
19.50		14	.1	.1	97.8	
20.00		22	.2	.2	97.9	
21.00		2	.0	.0	98.0	
22.00		116	.9	.9	98.9	
22.50		3	.0	.0	98.9	
24.00		48	.4	.4	99.3	
25.00		6	.0	.0	99.3	
26.00		15	.1	.1	99.4	
27.00		1	.0	.0	99.4	
27.50		32	.2	.2	99.7	
28.00		4	.0	.0	99.7	
30.00		13	.1	.1	99.8	
32.50		5	.0	.0	99.8	
33.00		10	.1	.1	99.9	
36.00		6	.0	.0	100.0	
39.00		2	.0	.0	100.0	
45.00		2	.0	.0	100.0	
Missing		-1.00	436	3.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12838 Missing cases 436

(ii) type: *filtered* *unfiltered* *roll-your-own* *pipe/cigar*

Please send us an empty packet/carton of the brand you usually smoke.

[This instruction not included in 1st version of HAB]

B679 Type of tobacco smoked		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
other		0	2	.0	.0	.0
filtered		1	5719	43.1	96.1	96.1
unfiltered		2	26	.2	.4	96.5
roll your own		3	202	1.5	3.4	99.9
pipe or cigar		4	4	.0	.1	100.0
Missing		-1	7321	55.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	5953	Missing cases	7321			

G4. [YHL G2]

a) *Did your mother ever smoke?*

Yes *No* *Don't know*

B680 Mother ever smoked

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	7194	54.2	56.7	56.7
N		2	5483	41.3	43.3	100.0
Missing		-1	597	4.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12677 Missing cases 597

i) *If yes, did she smoke when she was expecting you?*

Yes *No* *Don't know*

(If 'no' on G4a put no on G4ai)

B681 Mother smoked when expecting mum

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2956	22.3	23.4	23.4
N		2	7829	59.0	62.0	85.5
DK		9	1835	13.8	14.5	100.0
Never smoked		-2	594	4.5	Missing	
Missing		-1	60	.5	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12620 Missing cases 654

b) *Did your father ever smoke?*

Yes *No* *Don't know*

B682 Father ever smoked

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	9483	71.4	76.2	76.2
N		2	2966	22.3	23.8	100.0
Missing		-1	825	6.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12449 Missing cases 825

G5. [YHL G3]

a) Does your partner smoke?

No
 Yes, cigarettes
 Yes, cigars
 Yes, pipe
 Yes, other (please describe)
 Don't have a partner

[Coded as for G3f]

B683 PTNR smokes

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
N		1	7893	59.5	62.4	62.4	
Y CIGS		2	3971	29.9	31.4	93.8	
Y cigars		3	391	2.9	3.1	96.8	
Y pipe		4	33	.2	.3	97.1	
Y other		5	366	2.8	2.9	100.0	
No partner		-2	196	1.5	Missing		
Missing		-1	424	3.2	Missing		
		-----		-----		-----	
		Total	13274	100.0	100.0	100.0	

Valid cases 12654 Missing cases 620

If yes,

b) about how many times per day does your partner smoke at the moment?

30+	25-29	20-24	15-19
10-14	5-9	1-4	0

['occasionally' coded 97, but edited to -1]

B685 NO of times per day PTNR smokes

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
0		0	7893	59.5	64.2	64.2	
1-4		1	682	5.1	5.5	69.7	
5-9		5	554	4.2	4.5	74.2	
10-14		10	792	6.0	6.4	80.6	
15-19		15	848	6.4	6.9	87.5	
20-24		20	969	7.3	7.9	95.4	
25-29		25	322	2.4	2.6	98.0	
30+		30	242	1.8	2.0	100.0	
Smokes NK amount		-2	282	2.1	Missing		
Missing		-1	690	5.2	Missing		
		-----		-----		-----	
		Total	13274	100.0	100.0	100.0	

Valid cases 12302 Missing cases 972

c) *what brand, and type of cigarette/tobacco does your partner smoke?*

i) *brand:*

[coders used same coding schema as B672]

Tar (b687) and nicotine content (b688) were calculated based on cigarette type (b686). Details of cigarette type have been coded and are available on request.

Derived variables

Used same rules as B673-677

B687 Tar content of cigarette brand			Valid Percent	Cum Percent		
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
3.00		2		.0	.1	.1
4.00		12		.1	.4	.4
5.00		4		.0	.1	.6
7.00		343		2.6	10.8	11.3
8.00		175		1.3	5.5	16.8
9.00		55		.4	1.7	18.6
10.00		3		.0	.1	18.6
11.00		10		.1	.3	19.0
12.00		202		1.5	6.3	25.3
13.00		1892		14.3	59.4	84.7
14.00		378		2.8	11.9	96.6
15.00		81		.6	2.5	99.1
16.00		24		.2	.8	99.9
17.00		3		.0	.1	100.0
21.00		1		.0	.0	100.0
Missing		-1.00	10089	76.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 3185 Missing cases 10089

B688 Nicotine content of cigarette brand			Valid Percent	Cum Percent		
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.30		2		.0	.1	.1
.40		4		.0	.1	.2
.50		12		.1	.4	.6
.60		10		.1	.3	.9
.70		483		3.6	15.2	16.0
.80		72		.5	2.3	18.3
.90		35		.3	1.1	19.4
1.00		131		1.0	4.1	23.5
1.10		1821		13.7	57.2	80.7
1.20		416		3.1	13.1	93.8
1.30		170		1.3	5.3	99.1
1.40		4		.0	.1	99.2
1.50		25		.2	.8	100.0
Missing		-1.00	10089	76.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 3185 Missing cases 10089

B689A Partners daily tar intake

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	7893	59.5	72.3	72.3
	7.00	70	.5	.6	73.0
	8.00	26	.2	.2	73.2
	9.00	8	.1	.1	73.3
	10.00	1	.0	.0	73.3
	12.00	12	.1	.1	73.4
	13.00	144	1.1	1.3	74.7
	14.00	27	.2	.2	75.0
	15.00	8	.1	.1	75.0
	16.00	2	.0	.0	75.1
	25.00	2	.0	.0	75.1
	35.00	54	.4	.5	75.6
	40.00	20	.2	.2	75.8
	45.00	9	.1	.1	75.8
	55.00	1	.0	.0	75.8
	60.00	18	.1	.2	76.0
	65.00	202	1.5	1.9	77.9
	70.00	99	.7	.9	78.8
	75.00	6	.0	.1	78.8
	80.00	30	.2	.3	79.1
	90.00	11	.1	.1	79.2
	100.00	5	.0	.0	79.2
	105.00	54	.4	.5	79.7
	110.00	2	.0	.0	79.8
	120.00	67	.5	.6	80.4
	130.00	335	2.5	3.1	83.4
	135.00	9	.1	.1	83.5
	140.00	125	.9	1.1	84.7
	150.00	12	.1	.1	84.8
	160.00	37	.3	.3	85.1
	175.00	17	.1	.2	85.3
	180.00	46	.3	.4	85.7
	195.00	403	3.0	3.7	89.4
	200.00	13	.1	.1	89.5
	210.00	99	.7	.9	90.4
	220.00	4	.0	.0	90.5
	225.00	20	.2	.2	90.6
	240.00	65	.5	.6	91.2
	255.00	1	.0	.0	91.2
	260.00	452	3.4	4.1	95.4
	270.00	5	.0	.0	95.4
	275.00	1	.0	.0	95.4
	280.00	97	.7	.9	96.3
	300.00	48	.4	.4	96.8
	320.00	4	.0	.0	96.8
	325.00	149	1.1	1.4	98.2
	350.00	27	.2	.2	98.4
	360.00	18	.1	.2	98.6
	375.00	6	.0	.1	98.6
	390.00	104	.8	1.0	99.6
	400.00	3	.0	.0	99.6
	420.00	29	.2	.3	99.9
	450.00	6	.0	.1	99.9
	480.00	5	.0	.0	100.0
	510.00	1	.0	.0	100.0
	630.00	1	.0	.0	100.0
Missing	-1.00	2361	17.8	Missing	
		-----	-----	-----	-----
	Total	13274	100.0	100.0	

Valid cases 10913

Missing cases 2361

B689B Partners daily nicotine intake

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		7893	59.5	72.3	72.3	
.70		93	.7	.9	73.2	
.80		11	.1	.1	73.3	
.90		6	.0	.1	73.3	
1.00		10	.1	.1	73.4	
1.10		140	1.1	1.3	74.7	
1.20		25	.2	.2	74.9	
1.30		9	.1	.1	75.0	
1.40		1	.0	.0	75.0	
1.50		3	.0	.0	75.1	
2.00		2	.0	.0	75.1	
3.00		1	.0	.0	75.1	
3.50		69	.5	.6	75.7	
4.00		8	.1	.1	75.8	
4.50		4	.0	.0	75.8	
5.00		12	.1	.1	75.9	
5.50		191	1.4	1.8	77.7	
6.00		40	.3	.4	78.1	
6.50		18	.1	.2	78.2	
7.00		87	.7	.8	79.0	
7.50		4	.0	.0	79.1	
8.00		13	.1	.1	79.2	
9.00		5	.0	.0	79.2	
10.00		25	.2	.2	79.4	
10.50		81	.6	.7	80.2	
11.00		322	2.4	3.0	83.1	
12.00		90	.7	.8	84.0	
12.50		4	.0	.0	84.0	
13.00		29	.2	.3	84.3	
13.50		7	.1	.1	84.3	
14.00		80	.6	.7	85.1	
15.00		24	.2	.2	85.3	
16.00		14	.1	.1	85.4	
16.50		380	2.9	3.5	88.9	
17.50		25	.2	.2	89.1	
18.00		112	.8	1.0	90.1	
19.50		37	.3	.3	90.5	
20.00		46	.3	.4	90.9	
21.00		19	.1	.2	91.1	
22.00		437	3.3	4.0	95.1	
22.50		9	.1	.1	95.2	
24.00		109	.8	1.0	96.2	
25.00		11	.1	.1	96.3	
26.00		44	.3	.4	96.7	
27.00		1	.0	.0	96.7	
27.50		143	1.1	1.3	98.0	
30.00		52	.4	.5	98.5	
32.50		11	.1	.1	98.6	
33.00		104	.8	1.0	99.5	
35.00		1	.0	.0	99.5	
36.00		29	.2	.3	99.8	
37.50		3	.0	.0	99.8	
39.00		13	.1	.1	99.9	
45.00		6	.0	.1	100.0	
Missing		-1.00	2361	17.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 10913 Missing cases 2361

ii) type: filtered unfiltered roll-your-own pipe/cigar

B690 Type PTNR smokes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
filtered	1	3569	26.9	79.1	79.1
unfiltered	2	49	.4	1.1	80.2
roll your own	3	511	3.8	11.3	91.5
pipe or cigar	4	383	2.9	8.5	100.0
Missing	-1	8762	66.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 4512 Missing cases 8762

d) at what age did your partner start smoking? years don't know

B691 Age PTNR started smoking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.0	.0	.0
	3	1	.0	.0	.1
	4	1	.0	.0	.1
	5	2	.0	.1	.2
	6	2	.0	.1	.2
	7	11	.1	.4	.6
	8	27	.2	.9	1.5
	9	29	.2	.9	2.4
	10	64	.5	2.1	4.5
	11	87	.7	2.8	7.3
	12	159	1.2	5.2	12.5
	13	199	1.5	6.5	19.0
	14	471	3.5	15.4	34.4
	15	475	3.6	15.5	49.8
	16	612	4.6	19.9	69.8
	17	248	1.9	8.1	77.9
	18	305	2.3	9.9	87.8
	19	85	.6	2.8	90.6
	20	103	.8	3.4	93.9
	21	53	.4	1.7	95.7
	22	34	.3	1.1	96.8
	23	17	.1	.6	97.3
	24	10	.1	.3	97.7
	25	27	.2	.9	98.5
	26	8	.1	.3	98.8
	27	11	.1	.4	99.2
	28	8	.1	.3	99.4
	29	1	.0	.0	99.4
	30	5	.0	.2	99.6
	31	1	.0	.0	99.6
	32	3	.0	.1	99.7
	33	1	.0	.0	99.8
	34	1	.0	.0	99.8
	35	1	.0	.0	99.8
	38	1	.0	.0	99.9
	40	2	.0	.1	99.9
	42	1	.0	.0	100.0
	43	1	.0	.0	100.0
Missing	-1	10206	76.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 3068 Missing cases 10206

B692 Age PTNR started smoking

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0-13		1.00	583	4.4	19.0	19.0
14-15		2.00	946	7.1	30.8	49.8
16-19		3.00	1250	9.4	40.7	90.6
20+		4.00	289	2.2	9.4	100.0
Missing		-1.00	10206	76.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 3068 Missing cases 10206

G6. [YHL G4]

- a) *Apart from yourself and your partner, are there any other members of your household who smoke?*

Yes

No

B695 Other household members smoke

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	925	7.0	7.2	7.2
N		2	11962	90.1	92.8	100.0
Missing		-1	387	2.9	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12887 Missing cases 387

- b) *If yes, how many:*

G7. [YHL G5]

How often did you smoke marijuana/grass/cannabis/ganja -

Every day 2-4 times a week Once a week Less than once a week Not at all

a) *In the 6 months before you conceived*

[when more than 1 box was ticked the one with the lower code was used]

B700 Smoked cannabis in 6MTHS PRE PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	115	.9	.9	.9
2-4 times PWK		2	154	1.2	1.2	2.1
once PWK		3	51	.4	.4	2.6
<once PWK		4	296	2.2	2.4	4.9
not at all		5	11916	89.8	95.1	100.0
Missing		-1	742	5.6	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12532	Missing cases	742			

b) *In the first 3 months of pregnancy*

[when more than 1 box was ticked the one with the lower code was used]

B701 Smoked cannabis in 1-3MTHS of PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	63	.5	.5	.5
2-4 times PWK		2	91	.7	.7	1.2
once PWK		3	35	.3	.3	1.5
<once PWK		4	140	1.1	1.1	2.6
not at all		5	12213	92.0	97.4	100.0
Missing		-1	732	5.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12542	Missing cases	732			

c) *Between 3 months and now*

[when more than 1 box was ticked the one with the lower code was used]

B702 Smoked cannabis >3MTHS PREG		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
everyday		1	55	.4	.4	.4
2-4 times PWK		2	62	.5	.5	.9
once PWK		3	41	.3	.3	1.3
<once PWK		4	102	.8	.8	2.1
not at all		5	12286	92.6	97.9	100.0
Missing		-1	728	5.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases		12546	Missing cases	728		

G8. [YHL G6]

How often have you taken the following during this pregnancy:

<i>Nearly</i>	<i>At least</i>	<i>At least</i>	<i>Not at all</i>
<i>every</i>	<i>once a</i>	<i>once a</i>	
<i>day</i>	<i>week</i>	<i>month</i>	

a) *amphetamines*

[when more than 1 box was ticked the one with the lower code was used]

B706 Amphetamine use during PREG		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
nearly everyday		1	1	.0	.0	.0
once+ PWK		2	2	.0	.0	.0
once+ PMTH		3	15	.1	.1	.1
not at all		4	12975	97.7	99.9	100.0
Missing		-1	281	2.1	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases		12993	Missing cases	281		

b) *barbiturates*

[when more than 1 box was ticked the one with the lower code was used]

B707 Barbiturate use during PREG		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
nearly everyday		1	1	.0	.0	.0
once+ PMTH		3	4	.0	.0	.0
not at all		4	12985	97.8	100.0	100.0
Missing		-1	284	2.1	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases		12990	Missing cases	284		

c) *crack*

[when more than 1 box was ticked the one with the lower code was used]

B708 Crack use during PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
	nearly everyday	1	2	.0	.0	.0
	once+ PMTH	3	4	.0	.0	.0
	not at all	4	12987	97.8	100.0	100.0
	Missing	-1	281	2.1	Missing	
			-----	-----	-----	
	Total		13274	100.0	100.0	
Valid cases	12993	Missing cases	281			

d) *cocaine*

[when more than 1 box was ticked the one with the lower code was used]

B709 Cocaine use during PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
	other	0	1	.0	.0	.0
	once+ PMTH	3	6	.0	.0	.1
	not at all	4	12985	97.8	99.9	100.0
	Missing	-1	282	2.1	Missing	
			-----	-----	-----	
	Total		13274	100.0	100.0	
Valid cases	12992	Missing cases	282			

e) *heroin*

[when more than 1 box was ticked the one with the lower code was used]

B710 Heroin use during PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
	nearly everyday	1	3	.0	.0	.0
	once+ PMTH	3	4	.0	.0	.1
	not at all	4	12983	97.8	99.9	100.0
	Missing	-1	284	2.1	Missing	
			-----	-----	-----	
	Total		13274	100.0	100.0	
Valid cases	12990	Missing cases	284			

f) *methadone*

[when more than 1 box was ticked the one with the lower code was used]

B711 Methadone use during PREG		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
nearly everyday	1	7	.1	.1	.1	.1
once+ PWK	2	1	.0	.0	.0	.1
not at all	4	12975	97.7	99.9	100.0	100.0
Missing	-1	291	2.2	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	12983	Missing cases	291			

g) *ecstasy*

[when more than 1 box was ticked the one with the lower code was used]

[g) ecstasy included from HAB 6.2.92 and YHL 6.2.92; prior to that g) represented 'other']

B712 Ecstasy use during PREG	
Value Label	Value

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
nearly everyday	1.00	1	.0	.0	.0
once PWK	2.00	1	.0	.0	.0
< once PMTH	3.00	3	.0	.0	.0
not at all	4.00	12995	97.9	100.0	100.0
Missing	-1.00	274	2.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13000 Missing cases 274

h) *other (please describe)*

[when more than 1 box was ticked the one with the lower code was used]

B713 Other drug use during PREG	
Value Label	Value

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
other	0	5	.0	.0	.0
nearly everyday	1	10	.1	.1	.1
once+ PWK	2	8	.1	.1	.2
once+ PMTH	3	8	.1	.1	.2
not at all	4	12980	97.8	99.8	100.0
Missing	-1	263	2.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13011 Missing cases 263

Derived variable

Using positive response in any of B706-713. If any of B706 to B713 are in the range (0,3) then B714 = 1 if all of B706 to B713 = -1 then B714 = -1 otherwise B714 = 2.

B714 Hard drugs		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1.00	64	.5	.5	.5
no		2.00	12947	97.5	99.5	100.0
Missing		-1.00	263	2.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13011	Missing cases	263			

G9.

[YHL G7]

How often have you drunk alcoholic drinks? Please indicate for each of the following times:

<i>Never</i>	<i>Less than 1 glass*</i>	<i>At least 1 glass*</i>	<i>every week</i>	<i>1-2 glasses*</i>	<i>every day</i>	<i>At least 3-9 glasses*</i>	<i>every day</i>	<i>At least 10 glasses*</i>
--------------	---------------------------	--------------------------	-------------------	---------------------	------------------	------------------------------	------------------	-----------------------------

[From HAB 1.8.91 the following footnote was included **By glass we mean a pub measure of spirits, half a pint of lager or cider, a wine glass of wine, etc.* This was not included in YHL]

a) *Before this pregnancy*

[when more than 1 box was ticked the one with the higher code was used]

B720 Alcohol consumption before this PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
never		1	1105	8.3	8.4	8.4
<1 glass PWK		2	4950	37.3	37.7	46.1
1+ glasses PWK		3	5620	42.3	42.8	88.8
1-2 glasses PDAY		4	1245	9.4	9.5	98.3
3-9 glasses PDAY		5	207	1.6	1.6	99.9
10+ glasses PDAY		6	18	.1	.1	100.0
Missing		-1	129	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13145	Missing cases	129			

b) *1st 3 months of this pregnancy*

[‘of this pregnancy’ included from 5.2.91 of HAB]

[when more than 1 box was ticked the one with the higher code was used]

B721 Alcohol consumption in 1-3MTHS this PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
never		1	5954	44.9	45.4	45.4
<1 glass PWK		2	5073	38.2	38.7	84.1
1+ glasses PWK		3	1823	13.7	13.9	98.0
1-2 glasses PDAY		4	215	1.6	1.6	99.7
3-9 glasses PDAY		5	35	.3	.3	99.9
10+ glasses PDAY		6	8	.1	.1	100.0
Missing		-1	166	1.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13108	Missing cases	166			

c) At around the time you first felt the baby move

[when more than 1 box was ticked the one with the higher code was used]

[from 5.2.91 of HAB the following instruction was included (If you haven't felt the baby move yet, please answer for the last two weeks)]

B722 Alcohol consumption C baby 1ST moved

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
never	1	6508	49.0	50.6	50.6
<1 glass PWK	2	4440	33.4	34.5	85.1
1+ glasses PWK	3	1725	13.0	13.4	98.6
1-2 glasses PDAY	4	161	1.2	1.3	99.8
3-9 glasses PDAY	5	14	.1	.1	99.9
10+ glasses PDAY	6	11	.1	.1	100.0
Missing	-1	415	3.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12859 Missing cases 415

G10. [YHL G8]

How many days in the past month have you drunk the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

everyday	more than 10 days
5-10 days	3-4 days
1-2 days	none

[when more than 1 box was ticked the one with the higher code was used]

[Prior to 5.2.91 HAB had 'would you have drunk' instead of 'have you drunk']

B723 Days of 2PTS beer or EQUIV in past MTH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	10831	81.6	82.9	82.9
1-2 days	1	1189	9.0	9.1	92.0
3-4 days	2	484	3.6	3.7	95.8
5-10 days	3	266	2.0	2.0	97.8
10+ days	4	273	2.1	2.1	99.9
everyday	5	16	.1	.1	100.0
Missing	-1	215	1.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 13059 Missing cases 215

G11. [YHL G9]

*Which is the alcoholic drink you have most often drunk during this pregnancy?
(tick one only)*

wine

beer/lager

sherry/port

gin/whisky/vodka/brandy

other (please describe)

don't drink at all

[If more than 1 box ticked, code 5 was used]]

B724 Most consumed alcohol drink this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
wine	1	4639	34.9	55.7	55.7
beer or lager	2	2285	17.2	27.4	83.1
sherry or port	3	130	1.0	1.6	84.6
spirits	4	214	1.6	2.6	87.2
other	5	1066	8.0	12.8	100.0
	-2	4688	35.3	Missing	
Missing	-1	252	1.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 8334 Missing cases 4940

G12. [YHL G10]

How would you describe your partner's alcohol drinking? Which of the following statements best applies:

Never drinks alcohol

Very occasionally (less than once a week)

Occasionally (at least once a week)

Drinks 1-2 glasses nearly every day

Drinks 3-9 glasses every day

Drinks at least 10 glasses a day

Don't have a partner

Don't know

[when more than 1 box was ticked the one with the higher code was used]

B730 PTNRS alcohol consumption

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
never drinks	1	643	4.8	5.0	5.0
V occasionally	2	3853	29.0	30.3	35.3
occasionally	3	5983	45.1	47.0	82.3
1-2 glasses PDAY	4	1772	13.3	13.9	96.2
3-9 glasses PWK	5	449	3.4	3.5	99.7
10+ glasses PDAY	6	37	.3	.3	100.0
No partner	-2	240	1.8	Missing	
Missing	-1	297	2.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12737 Missing cases 537

G13. [YHL G11]

At present how much of the following do you usually drink in a day:

At present Weekday Weekend day

[N.B. In HAB 24.9.90 no distinction was made between weekdays and weekend days: these values were therefore assumed for each type of day].

a) *ordinary tea (cups)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both were recoded to -1). If a range was given, the upper limit was coded.]

B740 Current daily ordinary tea drinking, wkd			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		2941	22.2	22.3	22.3	
1		1302	9.8	9.9	32.2	
2		2272	17.1	17.3	49.5	
3		2186	16.5	16.6	66.1	
4		1804	13.6	13.7	79.8	
5		1038	7.8	7.9	87.7	
6		862	6.5	6.5	94.2	
7		206	1.6	1.6	95.8	
8		220	1.7	1.7	97.5	
9		30	.2	.2	97.7	
10		210	1.6	1.6	99.3	
11		2	.0	.0	99.3	
12		25	.2	.2	99.5	
13		1	.0	.0	99.5	
14		5	.0	.0	99.6	
15		25	.2	.2	99.7	
16		4	.0	.0	99.8	
18		2	.0	.0	99.8	
20		16	.1	.1	99.9	
21		1	.0	.0	99.9	
24		1	.0	.0	99.9	
25		3	.0	.0	100.0	
30		3	.0	.0	100.0	
35		1	.0	.0	100.0	
40		1	.0	.0	100.0	
43		1	.0	.0	100.0	
Missing		-1	112	.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases		13162	Missing cases	112		

B741 Current daily ordinary tea drinking, wke			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		3152	23.7	24.0	24.0	
1		1133	8.5	8.6	32.6	
2		2236	16.8	17.0	49.6	
3		2031	15.3	15.4	65.0	
4		1855	14.0	14.1	79.1	
5		1000	7.5	7.6	86.7	
6		879	6.6	6.7	93.4	
7		244	1.8	1.9	95.3	
8		280	2.1	2.1	97.4	
9		43	.3	.3	97.7	
10		203	1.5	1.5	99.3	
11		2	.0	.0	99.3	
12		38	.3	.3	99.6	
13		2	.0	.0	99.6	
14		6	.0	.0	99.6	
15		29	.2	.2	99.8	
16		4	.0	.0	99.9	
18		3	.0	.0	99.9	
20		8	.1	.1	100.0	
21		1	.0	.0	100.0	
25		1	.0	.0	100.0	
30		1	.0	.0	100.0	
40		2	.0	.0	100.0	
Missing		-1	121	.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13153 Missing cases 121

Derived variable

The total no. of cups of tea per week was estimated as $5 \times B740 + 2 \times B741$.

B742 Total tea per week		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
.00		2704	20.4	20.6	20.6	
2.00		137	1.0	1.0	21.6	
4.00		67	.5	.5	22.1	
5.00		156	1.2	1.2	23.3	
6.00		14	.1	.1	23.4	
7.00		780	5.9	5.9	29.4	
8.00		5	.0	.0	29.4	
9.00		290	2.2	2.2	31.6	
10.00		94	.7	.7	32.3	
11.00		53	.4	.4	32.7	
12.00		133	1.0	1.0	33.8	
13.00		14	.1	.1	33.9	
14.00		1446	10.9	11.0	44.9	
15.00		70	.5	.5	45.4	
16.00		361	2.7	2.7	48.1	
17.00		54	.4	.4	48.6	
18.00		191	1.4	1.5	50.0	
19.00		238	1.8	1.8	51.8	
20.00		71	.5	.5	52.4	
21.00		1289	9.7	9.8	62.2	
22.00		43	.3	.3	62.5	
23.00		335	2.5	2.6	65.1	
24.00		130	1.0	1.0	66.0	
25.00		174	1.3	1.3	67.4	
26.00		160	1.2	1.2	68.6	
27.00		44	.3	.3	68.9	
28.00		1103	8.3	8.4	77.3	
29.00		47	.4	.4	77.7	
30.00		170	1.3	1.3	79.0	
31.00		115	.9	.9	79.9	
32.00		161	1.2	1.2	81.1	
33.00		80	.6	.6	81.7	
34.00		28	.2	.2	81.9	
35.00		589	4.4	4.5	86.4	
36.00		48	.4	.4	86.8	
37.00		78	.6	.6	87.3	
38.00		91	.7	.7	88.0	
39.00		79	.6	.6	88.6	
40.00		47	.4	.4	89.0	
41.00		28	.2	.2	89.2	
42.00		541	4.1	4.1	93.3	
43.00		13	.1	.1	93.4	
44.00		23	.2	.2	93.6	
45.00		38	.3	.3	93.9	
46.00		83	.6	.6	94.5	
47.00		8	.1	.1	94.6	
48.00		13	.1	.1	94.7	
49.00		124	.9	.9	95.6	
50.00		37	.3	.3	95.9	
51.00		5	.0	.0	95.9	
52.00		20	.2	.2	96.1	
53.00		10	.1	.1	96.2	
54.00		10	.1	.1	96.3	
55.00		12	.1	.1	96.3	
56.00		136	1.0	1.0	97.4	
57.00		2	.0	.0	97.4	
58.00		17	.1	.1	97.5	
60.00		32	.2	.2	97.8	

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
61.00		1	.0	.0	97.8	
62.00		6	.0	.0	97.8	
63.00		19	.1	.1	98.0	
64.00		9	.1	.1	98.0	
66.00		10	.1	.1	98.1	
67.00		1	.0	.0	98.1	
68.00		2	.0	.0	98.1	
69.00		2	.0	.0	98.1	
70.00		131	1.0	1.0	99.1	
72.00		3	.0	.0	99.2	
73.00		2	.0	.0	99.2	
74.00		6	.0	.0	99.2	
75.00		1	.0	.0	99.2	
76.00		3	.0	.0	99.3	
78.00		1	.0	.0	99.3	
79.00		1	.0	.0	99.3	
80.00		11	.1	.1	99.4	
81.00		2	.0	.0	99.4	
84.00		16	.1	.1	99.5	
85.00		1	.0	.0	99.5	
86.00		1	.0	.0	99.5	
87.00		2	.0	.0	99.5	
88.00		1	.0	.0	99.5	
89.00		1	.0	.0	99.5	
90.00		2	.0	.0	99.6	
91.00		1	.0	.0	99.6	
92.00		2	.0	.0	99.6	
93.00		1	.0	.0	99.6	
95.00		3	.0	.0	99.6	
96.00		1	.0	.0	99.6	
98.00		1	.0	.0	99.6	
99.00		1	.0	.0	99.6	
100.00		1	.0	.0	99.6	
102.00		1	.0	.0	99.6	
105.00		13	.1	.1	99.7	
108.00		4	.0	.0	99.8	
110.00		2	.0	.0	99.8	
112.00		1	.0	.0	99.8	
115.00		1	.0	.0	99.8	
116.00		3	.0	.0	99.8	
120.00		2	.0	.0	99.8	
126.00		2	.0	.0	99.9	
130.00		2	.0	.0	99.9	
140.00		5	.0	.0	99.9	
145.00		2	.0	.0	99.9	
147.00		1	.0	.0	99.9	
150.00		1	.0	.0	99.9	
170.00		2	.0	.0	100.0	
175.00		1	.0	.0	100.0	
180.00		1	.0	.0	100.0	
185.00		1	.0	.0	100.0	
200.00		1	.0	.0	100.0	
233.00		1	.0	.0	100.0	
Missing		-1.00	140	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13134 Missing cases 140

b) *decaffeinated tea (cups)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recoded here to -1). If a range was given, the upper limit was coded.]

B743 Current daily DECAF tea drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		12733	95.9	96.8	96.8	
1		124	.9	.9	97.7	
2		116	.9	.9	98.6	
3		83	.6	.6	99.2	
4		52	.4	.4	99.6	
5		18	.1	.1	99.8	
6		17	.1	.1	99.9	
7		5	.0	.0	99.9	
8		3	.0	.0	100.0	
9		1	.0	.0	100.0	
10		2	.0	.0	100.0	
11		1	.0	.0	100.0	
25		1	.0	.0	100.0	
Missing		-1	118	.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13156 Missing cases 118

B744 Current daily DECAF tea drinking, wkend

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		12734	95.9	96.9	96.9	
1		106	.8	.8	97.7	
2		116	.9	.9	98.6	
3		71	.5	.5	99.1	
4		58	.4	.4	99.5	
5		20	.2	.2	99.7	
6		21	.2	.2	99.9	
7		6	.0	.0	99.9	
8		4	.0	.0	99.9	
9		1	.0	.0	99.9	
10		6	.0	.0	100.0	
11		1	.0	.0	100.0	
15		1	.0	.0	100.0	
Missing		-1	129	1.0	Missing	
		Total	13274	100.0	100.0	
Valid cases	13145	Missing cases	129			

Derived variable

The total no. of cups of decaffeinated tea per week was estimated as $5 \times B743 + 2 \times B744$.

B745 Total DECAF tea per week			Valid	Cum
Value	Label	Frequency	Percent	Percent
.00		12690	95.6	96.6
2.00		15	.1	.1
4.00		7	.1	.1
5.00		23	.2	.2
6.00		3	.0	.0
7.00		73	.5	.6
9.00		23	.2	.2
10.00		8	.1	.1
11.00		4	.0	.0
12.00		13	.1	.1
13.00		1	.0	.0
14.00		72	.5	.5
15.00		6	.0	.0
16.00		16	.1	.1
17.00		6	.0	.0
18.00		9	.1	.1
19.00		7	.1	.1
20.00		5	.0	.0
21.00		44	.3	.3
23.00		12	.1	.1
24.00		2	.0	.0
25.00		6	.0	.0
26.00		2	.0	.0
27.00		2	.0	.0
28.00		35	.3	.3
29.00		2	.0	.0
30.00		3	.0	.0
31.00		2	.0	.0
32.00		5	.0	.0
33.00		1	.0	.0
34.00		3	.0	.0
35.00		11	.1	.1
36.00		3	.0	.0
39.00		1	.0	.0
40.00		1	.0	.0
42.00		13	.1	.1
49.00		5	.0	.0
55.00		1	.0	.0
56.00		1	.0	.0
60.00		1	.0	.0
63.00		1	.0	.0
70.00		2	.0	.0
77.00		1	.0	.0
145.00		1	.0	.0
Missing		-1.00	1.0	Missing
		Total	13274	100.0
Valid cases		13142	Missing cases	132

c) coffee (cups)

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recoded here to -1). If a range was given, the upper limit was coded.]

B746 Current daily coffee drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		6603	49.7	50.1	50.1	
1		2081	15.7	15.8	65.9	
2		1856	14.0	14.1	80.0	
3		1106	8.3	8.4	88.4	
4		719	5.4	5.5	93.9	
5		346	2.6	2.6	96.5	
6		220	1.7	1.7	98.2	
7		51	.4	.4	98.6	
8		78	.6	.6	99.1	
9		8	.1	.1	99.2	
10		64	.5	.5	99.7	
11		1	.0	.0	99.7	
12		7	.1	.1	99.7	
13		1	.0	.0	99.8	
15		11	.1	.1	99.8	
16		2	.0	.0	99.9	
20		12	.1	.1	99.9	
25		2	.0	.0	100.0	
28		1	.0	.0	100.0	
30		3	.0	.0	100.0	
35		1	.0	.0	100.0	
Missing		-1	101	.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13173 Missing cases 101

B747 Current daily coffee drinking, wkend

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		6965	52.5	52.9	52.9	
1		2035	15.3	15.5	68.4	
2		1783	13.4	13.5	81.9	
3		949	7.1	7.2	89.1	
4		670	5.0	5.1	94.2	
5		315	2.4	2.4	96.6	
6		227	1.7	1.7	98.4	
7		64	.5	.5	98.8	
8		61	.5	.5	99.3	
9		6	.0	.0	99.4	
10		64	.5	.5	99.8	
12		9	.1	.1	99.9	
15		4	.0	.0	99.9	
16		1	.0	.0	99.9	
18		1	.0	.0	100.0	
20		4	.0	.0	100.0	
28		1	.0	.0	100.0	
30		1	.0	.0	100.0	
Missing		-1	114	.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13160 Missing cases 114

Derived variable

The total no. of cups of coffee per week was estimated as $5 \times B746 + 2 \times B747$.

B748 Total coffee per week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		6136	46.2	46.7	46.7	
2.00		347	2.6	2.6	49.3	
4.00		86	.6	.7	50.0	
5.00		365	2.7	2.8	52.7	
6.00		12	.1	.1	52.8	
7.00		1401	10.6	10.7	63.5	
8.00		7	.1	.1	63.5	
9.00		272	2.0	2.1	65.6	
10.00		239	1.8	1.8	67.4	
11.00		32	.2	.2	67.7	
12.00		190	1.4	1.4	69.1	
13.00		5	.0	.0	69.1	
14.00		1175	8.9	8.9	78.1	
15.00		105	.8	.8	78.9	
16.00		162	1.2	1.2	80.1	
17.00		69	.5	.5	80.6	
18.00		71	.5	.5	81.2	
19.00		118	.9	.9	82.1	
20.00		71	.5	.5	82.6	
21.00		648	4.9	4.9	87.5	
22.00		27	.2	.2	87.7	
23.00		105	.8	.8	88.5	
24.00		81	.6	.6	89.2	
25.00		56	.4	.4	89.6	
26.00		51	.4	.4	90.0	
27.00		26	.2	.2	90.2	
28.00		420	3.2	3.2	93.4	
29.00		34	.3	.3	93.6	
30.00		62	.5	.5	94.1	
31.00		29	.2	.2	94.3	
32.00		40	.3	.3	94.6	
33.00		17	.1	.1	94.7	
34.00		9	.1	.1	94.8	
35.00		195	1.5	1.5	96.3	
36.00		17	.1	.1	96.4	
37.00		19	.1	.1	96.6	
38.00		20	.2	.2	96.7	
39.00		29	.2	.2	96.9	
40.00		14	.1	.1	97.0	
41.00		4	.0	.0	97.1	
42.00		126	.9	1.0	98.0	
43.00		7	.1	.1	98.1	
44.00		11	.1	.1	98.2	
45.00		11	.1	.1	98.3	
46.00		17	.1	.1	98.4	
47.00		4	.0	.0	98.4	
48.00		11	.1	.1	98.5	
49.00		25	.2	.2	98.7	
50.00		15	.1	.1	98.8	
52.00		5	.0	.0	98.8	
54.00		3	.0	.0	98.9	
55.00		3	.0	.0	98.9	
56.00		33	.2	.3	99.1	
58.00		3	.0	.0	99.2	
59.00		1	.0	.0	99.2	
60.00		16	.1	.1	99.3	

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
62.00		3	.0	.0	99.3	
63.00		2	.0	.0	99.3	
64.00		5	.0	.0	99.4	
68.00		2	.0	.0	99.4	
69.00		4	.0	.0	99.4	
70.00		38	.3	.3	99.7	
72.00		1	.0	.0	99.7	
75.00		1	.0	.0	99.7	
77.00		1	.0	.0	99.7	
80.00		2	.0	.0	99.7	
81.00		1	.0	.0	99.7	
83.00		1	.0	.0	99.8	
84.00		1	.0	.0	99.8	
87.00		2	.0	.0	99.8	
90.00		1	.0	.0	99.8	
91.00		1	.0	.0	99.8	
92.00		1	.0	.0	99.8	
95.00		2	.0	.0	99.8	
98.00		2	.0	.0	99.8	
100.00		2	.0	.0	99.8	
104.00		2	.0	.0	99.9	
105.00		2	.0	.0	99.9	
106.00		1	.0	.0	99.9	
108.00		1	.0	.0	99.9	
111.00		1	.0	.0	99.9	
112.00		1	.0	.0	99.9	
116.00		1	.0	.0	99.9	
120.00		1	.0	.0	99.9	
140.00		3	.0	.0	99.9	
145.00		1	.0	.0	100.0	
165.00		1	.0	.0	100.0	
170.00		2	.0	.0	100.0	
195.00		1	.0	.0	100.0	
196.00		1	.0	.0	100.0	
210.00		1	.0	.0	100.0	
Missing		-1.00	124	.9	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 13150 Missing cases 124

d) *decaffeinated coffee (cups)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recoded here to -1). If a range was given, the upper limit was coded.]

B749 Current daily DECAF coffee drinking, wkd			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		11366	85.6	86.4	86.4	
1		691	5.2	5.3	91.7	
2		533	4.0	4.1	95.7	
3		267	2.0	2.0	97.8	
4		146	1.1	1.1	98.9	
5		76	.6	.6	99.5	
6		43	.3	.3	99.8	
7		10	.1	.1	99.9	
8		8	.1	.1	99.9	
10		7	.1	.1	100.0	
14		1	.0	.0	100.0	
15		2	.0	.0	100.0	
20		1	.0	.0	100.0	
Missing		-1	123	.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13151 Missing cases 123

B750 Current daily DECAF coffee drinking, wke			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		11344	85.5	86.3	86.3	
1		686	5.2	5.2	91.6	
2		546	4.1	4.2	95.7	
3		247	1.9	1.9	97.6	
4		172	1.3	1.3	98.9	
5		74	.6	.6	99.5	
6		41	.3	.3	99.8	
7		10	.1	.1	99.8	
8		12	.1	.1	99.9	
9		2	.0	.0	100.0	
10		6	.0	.0	100.0	
Missing		-1	134	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13140 Missing cases 134

Derived variable

The total no. of cups of decaffeinated coffee per week was estimated as $5 \times B749 + 2 \times B750$.

B751 Total DECAF coffee per week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	11131	83.9	84.7	84.7
		2.00	165	1.2	1.3	86.0
		4.00	45	.3	.3	86.3
		5.00	104	.8	.8	87.1
		6.00	9	.1	.1	87.2
		7.00	467	3.5	3.6	90.7
		8.00	3	.0	.0	90.8
		9.00	103	.8	.8	91.5
		10.00	53	.4	.4	91.9
		11.00	13	.1	.1	92.0
		12.00	39	.3	.3	92.3
		13.00	3	.0	.0	92.4
		14.00	365	2.7	2.8	95.1
		15.00	29	.2	.2	95.4
		16.00	46	.3	.4	95.7
		17.00	12	.1	.1	95.8
		18.00	26	.2	.2	96.0
		19.00	16	.1	.1	96.1
		20.00	19	.1	.1	96.3
		21.00	167	1.3	1.3	97.5
		22.00	6	.0	.0	97.6
		23.00	34	.3	.3	97.8
		24.00	10	.1	.1	97.9
		25.00	11	.1	.1	98.0
		26.00	7	.1	.1	98.1
		27.00	2	.0	.0	98.1
		28.00	94	.7	.7	98.8
		29.00	4	.0	.0	98.8
		30.00	15	.1	.1	98.9
		31.00	3	.0	.0	99.0
		32.00	5	.0	.0	99.0
		33.00	6	.0	.0	99.0
		34.00	1	.0	.0	99.0
		35.00	52	.4	.4	99.4
		36.00	2	.0	.0	99.5
		37.00	3	.0	.0	99.5
		38.00	4	.0	.0	99.5
		39.00	2	.0	.0	99.5
		40.00	1	.0	.0	99.5
		41.00	1	.0	.0	99.5
		42.00	26	.2	.2	99.7
		43.00	1	.0	.0	99.7
		44.00	1	.0	.0	99.8
		46.00	4	.0	.0	99.8
		47.00	1	.0	.0	99.8
		49.00	7	.1	.1	99.8
		50.00	3	.0	.0	99.9
		53.00	1	.0	.0	99.9
		56.00	6	.0	.0	99.9
		58.00	2	.0	.0	99.9
		60.00	1	.0	.0	99.9
		70.00	3	.0	.0	100.0
		74.00	1	.0	.0	100.0
		87.00	1	.0	.0	100.0
		95.00	1	.0	.0	100.0
		116.00	1	.0	.0	100.0
Missing		-1.00	136	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13138

Missing cases 136

e) *beer or lager (half-pints)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recoded here to -1). If a range was given, the upper limit was coded.]

B752 Current daily beer drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		12758	96.1	97.1	97.1	
1		268	2.0	2.0	2.0	99.1
2		71	.5	.5	.5	99.7
3		20	.2	.2	.2	99.8
4		14	.1	.1	.1	99.9
5		2	.0	.0	.0	99.9
6		3	.0	.0	.0	100.0
8		2	.0	.0	.0	100.0
10		1	.0	.0	.0	100.0
16		1	.0	.0	.0	100.0
18		1	.0	.0	.0	100.0
Missing		-1	133	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13141 Missing cases 133

B753 Current daily beer drinking, wkend

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		11758	88.6	89.6	89.6	
1		844	6.4	6.4	6.4	96.0
2		330	2.5	2.5	2.5	98.5
3		78	.6	.6	.6	99.1
4		72	.5	.5	.5	99.7
5		10	.1	.1	.1	99.7
6		21	.2	.2	.2	99.9
8		6	.0	.0	.0	100.0
9		1	.0	.0	.0	100.0
10		3	.0	.0	.0	100.0
20		1	.0	.0	.0	100.0
24		1	.0	.0	.0	100.0
Missing		-1	149	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13125 Missing cases 149

Derived variable

Estimated as 5 x B752 + 2 x B753.

B754 Total beer per week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	11681	88.0	89.0	89.0
		2.00	678	5.1	5.2	94.2
		4.00	250	1.9	1.9	96.1
		5.00	48	.4	.4	96.4
		6.00	57	.4	.4	96.9
		7.00	158	1.2	1.2	98.1
		8.00	48	.4	.4	98.5
		9.00	46	.3	.4	98.8
		10.00	26	.2	.2	99.0
		11.00	6	.0	.0	99.0
		12.00	19	.1	.1	99.2
		13.00	4	.0	.0	99.2
		14.00	29	.2	.2	99.4
		15.00	5	.0	.0	99.5
		16.00	9	.1	.1	99.6
		17.00	5	.0	.0	99.6
		18.00	11	.1	.1	99.7
		19.00	3	.0	.0	99.7
		20.00	6	.0	.0	99.7
		21.00	9	.1	.1	99.8
		22.00	1	.0	.0	99.8
		23.00	2	.0	.0	99.8
		24.00	1	.0	.0	99.8
		25.00	1	.0	.0	99.8
		28.00	7	.1	.1	99.9
		32.00	3	.0	.0	99.9
		36.00	1	.0	.0	99.9
		40.00	1	.0	.0	99.9
		44.00	1	.0	.0	99.9
		45.00	1	.0	.0	100.0
		46.00	1	.0	.0	100.0
		48.00	1	.0	.0	100.0
		62.00	1	.0	.0	100.0
		70.00	1	.0	.0	100.0
		80.00	1	.0	.0	100.0
		106.00	1	.0	.0	100.0
Missing		-1.00	151	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13123 Missing cases 151

f) wine (glasses)

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recorded here to -1). If a range was given, the upper limit was coded.]

B755 Current daily wine drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		12692	95.6	96.5	96.5	
1		367	2.8	2.8	99.3	
2		75	.6	.6	99.9	
3		8	.1	.1	100.0	
4		2	.0	.0	100.0	
6		2	.0	.0	100.0	
12		1	.0	.0	100.0	
Missing		-1	127	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13147 Missing cases 127

B756 Current daily wine drinking, wkend

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		10803	81.4	82.3	82.3	
1		1693	12.8	12.9	95.2	
2		528	4.0	4.0	99.2	
3		58	.4	.4	99.6	
4		41	.3	.3	99.9	
5		3	.0	.0	100.0	
6		2	.0	.0	100.0	
8		1	.0	.0	100.0	
9		1	.0	.0	100.0	
10		1	.0	.0	100.0	
Missing		-1	143	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13131 Missing cases 143

Derived variable

Total no. of glasses of wine per week estimated as $5 \times B755 + 2 \times B756$.

B757 Total wine per week		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
.00		10748	81.0	81.9	81.9	
2.00		1446	10.9	11.0	92.9	
4.00		406	3.1	3.1	96.0	
5.00		43	.3	.3	96.3	
6.00		42	.3	.3	96.6	
7.00		242	1.8	1.8	98.5	
8.00		30	.2	.2	98.7	
9.00		72	.5	.5	99.2	
10.00		12	.1	.1	99.3	
11.00		4	.0	.0	99.4	
12.00		4	.0	.0	99.4	
13.00		3	.0	.0	99.4	
14.00		49	.4	.4	99.8	
15.00		1	.0	.0	99.8	
16.00		9	.1	.1	99.9	
17.00		1	.0	.0	99.9	
18.00		5	.0	.0	99.9	
19.00		1	.0	.0	99.9	
21.00		4	.0	.0	99.9	
23.00		2	.0	.0	100.0	
28.00		2	.0	.0	100.0	
30.00		1	.0	.0	100.0	
35.00		1	.0	.0	100.0	
42.00		1	.0	.0	100.0	
60.00		1	.0	.0	100.0	
Missing		-1.00	144	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13130	Missing cases	144			

g) *spirits (pub-measures)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recoded here to -1). If a range was given, the upper limit was coded.]

B758 Current daily spirit drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		130	76	98.5	99.5	99.5
1		46		.3	.3	99.8
2		16		.1	.1	100.0
3		2		.0	.0	100.0
4		3		.0	.0	100.0
5		1		.0	.0	100.0
Missing		-1	130	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13144 Missing cases 130

B759 Current daily spirit drinking, wkend

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		12910		97.3	98.3	98.3
1		127		1.0	1.0	99.3
2		62		.5	.5	99.7
3		13		.1	.1	99.8
4		13		.1	.1	99.9
5		2		.0	.0	100.0
6		4		.0	.0	100.0
8		1		.0	.0	100.0
9		1		.0	.0	100.0
Missing		-1	141	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13133 Missing cases 141

Derived variable

Total no. of pub measures of spirits per week estimated as $5 \times B758 + 2 \times B759$.

B760 Total spirit drinking per week			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
.00		12892	97.1	98.2	98.2	
2.00		94	.7	.7	98.9	
4.00		49	.4	.4	99.3	
5.00		10	.1	.1	99.3	
6.00		10	.1	.1	99.4	
7.00		31	.2	.2	99.6	
8.00		12	.1	.1	99.7	
9.00		4	.0	.0	99.8	
10.00		5	.0	.0	99.8	
11.00		1	.0	.0	99.8	
12.00		5	.0	.0	99.9	
14.00		9	.1	.1	99.9	
15.00		1	.0	.0	99.9	
16.00		2	.0	.0	99.9	
18.00		2	.0	.0	100.0	
20.00		2	.0	.0	100.0	
21.00		1	.0	.0	100.0	
25.00		1	.0	.0	100.0	
32.00		1	.0	.0	100.0	
Missing		-1.00	142	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13132	Missing cases	142			

h) *cola/pepsi (cans)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recoded here to -1) when bottles of cola were given these were coded to -1. If a range was given, the upper limit was coded.]

B761 Current daily cola drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		9995	75.3	76.2	76.2	
1		2071	15.6	15.8	92.0	
2		629	4.7	4.8	96.8	
3		220	1.7	1.7	98.5	
4		90	.7	.7	99.2	
5		52	.4	.4	99.6	
6		24	.2	.2	99.7	
7		12	.1	.1	99.8	
8		7	.1	.1	99.9	
9		1	.0	.0	99.9	
10		12	.1	.1	100.0	
12		1	.0	.0	100.0	
Missing		-1	160	1.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13114 Missing cases 160

B762 Current daily cola drinking, wkend

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		9501	71.6	72.4	72.4	
1		2157	16.2	16.4	88.8	
2		944	7.1	7.2	96.0	
3		263	2.0	2.0	98.0	
4		155	1.2	1.2	99.2	
5		47	.4	.4	99.6	
6		25	.2	.2	99.8	
7		9	.1	.1	99.8	
8		5	.0	.0	99.9	
9		2	.0	.0	99.9	
10		12	.1	.1	100.0	
12		1	.0	.0	100.0	
Missing		-1	153	1.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13121 Missing cases 153

Derived variable

No. of cans of cola per week estimated as $5 \times B761 + 2 \times B762$.

B763 Total cola drinking per week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	8938	67.3	68.2	68.2
		2.00	764	5.8	5.8	74.1
		4.00	216	1.6	1.6	75.7
		5.00	388	2.9	3.0	78.7
		6.00	42	.3	.3	79.0
		7.00	1299	9.8	9.9	88.9
		8.00	18	.1	.1	89.1
		9.00	316	2.4	2.4	91.5
		10.00	100	.8	.8	92.2
		11.00	39	.3	.3	92.5
		12.00	68	.5	.5	93.0
		13.00	18	.1	.1	93.2
		14.00	345	2.6	2.6	95.8
		15.00	33	.2	.3	96.1
		16.00	63	.5	.5	96.5
		17.00	22	.2	.2	96.7
		18.00	45	.3	.3	97.1
		19.00	31	.2	.2	97.3
		20.00	23	.2	.2	97.5
		21.00	107	.8	.8	98.3
		22.00	3	.0	.0	98.3
		23.00	24	.2	.2	98.5
		24.00	21	.2	.2	98.7
		25.00	15	.1	.1	98.8
		26.00	5	.0	.0	98.8
		27.00	8	.1	.1	98.9
		28.00	38	.3	.3	99.2
		29.00	10	.1	.1	99.2
		30.00	10	.1	.1	99.3
		31.00	6	.0	.0	99.4
		32.00	7	.1	.1	99.4
		33.00	6	.0	.0	99.5
		34.00	4	.0	.0	99.5
		35.00	15	.1	.1	99.6
		36.00	2	.0	.0	99.6
		37.00	2	.0	.0	99.6
		38.00	3	.0	.0	99.7
		39.00	2	.0	.0	99.7
		40.00	1	.0	.0	99.7
		41.00	1	.0	.0	99.7
		42.00	8	.1	.1	99.7
		43.00	1	.0	.0	99.8
		44.00	2	.0	.0	99.8
		45.00	2	.0	.0	99.8
		46.00	1	.0	.0	99.8
		48.00	1	.0	.0	99.8
		49.00	6	.0	.0	99.8
		50.00	4	.0	.0	99.9
		54.00	1	.0	.0	99.9
		56.00	1	.0	.0	99.9
		58.00	2	.0	.0	99.9
		60.00	4	.0	.0	99.9
		62.00	1	.0	.0	99.9
		63.00	1	.0	.0	100.0
		66.00	1	.0	.0	100.0
		70.00	5	.0	.0	100.0
Missing		-1.00	175	1.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13099

Missing cases 175

i) *decaffeinated cola/pepsi cans*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both recoded here as -1). If a range was given, the upper limit was coded.]

B764 Current daily DECAF cola drinking, wkday			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		12348	93.0	94.0	94.0	
1		561	4.2	4.3	98.3	
2		139	1.0	1.1	99.4	
3		47	.4	.4	99.7	
4		17	.1	.1	99.8	
5		10	.1	.1	99.9	
6		7	.1	.1	100.0	
7		2	.0	.0	100.0	
8		1	.0	.0	100.0	
11		1	.0	.0	100.0	
Missing		-1	141	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13133 Missing cases 141

B765 Current daily DECAF cola drinking, wkend			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		12164	91.6	92.7	92.7	
1		644	4.9	4.9	97.6	
2		214	1.6	1.6	99.2	
3		53	.4	.4	99.6	
4		32	.2	.2	99.9	
5		6	.0	.0	99.9	
6		8	.1	.1	100.0	
7		2	.0	.0	100.0	
9		2	.0	.0	100.0	
11		1	.0	.0	100.0	
Missing		-1	148	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13126 Missing cases 148

Derived variable

No. of cans of cola per week were estimated as $5 \times B764 + 2 \times B765$.

B766 Total DECAF cola per week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		12030	90.6	91.7	91.7	
2.00		247	1.9	1.9	93.6	
4.00		48	.4	.4	93.9	
5.00		102	.8	.8	94.7	
6.00		6	.0	.0	94.8	
7.00		373	2.8	2.8	97.6	
8.00		1	.0	.0	97.6	
9.00		76	.6	.6	98.2	
10.00		18	.1	.1	98.3	
11.00		6	.0	.0	98.4	
12.00		16	.1	.1	98.5	
13.00		2	.0	.0	98.5	
14.00		79	.6	.6	99.1	
15.00		5	.0	.0	99.2	
16.00		15	.1	.1	99.3	
17.00		7	.1	.1	99.3	
18.00		14	.1	.1	99.4	
19.00		4	.0	.0	99.5	
20.00		4	.0	.0	99.5	
21.00		24	.2	.2	99.7	
23.00		6	.0	.0	99.7	
24.00		3	.0	.0	99.7	
25.00		1	.0	.0	99.7	
27.00		2	.0	.0	99.8	
28.00		8	.1	.1	99.8	
29.00		4	.0	.0	99.9	
30.00		2	.0	.0	99.9	
31.00		1	.0	.0	99.9	
32.00		1	.0	.0	99.9	
33.00		1	.0	.0	99.9	
34.00		2	.0	.0	99.9	
35.00		3	.0	.0	99.9	
37.00		1	.0	.0	99.9	
38.00		1	.0	.0	99.9	
42.00		4	.0	.0	100.0	
43.00		1	.0	.0	100.0	
46.00		1	.0	.0	100.0	
77.00		1	.0	.0	100.0	
Missing		-1.00	154	1.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13120 Missing cases 154

j) *other alcoholic drinks (pub measures)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the nearest whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both here coded as -1). If a range was given, the upper limit was coded.]

B767 Current daily other alcohol drinking, wk			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		13044	98.3	99.3	99.3	
1		67	.5	.5	99.8	
2		15	.1	.1	99.9	
3		10	.1	.1	100.0	
4		3	.0	.0	100.0	
5		2	.0	.0	100.0	
9		1	.0	.0	100.0	
Missing		-1	132	1.0	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13142	Missing cases	132			

B768 Current daily other alcohol drinking, wk			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
0		12836	96.7	97.8	97.8	
1		196	1.5	1.5	99.3	
2		63	.5	.5	99.7	
3		16	.1	.1	99.9	
4		7	.1	.1	99.9	
5		3	.0	.0	99.9	
6		3	.0	.0	100.0	
8		2	.0	.0	100.0	
9		1	.0	.0	100.0	
10		1	.0	.0	100.0	
Missing		-1	146	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13128	Missing cases	146			

Derived variable

Total other alcohol measures estimated as 5 x B767 + 2 x B768.

B769 Total other alcohol per week		Value	Frequency	Percent	Valid	Cum Percent
Value	Label				Percent	
.00		12821	96.6	97.7	97.7	
2.00		146	1.1	1.1	98.8	
4.00		47	.4	.4	99.1	
5.00		10	.1	.1	99.2	
6.00		7	.1	.1	99.3	
7.00		46	.3	.4	99.6	
8.00		5	.0	.0	99.7	
9.00		8	.1	.1	99.7	
10.00		2	.0	.0	99.7	
11.00		2	.0	.0	99.7	
12.00		4	.0	.0	99.8	
13.00		1	.0	.0	99.8	
14.00		7	.1	.1	99.8	
16.00		3	.0	.0	99.9	
17.00		2	.0	.0	99.9	
19.00		1	.0	.0	99.9	
20.00		3	.0	.0	99.9	
21.00		5	.0	.0	99.9	
23.00		1	.0	.0	100.0	
26.00		1	.0	.0	100.0	
27.00		1	.0	.0	100.0	
30.00		1	.0	.0	100.0	
35.00		1	.0	.0	100.0	
45.00		1	.0	.0	100.0	
63.00		1	.0	.0	100.0	
Missing		-1.00	147	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	13127	Missing cases	147			

k) *milk (glasses)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the whole number. If that was 0, 97 was coded. 'Sometimes/occasionally' was coded as 97, 'a lot' as 98 (both were recoded to -1 here). If a range was upper limit was coded.

If answer was given as pints this was converted to glasses assuming 1pt = 3 glasses]

B770 Current daily milk drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		5944	44.8	45.3	45.3	
1		4312	32.5	32.9	78.2	
2		1657	12.5	12.6	90.8	
3		706	5.3	5.4	96.2	
4		235	1.8	1.8	98.0	
5		125	.9	1.0	98.9	
6		69	.5	.5	99.5	
7		23	.2	.2	99.6	
8		10	.1	.1	99.7	
9		9	.1	.1	99.8	
10		22	.2	.2	99.9	
11		1	.0	.0	99.9	
12		5	.0	.0	100.0	
14		1	.0	.0	100.0	
15		1	.0	.0	100.0	
Missing		-1	154	1.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13120 Missing cases 154

B771 Current daily milk drinking, wkend

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		6170	46.5	47.0	47.0	
1		4010	30.2	30.6	77.6	
2		1753	13.2	13.4	90.9	
3		700	5.3	5.3	96.3	
4		273	2.1	2.1	98.3	
5		83	.6	.6	99.0	
6		85	.6	.6	99.6	
7		11	.1	.1	99.7	
8		10	.1	.1	99.8	
9		13	.1	.1	99.9	
10		10	.1	.1	100.0	
11		1	.0	.0	100.0	
12		2	.0	.0	100.0	
15		2	.0	.0	100.0	
Missing		-1	151	1.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13123 Missing cases 151

Derived variable

Total no. of glasses drunk per week estimated as $5 \times B770 + 2 \times B771$

B772 Total milk per week		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
.00		5575	42.0	42.6	42.6	
2.00		295	2.2	2.3	44.8	
4.00		46	.3	.4	45.2	
5.00		404	3.0	3.1	48.3	
6.00		12	.1	.1	48.3	
7.00		3571	26.9	27.3	75.6	
8.00		5	.0	.0	75.7	
9.00		293	2.2	2.2	77.9	
10.00		90	.7	.7	78.6	
11.00		31	.2	.2	78.8	
12.00		103	.8	.8	79.6	
13.00		6	.0	.0	79.6	
14.00		1272	9.6	9.7	89.4	
15.00		37	.3	.3	89.6	
16.00		119	.9	.9	90.5	
17.00		26	.2	.2	90.7	
18.00		59	.4	.5	91.2	
19.00		63	.5	.5	91.7	
20.00		27	.2	.2	91.9	
21.00		501	3.8	3.8	95.7	
22.00		13	.1	.1	95.8	
23.00		36	.3	.3	96.1	
24.00		24	.2	.2	96.3	
25.00		33	.2	.3	96.5	
26.00		13	.1	.1	96.6	
27.00		19	.1	.1	96.8	
28.00		149	1.1	1.1	97.9	
29.00		43	.3	.3	98.2	
30.00		12	.1	.1	98.3	
31.00		9	.1	.1	98.4	
32.00		8	.1	.1	98.5	
33.00		4	.0	.0	98.5	
34.00		7	.1	.1	98.5	
35.00		48	.4	.4	98.9	
36.00		10	.1	.1	99.0	
37.00		5	.0	.0	99.0	
38.00		6	.0	.0	99.1	
39.00		8	.1	.1	99.1	
40.00		2	.0	.0	99.1	
41.00		6	.0	.0	99.2	
42.00		42	.3	.3	99.5	
43.00		3	.0	.0	99.5	
44.00		2	.0	.0	99.5	
45.00		1	.0	.0	99.5	
46.00		7	.1	.1	99.6	
48.00		2	.0	.0	99.6	
49.00		5	.0	.0	99.7	
50.00		4	.0	.0	99.7	
52.00		3	.0	.0	99.7	
54.00		1	.0	.0	99.7	
56.00		1	.0	.0	99.7	
57.00		1	.0	.0	99.7	
58.00		9	.1	.1	99.8	
60.00		2	.0	.0	99.8	
62.00		3	.0	.0	99.8	
63.00		7	.1	.1	99.9	
70.00		5	.0	.0	99.9	

B772 contd.

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
72.00		3		.0	.0	100.0
75.00		1		.0	.0	100.0
76.00		1		.0	.0	100.0
77.00		1		.0	.0	100.0
84.00		2		.0	.0	100.0
87.00		1		.0	.0	100.0
Missing		-1.00	177	1.3	Missing	
					-----	-----
		Total	13274	100.0	100.0	

Valid cases 13097 Missing cases 177

l) *other drinks (please describe)*

[If fractions were given or implied (e.g. 2 per week) they were rounded to the whole number. If that was 0, 97 was coded.'Sometimes/occasionally' was coded as 97, 'a lot' as 98. If a range was given, the upper limit was coded. If other drinks were described but no quantities given, 99 was coded, (here 97- been recoded as -1].

B773 Current daily other drinking, wkday

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		5430	40.9	45.0	45.0	
1		1734	13.1	14.4	59.4	
2		1956	14.7	16.2	75.6	
3		1269	9.6	10.5	86.1	
4		702	5.3	5.8	91.9	
5		359	2.7	3.0	94.9	
6		331	2.5	2.7	97.7	
7		66	.5	.5	98.2	
8		88	.7	.7	98.9	
9		26	.2	.2	99.1	
10		57	.4	.5	99.6	
11		2	.0	.0	99.6	
12		21	.2	.2	99.8	
13		2	.0	.0	99.8	
15		8	.1	.1	99.9	
16		1	.0	.0	99.9	
18		3	.0	.0	99.9	
20		4	.0	.0	100.0	
24		1	.0	.0	100.0	
30		1	.0	.0	100.0	
32		1	.0	.0	100.0	
39		2	.0	.0	100.0	
Missing		-1	1210	9.1	Missing	
		Total	13274	100.0	100.0	

valid cases 12064 Missing cases 1210

B774 Current daily other drinking, wkend

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5544	41.8	45.9	45.9
	1	1505	11.3	12.5	58.3
	2	1912	14.4	15.8	74.2
	3	1263	9.5	10.5	84.6
	4	809	6.1	6.7	91.3
	5	379	2.9	3.1	94.5
	6	372	2.8	3.1	97.5
	7	55	.4	.5	98.0
	8	98	.7	.8	98.8
	9	31	.2	.3	99.1
	10	64	.5	.5	99.6
	11	4	.0	.0	99.6
	12	25	.2	.2	99.8
	14	1	.0	.0	99.8
	15	5	.0	.0	99.9
	16	2	.0	.0	99.9
	18	2	.0	.0	99.9
	20	2	.0	.0	99.9
	22	2	.0	.0	99.9
	24	1	.0	.0	100.0
	30	1	.0	.0	100.0
	32	1	.0	.0	100.0
	39	2	.0	.0	100.0
	40	2	.0	.0	100.0
Missing	-1	1192	9.0	Missing	
				-----	-----
	Total	13274	100.0	100.0	

Valid cases 12082 Missing cases 1192

Derived variable

Total no. other drinks calculated as $5 \times B773 + 2 \times B774$.

B775 Total other drinking per week			Valid	Cum
Value	Label	Frequency	Percent	Percent
.00		5273	39.7	43.8
2.00		70	.5	.6
4.00		44	.3	.4
5.00		94	.7	.8
6.00		9	.1	.1
7.00		1368	10.3	11.4
8.00		8	.1	.1
9.00		225	1.7	1.9
10.00		63	.5	.5
11.00		22	.2	.2
12.00		48	.4	.4
13.00		14	.1	.1
14.00		1539	11.6	12.8
15.00		40	.3	.3
16.00		203	1.5	1.7
17.00		14	.1	.1
18.00		99	.7	.8
19.00		56	.4	.5
20.00		26	.2	.2
21.00		978	7.4	8.1
22.00		8	.1	.1
23.00		121	.9	1.0
24.00		26	.2	.2
25.00		50	.4	.4
26.00		25	.2	.2
27.00		17	.1	.1
28.00		533	4.0	4.4
29.00		17	.1	.1
30.00		50	.4	.4
31.00		17	.1	.1
32.00		47	.4	.4
33.00		11	.1	.1
34.00		5	.0	.0
35.00		271	2.0	2.3
36.00		9	.1	.1
37.00		23	.2	.2
38.00		10	.1	.1
39.00		9	.1	.1
40.00		11	.1	.1
41.00		7	.1	.1
42.00		273	2.1	2.3
43.00		8	.1	.1
44.00		5	.0	.0
45.00		7	.1	.1
46.00		9	.1	.1
47.00		1	.0	.0
48.00		3	.0	.0
49.00		41	.3	.3
50.00		11	.1	.1
51.00		5	.0	.0
52.00		3	.0	.0
53.00		2	.0	.0
54.00		2	.0	.0
55.00		2	.0	.0
56.00		70	.5	.6
57.00		1	.0	.0
58.00		7	.1	.1
60.00		8	.1	.1

B775 contd.

Value	Frequency	Percent	Valid Percent	Cum Percent
62.00	2	.0	.0	99.0
63.00	22	.2	.2	99.2
64.00	2	.0	.0	99.2
65.00	2	.0	.0	99.2
66.00	3	.0	.0	99.3
68.00	1	.0	.0	99.3
70.00	40	.3	.3	99.6
72.00	1	.0	.0	99.6
74.00	1	.0	.0	99.6
76.00	1	.0	.0	99.6
77.00	2	.0	.0	99.6
80.00	5	.0	.0	99.7
84.00	15	.1	.1	99.8
89.00	1	.0	.0	99.8
90.00	1	.0	.0	99.8
93.00	2	.0	.0	99.8
94.00	1	.0	.0	99.8
95.00	1	.0	.0	99.9
99.00	2	.0	.0	99.9
102.00	1	.0	.0	99.9
105.00	4	.0	.0	99.9
116.00	3	.0	.0	99.9
122.00	1	.0	.0	99.9
126.00	1	.0	.0	100.0
144.00	1	.0	.0	100.0
168.00	1	.0	.0	100.0
174.00	1	.0	.0	100.0
224.00	1	.0	.0	100.0
273.00	2	.0	.0	100.0
Missing	-1.00	1235	9.3	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 12039

Missing cases 1235

G14. a) *Have you ever actually made yourself sick (vomit) because you wanted to lose weight or because you had eaten too much?*

Yes *No*

B800 Self induced vomiting for weight loss			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Y		1	703	5.3	5.8	5.8
N		2	11481	86.5	94.2	100.0
Missing		-1	1090	8.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12184	Missing cases	1090			

[not in YHL]

b) *If yes, how often have you made yourself vomit during this pregnancy?*

not at all once 2-4 times 5-14 times 15 or more times

[When more than 1 box was ticked the one with the higher code was used]

[not in YHL]

B801 Self induced vomiting in this PREG			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
once		1	55	.4	.5	.5
2-4 times		2	92	.7	.8	1.2
5-14 times		3	19	.1	.2	1.4
15+ times		4	8	.1	.1	1.4
not at all		5	12017	90.5	98.6	100.0
Missing		-1	1083	8.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12191	Missing cases	1083			

G15. a) *Have you ever taken laxatives because you wanted to lose weight or because you had eaten too much?*

Yes

No

B802 Laxative use for weight loss

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	583	4.4	4.8	4.8
N		2	11508	86.7	95.2	100.0
Missing		-1	1183	8.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12091 Missing cases 1183

[not in YHL]

G15. b) *If yes, how often have you done so during this pregnancy?*

not at all once 2-4 times 5-14 times 15 or more times

[When more than 1 box was ticked the one with the higher code was used]

[not in YHL]

B803 Laxative use during this PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
once		1	16	.1	.1	.1
2-4 times		2	27	.2	.2	.4
5-14 times		3	5	.0	.0	.4
15+ times		4	2	.0	.0	.4
not at all		5	12058	90.8	99.6	100.0
Missing		-1	1166	8.8	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12108 Missing cases 1166

Body image

G16 and G17 contain questions developed by Fairburn and Stein to elicit the mother's image of her own body.

OVER THE PAST FOUR WEEKS (28 DAYS)

G16. *Not at all* *Yes* *Yes most of the time* *Occasionally*

a) *Has thinking about your shape or weight interfered with your ability to concentrate on things?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B810 Weight concern affected concentration

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	9453	71.2	77.8	77.8
Y occasionally		2	2550	19.2	21.0	98.8
Y mostly		3	147	1.1	1.2	100.0
Missing		-1	1124	8.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12150 Missing cases 1124

b) *Have you been afraid that you may become fat?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B811 Recent fear of becoming fat

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	5064	38.1	41.7	41.7
Y occasionally		2	5695	42.9	46.9	88.6
Y mostly		3	1383	10.4	11.4	100.0
Missing		-1	1132	8.5	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12142 Missing cases 1132

c) *Have you felt fat?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B812 Recently felt fat

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	2941	22.2	24.2	24.2
Y occasionally		2	7098	53.5	58.4	82.6
Y mostly		3	2114	15.9	17.4	100.0
Missing		-1	1121	8.4	Missing	
			-----	-----	-----	
	Total		13274	100.0	100.0	

Valid cases 12153 Missing cases 1121

d) *Have you had a strong desire to lose weight?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B813 Recent desire to lose weight

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	8846	66.6	72.8	72.8
Y occasionally		2	2462	18.5	20.2	93.0
Y mostly		3	851	6.4	7.0	100.0
Missing		-1	1115	8.4	Missing	
			-----	-----	-----	
	Total		13274	100.0	100.0	

Valid cases 12159 Missing cases 1115

e) *Has your weight influenced how you think about yourself as a person?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B814 Recent effect of weight on self image

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	7798	58.7	64.2	64.2
Y occasionally		2	3503	26.4	28.8	93.0
Y mostly		3	852	6.4	7.0	100.0
Missing		-1	1121	8.4	Missing	
			-----	-----	-----	
	Total		13274	100.0	100.0	

Valid cases 12153 Missing cases 1121

f) *Have you felt dissatisfied about your weight?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B815 Recently dissatisfied about weight			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
not at all	1	6443	48.5	53.0
Y occasionally	2	4403	33.2	36.2
Y mostly	3	1305	9.8	10.7
Missing	-1	1123	8.5	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 12151 Missing cases 1123

g) *Have you felt dissatisfied about your shape?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B816 Recently dissatisfied about shape			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
not at all	1	5673	42.7	46.7
Y occasionally	2	5132	38.7	42.3
Y mostly	3	1341	10.1	11.0
Missing	-1	1128	8.5	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 12146 Missing cases 1128

h) *Have you felt concerned about other people seeing you eat?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B817 Recent concern about being seen eating			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
not at all	1	10700	80.6	88.0
Y occasionally	2	1241	9.3	10.2
Y mostly	3	222	1.7	1.8
Missing	-1	1111	8.4	Missing
		-----	-----	-----
	Total	13274	100.0	100.0

Valid cases 12163 Missing cases 1111

i) *Have you felt uncomfortable seeing your body in the mirror?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B818 Recent discomfort with own mirror image			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
not at all		1	7028	52.9	57.7	57.7
Y occasionally		2	4072	30.7	33.5	91.2
Y mostly		3	1073	8.1	8.8	100.0
Missing		-1	1101	8.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12173	Missing cases	1101			

j) *Have you experienced a loss of control over eating?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B819 Recent loss of control over eating			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
not at all		1	9359	70.5	76.9	76.9
Y occasionally		2	2420	18.2	19.9	96.8
Y mostly		3	386	2.9	3.2	100.0
Missing		-1	1109	8.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12165	Missing cases	1109			

Derived variable

Image perception score - as sum of B810-B819 if the values are not missing. If any of B810 to B819 are missing then B820 is coded to missing.

B820 DV: Mother's Image Perception Score			Valid	Cum
Value	Label	Frequency	Percent	Percent
10.00	Unaffected	1691	12.7	14.1
11.00		1592	12.0	27.4
12.00		1316	9.9	38.4
13.00		1103	8.3	47.6
14.00		1041	7.8	56.3
15.00		1004	7.6	64.7
16.00		871	6.6	72.0
17.00		716	5.4	78.0
18.00		550	4.1	82.6
19.00		445	3.4	86.3
20.00		352	2.7	89.2
21.00		275	2.1	91.5
22.00		206	1.6	93.2
23.00		168	1.3	94.7
24.00		161	1.2	96.0
25.00		140	1.1	97.2
26.00		134	1.0	98.3
27.00		99	.7	99.1
28.00		59	.4	99.6
29.00		23	.2	99.8
30.00	severely affected	24	.2	100.0
-1.00	Missing	1304	9.8	Missing
		-----	-----	-----
		Total	13274	100.0
				100.0

Valid cases 11970 Missing cases 1304

IN THE THREE MONTHS BEFORE YOU BECAME PREGNANT

G17. Not at Yes Yes most of the time Occasionally
 all

a) Did thinking about your shape or weight interfere with your ability to concentrate on
things?

[When more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B822 PREPREG weight affected concentration			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
not at all		1	10436	78.6	86.5	86.5
Y occasionally		2	1474	11.1	12.2	98.7
Y mostly		3	161	1.2	1.3	100.0
Missing		-1	1203	9.1	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12071 Missing cases 1203

b) Were you afraid that you might become fat?

[When more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B823 PREPREG fear of becoming fat			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
not at all		1	6288	47.4	52.3	52.3
Y occasionally		2	4817	36.3	40.0	92.3
Y mostly		3	926	7.0	7.7	100.0
Missing		-1	1243	9.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12031 Missing cases 1243

c) Did you feel fat?

[When more than 1 box was ticked the one with the higher code was used]
[not in YHL]

B824 PREPREG felt fat			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
not at all		1	6015	45.3	50.0	50.0
Y occasionally		2	5001	37.7	41.6	91.5
Y mostly		3	1020	7.7	8.5	100.0
Missing		-1	1238	9.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12036 Missing cases 1238

d) *Did you have a strong desire to lose weight?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B825 PREPREG desire to lose weight

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all	1	6599	49.7	54.8	54.8
Y occasionally	2	3851	29.0	32.0	86.8
Y mostly	3	1587	12.0	13.2	100.0
Missing	-1	1237	9.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12037 Missing cases 1237

e) *Did your weight influence how you thought about yourself as a person?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B826 PREPREG effect of weight on self image

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all	1	7610	57.3	63.2	63.2
Y occasionally	2	3506	26.4	29.1	92.3
Y mostly	3	930	7.0	7.7	100.0
Missing	-1	1228	9.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12046 Missing cases 1228

f) *Did you feel dissatisfied about your weight?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B827 PREPREG dissatisfied about weight

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all	1	5554	41.8	46.1	46.1
Y occasionally	2	4951	37.3	41.1	87.2
Y mostly	3	1543	11.6	12.8	100.0
Missing	-1	1226	9.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12048 Missing cases 1226

g) *Did you feel dissatisfied about your shape?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B828 PREPREG dissatisfied about shape					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
not at all		1	5019	37.8	41.7
Y occasionally		2	5561	41.9	46.2
Y mostly		3	1462	11.0	12.1
Missing		-1	1232	9.3	Missing
			-----	-----	-----
		Total	13274	100.0	100.0
Valid cases		12042	Missing cases		1232

h) *Did you feel concerned about other people seeing you eat?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B829 PREPREG concern about being seen eating					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
not at all		1	10635	80.1	88.2
Y occasionally		2	1147	8.6	9.5
Y mostly		3	273	2.1	2.3
Missing		-1	1219	9.2	Missing
			-----	-----	-----
		Total	13274	100.0	100.0
Valid cases		12055	Missing cases		1219

i) *Did you feel uncomfortable seeing your body in the mirror?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B830 PREPREG discomfort with own mirror image					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
not at all		1	7130	53.7	59.1
Y occasionally		2	4035	30.4	33.4
Y mostly		3	900	6.8	7.5
Missing		-1	1209	9.1	Missing
			-----	-----	-----
		Total	13274	100.0	100.0
Valid cases		12065	Missing cases		1209

j) *Did you experience a loss of control over eating?*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B831 PREPREG loss of control over eating			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
not at all	1	10221	77.0	84.8
Y occasionally	2	1596	12.0	13.2
Y mostly	3	240	1.8	2.0
Missing	-1	1217	9.2	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12057	Missing cases	1217	

Derived variable

Pre-pregnant image perception score - sum of B822-831. If the values were not missing. If any of B822-B831 were missing then B832 was coded to missing.

B832 DV: Mother's pre-pregnancy i			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
unaffected				
	10.00	3219	24.3	27.2
	11.00	1050	7.9	36.1
	12.00	837	6.3	43.2
	13.00	762	5.7	49.6
	14.00	825	6.2	56.6
	15.00	871	6.6	63.9
	16.00	918	6.9	71.7
	17.00	826	6.2	78.7
	18.00	577	4.3	83.5
	19.00	389	2.9	86.8
	20.00	316	2.4	89.5
	21.00	237	1.8	91.5
	22.00	199	1.5	93.2
	23.00	171	1.3	94.6
	24.00	165	1.2	96.0
	25.00	130	1.0	97.1
	26.00	99	.7	98.0
	27.00	95	.7	98.8
	28.00	74	.6	99.4
	29.00	47	.4	99.8
severely affected	30.00	25	.2	100.0
	-1.00	1442	10.9	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	11832	Missing cases	1442	

G18. Which of the following statements describes best the way in which you travel nowadays?

*usually walk everywhere
mostly use public transport*

*cycle mostly
usually get in a car*

[Combinations were given their own codes]

B840 Current travel mode

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually walk	0	6	.0	.1	.1
Cycle mostly	1	2782	21.0	23.4	23.4
Usually drive	2	45	.3	.4	23.8
Public transport	3	7663	57.7	64.4	88.2
Walk & cycle	4	750	5.7	6.3	94.5
Walk, cycle & car	5	19	.1	.2	94.6
Walk & car	6	12	.1	.1	94.7
Walk, car PTRANS	7	360	2.7	3.0	97.7
Walk & PTRANS	8	43	.3	.4	98.1
Car & PTRANS	9	100	.8	.8	99.0
Motorcycle	10	92	.7	.8	99.7
All ticked	11	12	.1	.1	99.8
Wheelchair	12	12	.1	.1	99.9
Cycle and motorcycle	13	1	.0	.0	99.9
Cycle PTRANS	14	2	.0	.0	99.9
Cycle & car	15	1	.0	.0	100.0
	16	5	.0	.0	100.0
	-1	1369	10.3	Missing	
		-----	-----	-----	-----
Total		13274	100.0	100.0	
Valid cases	11905		Missing cases	1369	

Derived variables

From the combination codes the following variables were derived:

B841 Usually walk

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3327	25.1	28.0	28.0
No	2.00	8571	64.6	72.0	100.0
	-1.00	1376	10.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11898

Missing cases 1376

B842 Usually cycle

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	96	.7	.8	.8
No	2.00	11802	88.9	99.2	100.0
	-1.00	1376	10.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11898

Missing cases 1376

B843 Public transport

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	998	7.5	8.4	8.4
No	2.00	10900	82.1	91.6	100.0
	-1.00	1376	10.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11898

Missing cases 1376

B844 Usually get in car

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8186	61.7	68.8	68.8
No	2.00	3712	28.0	31.2	100.0
	-1.00	1376	10.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 11898

Missing cases 1376

G19. *How much do you do the following at present?*

More than 7 hours <i>per week</i>	2-6 hours <i>per week</i>	Less than one hour <i>per week</i>	Never
---	------------------------------	--	-------

a) *jogging*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B850 Amount of jogging at PRES

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
7+ HRS PWK		1	1	.0	.0	.0
2-6 HRS PWK		2	29	.2	.2	.3
<1 HR PWK		3	244	1.8	2.0	2.3
never		4	11642	87.7	97.7	100.0
Missing		-1	1358	10.2	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11916 Missing cases 1358

b) *aerobics*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B851 Amount of aerobics at PRES

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
7+ HRS PWK		1	6	.0	.1	.1
2-6 HRS PWK		2	169	1.3	1.4	1.5
<1 HR PWK		3	395	3.0	3.3	4.8
never		4	11337	85.4	95.2	100.0
Missing		-1	1367	10.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11907 Missing cases 1367

c) *ante-natal exercises*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B852 Amount of ante natal exercise at PRES

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
7+ HRS PWK		1	9	.1	.1	.1
2-6 HRS PWK		2	557	4.2	4.7	4.7
<1 HR PWK		3	2233	16.8	18.7	23.4
never		4	9156	69.0	76.6	100.0
Missing		-1	1319	9.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 11955 Missing cases 1319

d) *keep fit exercises*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B853 Amount of keep fit at PRES		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
7+ HRS PWK	1	9	.1	.1	.1	
2-6 HRS PWK	2	372	2.8	3.1	3.2	
<1 HR PWK	3	1171	8.8	9.8	13.1	
never	4	10337	77.9	86.9	100.0	
Missing	-1	1385	10.4	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	11889	Missing cases	1385			

e) *yoga*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B854 Amount of yoga at PRES		Value	Frequency	Valid	Cum
Value Label				Percent	Percent
7+ HRS PWK	1	4	.0	.0	.0
2-6 HRS PWK	2	141	1.1	1.2	1.2
<1 HR PWK	3	184	1.4	1.5	2.8
never	4	11571	87.2	97.2	100.0
Missing	-1	1374	10.4	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11900	Missing cases	1374		

f) *squash*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B855 Amount of squash playing at PRES		Value	Frequency	Valid	Cum
Value Label				Percent	Percent
7+ HRS PWK	1	1	.0	.0	.0
2-6 HRS PWK	2	16	.1	.1	.1
<1 HR PWK	3	34	.3	.3	.4
never	4	11830	89.1	99.6	100.0
Missing	-1	1393	10.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	
Valid cases	11881	Missing cases	1393		

g) *tennis/badminton*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B856 Amount of tennis or badminton at PRES			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
7+ HRS PWK		1	4	.0	.0	.0
2-6 HRS PWK		2	88	.7	.7	.8
<1 HR PWK		3	211	1.6	1.8	2.6
never		4	11533	86.9	97.4	100.0
Missing		-1	1438	10.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	11836	Missing cases	1438			

h) *swimming*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B857 Amount of swimming at PRES			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
7+ HRS PWK		1	21	.2	.2	.2
2-6 HRS PWK		2	1153	8.7	9.7	9.8
<1 HR PWK		3	3706	27.9	31.1	40.9
never		4	7041	53.0	59.1	100.0
Missing		-1	1353	10.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	11921	Missing cases	1353			

i) *brisk walking*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B858 Amount of brisk walking at PRES			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
7+ HRS PWK		1	1148	8.6	9.5	9.5
2-6 HRS PWK		2	4605	34.7	38.2	47.8
<1 HR PWK		3	3204	24.1	26.6	74.4
never		4	3083	23.2	25.6	100.0
Missing		-1	1234	9.3	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12040	Missing cases	1234			

j) *weight training*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B859 Amount of weight training at PRES			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
7+ HRS PWK		1	6	.0	.1	.1
2-6 HRS PWK		2	35	.3	.3	.3
<1 HR PWK		3	67	.5	.6	.9
never		4	11739	88.4	99.1	100.0
Missing		-1	1427	10.8	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	11847	Missing cases	1427			

k) *cycling*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

B860 Amount of cycling at PRES			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
7+ HRS PWK		1	18	.1	.2	.2
2-6 HRS PWK		2	187	1.4	1.6	1.7
<1 HR PWK		3	478	3.6	4.0	5.7
never		4	11202	84.4	94.3	100.0
Missing		-1	1389	10.5	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	11885	Missing cases	1389			

l) *other exercise (please describe)*

[When more than 1 box was ticked the one with the higher code was used]
 [not in YHL]

[Coders were instructed to ensure that any descriptor did not fit into (a)-(k) before accepting it. If an activity was given but no time period, this was coded 9.]

B861 Amount of other exercise at PRES			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	28	.2	.2	.2
7+ HRS PWK		1	378	2.8	3.1	3.4
2-6 HRS PWK		2	450	3.4	3.7	7.1
<1 HR PWK		3	142	1.1	1.2	8.2
never		4	11121	83.8	91.8	100.0
Missing		-1	1155	8.7	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12119	Missing cases	1155			


Derived variable: Leisure-time physical activity: weighted activity index

The derivative *b862*, illustrated below, estimates the weekly total energy expenditure from the range of reported participation in the leisure-time physical activities described by variables *b850* to *b861*.

Liu (2011) multiplied the published average metabolic equivalent (MET) scores for the reported activities with the estimated hours per week (7 for “ \geq 7 hours”, 4 for “2-6 hours”, 0.5 for “ < 1 hour”, and 0 for “never”). No definition was provided for two exercises, thus 2.0 METs were assigned for ante-natal exercise (*b852*) and 3.5 METs for keep-fit exercise (*b853*). The METs were assigned as follows:

b850 (jogging) = 7.0
b851 (aerobics) = 6.5
b852 (ante-natal) = 2.0
b853 (keep fit exercise) = 3.5
b854 (yoga) = 2.5
b855 (squash) = 12.0
b856 = $5.0 * 4.5$ MET for badminton, 7.0 for tennis,
5 MET for tennis/badminton;
b857 (swimming) = 6.0
b858 (brisk walking) = 3.8
b859 (weight training) = 3.0
b860 (cycling) = 5.5
b861 (other exercise) = 3.5

Liu, J., Blair, S.N., Teng, Y., Ness, A.R., Lawlor, D. A., Riddoch, C. (2011) ‘Physical activity during pregnancy in a prospective cohort of British women: results from the Avon longitudinal study of parents and children’. *European Journal of Epidemiology*. 26 (3): 237-247. DOI: 10.1007/s10654-010-9538-1



SECTION H: ABOUT YOURSELF

[YHL Section F]

The 36 items in this scale formed the Inter-Personal Sensitivity Measure (IPMS) devised by Boyce & Parker. This measure has 5 sub-scales: inter-personal awareness, need for approval, separation anxiety, timidity and fragile inner-self. Each item has 4 categories of response in which the respondent indicates whether the description provided in each item is 'very like', 'moderately like', 'moderately unlike' or 'very unlike' themselves. Initial studies of the measure have indicated that it has a satisfactory split off and test-retest reliability and has concurrent validity with psychiatric interview. The measure correlates high with neuroticism scales from the Eysenck Personality Questionnaire (EPQ) but has been found to be a better predictor of post-natal depression scores as measured by the EPDS. The choice of this measure was based on a number of different considerations. First the alternative measure, the Eysenck Personality Inventory, proved to be an unsatisfactory measure within the context of our study, in that it had poor acceptability for the mothers. They reported finding many of the items objectionable or off-putting and the number of items excessive. Non-response or partial response was high. In contrast, the IPSM had a smaller number of more acceptable items. Secondly, the measure is more focused on neurotic rather than psychotic personality traits and more directly relevant to our interests. Although we acknowledge that from more established measures such as the EPQ far greater information on reliability, validity, norms and psycho-metric properties is available, the benefit of this was outweighed by the reduction in response rates attributed to the inclusion of the EPQ in our pilot studies.

In general: *Very like me* *Moderately like me* *Moderately unlike me* *Very unlike me*

H1. I feel insecure when I say goodbye to people

[When more than 1 box was ticked the one with the lower code was used]

B880 Insecure when saying goodbye		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
V like me		1	332	2.5	2.6	2.6
quite like me		2	1235	9.3	9.5	12.1
quite unlike me		3	1837	13.8	14.2	26.3
V unlike me		4	9552	72.0	73.7	100.0
Missing		-1	318	2.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12956	Missing cases	318			

H2. I worry about the effect I have on other people

[When more than 1 box was ticked the one with the lower code was used]

B881 Worry about effect on people

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	949	7.1	7.3	7.3
quite like me	2	3450	26.0	26.7	34.0
quite unlike me	3	2563	19.3	19.8	53.8
V unlike me	4	5977	45.0	46.2	100.0
Missing	-1	335	2.5	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12939 Missing cases 335

H3. I avoid saying what I think for fear of being rejected

[When more than 1 box was ticked the one with the lower code was used]

B882 Fear of rejection affects what is said

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	850	6.4	6.6	6.6
quite like me	2	3021	22.8	23.4	30.0
quite unlike me	3	3271	24.6	25.3	55.3
V unlike me	4	5780	43.5	44.7	100.0
Missing	-1	352	2.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12922 Missing cases 352

H4. I feel uneasy meeting new people

[When more than 1 box was ticked the one with the lower code was used]

B883 Unease at meeting new people

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1764	13.3	13.6	13.6
quite like me	2	3786	28.5	29.2	42.7
quite unlike me	3	2797	21.1	21.5	64.3
V unlike me	4	4636	34.9	35.7	100.0
Missing	-1	291	2.2	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12983 Missing cases 291

H5. If others knew the real me, they would not like me

[When more than 1 box was ticked the one with the lower code was used]

B884 Feel others would dislike real self			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
V like me		1	255	1.9	2.0	2.0
quite like me		2	826	6.2	6.5	8.4
quite unlike me		3	2330	17.6	18.2	26.7
V unlike me		4	9385	70.7	73.3	100.0
Missing		-1	478	3.6	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12796	Missing cases	478			

H6. I feel secure when I'm in a close relationship

[When more than 1 box was ticked the one with the lower code was used]

B885 Feel secure in close relationship			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
V like me		1	7438	56.0	57.8	57.8
quite like me		2	3243	24.4	25.2	83.0
quite unlike me		3	657	4.9	5.1	88.1
V unlike me		4	1537	11.6	11.9	100.0
Missing		-1	399	3.0	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12875	Missing cases	399			

H7. I don't get angry with people for fear that I may hurt them

[When more than 1 box was ticked the one with the lower code was used]

B886 Suppress anger to protect others			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
V like me		1	1534	11.6	11.9	11.9
quite like me		2	3945	29.7	30.7	42.6
quite unlike me		3	3280	24.7	25.5	68.2
V unlike me		4	4089	30.8	31.8	100.0
Missing		-1	426	3.2	Missing	
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	
Valid cases	12848	Missing cases	426			

H8. After a row with a friend, I feel uncomfortable until I have made peace

[When more than 1 box was ticked the one with the lower code was used]

B887 Discomfort from rowing until peace made

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	5923	44.6	46.2	46.2
quite like me	2	4682	35.3	36.5	82.6
quite unlike me	3	1004	7.6	7.8	90.5
V unlike me	4	1223	9.2	9.5	100.0
Missing	-1	442	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12832 Missing cases 442

H9. I am always aware of how other people feel

[When more than 1 box was ticked the one with the lower code was used]

B888 Conscious of others feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	4107	30.9	31.9	31.9
quite like me	2	6849	51.6	53.1	85.0
quite unlike me	3	1192	9.0	9.2	94.2
V unlike me	4	745	5.6	5.8	100.0
Missing	-1	381	2.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12893 Missing cases 381

H10. I worry about being criticised for things I have said or done

[When more than 1 box was ticked the one with the lower code was used]

B889 Fear of criticism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	2761	20.8	21.4	21.4
quite like me	2	4994	37.6	38.7	60.1
quite unlike me	3	2589	19.5	20.1	80.2
V unlike me	4	2552	19.2	19.8	100.0
Missing	-1	378	2.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12896 Missing cases 378

H11. I always notice if someone doesn't respond to me

[When more than 1 box was ticked the one with the lower code was used]

B890 Aware of unresponsiveness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	4655	35.1	36.2	36.2
quite like me	2	5776	43.5	44.9	81.0
quite unlike me	3	1410	10.6	11.0	92.0
V unlike me	4	1033	7.8	8.0	100.0
Missing	-1	400	3.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12874 Missing cases 400

H12. I worry about losing someone close to me

[When more than 1 box was ticked the one with the lower code was used]

B891 Worry about losing someone close

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	5679	42.8	44.1	44.1
quite like me	2	4077	30.7	31.6	75.7
quite unlike me	3	1663	12.5	12.9	88.6
V unlike me	4	1466	11.0	11.4	100.0
Missing	-1	389	2.9	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12885 Missing cases 389

H13. I feel that people generally like me

[When more than 1 box was ticked the one with the lower code was used]

B892 Feelings of being liked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	3629	27.3	28.3	28.3
quite like me	2	7998	60.3	62.3	90.6
quite unlike me	3	804	6.1	6.3	96.8
V unlike me	4	406	3.1	3.2	100.0
Missing	-1	437	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12837 Missing cases 437

H14. I will do something I don't want to do rather than offend or upset someone

[When more than 1 box was ticked the one with the lower code was used]

B893 Behaving differently to avoid upset

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	2680	20.2	20.8	20.8
quite like me	2	5216	39.3	40.5	61.3
quite unlike me	3	3006	22.6	23.3	84.6
V unlike me	4	1977	14.9	15.4	100.0
Missing	-1	395	3.0	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12879 Missing cases 395

H15. I can only believe that something I have done is good when someone tells me

[When more than 1 box was ticked the one with the lower code was used]

B894 Need positive feedback for efforts

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1742	13.1	13.6	13.6
quite like me	2	3709	27.9	28.9	42.5
quite unlike me	3	3951	29.8	30.8	73.2
V unlike me	4	3437	25.9	26.8	100.0
Missing	-1	435	3.3	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12839 Missing cases 435

H16. I will go out of my way to please someone I am close to

[When more than 1 box was ticked the one with the lower code was used]

B895 Make effort to please someone close

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	5679	42.8	44.0	44.0
quite like me	2	5768	43.5	44.7	88.7
quite unlike me	3	928	7.0	7.2	95.9
V unlike me	4	532	4.0	4.1	100.0
Missing	-1	367	2.8	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12907 Missing cases 367

H17. I feel anxious when I say goodbye to people

[When more than 1 box was ticked the one with the lower code was used]

B896 Anxious when saying goodbye		Value	Frequency	Percent	Valid	Cum	
Value Label					Percent	Percent	
V like me	1	471	3.5	3.7	3.7		
quite like me	2	1547	11.7	12.1	15.7		
quite unlike me	3	2779	20.9	21.6	37.4		
V unlike me	4	8041	60.6	62.6	100.0		
Missing	-1	436	3.3	Missing			
		-----		-----		-----	
	Total	13274	100.0	100.0			

Valid cases 12838 Missing cases 436

B896 Anxious when saying goodbye		Value	Frequency	Percent	Valid	Cum	
Value Label					Percent	Percent	
V like me	1	471	3.5	3.7	3.7		
quite like me	2	1547	11.7	12.1	15.7		
quite unlike me	3	2779	20.9	21.6	37.4		
V unlike me	4	8041	60.6	62.6	100.0		
Missing	-1	436	3.3	Missing			
		-----		-----		-----	
	Total	13274	100.0	100.0			

Valid cases 12838 Missing cases 436

H18. I feel happy when someone compliments me

[When more than 1 box was ticked the one with the lower code was used]

B897 Happy when complimented		Value	Frequency	Percent	Valid	Cum	
Value Label					Percent	Percent	
V like me	1	8004	60.3	62.1	62.1		
quite like me	2	4343	32.7	33.7	95.8		
quite unlike me	3	281	2.1	2.2	98.0		
V unlike me	4	257	1.9	2.0	100.0		
Missing	-1	389	2.9	Missing			
		-----		-----		-----	
	Total	13274	100.0	100.0			

Valid cases 12885 Missing cases 389

H19. I fear that my feelings will overwhelm me

[When more than 1 box was ticked the one with the lower code was used]

B898 Fear of overwhelming feelings		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	938	7.1	7.4	7.4	
quite like me	2	2576	19.4	20.2	27.6	
quite unlike me	3	4073	30.7	32.0	59.6	
V unlike me	4	5151	38.8	40.4	100.0	
Missing	-1	536	4.0	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		

Valid cases 12738 Missing cases 536

H20. I can make other people feel happy

[When more than 1 box was ticked the one with the lower code was used]

B899 Able to make others happy		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	3300	24.9	25.9	25.9	
quite like me	2	8132	61.3	63.7	89.6	
quite unlike me	3	1047	7.9	8.2	97.8	
V unlike me	4	279	2.1	2.2	100.0	
Missing	-1	516	3.9	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		

Valid cases 12758 Missing cases 516

H21. I find it hard to get angry with people

[When more than 1 box was ticked the one with the lower code was used]

B900 Find it hard to get angry with people		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	1668	12.6	13.0	13.0	
quite like me	2	4795	36.1	37.4	50.5	
quite unlike me	3	4215	31.8	32.9	83.4	
V unlike me	4	2126	16.0	16.6	100.0	
Missing	-1	470	3.5	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		

Valid cases 12804 Missing cases 470

H22. I worry about criticising people

[When more than 1 box was ticked the one with the lower code was used]

B901 Worry about criticising people			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
V like me	1	1702	12.8	13.3
quite like me	2	5213	39.3	40.8
quite unlike me	3	3762	28.3	29.5
V unlike me	4	2085	15.7	16.3
Missing	-1	512	3.9	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12762	Missing cases	512	

H23. If someone is critical of something I do, I feel bad

[When more than 1 box was ticked the one with the lower code was used]

B902 Feel bad when criticised			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
V like me	1	3604	27.2	28.3
quite like me	2	5639	42.5	44.3
quite unlike me	3	2120	16.0	16.6
V unlike me	4	1375	10.4	10.8
Missing	-1	536	4.0	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12738	Missing cases	536	

H24. If other people knew what I am really like, they would think less of me

[When more than 1 box was ticked the one with the lower code was used]

B903 Feel others will think less of real self			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
V like me	1	407	3.1	3.2
quite like me	2	1328	10.0	10.5
quite unlike me	3	3953	29.8	31.3
V unlike me	4	6926	52.2	54.9
Missing	-1	660	5.0	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12614	Missing cases	660	

H25. I always expect criticism

[When more than 1 box was ticked the one with the lower code was used]

B904 Always expect criticism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	942	7.1	7.4	7.4
quite like me	2	3018	22.7	23.7	31.1
quite unlike me	3	4222	31.8	33.2	64.3
V unlike me	4	4544	34.2	35.7	100.0
Missing	-1	548	4.1	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12726 Missing cases 548

H26. I can never be really sure if someone is pleased with me

[When more than 1 box was ticked the one with the lower code was used]

B905 Never sure if others are pleased

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1030	7.8	8.1	8.1
quite like me	2	3778	28.5	29.8	38.0
quite unlike me	3	4249	32.0	33.6	71.5
V unlike me	4	3603	27.1	28.5	100.0
Missing	-1	614	4.6	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12660 Missing cases 614

H27. I don't like people to really know me

[When more than 1 box was ticked the one with the lower code was used]

B906 Dislike to be really known

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	697	5.3	5.5	5.5
quite like me	2	1969	14.8	15.6	21.1
quite unlike me	3	3882	29.2	30.7	51.8
V unlike me	4	6104	46.0	48.2	100.0
Missing	-1	622	4.7	Missing	
		-----	-----	-----	
	Total	13274	100.0	100.0	

Valid cases 12652 Missing cases 622

H28. If someone upsets me, I am not able to put it easily out of my mind

[When more than 1 box was ticked the one with the lower code was used]

B907 Not able to let go of others		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	4510	34.0	35.3	35.3	
quite like me	2	5057	38.1	39.6	74.9	
quite unlike me	3	1925	14.5	15.1	90.0	
V unlike me	4	1274	9.6	10.0	100.0	
Missing	-1	508	3.8	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	12766	Missing cases	508			

H29. I feel others do not understand me

[When more than 1 box was ticked the one with the lower code was used]

B908 Feel not understood by others		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	1161	8.7	9.1	9.1	
quite like me	2	2867	21.6	22.6	31.7	
quite unlike me	3	4329	32.6	34.1	65.7	
V unlike me	4	4356	32.8	34.3	100.0	
Missing	-1	561	4.2	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	12713	Missing cases	561			

H30. I worry about what others think of me

[When more than 1 box was ticked the one with the lower code was used]

B909 Worry about others opinions of self		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	2440	18.4	19.2	19.2	
quite like me	2	4404	33.2	34.6	53.8	
quite unlike me	3	2921	22.0	23.0	76.7	
V unlike me	4	2961	22.3	23.3	100.0	
Missing	-1	548	4.1	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	12726	Missing cases	548			

H31. I don't feel happy unless people I know admire me

[When more than 1 box was ticked the one with the lower code was used]

B910 Not happy unless admired by peers		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	403	3.0	3.2	3.2	
quite like me	2	1871	14.1	14.8	17.9	
quite unlike me	3	4545	34.2	35.9	53.8	
V unlike me	4	5858	44.1	46.2	100.0	
Missing	-1	597	4.5	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	12677	Missing cases	597			

H32. I am never rude to anyone

[When more than 1 box was ticked the one with the lower code was used]

B911 Never rude to anyone		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	2011	15.1	15.9	15.9	
quite like me	2	4781	36.0	37.7	53.6	
quite unlike me	3	4015	30.2	31.7	85.2	
V unlike me	4	1876	14.1	14.8	100.0	
Missing	-1	591	4.5	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	12683	Missing cases	591			

H33. I worry about hurting the feelings of other people

[When more than 1 box was ticked the one with the lower code was used]

B912 Worry about hurting others feelings		Value	Frequency	Percent	Valid	Cum
Value Label					Percent	Percent
V like me	1	3882	29.2	30.5	30.5	
quite like me	2	6259	47.2	49.2	79.8	
quite unlike me	3	1712	12.9	13.5	93.3	
V unlike me	4	856	6.4	6.7	100.0	
Missing	-1	565	4.3	Missing		
		-----	-----	-----		
	Total	13274	100.0	100.0		
Valid cases	12709	Missing cases	565			

H34. I feel hurt when someone is angry with me

[When more than 1 box was ticked the one with the lower code was used]

B913 Feel hurt when someone angry with self			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
V like me	1	3996	30.1	31.4
quite like me	2	6014	45.3	47.2
quite unlike me	3	1713	12.9	13.5
V unlike me	4	1009	7.6	7.9
Missing	-1	542	4.1	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12732	Missing cases	542	

H35. My value as a person depends enormously on what others think of me

[When more than 1 box was ticked the one with the lower code was used]

B914 Selfvalue depends much on others opinion			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
V like me	1	1481	11.2	11.7
quite like me	2	3822	28.8	30.1
quite unlike me	3	3802	28.6	30.0
V unlike me	4	3575	26.9	28.2
Missing	-1	594	4.5	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12680	Missing cases	594	

H36. I care about what people feel about me

[When more than 1 box was ticked the one with the lower code was used]

B915 Care about others feelings about self			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
V like me	1	3950	29.8	31.0
quite like me	2	6356	47.9	49.9
quite unlike me	3	1441	10.9	11.3
V unlike me	4	1002	7.5	7.9
Missing	-1	525	4.0	Missing
		-----	-----	-----
	Total	13274	100.0	100.0
Valid cases	12749	Missing cases	525	

Derived variables

The Inter-personal Sensitivity Measures

To calculate the derived variables, variables B880 to B915 were recoded as follows: (1 = 4) (2 = 3) (3 = 2) (4 = 1). If the values for B881, B883, B884, B885, B886, B887, B889, B900, B901, B902, B903, B904, B905, B906, B907, B908, B909, B910, B911, B912, B913, B914, B915 are missing then the modes are used. If all the values are missing then B916-B921 = -1

Interpersonal awareness score

This was calculated after the above recodes using the formula:

$$B916 = B881 + B883 + B889 + B902 + B907 + B909 + B915$$

B916 Interpersonal awareness		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
7.00		236	1.8	1.8	1.8	1.8
8.00		110	.8	.8	.8	2.7
9.00		235	1.8	1.8	1.8	4.5
10.00		282	2.1	2.1	2.2	6.6
11.00		374	2.8	2.8	2.9	9.5
12.00		406	3.1	3.1	3.1	12.6
13.00		588	4.4	4.4	4.5	17.1
14.00		645	4.9	4.9	4.9	22.0
15.00		801	6.0	6.1	6.1	28.2
16.00		822	6.2	6.3	6.3	34.5
17.00		1019	7.7	7.8	7.8	42.3
18.00		1038	7.8	8.0	8.0	50.2
19.00		1142	8.6	8.7	8.7	59.0
20.00		1033	7.8	7.9	7.9	66.9
21.00		994	7.5	7.6	7.6	74.5
22.00		808	6.1	6.2	6.2	80.7
23.00		634	4.8	4.9	4.9	85.5
24.00		631	4.8	4.8	4.8	90.4
25.00		497	3.7	3.8	3.8	94.2
26.00		304	2.3	2.3	2.3	96.5
27.00		274	2.1	2.1	2.1	98.6
28.00		181	1.4	1.4	1.4	100.0
Missing		-1.00	220	1.7	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13054 Missing cases 220

B916M no. of missing values in B916

B916M NO. missing values for B916		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
.00		12436	93.7	93.7	93.7	93.7
1.00		295	2.2	2.2	2.2	95.9
2.00		42	.3	.3	.3	96.2
3.00		55	.4	.4	.4	96.6
4.00		121	.9	.9	.9	97.6
5.00		77	.6	.6	.6	98.1
6.00		28	.2	.2	.2	98.3
7.00		220	1.7	1.7	1.7	100.0
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

Need for approval score

This was calculated after the above recodes using the formula:

$$B917 = B885 + B887 + B890 + B892 + B895 + B897 + B899 + B913$$

B917 Need for approval		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
8.00		52	.4	.4	.4	.4
9.00		5	.0	.0	.0	.4
10.00		22	.2	.2	.2	.6
11.00		17	.1	.1	.1	.7
12.00		21	.2	.2	.2	.9
13.00		32	.2	.2	.2	1.1
14.00		39	.3	.3	.3	1.4
15.00		49	.4	.4	.4	1.8
16.00		68	.5	.5	.5	2.3
17.00		79	.6	.6	.6	2.9
18.00		112	.8	.9	.9	3.8
19.00		172	1.3	1.3	1.3	5.1
20.00		308	2.3	2.4	2.4	7.5
21.00		388	2.9	3.0	3.0	10.5
22.00		605	4.6	4.6	4.6	15.1
23.00		842	6.3	6.5	6.5	21.6
24.00		1296	9.8	9.9	9.9	31.5
25.00		1407	10.6	10.8	10.8	42.3
26.00		1559	11.7	12.0	12.0	54.3
27.00		1572	11.8	12.1	12.1	66.4
28.00		1407	10.6	10.8	10.8	77.2
29.00		1234	9.3	9.5	9.5	86.6
30.00		885	6.7	6.8	6.8	93.4
31.00		537	4.0	4.1	4.1	97.5
32.00		320	2.4	2.5	2.5	100.0
Missing		-1.00	246	1.9	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13028 Missing cases 246

B917M number of missing values in B917

B917M NO. missing values for B917		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
.00		12289	92.6	92.6	92.6	92.6
1.00		464	3.5	3.5	3.5	96.1
2.00		78	.6	.6	.6	96.7
3.00		76	.6	.6	.6	97.2
4.00		28	.2	.2	.2	97.4
5.00		27	.2	.2	.2	97.6
6.00		33	.2	.2	.2	97.9
7.00		33	.2	.2	.2	98.1
8.00		246	1.9	1.9	1.9	100.0
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

Separation anxiety score

This was calculated after the above recodes using the formula:

$$B918 = B880 + B891 + B894 + B896 + B898 + B904 + B905 + B908$$

B918 Separation anxiety		Value	Frequency	Percent	Valid Percent	Cum Percent
		8.00	421	3.2	3.2	3.2
		9.00	291	2.2	2.2	5.5
		10.00	611	4.6	4.7	10.1
		11.00	777	5.9	6.0	16.1
		12.00	799	6.0	6.1	22.2
		13.00	930	7.0	7.1	29.3
		14.00	995	7.5	7.6	36.9
		15.00	1029	7.8	7.9	44.8
		16.00	1001	7.5	7.7	52.5
		17.00	1054	7.9	8.1	60.6
		18.00	972	7.3	7.4	68.0
		19.00	838	6.3	6.4	74.4
		20.00	742	5.6	5.7	80.1
		21.00	611	4.6	4.7	84.8
		22.00	470	3.5	3.6	88.4
		23.00	371	2.8	2.8	91.2
		24.00	366	2.8	2.8	94.0
		25.00	251	1.9	1.9	96.0
		26.00	183	1.4	1.4	97.4
		27.00	125	.9	1.0	98.3
		28.00	77	.6	.6	98.9
		29.00	74	.6	.6	99.5
		30.00	29	.2	.2	99.7
		31.00	19	.1	.1	99.8
		32.00	20	.2	.2	100.0
Missing		-1.00	218	1.6	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13056 Missing cases 218

B918M. Number of missing values in B918

B918M NO. missing values for B918		Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	12273	92.5	92.5	92.5
		1.00	391	2.9	2.9	95.4
		2.00	85	.6	.6	96.0
		3.00	67	.5	.5	96.5
		4.00	90	.7	.7	97.2
		5.00	21	.2	.2	97.4
		6.00	37	.3	.3	97.7
		7.00	92	.7	.7	98.4
		8.00	218	1.6	1.6	100.0
		Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

Timidity score

This was calculated after the above recodes using the formula:
 $B919 = B882 + B886 + B888 + B893 + B900 + B901 + B911 + B912$

B919 Timidity

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
8.00		130	1.0	1.0	1.0	1.0
9.00		50	.4	.4	.4	1.4
10.00		122	.9	.9	.9	2.3
11.00		159	1.2	1.2	1.2	3.5
12.00		198	1.5	1.5	1.5	5.1
13.00		264	2.0	2.0	2.0	7.1
14.00		396	3.0	3.0	3.0	10.1
15.00		473	3.6	3.6	3.6	13.7
16.00		631	4.8	4.8	4.8	18.6
17.00		792	6.0	6.1	6.1	24.7
18.00		948	7.1	7.3	7.3	31.9
19.00		1054	7.9	8.1	8.1	40.0
20.00		1146	8.6	8.8	8.8	48.8
21.00		1152	8.7	8.8	8.8	57.6
22.00		1139	8.6	8.7	8.7	66.4
23.00		1051	7.9	8.1	8.1	74.4
24.00		891	6.7	6.8	6.8	81.2
25.00		701	5.3	5.4	5.4	86.6
26.00		521	3.9	4.0	4.0	90.6
27.00		391	2.9	3.0	3.0	93.6
28.00		286	2.2	2.2	2.2	95.8
29.00		245	1.8	1.9	1.9	97.7
30.00		152	1.1	1.2	1.2	98.8
31.00		91	.7	.7	.7	99.5
32.00		59	.4	.5	.5	100.0
Missing		-1.00	232	1.7	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13042 Missing cases 232

B919M. Number of missing values in B919

B919M NO. missing values for B919

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		12248	92.3	92.3	92.3	92.3
1.00		442	3.3	3.3	3.3	95.6
2.00		115	.9	.9	.9	96.5
3.00		31	.2	.2	.2	96.7
4.00		94	.7	.7	.7	97.4
5.00		25	.2	.2	.2	97.6
6.00		39	.3	.3	.3	97.9
7.00		48	.4	.4	.4	98.3
8.00		232	1.7	1.7	1.7	100.0
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

Fragile Inner-self score

This was calculated after the above recodes using the formula:

$$B920 = B884 + B903 + B906 + B910 + B914$$

B920 Fragile inner-self

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
5.00		2139	16.1	16.5	16.5	
6.00		1220	9.2	9.4	25.9	
7.00		1812	13.7	14.0	39.9	
8.00		1571	11.8	12.1	52.0	
9.00		1512	11.4	11.7	63.6	
10.00		1434	10.8	11.1	74.7	
11.00		1096	8.3	8.4	83.1	
12.00		728	5.5	5.6	88.7	
13.00		529	4.0	4.1	92.8	
14.00		322	2.4	2.5	95.3	
15.00		248	1.9	1.9	97.2	
16.00		149	1.1	1.1	98.3	
17.00		102	.8	.8	99.1	
18.00		60	.5	.5	99.6	
19.00		32	.2	.2	99.8	
20.00		21	.2	.2	100.0	
Missing		-1.00	299	2.3	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 12975 Missing cases 299

B920M. Number of missing values in B920

B920M NO. missing values for B920

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		12250	92.3	92.3	92.3	
1.00		418	3.1	3.1	3.1	95.4
2.00		71	.5	.5	.5	96.0
3.00		48	.4	.4	.4	96.3
4.00		188	1.4	1.4	1.4	97.7
5.00		299	2.3	2.3	2.3	100.0
		-----	-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

Total inter-personal sensitivity score

This was calculated after the above recodes using the formula:

B921 = sum of variables B880 to B915

B921	Total	Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
36.00		37	.3	.3	.3	
37.00		8	.1	.1	.3	
38.00		7	.1	.1	.4	
39.00		11	.1	.1	.5	
40.00		8	.1	.1	.5	
41.00		8	.1	.1	.6	
42.00		8	.1	.1	.7	
43.00		8	.1	.1	.7	
44.00		10	.1	.1	.8	
45.00		7	.1	.1	.9	
46.00		8	.1	.1	.9	
47.00		8	.1	.1	1.0	
48.00		14	.1	.1	1.1	
49.00		14	.1	.1	1.2	
50.00		21	.2	.2	1.4	
51.00		22	.2	.2	1.5	
52.00		17	.1	.1	1.7	
53.00		27	.2	.2	1.9	
54.00		29	.2	.2	2.1	
55.00		28	.2	.2	2.3	
56.00		33	.2	.3	2.5	
57.00		48	.4	.4	2.9	
58.00		57	.4	.4	3.3	
59.00		45	.3	.3	3.7	
60.00		69	.5	.5	4.2	
61.00		53	.4	.4	4.6	
62.00		76	.6	.6	5.2	
63.00		74	.6	.6	5.8	
64.00		91	.7	.7	6.5	
65.00		94	.7	.7	7.2	
66.00		102	.8	.8	8.0	
67.00		104	.8	.8	8.8	
68.00		121	.9	.9	9.7	
69.00		117	.9	.9	10.6	
70.00		132	1.0	1.0	11.6	
71.00		148	1.1	1.1	12.7	
72.00		158	1.2	1.2	13.9	
73.00		166	1.3	1.3	15.2	
74.00		162	1.2	1.2	16.4	
75.00		200	1.5	1.5	18.0	
76.00		190	1.4	1.5	19.4	
77.00		214	1.6	1.6	21.1	
78.00		261	2.0	2.0	23.1	
79.00		250	1.9	1.9	25.0	
80.00		256	1.9	2.0	26.9	
81.00		296	2.2	2.3	29.2	
82.00		286	2.2	2.2	31.4	
83.00		324	2.4	2.5	33.9	
84.00		335	2.5	2.6	36.4	
85.00		313	2.4	2.4	38.8	
86.00		353	2.7	2.7	41.5	
87.00		346	2.6	2.6	44.2	
88.00		361	2.7	2.8	46.9	
89.00		323	2.4	2.5	49.4	
90.00		325	2.4	2.5	51.9	

B921 contd.

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
91.00		350	2.6	2.7	54.6	
92.00		352	2.7	2.7	57.2	
93.00		332	2.5	2.5	59.8	
94.00		302	2.3	2.3	62.1	
95.00		294	2.2	2.2	64.3	
96.00		288	2.2	2.2	66.5	
97.00		319	2.4	2.4	69.0	
98.00		269	2.0	2.1	71.0	
99.00		279	2.1	2.1	73.2	
100.00		271	2.0	2.1	75.2	
101.00		252	1.9	1.9	77.2	
102.00		225	1.7	1.7	78.9	
103.00		218	1.6	1.7	80.6	
104.00		208	1.6	1.6	82.2	
105.00		194	1.5	1.5	83.6	
106.00		175	1.3	1.3	85.0	
107.00		164	1.2	1.3	86.2	
108.00		196	1.5	1.5	87.7	
109.00		168	1.3	1.3	89.0	
110.00		146	1.1	1.1	90.1	
111.00		126	.9	1.0	91.1	
112.00		108	.8	.8	91.9	
113.00		124	.9	.9	92.9	
114.00		100	.8	.8	93.6	
115.00		93	.7	.7	94.3	
116.00		88	.7	.7	95.0	
117.00		87	.7	.7	95.7	
118.00		69	.5	.5	96.2	
119.00		58	.4	.4	96.7	
120.00		55	.4	.4	97.1	
121.00		58	.4	.4	97.5	
122.00		51	.4	.4	97.9	
123.00		47	.4	.4	98.3	
124.00		49	.4	.4	98.6	
125.00		38	.3	.3	98.9	
126.00		24	.2	.2	99.1	
127.00		17	.1	.1	99.2	
128.00		16	.1	.1	99.4	
129.00		12	.1	.1	99.5	
130.00		8	.1	.1	99.5	
131.00		13	.1	.1	99.6	
132.00		3	.0	.0	99.6	
133.00		13	.1	.1	99.7	
134.00		9	.1	.1	99.8	
135.00		4	.0	.0	99.8	
136.00		3	.0	.0	99.9	
137.00		4	.0	.0	99.9	
138.00		4	.0	.0	99.9	
139.00		2	.0	.0	99.9	
140.00		1	.0	.0	99.9	
144.00		7	.1	.1	100.0	
Missing		-1.00	198	1.5	Missing	
		Total	13274	100.0	100.0	

Valid cases 13076 Missing cases 198

B921M. Number of missing values in B921

B921M NO. missing values for B921

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	.00	11166	84.1	84.1	84.1
	1.00	1099	8.3	8.3	92.4
	2.00	249	1.9	1.9	94.3
	3.00	91	.7	.7	95.0
	4.00	48	.4	.4	95.3
	5.00	30	.2	.2	95.5
	6.00	21	.2	.2	95.7
	7.00	8	.1	.1	95.8
	8.00	22	.2	.2	95.9
	9.00	10	.1	.1	96.0
	10.00	20	.2	.2	96.2
	11.00	10	.1	.1	96.2
	12.00	6	.0	.0	96.3
	13.00	24	.2	.2	96.5
	14.00	6	.0	.0	96.5
	15.00	13	.1	.1	96.6
	16.00	11	.1	.1	96.7
	17.00	14	.1	.1	96.8
	18.00	12	.1	.1	96.9
	19.00	48	.4	.4	97.2
	20.00	11	.1	.1	97.3
	21.00	9	.1	.1	97.4
	22.00	5	.0	.0	97.4
	23.00	6	.0	.0	97.5
	24.00	4	.0	.0	97.5
	25.00	8	.1	.1	97.6
	26.00	6	.0	.0	97.6
	27.00	8	.1	.1	97.7
	28.00	18	.1	.1	97.8
	29.00	14	.1	.1	97.9
	30.00	16	.1	.1	98.0
	31.00	12	.1	.1	98.1
	32.00	16	.1	.1	98.2
	33.00	9	.1	.1	98.3
	34.00	16	.1	.1	98.4
	35.00	10	.1	.1	98.5
	36.00	198	1.5	1.5	100.0
	Total	13274	100.0	100.0	

Valid cases 13274 Missing cases 0

SECTION I

II. Please put the date of completing this questionnaire:

day month year

[If this was left blank, the month and year on which the questionnaire was received were coded and days put to 99]

If any II were missing, the date the questionnaires were received was used instead. If the date the questionnaire was received was before the completion date, then the received date was used instead.

B922 Month of completion

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1		1539	11.6	11.7	11.7	
2		1331	10.0	10.1	21.8	
3		1276	9.6	9.7	31.6	
4		1352	10.2	10.3	41.9	
5		1410	10.6	10.7	52.6	
6		1223	9.2	9.3	61.9	
7		1233	9.3	9.4	71.3	
8		833	6.3	6.3	77.6	
9		673	5.1	5.1	82.7	
10		742	5.6	5.6	88.4	
11		731	5.5	5.6	94.0	
12		793	6.0	6.0	100.0	
Missing		-1	138	1.0	Missing	

		Total	13274	100.0	100.0	

Valid cases 13136 Missing cases 138

B923 Year of completion

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
90		430	3.2	3.3	3.3	
91		7746	58.4	59.1	62.4	
92		4874	36.7	37.2	99.6	
93		46	.3	.4	100.0	
Missing		-1	178	1.3	Missing	

		Total	13274	100.0	100.0	

Valid cases 13096 Missing cases 178

Derived variable

Gestation at completion computed from LMP and I1.

The date of the LMP was calculated by subtracting 280 days from the estimated date of delivery.

B924 Gestation at completion

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	1	.0	.0	.0
		4.00	2	.0	.0	.0
		5.00	2	.0	.0	.0
		9.00	6	.0	.0	.1
		10.00	4	.0	.0	.1
		11.00	1	.0	.0	.1
		12.00	1	.0	.0	.1
		13.00	14	.1	.1	.2
		14.00	30	.2	.2	.5
		15.00	16	.1	.1	.6
		16.00	28	.2	.2	.8
		17.00	46	.3	.3	1.1
		18.00	5351	40.3	40.7	41.8
		19.00	2407	18.1	18.3	60.1
		20.00	1589	12.0	12.1	72.2
		21.00	991	7.5	7.5	79.8
		22.00	591	4.5	4.5	84.2
		23.00	369	2.8	2.8	87.1
		24.00	244	1.8	1.9	88.9
		25.00	167	1.3	1.3	90.2
		26.00	141	1.1	1.1	91.2
		27.00	126	.9	1.0	92.2
		28.00	92	.7	.7	92.9
		29.00	90	.7	.7	93.6
		30.00	66	.5	.5	94.1
		31.00	53	.4	.4	94.5
		32.00	34	.3	.3	94.8
		33.00	13	.1	.1	94.9
		34.00	25	.2	.2	95.0
		35.00	45	.3	.3	95.4
		36.00	47	.4	.4	95.7
		37.00	65	.5	.5	96.2
		38.00	39	.3	.3	96.5
		39.00	38	.3	.3	96.8
		40.00	31	.2	.2	97.1
		41.00	30	.2	.2	97.3
		42.00	33	.2	.3	97.5
		43.00	45	.3	.3	97.9
		44.00	74	.6	.6	98.4
		45.00	50	.4	.4	98.8
		46.00	42	.3	.3	99.1
		47.00	30	.2	.2	99.4
		48.00	15	.1	.1	99.5
		49.00	15	.1	.1	99.6
		50.00	13	.1	.1	99.7
		51.00	11	.1	.1	99.8
		52.00	8	.1	.1	99.8
		53.00	10	.1	.1	99.9
		54.00	5	.0	.0	100.0
		55.00	6	.0	.0	100.0
Missing		-1.00	122	.9	Missing	
			-----	-----	-----	-----
		Total	13274	100.0	100.0	

Valid cases 13152

Missing cases 122

(N.B. some YHL questionnaires were not completed until after the baby was born)

I2. Please give your date of birth

day month year

Derived variable

From this date and I1 the mother's age at completion was calculated.

B925 Age at completion

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
13.00		1	.0	.0	.0	.0
14.00		2	.0	.0	.0	.0
15.00		15	.1	.1	.1	.1
16.00		69	.5	.5	.5	.7
17.00		134	1.0	1.0	1.0	1.7
18.00		181	1.4	1.4	1.4	3.0
19.00		277	2.1	2.1	2.1	5.1
20.00		329	2.5	2.5	2.5	7.6
21.00		400	3.0	3.0	3.0	10.7
22.00		509	3.8	3.9	3.9	14.5
23.00		622	4.7	4.7	4.7	19.2
24.00		782	5.9	5.9	5.9	25.1
25.00		956	7.2	7.2	7.2	32.4
26.00		1034	7.8	7.8	7.8	40.2
27.00		1094	8.2	8.3	8.3	48.5
28.00		1135	8.6	8.6	8.6	57.0
29.00		1010	7.6	7.6	7.6	64.7
30.00		932	7.0	7.1	7.1	71.7
31.00		837	6.3	6.3	6.3	78.1
32.00		719	5.4	5.4	5.4	83.5
33.00		544	4.1	4.1	4.1	87.6
34.00		452	3.4	3.4	3.4	91.0
35.00		354	2.7	2.7	2.7	93.7
36.00		253	1.9	1.9	1.9	95.6
37.00		208	1.6	1.6	1.6	97.2
38.00		137	1.0	1.0	1.0	98.3
39.00		90	.7	.7	.7	98.9
40.00		72	.5	.5	.5	99.5
41.00		36	.3	.3	.3	99.8
42.00		18	.1	.1	.1	99.9
43.00		8	.1	.1	.1	99.9
44.00		5	.0	.0	.0	100.0
45.00		1	.0	.0	.0	100.0
46.00		1	.0	.0	.0	100.0
Missing		-1.00	57	.4	Missing	
			-----	-----	-----	
		Total	13274	100.0	100.0	

Valid cases 13217

Missing cases 57

REFERENCES

- Barnett B, Hanna EW, Parker G. Life events for Obstetric groups. *J Psychosomat Res* 1983;27:313-320.
- Boyce P, Parker G. Development of a scale of Interpersonal Sensitivity. *Aust NZ J Psychiatr* 1989; 23:341-351.
- Brown GW, Harris T. Social Origins of Depression: a Study of Psychiatric Disorder in Women. London: Tavistock Press 1978.
- Coddington RD. The significance of life events as etiologic factors in the diseases of children. *J Psychosomat Res* 1972;16:7-18.
- Cox JL, Holden JM, Sagovsky R. Edinburgh Postnatal Depression Scale (EPDS). Dept. Psychiatry, University of Edinburgh.
- Cox JL, Holden JM, Sagovsky R. Development of the Edinburgh Postnatal Depression Scale. *Br J Psychiatr* 1987;150:782-786.
- Crown S, Crisp AH. Manual of the Crown-Crisp Experiential Index. London: Hodder & Stoughton, 1979.
- Eysenck HJ, Eysenck SBG. Manual of the Eysenck Personality Inventory. Sevenoakes: Hodder & Stoughton, 1984.
- Fairburn C, Stein A. Oxfordshire Eating Survey. Personal communication from the authors, 1990.
- Murray L, Carrothers AD. The validation of the Edinburgh Postnatal Depression Scale on a community sample. *Br J Psychiatry* 1990;157:288-290.
- Stanley F. Measures of psychosocial variables for the pregnancy home visiting program, University of Western Australia, Personal communication awaiting publication
- Thorpe KJ. A study of the Edinburgh Postnatal Depression Scale for use with parent groups outside the postpartum period. *J Reprod Infant Psychology* 1993; 11:119-125.
- Watson JP, Elliot SA, Rugg AJ, Brough DI. Psychiatric disorder during pregnancy and the first postnatal year. *Br J Psychiatr*, 1984;144:453-462.
- Wildschut HJJ, Harker LM, Riddoch CJ. The potential value of a short self-completion questionnaire for the assessment of habitual physical activity in pregnancy. *J Psychosom Obstet Gynaecol* 1993;14:17-29.