

THE ALSPAC STUDY

KD FILES

DATA COLLECTED FROM THE QUESTIONNAIRE

‘Boy/Girl Toddler’

Prepared by: The ALPSAC Study Team

**Document giving frequencies, background and instructions for use.
Last updated for version 5a of the built file.**

March 2019

THE ALSPAC STUDY

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

Further details of the study design are available in the ALSPAC guide.

Postnatal Questionnaire Administration

Once the date of birth of the child was entered on the database, questionnaires were sent out at the following times:

4 weeks - a child-specific questionnaire (i.e.2 if there had been twins, 3 for triplets, etc)

8 weeks - a questionnaire to the mother and one to her partner

6 months - a child-specific questionnaire

8 months - a questionnaire to the mother and to the partner

15 months - a child-specific questionnaire - The source of the KC Files

18 months - a child-specific questionnaire - The source of the KD Files

21 months - a questionnaire specific to the mother and one to the partner

24 months - a child-specific questionnaire

30 months - a child-specific questionnaire

33 months - a questionnaire specific to the mother and one to the partner

38 months - a child-specific questionnaire

42 months - a child-specific questionnaire

Data Preparation

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number than can be directly keyed. A few questions invite a textual reply, and some participants also amplify a ticked response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

Response Rates

The number of pregnancies enrolled in the study is 14,893. Of these, 718 pregnancies had not survived until 20 weeks of gestation and a further 104 mothers had either had a late fetal death or a baby that died in infancy. In all, 13,995 mothers are still being followed, together with their 14,138 children. The questionnaire sent at 18 months was child based - thus mothers with twins received 2 questionnaires. In all, 10,750 were received, a response rate of 76%.

Description of questionnaire: Boy/Girl Toddler Questionnaire

This questionnaire was administered when the child was 18 months of age. It was 40 pages long and had 6 sections.

Section A. Your Toddler's Health

This section aimed to look at the health of the young child, particularly the mother's perception of his health. It enquired about the number and types of immunisations the child had had, and whether there had been any reaction after immunisation. It asked about fluoride supplements, visits of the doctor to the home since he was 6 months old, and whether he had had specific symptoms with details of whether he saw a doctor for them or not. These questions were identical to questions A6 in 'My Son/Daughter'. Details of hospitalisation since the child was 6 months of age, types of operation, attendance at child health clinics since 6 months of age, periods of wheezing with whistling on the chest with details of number of times, number of days, whether breathless or feverish were obtained.

Similar questions were asked about rashes as were asked in the questionnaire 'My Son/Daughter' section A. Also similar were the questions on types of stool, possetting, vomiting and episodes of diarrhoea, coughing, hearing - with specific questions about ear infection, breathing through the nose, and snoring. In this section details of abdominal pain were also elicited, as was information on any convulsions, fits, seizures or other turns in which consciousness was lost or any part of the body made an abnormal movement. Data were also collected on specific infections the child may have had.

Section B. Sleeping & Crying

Questions on the amount of sleep during the day and at night, where the child slept, and the types of heating on at night, together with information on bedding and whether there was a room thermometer were collected. Specific sleeping problems were elicited and the mother was asked to assess her child's crying habits in relation to those of other children. The amount the child cried at different times of day, and the various ways in which the mother used food or drinks to pacify him were asked. Information was also obtained as to whether the child had ever been given homoeopathic medicines.

Section C. You & Your Toddler

The first question asked about the anxieties the parent may have about the child having different medical conditions. Next came a question about 'battles of wills' with the toddler, and how the parent pacified or got round him, particularly if he refused to go to bed or to eat a meal. The frequency with which he had temper tantrums was elicited, together with perceived reasons for them and parent's behaviour when trying to cope with a temper tantrum. Behaviour such as rocking, tics or twitches or other unusual behaviour were obtained. The parent was asked how often she took the child to various places such as local shops, visits to friends or family, library, places of interest or entertainment. She was asked when out with the toddler, whether she allowed him to walk without restraint, holding hands, with reins, in a backpack, in her arms, in a pushchair or pram and also where the child was allowed to walk freely. The parent was also asked about whether there were any foods that she did not allow him to eat and for what reasons they were not allowed. She was asked how much choice she allowed the child in deciding what to eat at meal times and what clothes to wear. A number of questions were again asked based on the HOME inventory [24]. This included types of toys, number of books and whether the mother tried to teach the child. It also asked how often she talked to him while doing housework or was occupied in some way, how often she had the television on, and whether the toddler watched the television and if so the types of programmes. She was also asked how often he played with other children. A number of specific questions were asked concerning the type of activities both the mother and her partner do with the toddler, and the toddler's behaviour on seeing the mother after being separated for at least an hour.

Section D. Brothers & Sisters

The way in which the child got on with his older siblings was elicited, together with the actual number of older siblings. Information was asked as to whether the toddler had a twin or triplet and how they reacted to one another. The number of younger siblings was obtained, together with details of names, ages and sex. The way in which the toddler

reacted to the arrival of the younger sibling was elicited and his current behaviour with the sibling.

Section E. Upsetting Events

15 different life event questions were asked as to whether they had happened since the child was 6 months old. These included being taken into care, having a shock or fright, being physically hurt by someone, being sexually abused, separation from mother, separation from father, acquiring a new parent, starting creche or nursery. Details of certain specific scenarios were obtained.

Section F. Milestones

These questions were taken from the appropriate Denver scale [21] and were an extension to those used in 'My Son/Daughter' section I. In addition, the mother was asked whether she was worried about any aspects of the child's growth and development such as his speech, weight, height, behaviour or general development.

Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist).
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

Update Summary

Version 5a – March 2019

Legacy Data Project, Addition of Denver variables kd676 to kd695, minor variable and value label corrections.

Errors were identified with the original calculation of derived variable Mum's parenting score KD415, this has subsequently been removed from the file. Similarly, the Partner's parenting score (KD401) has also been removed. Users can readily calculate these themselves if they want to produce summary data

Background data

KD001 Form date

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
170892	1	3168	29.5	29.5	29.5
31292	2	7582	70.5	70.5	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD002 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Boy	1	5594	52.0	52.0	52.0
Girl	2	5156	48.0	48.0	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD003 Multiple births

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Singleton	1	10481	97.5	97.5	97.5
Twin	2	259	2.4	2.4	99.9
Triplet	3	6	.1	.1	100.0
Quadruplet	4	4	.0	.0	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD004 Qlet - order of birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	10614	98.7	98.7	98.7
	2	132	1.2	1.2	100.0
	3	3	.0	.0	100.0
	4	1	.0	.0	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

SECTION A: YOUR TODDLER'S HEALTH

A1. How would you assess the health of your toddler now?

(i)	(ii)
in the	in the
past	past
month	year

very healthy, no problems healthy,
but a few minor problems
sometimes quite ill
almost always unwell

[If more than one box is ticked, coder ringed around the one with the highest number]

KD010 Childs Health in Past Month					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V Healthy No Probs	1	6300	58.6	60.8	60.8
Few Minor Probs	2	3727	34.7	35.9	96.7
Sometimes Ill	3	264	2.5	2.5	99.2
Hardly Ever Well	4	79	.7	.8	100.0
Missing	-1	380	3.5	Missing	
	Total	10750	100.0	100.0	
Valid cases	10370	Missing cases	380		

KD011 Childs Health in Past Year					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V Healthy No Probs	1	4837	45.0	45.4	45.4
Few Minor Probs	2	5278	49.1	49.6	95.0
Sometimes Ill	3	456	4.2	4.3	99.3
Hardly Ever Well	4	78	.7	.7	100.0
Missing	-1	101	.9	Missing	
	Total	10750	100.0	100.0	
Valid cases	10649	Missing cases	101		

A2. How many of the following immunisations has she had?
(If you don't know put 9 in the appropriate box)

Number

- a) BCG (for tuberculosis)
- b) DTP or Triple (includes whooping cough)
- c) DT (without whooping cough)
- d) Polio
- e) MMR (measles, mumps and rubella)
- f) Hib (for meningitis)
- g) Other (please describe)

In version 17/08/92 f) was 'other' (please describe). In version 03/12/92 f) became 'Hib' and g) became 'other'.

[If 'none' or 'nil' stated zero is coded. If there is no response, or they reply 'Not applicable', 'N/A' or something equivalent, the boxes are left blank If a box is ticked but no number is given then coded as 9]

[Coder ensured any writing in 'please describe' are is matched by a count on A2g (or A2f in earlier version). If not the coder codes A2g as '9' to indicate information present]

The data on these questions were poorly completed and have been omitted from this file. More accurate data can be obtained from other sources.

A2. g) *Did she have a temperature or was she unwell after any immunisation?*

Yes No

[Failure to tick a box has been coded to 'no'; unless a description was written below].

KD025 CH Was Unwell or Had TEMP After IMM					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2752	25.6	25.6	25.6
No	2	7998	74.4	74.4	100.0
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

If yes, please describe:

- i) which immunisation?*
- ii) how was she affected?*
[Keyed in as text]
- iii) how long after the immunisation did this start?*
 - under 3 hours 3-24 hours 1-2 days*
 - 3-6 days 1 week or more don't know*

[If child was ill after more than one immunisation, then information is coded for earlier event if possible. If there are multiple ticks, or not identifiable with events then information is coded as zero - and edited to missing].

KD029 Time Between IMM and Effects					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
< 3 Hours	1	283	2.6	10.7	10.7
3-24 Hours	2	1418	13.2	53.6	64.3
1-2 Days	3	333	3.1	12.6	76.9
3-6 days	4	191	1.8	7.2	84.1
> 1 Week	5	420	3.9	15.9	100.0
Missing	-1	8105	75.4	Missing	
	Total	10750	100.0	100.0	
Valid cases	2645	Missing cases	8105		

A3. *Has she had fluoride supplements at all?
(i.e. special tablets or liquid)*

Yes No Not known

KD030 Child had Fluoride Supplements					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	430	4.0	4.2	4.2
No	2	9916	92.2	95.8	100.0
Missing	-1	404	3.8	Missing	
	Total	10750	100.0	100.0	
Valid cases	10346	Missing cases	404		

If yes,

i) for how long did she have them?

*less than 1 month 1-2 months 3-5 months
6-11 months 12 months or more don't know*

[If more than one course of supplements taken, coded for earlier time if possible]

KD031 Length of Time Supplements Taken					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
< 1 Month	1	54	.5	13.1	13.1
1-2 Months	2	56	.5	13.6	26.7
3-5 Months	3	71	.7	17.2	43.9
6-11 Months	4	99	.9	24.0	68.0
>12 Months	5	132	1.2	32.0	100.0
Did not have	-2	9916	92.2	Missing	
Missing	-1	422	3.9	Missing	
	Total	10750	100.0	100.0	
Valid cases	412	Missing cases	10338		

*ii) How old was she when she last had fluoride supplements?
months old (put 66 if still has them)*

[Coder rounds down ages to lower month when necessary]

KD032 Age Stopped					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.2	.2
	1	1	.0	.2	.5
	2	1	.0	.2	.7
	3	2	.0	.5	1.2
	4	1	.0	.2	1.5
	5	7	.1	1.7	3.2
	6	19	.2	4.7	7.9
	7	8	.1	2.0	9.9
	8	13	.1	3.2	13.1
	9	18	.2	4.4	17.5
	10	15	.1	3.7	21.2
	11	7	.1	1.7	22.9

KD032 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	12	32	.3	7.9	30.8
	13	2	.0	.5	31.3
	14	15	.1	3.7	35.0
	15	9	.1	2.2	37.2
	16	11	.1	2.7	39.9
	17	7	.1	1.7	41.6
	18	16	.1	3.9	45.6
	19	2	.0	.5	46.1
	20	1	.0	.2	46.3
Still Has Them	66	218	2.0	53.7	100.0
Did not have	-2	9916	92.2	Missing	
Missing	-1	428	4.0	Missing	
	Total	10750	100.0	100.0	
Valid cases	406	Missing cases	10344		

A4. a) *Since she was 6 months old, has the doctor been called to your home because she was unwell?*

Yes No

KD035 Dr. Called to Home Since CH 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4126	38.4	38.7	38.7
No	2	6538	60.8	61.3	100.0
Missing	-1	86	.8	Missing	
	Total	10750	100.0	100.0	
Valid cases	10664	Missing cases	86		

If yes

b) *how many times?*

1 2 3-4 5 or more

[If more than one box is ticked, coder ringed the one with the highest number]

KD036 NO of Times Dr. called to home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at all	0	6538	60.8	61.4	61.4
Once	1	2219	20.6	20.8	82.2
Twice	2	1148	10.7	10.8	93.0
3-4 Times	3	600	5.6	5.6	98.6
5+ Times	4	149	1.4	1.4	100.0
Missing	-1	96	.9	Missing	
	Total	10750	100.0	100.0	
Valid cases	10654	Missing cases	96		

A5. *Has she had any of the following since she was 6 months old?*

*Yes and Yes but No did
saw a did not not have
doctor see doctor*

[If more than one box is ticked, coder ringed the one with lowest number]

A5. a) *diarrhoea*

KD040A Diarrhoea Since Child Aged 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	2875	26.7	27.0	27.0
Yes, Not See Doctor	2	3656	34.0	34.4	61.4
Did Not Have	3	4109	38.2	38.6	100.0
Missing	-1	110	1.0	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10640 Missing cases 110

KD040B Diarrhoea since 6mths (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6531	60.8	60.8	60.8
No	2	4219	39.2	39.2	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10750 Missing cases 0

b) *blood in the stools*

KD041A Blood in Stools Since Child 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	210	2.0	2.1	2.1
Yes, Not See Doctor	2	114	1.1	1.1	3.2
Did Not Have	3	9842	91.6	96.8	100.0
Missing	-1	584	5.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10166 Missing cases 584

KD041B Blood in stools since 6mths (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	324	3.0	3.0	3.0
No	2	10426	97.0	97.0	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10750 Missing cases 0

c) *vomiting*

KD042A Vomiting Since Child Aged 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	2649	24.6	25.0	25.0
Yes, Not See Doctor	2	3305	30.7	31.2	56.2
Did Not Have	3	4645	43.2	43.8	100.0
Missing	-1	151	1.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10599 Missing cases 151

KD042B Vomiting since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5954	55.4	55.4	55.4
No	2	4796	44.6	44.6	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

A5. d) cough

KD043A Cough Since Child Aged 6 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	4481	41.7	42.2	42.2
Yes, Not See Doctor	2	4533	42.2	42.7	84.8
Did Not Have	3	1612	15.0	15.2	100.0
Missing	-1	124	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases		10626	Missing cases		124

KD043B Cough since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	9014	83.9	83.9	83.9
No	2	1736	16.1	16.1	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

e) high temperature

KD044A High Temperature Since Child 6 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	4165	38.7	39.3	39.3
Yes, Not See Doctor	2	3135	29.2	29.6	68.9
Did Not Have	3	3292	30.6	31.1	100.0
Missing	-1	158	1.5	Missing	
	Total	10750	100.0	100.0	
Valid cases		10592	Missing cases		158

KD044B High temperature since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7300	67.9	67.9	67.9
No	2	3450	32.1	32.1	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

A5. f) snuffles/cold

KD045A Cold Since Child Aged 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	2219	20.6	20.8	20.8
Yes, Not See Doctor	2	8008	74.5	75.2	96.1
Did Not Have	3	420	3.9	3.9	100.0
Missing	-1	103	1.0	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10647 Missing cases 103

KD045B Cold since 6mths (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10227	95.1	95.1	95.1
No	2	523	4.9	4.9	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10750 Missing cases 0

g) ear ache

KD046A Earache Since Child Aged 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	3216	29.9	30.4	30.4
Yes, Not See Doctor	2	361	3.4	3.4	33.8
Did Not Have	3	6993	65.1	66.2	100.0
Missing	-1	180	1.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10570 Missing cases 180

KD046B Ear ache since 6mths (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3577	33.3	33.3	33.3
No	2	7173	66.7	66.7	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10750 Missing cases 0

h) ear discharge (pus not wax)

KD047A Ear Discharge Since Child 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	639	5.9	6.0	6.0
Yes, Not See Doctor	2	96	.9	.9	7.0
Did Not Have	3	9834	91.5	93.0	100.0
Missing	-1	181	1.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10569 Missing cases 181

KD047B Ear discharge since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	735	6.8	6.8	6.8
No	2	10015	93.2	93.2	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

A5. i) *convulsions/fits*

KD048A Fits Since Child Aged 6 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	238	2.2	2.2	2.2
Yes, Not See Doctor	2	13	.1	.1	2.4
Did Not Have	3	10344	96.2	97.6	100.0
Missing	-1	155	1.4	Missing	
	Total	10750	100.0	100.0	
Valid cases		10595	Missing cases		155

KD048B Convulsions since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	251	2.3	2.3	2.3
No	2	10499	97.7	97.7	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

j) *colic*

KD049A Colic Since Child Aged 6 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	321	3.0	3.0	3.0
Yes, Not See Doctor	2	566	5.3	5.3	8.4
Did Not Have	3	9709	90.3	91.6	100.0
Missing	-1	154	1.4	Missing	
	Total	10750	100.0	100.0	
Valid cases		10596	Missing cases		154

KD049B Colic since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	887	8.3	8.3	8.3
No	2	9863	91.7	91.7	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

A5. k) *rash*

KD050A Rash Since Child Aged 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	3137	29.2	29.6	29.6
Yes, Not See Doctor	2	1708	15.9	16.1	45.7
Did Not Have	3	5760	53.6	54.3	100.0
Missing	-1	145	1.3	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10605 Missing cases 145

KD050B Rash since 6mths (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4845	45.1	45.1	45.1
No	2	5905	54.9	54.9	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10750 Missing cases 0

l) *wheezing*

KD051A Wheezing Since Child 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	2068	19.2	19.5	19.5
Yes, Not See Doctor	2	458	4.3	4.3	23.8
Did Not Have	3	8086	75.2	76.2	100.0
Missing	-1	138	1.3	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10612 Missing cases 138

KD051B Wheezing since 6mths (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2526	23.5	23.5	23.5
No	2	8224	76.5	76.5	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10750 Missing cases 0

m) *breathlessness*

KD052A Breathlessness Since Child 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	733	6.8	6.9	6.9
Yes, Not See Doctor	2	80	.7	.8	7.7
Did Not Have	3	9772	90.9	92.3	100.0
Missing	-1	165	1.5	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10585 Missing cases 165

KD052B Breathlessness since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	813	7.6	7.6	7.6
No	2	9937	92.4	92.4	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

A5. n) *episodes of stopping breathing*

KD053A Stopped Breathing Since Child 6 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	131	1.2	1.2	1.2
Yes, Not See Doctor	2	68	.6	.6	1.9
Did Not Have	3	10381	96.6	98.1	100.0
Missing	-1	170	1.6	Missing	
	Total	10750	100.0	100.0	
Valid cases		10580	Missing cases		170

KD053B Ever stopped breathing since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	199	1.9	1.9	1.9
No	2	10551	98.1	98.1	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

o) *an accident*

KD054A Accident Since Child Aged 6 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	1298	12.1	12.3	12.3
Yes, Not See Doctor	2	715	6.7	6.8	19.1
Did Not Have	3	8548	79.5	80.9	100.0
Missing	-1	189	1.8	Missing	
	Total	10750	100.0	100.0	
Valid cases		10561	Missing cases		189

KD054B Accident since 6mths (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2013	18.7	18.7	18.7
No	2	8737	81.3	81.3	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

p) *other (please tick and describe)*

[Keyed in as text]

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder puts '0' to indicate information present]

KD055A Other Problem Since Child 6 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	64	.6	1.1	1.1
Yes, Saw Doctor	1	625	5.8	10.3	11.3
Yes, Not See Doctor	2	99	.9	1.6	13.0
Did Not Have	3	5286	49.2	87.0	100.0
Missing	-1	4676	43.5	Missing	
	Total	10750	100.0	100.0	

Valid cases 6074 Missing cases 4676

KD055B Other symptom since 6mths (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	788	7.3	7.3	7.3
No	2	9962	92.7	92.7	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

A6. a) *Has your toddler been admitted to hospital since she was 6 months old?*

Yes No

KD057 Child hospitalized since 6 Months Old

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1049	9.8	9.8	9.8
No	2	9639	89.7	90.2	100.0
Missing	-1	62	.6	Missing	
	Total	10750	100.0	100.0	

Valid cases 10688 Missing cases 62

If yes,
b) how many times?

[‘Lots’ or similar is coded as 98 and recoded here to -1]

KD058 NO of Times Child Hospitalized					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1		856	8.0	81.7	81.7
2		125	1.2	11.9	93.6
3		40	.4	3.8	97.4
4		8	.1	.8	98.2
5		8	.1	.8	99.0
6		1	.0	.1	99.0
7		3	.0	.3	99.3
8		2	.0	.2	99.5
9		1	.0	.1	99.6
10		2	.0	.2	99.8
25		1	.0	.1	99.9
32		1	.0	.1	100.0
Not admitted		-2	9639	89.7	Missing
Missing		-1	63	.6	Missing
			-----	-----	-----
Total			10750	100.0	100.0
Valid cases	1048	Missing cases	9702		

A6. c) please describe for each admission:

<i>Her age</i>	<i>Reason for admission</i>	<i>No. of nights stayed</i>	<i>Name of hospital</i>
----------------	-----------------------------	-----------------------------	-------------------------

(1)

(2) [Keyed in as text]

(3)

(If more than 3 admissions, please continue on back cover)

d) How often did you see her while she was in hospital?

<i>1st admission</i>	<i>2nd admission</i>	<i>3rd admission</i>
----------------------	----------------------	----------------------

Not at all

Less than once a day

Every day

Stayed in the hospital with her

[The 1st 3 admissions only are coded even if more occurred]

KD059A FREQ of HOSP Visits by MUM 1st Admsn					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
None		1	7	.1	.7
<1 Per Day		2	3	.0	.3
Every Day		3	84	.8	8.9
Stayed in Hosp		4	854	7.9	90.1
Not admitted		-2	9639	89.7	Missing
Missing		-1	163	1.5	Missing
			-----	-----	-----
Total			10750	100.0	100.0
Valid cases	948	Missing cases	9802		

KD059B FREQ of HOSP Visits by MUM 2nd Admsn

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	3	24	.2	14.5	14.5
Stayed in Hosp	4	142	1.3	85.5	100.0
Not admitted	-2	10495	97.6	Missing	
Missing	-1	89	.8	Missing	
		Total	10750	100.0	100.0
Valid cases	166	Missing cases	10584		

KD059C FREQ of HOSP Visits by MUM 3rd Admsn

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 Per Day	2	4	.0	6.0	6.0
Every Day	3	9	.1	13.4	19.4
Stayed in Hosp	4	54	.5	80.6	100.0
Not admitted	-2	10620	98.8	Missing	
Missing	-1	63	.6	Missing	
		Total	10750	100.0	100.0
Valid cases	67	Missing cases	10683		

A7. *Has she had any of the following?* Yes No

a) *hernia repair*

KD060A Child Had Hernia Repair

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	96	.9	1.0	1.0
No	2	9968	92.7	99.0	100.0
Missing	-1	686	6.4	Missing	
		Total	10750	100.0	100.0
Valid cases	10064	Missing cases	686		

KD060B Hernia repair (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	96	.9	.9	.9
No	2	10654	99.1	99.1	100.0
		Total	10750	100.0	100.0
Valid cases	10750	Missing cases	0		

b) *circumcision*

KD061A Child Had Circumcision

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	42	.4	.8	.8
No	2	5036	46.8	99.2	100.0
Girl	-2	5156	48.0	Missing	
Missing	-1	516	4.8	Missing	
		Total	10750	100.0	100.0
Valid cases	5078	Missing cases	5672		

KD061B Circumcision (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	42	.4	.8	.8
No	2	5552	51.6	99.2	100.0
Girl	-2	5156	48.0	Missing	
	Total	10750	100.0	100.0	
Valid cases		5594	Missing cases		5156

[N.B. In 'Girl Questionnaire' A7b) is omitted]

c) *other operation (please describe)*

[Any writing in the 'please describe' area is matched by a yes tick on A7c)]
(the description has been keyed as text)

KD062A CH Had Other Operation					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	237	2.2	2.7	2.7
No	2	8595	80.0	97.3	100.0
Missing	-1	1918	17.8	Missing	
	Total	10750	100.0	100.0	
Valid cases		8832	Missing cases		1918

KD062B Other operation (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	237	2.2	2.2	2.2
No	2	10513	97.8	97.8	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

A8. *How often has your toddler gone to the Child Health Clinic or Baby Clinic since she was 6 months old?*

not at all once 2-3 times 4-5 times 6 or more times don't know

[If more than one box is ticked, coder ringed the one with the highest number]

KD068 FREQ of CHs Visits to Clinic Since 6 MTH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at All	1	921	8.6	8.8	8.8
Once	2	904	8.4	8.7	17.5
2-3 Times	3	3067	28.5	29.4	46.9
4-5 Times	4	2322	21.6	22.2	69.1
6+ Times	5	3223	30.0	30.9	100.0
Missing	-1	313	2.9	Missing	
	Total	10750	100.0	100.0	
Valid cases		10437	Missing cases		313

A9. a) *Since she was 6 months old has she had any periods when there was wheezing with whistling on her chest when she breathed?*

Yes No

KD070 Wheezing & Whistling on Chest since 6 MT					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2326	21.6	21.8	21.8
No	2	8353	77.7	78.2	100.0
Missing	-1	71	.7	Missing	
	Total	10750	100.0	100.0	
Valid cases	10679	Missing cases	71		

If yes,

A9. b) *How many separate times has this happened?*

once twice 3-4 times 5 or more times don't know

[If more than one box is ticked, coder ringed the one with the highest number]

KD071 NO of Times Wheezing & Whistling					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	0	8353	77.7	78.8	78.8
Once	1	600	5.6	5.7	84.4
Twice	2	601	5.6	5.7	90.1
3-4 Times	3	608	5.7	5.7	95.8
5+ Times	4	442	4.1	4.2	100.0
Missing	-1	146	1.4	Missing	
	Total	10750	100.0	100.0	
Valid cases	10604	Missing cases	146		

c) *On how many days altogether would you say she had wheezed?*

1 2-3 4-9 10-19 20 or more don't know

[If more than one box is ticked, coder ringed the one with the highest number]

KD072 Total NO of Days When Wheezing Occurred					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	8353	77.7	79.5	79.5
One	1	139	1.3	1.3	80.8
2-3	2	882	8.2	8.4	89.2
4-9	3	612	5.7	5.8	95.1
10-19	4	235	2.2	2.2	97.3
20+	5	284	2.6	2.7	100.0
Missing	-1	245	2.3	Missing	
	Total	10750	100.0	100.0	
Valid cases	10505	Missing cases	245		

d) *Was she breathless (struggling for breath) during any of these times?*

*Yes for
all* *Yes for
some* *No not
at all*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD073 Breathlessness During Wheezing Episodes					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, All Episodes	1	64	.6	2.8	2.8
Yes, Some Episodes	2	692	6.4	29.9	32.7
Never	3	1558	14.5	67.3	100.0
No whistling	-2	8353	77.7	Missing	
Missing	-1	83	.8	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 2314 Missing cases 8436					

A9. e) *Did she have a fever during any of these times?*

*Yes for
all* *Yes for
some* *No not
at all*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD074 Fever During Episodes					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, All Episodes	1	150	1.4	6.5	6.5
Yes, Some Episodes	2	1133	10.5	49.2	55.7
Never	3	1022	9.5	44.3	100.0
No whistling	-2	8353	77.7	Missing	
Missing	-1	92	.9	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 2305 Missing cases 8445					

f) *How old was she?*

i) *for the first occurrence:* *months*

ii) *for the most recent occurrence:* *months*

[Must be coded as a number. Coder ensured answer is in correct units eg. months rather than years. Fractions were not allowed. Rules are given as to round a fraction down. If stated as 'not known' or 'varies' coder put 99]

KD075 Age When First Occurred

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	22	.2	1.1	1.1
	1	62	.6	3.0	4.1
	2	86	.8	4.1	8.2
	3	141	1.3	6.8	15.0
	4	105	1.0	5.1	20.1
	5	77	.7	3.7	23.8
	6	262	2.4	12.6	36.4
	7	162	1.5	7.8	44.2
	8	191	1.8	9.2	53.4
	9	167	1.6	8.1	61.5
	10	146	1.4	7.0	68.5
	11	69	.6	3.3	71.9
	12	175	1.6	8.4	80.3
	13	67	.6	3.2	83.6
	14	74	.7	3.6	87.1
	15	69	.6	3.3	90.4
	16	77	.7	3.7	94.2
	17	71	.7	3.4	97.6
	18	43	.4	2.1	99.7
	19	4	.0	.2	99.9
	20	3	.0	.1	100.0
No whistling	-2	8353	77.7	Missing	
Missing	-1	324	3.0	Missing	
Total		10750	100.0	100.0	
Valid cases	2073	Missing cases	8677		

KD076 Age When Last Occurred

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	16	.1	.9	.9
	1	3	.0	.2	1.1
	2	1	.0	.1	1.1
	4	2	.0	.1	1.2
	5	2	.0	.1	1.4
	6	15	.1	.8	2.2
	7	17	.2	1.0	3.2
	8	28	.3	1.6	4.7
	9	30	.3	1.7	6.4
	10	48	.4	2.7	9.2
	11	39	.4	2.2	11.4
	12	136	1.3	7.7	19.1
	13	101	.9	5.7	24.8
	14	165	1.5	9.3	34.1
	15	180	1.7	10.2	44.3
	16	245	2.3	13.8	58.1
	17	381	3.5	21.5	79.6
	18	300	2.8	17.0	96.6
	19	37	.3	2.1	98.7
	20	15	.1	.8	99.5
	21	8	.1	.5	100.0
No whistling	-2	8353	77.7	Missing	
Missing	-1	628	5.8	Missing	
Total		10750	100.0	100.0	
Valid cases	1769	Missing cases	8981		

A9. g) *What do you think brings them on? (tick all that apply)*

- i) *chest infection or bronchitis*
- ii) *being in a smoky room*
- iii) *cold weather*
- iv) *don't know*
- v) *other (please describe)*

[Coder accepts either a '1' or blank but if 'not sure' for a particular condition is stated, or 'sometimes' is stated then 2 is coded; (iv) is coded to missing in (i)-(iii), (v)].

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If it is not, coder puts '0' to indicate information present]

KD077 Caused by Chest Infection

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1493	13.9	62.3	62.3
No	2	904	8.4	37.7	100.0
No whistling	-2	8353	77.7	Missing	
Total		10750	100.0	100.0	

Valid cases 2397 Missing cases 8353

KD078 Caused by Smoky Surroundings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	193	1.8	8.1	8.1
No	2	2204	20.5	91.9	100.0
No whistling	-2	8353	77.7	Missing	
Total		10750	100.0	100.0	

Valid cases 2397 Missing cases 8353

KD079 Caused by Cold Weather

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	502	4.7	20.9	20.9
No	2	1895	17.6	79.1	100.0
No whistling	-2	8353	77.7	Missing	
Total		10750	100.0	100.0	

Valid cases 2397 Missing cases 8353

KD080 Cause Unknown

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	318	3.0	13.3	13.3
No	2	2079	19.3	86.7	100.0
No whistling	-2	8353	77.7	Missing	
Total		10750	100.0	100.0	

Valid cases 2397 Missing cases 8353

KD081 Other Cause

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	689	6.4	28.7	28.7
No	2	1708	15.9	71.3	100.0
No whistling	-2	8353	77.7	Missing	
	Total	10750	100.0	100.0	
Valid cases	2397	Missing cases	8353		

A9. h) *Have any of your other children had similar spells of wheezing with whistling on the chest?*

Yes No Have no other children

(This question was answered by all mothers, whether or not their study child had wheezed)

[Coder included step, foster children as well as natural siblings]

KD084 SIBS Had Similar Wheezing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1294	12.0	21.3	21.3
No	2	4782	44.5	78.7	100.0
No other child	-2	3853	35.8	Missing	
Missing	-1	821	7.6	Missing	
	Total	10750	100.0	100.0	

Valid cases 6076 Missing cases 4674

A10. a) *Has she had a skin rash in the joints and creases of her body (e.g. behind the knees, elbows, under the arms) since she was 6 months old?*

Yes No

KD085 CH Had Rash in Joints Since Aged 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2820	26.2	26.4	26.4
No	2	7858	73.1	73.6	100.0
Missing	-1	72	.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 10678 Missing cases 72

If yes,

b) *how bad was this?*

very bad quite bad mild no problem

[If more than one box is ticked, coder ringed the one with lowest number]

KD086 Severity of Rash in Joints

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very bad	1	153	1.4	5.4	5.4
Quite Bad	2	685	6.4	24.4	29.8
Mild	3	1561	14.5	55.5	85.3
No Problem	4	414	3.9	14.7	100.0
No rash	-2	7858	73.1	Missing	
Missing	-1	79	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 2813 Missing cases 7937

c) *does she have this sort of rash now?*

Yes No

[Coder coded 'sometimes' as '1']

(Where A10a was coded 'no', this was recoded to 'no')

KD087 Child Has Rash at Present

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1333	12.4	12.5	12.5
No	2	9323	86.7	87.5	100.0
Missing	-1	94	.9	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10656 Missing cases 94

A11. a) *Has she had an itchy, dry, oozing or crusted rash on the face, forearms or shins since she was 6 months old?*

Yes No

KD088 Oozing or Crusted Rash Since Aged 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1438	13.4	13.5	13.5
No	2	9252	86.1	86.5	100.0
Missing	-1	60	.6	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10690 Missing cases 60

If yes,

b) *how bad was this?*

very bad quite bad mild no problem

[If more than one box is ticked, coder ringed the one with the lowest number]

KD089 Severity of Oozing or Crusted Rash					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very bad	1	94	.9	6.6	6.6
Quite Bad	2	463	4.3	32.3	38.8
Mild	3	720	6.7	50.2	89.0
No Problem	4	158	1.5	11.0	100.0
Missing	-2	9252	86.1	Missing	
	-1	63	.6	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	1435	Missing cases	9315		

c) *does she have this sort of rash now?*

Yes No

['Sometimes' is coded as '1']
(Where A11a coded 'no', A11c put to 'no')

KD090 CH Has Oozing Rash at Present						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	787	7.3	7.4	7.4
No		2	9894	92.0	92.6	100.0
Missing		-1	69	.6	Missing	
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10681	Missing cases		69		

A12. a) *Has she had vomiting spells since she was 6 months old?*

Yes No

KD091 Vomiting Spells Since Child Aged 6 Month						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	4161	38.7	39.1	39.1
No		2	6480	60.3	60.9	100.0
Missing		-1	109	1.0	Missing	
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10641	Missing cases	109			

If yes,

b) How many times?

once twice 3-9 times 10 or more times

[If more than one box is ticked, coder ringed the one with the highest number]
 (If A12a coded 'no', A12b edited to 0)

KD092 NO of Times - Vomiting Spells						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never		0	6480	60.3	60.7	60.7
Once		1	1779	16.5	16.7	77.4
Twice		2	1455	13.5	13.6	91.0
3-9 Times		3	799	7.4	7.5	98.5
10+ Times		4	161	1.5	1.5	100.0
Missing		-1	76	.7	Missing	
			-----	-----	-----	
			Total	10750	100.0	100.0
Valid cases	10674	Missing cases	76			

c) Have these been associated with:

Always Frequently Sometimes Rarely Never

- i) diarrhoea*
- ii) chestiness (wheezing or coughing or grunting)*
- iii) fever*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD093 Vomiting Associated With Diarrhoea						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	943	8.8	24.2	24.2
Frequently		2	276	2.6	7.1	31.3
Sometimes		3	951	8.8	24.5	55.8
Rarely		4	397	3.7	10.2	66.0
Never		5	1322	12.3	34.0	100.0
No vomiting		-2	6480	60.3	Missing	
Missing		-1	381	3.5	Missing	
			-----	-----	-----	
			Total	10750	100.0	100.0
Valid cases	3889	Missing cases	6861			

KD094 Vomiting Associated With Chestiness						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	355	3.3	9.6	9.6
Frequently		2	261	2.4	7.1	16.7
Sometimes		3	577	5.4	15.7	32.4
Rarely		4	204	1.9	5.5	37.9
Never		5	2287	21.3	62.1	100.0
No vomiting		-2	6480	60.3	Missing	
Missing		-1	586	5.5	Missing	
			-----	-----	-----	
			Total	10750	100.0	100.0
Valid cases	3684	Missing cases	7066			

KD095 Vomiting Associated With Fever					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	622	5.8	16.5	16.5
Frequently	2	222	2.1	5.9	22.4
Sometimes	3	941	8.8	25.0	47.4
Rarely	4	332	3.1	8.8	56.2
Never	5	1651	15.4	43.8	100.0
No vomiting	-2	6480	60.3	Missing	
Missing	-1	502	4.7	Missing	
		Total	10750	100.0	100.0
Valid cases	3768	Missing cases	6982		

A13. How many motions (or dirty nappies) does she usually have?

<i>4 or more times/day</i>	<i>2-3 times/day</i>	<i>once a day</i>
<i>once in 2-4 days</i>	<i>once a week</i>	<i>can't say</i>

[If more than one box is ticked, coder ringed the one with lowest number]

KD098 FREQ of Motions					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
4+ Times a Day	1	152	1.4	1.4	1.4
2-3 Times a Day	2	5514	51.3	51.9	53.4
Once a Day	3	4782	44.5	45.0	98.4
Once in 2-4 Days	4	162	1.5	1.5	99.9
1 Per Week	5	10	.1	.1	100.0
Missing	-1	130	1.2	Missing	
		Total	10750	100.0	100.0
Valid cases	10620	Missing cases	130		

A14. How often are her motions:

	<i>Usually</i>	<i>Often</i>	<i>Occasionally</i>	<i>Never</i>
<i>a)</i>	<i>hard</i>			
<i>b)</i>	<i>soft</i>			
<i>c)</i>	<i>curdy</i>			
<i>d)</i>	<i>liquid</i>			
<i>e)</i>	<i>green</i>			
<i>f)</i>	<i>brown</i>			
<i>g)</i>	<i>black</i>			
<i>h)</i>	<i>yellow</i>			

A14 contd.

[If more than one box is ticked, coder ringed the one with lowest number]

(A number of mothers only replied positively to some questions, for these mothers, not stated have been recoded to never for the B versions of these variables.)

KD100A FREQ of Hard Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	1239	11.5	11.9	11.9
Often	2	1544	14.4	14.8	26.7
Occasionally	3	6177	57.5	59.3	86.0
Never	4	1462	13.6	14.0	100.0
Missing	-1	328	3.1	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10422 Missing cases 328

KD100B Freq motions are hard (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	1239	11.5	11.6	11.6
Often	2	1544	14.4	14.4	26.0
Occasionally	3	6177	57.5	57.7	83.7
Never	4	1745	16.2	16.3	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10705 Missing cases 45

KD101A FREQ of Soft Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	5236	48.7	49.4	49.4
Often	2	2976	27.7	28.1	77.4
Occasionally	3	2326	21.6	21.9	99.3
Never	4	70	.7	.7	100.0
Missing	-1	142	1.3	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10608 Missing cases 142

KD101B Freq motions are soft (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	5236	48.7	48.9	48.9
Often	2	2976	27.7	27.8	76.7
Occasionally	3	2326	21.6	21.7	98.4
Never	4	167	1.6	1.6	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10705 Missing cases 45

KD102A FREQ of Curdy Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	52	.5	.5	.5
Often	2	169	1.6	1.7	2.2
Occasionally	3	2454	22.8	24.4	26.6
Never	4	7383	68.7	73.4	100.0
Missing	-1	692	6.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10058 Missing cases 692

KD102B Freq motions are curdy (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	52	.5	.5	.5
Often	2	169	1.6	1.6	2.1
Occasionally	3	2454	22.8	22.9	25.0
Never	4	8030	74.7	75.0	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10705 Missing cases 45

KD103A FREQ of Liquid Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	18	.2	.2	.2
Often	2	117	1.1	1.1	1.3
Occasionally	3	3473	32.3	34.1	35.4
Never	4	6583	61.2	64.6	100.0
Missing	-1	559	5.2	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10191 Missing cases 559

KD103B Freq motions are liquid (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	18	.2	.2	.2
Often	2	117	1.1	1.1	1.3
Occasionally	3	3473	32.3	32.4	33.7
Never	4	7097	66.0	66.3	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10705 Missing cases 45

KD104A FREQ of Green Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	45	.4	.4	.4
Often	2	89	.8	.9	1.3
Occasionally	3	1730	16.1	17.0	18.3
Never	4	8309	77.3	81.7	100.0
Missing	-1	577	5.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10173 Missing cases 577

KD104B Freq motions are green (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	45	.4	.4	.4
Often	2	89	.8	.8	1.3
Occasionally	3	1730	16.1	16.2	17.4
Never	4	8841	82.2	82.6	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10705 Missing cases 45

KD105A FREQ of Brown Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	7293	67.8	69.7	69.7
Often	2	2015	18.7	19.3	89.0
Occasionally	3	704	6.5	6.7	95.8
Never	4	444	4.1	4.2	100.0
Missing	-1	294	2.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10456 Missing cases 294

KD105B Freq motions are brown (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	7293	67.8	68.1	68.1
Often	2	2015	18.7	18.8	87.0
Occasionally	3	704	6.5	6.6	93.5
Never	4	693	6.4	6.5	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10705 Missing cases 45

KD106A FREQ of Black Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	20	.2	.2	.2
Often	2	47	.4	.5	.7
Occasionally	3	785	7.3	7.8	8.4
Never	4	9268	86.2	91.6	100.0
Missing	-1	630	5.9	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10120 Missing cases 630

KD106B Freq motions are black (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	20	.2	.2	.2
Often	2	47	.4	.4	.6
Occasionally	3	785	7.3	7.3	8.0
Never	4	9853	91.7	92.0	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10705 Missing cases 45

KD107A FREQ of Yellow Motions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	96	.9	.9	.9
Often	2	323	3.0	3.2	4.1
Occasionally	3	3413	31.7	33.4	37.5
Never	4	6388	59.4	62.5	100.0
Missing	-1	530	4.9	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10220 Missing cases 530

KD107B Freq motions are yellow (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	96	.9	.9	.9
Often	2	323	3.0	3.0	3.9
Occasionally	3	3413	31.7	31.9	35.8
Never	4	6873	63.9	64.2	100.0
Missing	-1	45	.4	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 10705 Missing cases 45					

A15. a) Since she was 6 months old has she had diarrhoea or gastro-enteritis?

Yes No

KD110 DIAR or GAST ENT Since CH 6 MTHS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5478	51.0	51.3	51.3
No	2	5202	48.4	48.7	100.0
Missing	-1	70	.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 10680 Missing cases 70					

If yes,

b) how many times?

[If 'lots' or similar is stated coder puts '98', 'occasional' was coded '97'; 'don't know' was put to missing]

KD111A No of times CH had diarrhoea					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5205	48.4	49.5	49.5
	1	2790	26.0	26.6	76.1
	2	1594	14.8	15.2	91.3
	3	492	4.6	4.7	95.9
	4	193	1.8	1.8	97.8
	5	66	.6	.6	98.4
	6	62	.6	.6	99.0
	7	10	.1	.1	99.1
	8	17	.2	.2	99.3
	9	6	.1	.1	99.3
	10	24	.2	.2	99.5
	12	6	.1	.1	99.6
	14	1	.0	.0	99.6
	15	1	.0	.0	99.6
	20	4	.0	.0	99.7
	23	1	.0	.0	99.7
	30	1	.0	.0	99.7
	40	1	.0	.0	99.7
Occasionally	97	10	.1	.1	99.8
Lots	98	23	.2	.2	100.0
Missing	-1	243	2.3	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 10507 Missing cases 243					

KD111B	No. diarrhoea episodes (adj)				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5205	48.4	49.5	49.5
	1	2790	26.0	26.6	76.1
	2	1594	14.8	15.2	91.3
3 or more	3	918	8.5	8.7	100.0
Missing	-1	243	2.3	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10507	Missing cases	243		

A15. c) *how many days did the worst attack last?*

KD112	Duration of Worst Attack				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	3	.0	.1	.1
	1	770	7.2	14.6	14.6
	2	1559	14.5	29.5	44.2
	3	1049	9.8	19.9	64.0
	4	511	4.8	9.7	73.7
	5	441	4.1	8.4	82.0
	6	155	1.4	2.9	85.0
	7	368	3.4	7.0	92.0
	8	65	.6	1.2	93.2
	9	30	.3	.6	93.8
	10	115	1.1	2.2	95.9
	11	8	.1	.2	96.1
	12	17	.2	.3	96.4
	14	97	.9	1.8	98.2
	15	6	.1	.1	98.4
	16	4	.0	.1	98.4
	17	1	.0	.0	98.4
	18	3	.0	.1	98.5
	20	5	.0	.1	98.6
	21	26	.2	.5	99.1
	22	3	.0	.1	99.1
	24	2	.0	.0	99.2
	25	2	.0	.0	99.2
	28	8	.1	.2	99.4
	30	4	.0	.1	99.5
	32	1	.0	.0	99.5
	34	1	.0	.0	99.5
	35	2	.0	.0	99.5
	36	1	.0	.0	99.5
	42	5	.0	.1	99.6
	49	1	.0	.0	99.7
	51	2	.0	.0	99.7
	56	1	.0	.0	99.7
	60	3	.0	.1	99.8
	61	1	.0	.0	99.8
	80	1	.0	.0	99.8
	90	1	.0	.0	99.8
Lots	98	9	.1	.2	100.0
No diarrhoea	-2	5202	48.4	Missing	
Missing	-1	267	2.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	5281	Missing cases	5469		

A15. d) *Did you:*

Yes No

i) *ask the doctor to come to your home*

KD113 Asked DR to Visit Home					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	908	8.4	16.4	16.4
No	2	4640	43.2	83.6	100.0
	-2	5202	48.4	Missing	
	Total	10750	100.0	100.0	
Valid cases	5548	Missing cases	5202		

ii) *ring the doctor for advice*

KD114 Rang Doctor					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1496	13.9	27.0	27.0
No	2	4052	37.7	73.0	100.0
	-2	5202	48.4	Missing	
	Total	10750	100.0	100.0	
Valid cases	5548	Missing cases	5202		

iii) *go to your doctor*

KD115 Went to Doctor					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2369	22.0	42.7	42.7
No	2	3179	29.6	57.3	100.0
	-2	5202	48.4	Missing	
	Total	10750	100.0	100.0	
Valid cases	5548	Missing cases	5202		

A15. d) iv) *treat it yourself*

KD116 Self Treatment					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2621	24.4	47.2	47.2
No	2	2927	27.2	52.8	100.0
	-2	5202	48.4	Missing	
	Total	10750	100.0	100.0	
Valid cases	5548	Missing cases	5202		

v) *other (please describe)*

[Coder ensured anything written on the 'please describe' line is matched by a 'yes' tick. If it is not, coder put '0' to indicate information present]

KD117 Other Action Taken					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	369	3.4	6.7	6.7
No	2	5179	48.2	93.3	100.0
	-2	5202	48.4	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	5548	Missing cases	5202		

e) *Did you continue feeding as usual?*

Yes No

KD118 Continued Feeding as Normal					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1768	16.4	32.4	32.4
No	2	3697	34.4	67.6	100.0
No diarrhoea	-2	5202	48.4	Missing	
Missing	-1	83	.8	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	5465	Missing cases	5285		

If no, i) how long was normal feeding disturbed?

less than 1 day 1 day 2 days 3-4 days 5 or more days

[If more than one box is ticked, coder ringed the one with the highest number]

KD119 Duration of Feeding Disruption					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 Day	1	184	1.7	4.8	4.8
1 Day	2	887	8.3	23.1	27.8
2 Days	3	1076	10.0	28.0	55.8
3-4 Days	4	1041	9.7	27.1	82.9
5+ Days	5	658	6.1	17.1	100.0
No diarrhoea	-2	5202	48.4	Missing	
Missing	-1	1702	15.8	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	3846	Missing cases	6904		

A15. f) *Was the baby treated with an oral rehydration solution?*

Yes No Don't know

KD120 Treatment With ORS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2472	23.0	47.4	47.4
No	2	2740	25.5	52.6	100.0
No diarrhoea	-2	5202	48.4	Missing	
Missing	-1	336	3.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	5212	Missing cases	5538		

If yes, i) give type if known:

[Keyed in as text]

ii) how long was the solution given?

less than 1 day 1 day 2 days 3-4 days 5 or more days

[If more than one box is ticked, coder ringed the one with the highest number]

KD121 Duration of ORS Treatment						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 Day		1	247	2.3	10.1	10.1
1 Day		2	572	5.3	23.4	33.5
2 Days		3	815	7.6	33.3	66.9
3-4 Days		4	577	5.4	23.6	90.5
5+ Days		5	233	2.2	9.5	100.0
No diarrhoea		-2	5202	48.4	Missing	
Missing		-1	3104	28.9	Missing	
		Total	10750	100.0	100.0	
Valid cases	2444	Missing cases	8306			

g) What other treatment was given?

[Keyed in as text]

A16. a) Since she was 6 months old has your child ever had a time when she has coughed on and off for at least 2 days?

Yes No

KD125 Cough for >2 days since CH 6mths						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	6362	59.2	59.9	59.9
No		2	4264	39.7	40.1	100.0
Missing		-1	124	1.2	Missing	
		Total	10750	100.0	100.0	
Valid cases	10626	Missing cases	124			

If yes,

A16. b) *how old was she when this first happened?*

months

[Age is rounded down to lower month if necessary]

KD126 Childs Age at First Attack

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	21	.2	.4	.4
	1	52	.5	1.0	1.3
	2	90	.8	1.7	3.0
	3	179	1.7	3.3	6.3
	4	148	1.4	2.7	9.0
	5	117	1.1	2.1	11.1
	6	622	5.8	11.4	22.6
	7	310	2.9	5.7	28.2
	8	530	4.9	9.7	38.0
	9	472	4.4	8.7	46.6
	10	384	3.6	7.0	53.7
	11	184	1.7	3.4	57.0
	12	662	6.2	12.1	69.2
	13	203	1.9	3.7	72.9
	14	371	3.5	6.8	79.7
	15	253	2.4	4.6	84.4
	16	315	2.9	5.8	90.1
	17	352	3.3	6.5	96.6
	18	175	1.6	3.2	99.8
	19	10	.1	.2	100.0
No cough	-2	4264	39.7	Missing	
Missing	-1	1036	9.6	Missing	
Total		10750	100.0	100.0	

Valid cases 5450 Missing cases 5300

c) *how many times has this happened?*

once

twice

3-9 times

10 or more time

[If more than one box is ticked, coder ringed the one with the highest number]

Where no coughing attacks, 0 was edited in.

KD127 FREQ of Attacks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	4267	39.7	40.4	40.4
Once	1	1790	16.7	17.0	57.4
Twice	2	2163	20.1	20.5	77.9
3-9 Times	3	2050	19.1	19.4	97.3
10+ Times	4	286	2.7	2.7	100.0
Missing	-1	194	1.8	Missing	
Total		10750	100.0	100.0	

Valid cases 10556 Missing cases 194

A16. d) *did she have a fever at any of these times?*

*Yes for
all* *Yes for
some* *No not
at all*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD128 Fever Occurred With Attacks					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y For All Attacks	1	451	4.2	7.1	7.1
Y Some Attacks	2	2844	26.5	45.0	52.1
Not at All	3	3026	28.1	47.9	100.0
No cough	-2	4264	39.7	Missing	
Missing	-1	165	1.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	6321	Missing cases	4429		

e) *did she have a runny nose during any of these spells?*

*Yes for
all* *Yes for
some* *No not
at all*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD129 Runny Nose Occurred With Attacks					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y For All Attacks	1	2617	24.3	41.2	41.2
Y Some Attacks	2	3517	32.7	55.4	96.6
Not at All	3	218	2.0	3.4	100.0
No cough	-2	4264	39.7	Missing	
Missing	-1	134	1.2	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	6352	Missing cases	4398		

A17. *The following questions are about your toddler's ears or hearing.*

a) *Generally, does your toddler listen to people or to things that happen nearby:*

Yes usually Yes often Don't know Sometimes Usually not Don't know

[If more than one box is ticked, coder ringed the one with the highest number]

KD130 Child Listens to Nearby Sounds					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	8490	79.0	79.4	79.4
Often	2	1973	18.4	18.4	97.8
Sometimes	3	209	1.9	2.0	99.8
Usually Not	4	24	.2	.2	100.0
Missing	-1	54	.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10696	Missing cases	54		

A17. b) *Does she turn her head towards sounds?*

yes usually
yes sometimes
yes, but only to very loud sounds
never turns towards sounds
don't know/not sure

[If more than one box is ticked, coder ringed the one with the highest number]

KD131 Child Turns Head Towards Sounds					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	10321	96.0	96.3	96.3
Sometimes	2	331	3.1	3.1	99.4
Yes, V Loud Sounds	3	63	.6	.6	99.9
Never	4	6	.1	.1	100.0
Missing	-1	29	.3	Missing	
Total		10750	100.0	100.0	
Valid cases	10721	Missing cases	29		

c) *During or after a cold, is her hearing worse than usual?*

yes much worse *no, about the same*
yes a little worse *don't know*
has never had a cold

[If more than one box is ticked, coder ringed the one with the lowest number]

KD132 CHs Hearing Deteriorates During a Cold					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Lots	1	185	1.7	2.0	2.0
Yes, A Little	2	1284	11.9	13.7	15.6
No	3	7925	73.7	84.4	100.0
No cold	-2	116	1.1	Missing	
Missing	-1	1240	11.5	Missing	
Total		10750	100.0	100.0	
Valid cases	9394	Missing cases	1356		

d) *During a cold, is the dripping (discharge) from her nose:*

Yes *No* *Don't know* *Hasn't had a cold*

i) *clear*
ii) *slightly white in colour*
iii) *thick heavy yellow and/or green in colour (catarrh)*
iv) *very little discharge occurs at all*

KD133	Clear Discharge From Nose During Cold				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7779	72.4	73.9	73.9
No	2	2752	25.6	26.1	100.0
No cold	-2	145	1.3	Missing	
Missing	-1	74	.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 10531 Missing cases 219

KD134	White Discharge From Nose During Cold				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3189	29.7	30.3	30.3
No	2	7342	68.3	69.7	100.0
No cold	-2	145	1.3	Missing	
Missing	-1	74	.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 10531 Missing cases 219

KD135	Yellow/Green Dischrge From Nose during C				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6073	56.5	57.7	57.7
No	2	4458	41.5	42.3	100.0
No cold	-2	145	1.3	Missing	
Missing	-1	74	.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 10531 Missing cases 219

KD136	Little Discharge From Nose Occurs				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	740	6.9	7.0	7.0
No	2	9791	91.1	93.0	100.0
No cold	-2	145	1.3	Missing	
Missing	-1	74	.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 10531 Missing cases 219

A17. e) *Does she pull, scratch or poke at her ears?*

quite often

sometimes

only at times when poorly, fretful, or in pain

hardly ever/never

don't know

[If more than one box is ticked, coder ringed the one with lowest number]

KD137	Child Pulls or Scratches Ears				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	844	7.9	7.9	7.9
Sometimes	2	2870	26.7	27.0	34.9
Only When Poorly	3	1936	18.0	18.2	53.1
Rarely/Never	4	4985	46.4	46.9	100.0
Missing	-1	115	1.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10635	Missing cases	115		

A17. f) *Do her ears go red and look sore for a long time? (Remember - an ear that has just been slept on may look red for a short time.)*

quite often

sometimes

only at times when poorly, fretful, or in pain

hardly ever/never

don't know

[If more than one box is ticked, coder ringed the one with lowest number]

KD138	CH Had Red Sore Ears				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	153	1.4	1.5	1.5
Sometimes	2	791	7.4	7.6	9.1
Only When Poorly	3	1315	12.2	12.6	21.7
Rarely/Never	4	8168	76.0	78.3	100.0
Missing	-1	323	3.0	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10427	Missing cases	323		

g) *Has pus or a sticky mucus (not ear wax) ever leaked out of her ear?*

never

once

more than once

don't know

[If more than one box is ticked, coder ringed the one with the highest number]

KD139	CH Had Pus or Sticky Mucus Leaking From				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	9659	89.9	91.7	91.7
Once	2	552	5.1	5.2	97.0
More Than Once	3	320	3.0	3.0	100.0
Missing	-1	219	2.0	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10531	Missing cases	219		

A17. h) *Does she breathe through her mouth rather than through her nose?*

all the time
much of the time
sometimes/occasionally
never/hardly ever
don't know

[If more than one box is ticked, coder ringed the one with lowest number]

KD140 CH Breathes Through Mouth					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
All of the Time	1	225	2.1	2.3	2.3
Much of the Time	2	958	8.9	9.9	12.3
Sometimes	3	3953	36.8	41.0	53.2
Rarely/Never	4	4511	42.0	46.8	100.0
Missing	-1	1103	10.3	Missing	
Total		10750	100.0	100.0	
Valid cases	9647	Missing cases	1103		

i) *Does she snore for more than a few minutes at a time?*

most nights
quite often
sometimes/occasionally
never/hardly ever
don't know

[If more than one box is ticked, coder ringed the one with the lowest number]

KD141 CH Has Prolonged Snoring					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most Nights	1	373	3.5	3.6	3.6
Quite Often	2	605	5.6	5.9	9.5
Sometimes	3	2791	26.0	27.1	36.6
Rarely/Never	4	6533	60.8	63.4	100.0
Missing	-1	448	4.2	Missing	
Total		10750	100.0	100.0	
Valid cases	10302	Missing cases	448		

j) *When she is asleep, does she seem to stop breathing or hold her breath for several seconds at a time?*

yes, often
yes, sometimes
yes, but rarely
no
don't know

[If more than one box is ticked, coder ringed the one with the lowest number]

KD142	CH Holds Breath While Asleep				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Often	1	132	1.2	1.4	1.4
Yes, Sometimes	2	621	5.8	6.6	8.0
Yes, Rarely	3	1101	10.2	11.6	19.6
No	4	7607	70.8	80.4	100.0
Missing	-1	1289	12.0	Missing	
	Total	10750	100.0	100.0	
Valid cases	9461	Missing cases	1289		

A18. a) *Have there been times when she seems to have had a pain in her stomach?*

Yes No

KD145	CH Had Pain in Stomach				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2356	21.9	22.1	22.1
No	2	8289	77.1	77.9	100.0
Missing	-1	105	1.0	Missing	
	Total	10750	100.0	100.0	
Valid cases	10645	Missing cases	105		

If yes,

b) *How many separate times has this happened?*

*once twice 3-4 5 or more don't
times times know*

[If more than one box is ticked, coder ringed the one with the highest number]

KD146	NO of Separate Episodes				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	0	8289	77.1	79.3	79.3
Once	1	569	5.3	5.4	84.8
Twice	2	571	5.3	5.5	90.2
3-4 Times	3	578	5.4	5.5	95.8
5+ Times	4	443	4.1	4.2	100.0
Missing	-1	300	2.8	Missing	
	Total	10750	100.0	100.0	
Valid cases	10450	Missing cases	300		

c) *How old was she?*

i) *for the first occurrence: months*

ii) *for the most recent occurrence: months*

[Ages rounded down to the lower month if necessary. Ages over 60 months were put to missing]

KD147 Age of Child at 1st Episode

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	70	.7	3.5	3.5
	1	198	1.8	10.0	13.6
	2	107	1.0	5.4	19.0
	3	157	1.5	8.0	27.0
	4	88	.8	4.5	31.4
	5	38	.4	1.9	33.4
	6	206	1.9	10.4	43.8
	7	95	.9	4.8	48.6
	8	107	1.0	5.4	54.0
	9	110	1.0	5.6	59.6
	10	100	.9	5.1	64.7
	11	32	.3	1.6	66.3
	12	161	1.5	8.2	74.5
	13	57	.5	2.9	77.3
	14	87	.8	4.4	81.8
	15	75	.7	3.8	85.6
	16	89	.8	4.5	90.1
	17	115	1.1	5.8	95.9
	18	72	.7	3.6	99.5
	19	2	.0	.1	99.6
	20	3	.0	.2	99.8
	21	1	.0	.1	99.8
	22	2	.0	.1	99.9
	25	1	.0	.1	100.0
No pain	-2	8289	77.1	Missing	
Missing	-1	488	4.5	Missing	
Total		10750	100.0	100.0	
Valid cases	1973	Missing cases	8777		

KD148 Age of Child at Last Episode

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	16	.1	.9	.9
	1	7	.1	.4	1.3
	2	7	.1	.4	1.7
	3	24	.2	1.3	3.0
	4	17	.2	.9	3.9
	5	13	.1	.7	4.6
	6	25	.2	1.4	6.0
	7	15	.1	.8	6.9
	8	30	.3	1.7	8.5
	9	38	.4	2.1	10.6
	10	43	.4	2.4	13.0
	11	20	.2	1.1	14.1
	12	107	1.0	5.9	20.0
	13	53	.5	2.9	22.9
	14	156	1.5	8.6	31.6
	15	146	1.4	8.1	39.6
	16	269	2.5	14.9	54.5
	17	436	4.1	24.1	78.6
	18	332	3.1	18.4	97.0
	19	21	.2	1.2	98.1
	20	21	.2	1.2	99.3
	21	6	.1	.3	99.6
	22	4	.0	.2	99.8
	23	1	.0	.1	99.9
	25	1	.0	.1	99.9
	30	1	.0	.1	100.0
No pain	-2	8289	77.1	Missing	
Missing	-1	652	6.1	Missing	
Total		10750	100.0	100.0	
Valid cases	1809	Missing cases	8941		

A19. a) *Has she ever had any form of convulsion, fit, seizure or other turn in which consciousness was lost or any part of the body made an abnormal movement?*

Yes No Not known

KD150 CH Had Fit Causing Unconsciousness					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	422	3.9	4.0	4.0
No	2	10175	94.7	96.0	100.0
Missing	-1	153	1.4	Missing	
	Total	10750	100.0	100.0	
Valid cases	10597	Missing cases	153		

If yes,

b) *Please describe the first attack*

[Keyed in as text]

c) *Did she have a high temperature at the time?*

Yes No Not known

KD152 CH Had High TEMP at the Time					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	246	2.3	63.7	63.7
No	2	140	1.3	36.3	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	189	1.8	Missing	
	Total	10750	100.0	100.0	
Valid cases	386	Missing cases	10364		

d) *How old was she at the time? months*
(put 00 if less than 1 month old)

[Ages rounded down to the lower month by coder, if necessary]

KD153 Age of Child at 1st Attack					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 Month	0	42	.4	10.3	10.3
	1	8	.1	2.0	12.3
	2	9	.1	2.2	14.5
	3	5	.0	1.2	15.7
	4	14	.1	3.4	19.1
	5	13	.1	3.2	22.3
	6	20	.2	4.9	27.2
	7	13	.1	3.2	30.4
	8	22	.2	5.4	35.8
	9	18	.2	4.4	40.2
	10	21	.2	5.1	45.3

KD153 (cont.)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	11	25	.2	6.1	51.5
	12	28	.3	6.9	58.3
	13	35	.3	8.6	66.9
	14	37	.3	9.1	76.0
	15	29	.3	7.1	83.1
	16	27	.3	6.6	89.7
	17	27	.3	6.6	96.3
	18	11	.1	2.7	99.0
	19	3	.0	.7	99.8
	20	1	.0	.2	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	167	1.6	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 408 Missing cases 10342

A19. e) *How many attacks has she had?*

one two 3-4 5 or more

[If more than one box is ticked, coder ringed the one with the highest number]

KD154 Total NO of Attacks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
One	1	221	2.1	53.9	53.9
Two	2	68	.6	16.6	70.5
3-4	3	55	.5	13.4	83.9
5+	4	66	.6	16.1	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	165	1.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 410 Missing cases 10340

f) *Who saw the child because of the attack(s)*

Yes No Don't know

- i) general practitioner at home*
- ii) general practitioner at surgery*
- iii) hospital outpatients*
- iv) admitted to hospital*

KD155 Doctor Made Home Visit

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	119	1.1	48.2	48.2
No	2	128	1.2	51.8	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	328	3.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 247 Missing cases 10503

KD156	Visit to Doctors Surgery				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	126	1.2	52.3	52.3
No	2	115	1.1	47.7	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	334	3.1	Missing	
	Total	10750	100.0	100.0	
Valid cases	241	Missing cases	10509		

KD157	CH was Hospital Outpatient				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	116	1.1	47.7	47.7
No	2	127	1.2	52.3	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	332	3.1	Missing	
	Total	10750	100.0	100.0	
Valid cases	243	Missing cases	10507		

KD158	CH was Admitted to Hospital				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	189	1.8	64.5	64.5
No	2	103	1.0	35.2	99.7
DK	9	1	.0	.3	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	282	2.6	Missing	
	Total	10750	100.0	100.0	
Valid cases	293	Missing cases	10457		

A19. g) What investigations, if any, were carried out?

[Keyed in as text]

h) How did subsequent attacks differ, if any?

[Keyed in as text]

i) Does she have pills, ointments or medicine for these attacks?

<i>yes uses every day</i>	<i>yes uses when she has a fever</i>	<i>no not at all</i>
-------------------------------	--	--------------------------

KD161	CH had Medication for Attacks				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Used Every Day	1	22	.2	5.6	5.6
Yes When Feverish	2	33	.3	8.4	13.9
No	3	340	3.2	86.1	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	180	1.7	Missing	
	Total	10750	100.0	100.0	
Valid cases	395	Missing cases	10355		

If yes, please describe [Keyed in as text]

A19. j) *Did the attack(s) occur at any of the following ages?*

Yes No

- i) under one month*
- ii) 1 - 5 months*
- iii) 6 - 11 months*
- iv) since her first birthday*

KD162 Attack at < 1 MTH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	44	.4	17.0	17.0	
No	2	215	2.0	83.0	100.0	
No fit	-2	10175	94.7	Missing		
Missing	-1	316	2.9	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	259	Missing cases	10491			

KD163 Attack at 1-5 MTHs						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	60	.6	22.6	22.6	
No	2	205	1.9	77.4	100.0	
No fit	-2	10175	94.7	Missing		
Missing	-1	310	2.9	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	265	Missing cases	10485			

KD164 Attack at 6-11 MTHs						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	139	1.3	46.2	46.2	
No	2	162	1.5	53.8	100.0	
No fit	-2	10175	94.7	Missing		
Missing	-1	274	2.5	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	301	Missing cases	10449			

KD165 Attack at > 1 YR						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	246	2.3	71.1	71.1	
No	2	100	.9	28.9	100.0	
No fit	-2	10175	94.7	Missing		
Missing	-1	229	2.1	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	346	Missing cases	10404			

A19. k) *What were these thought to be due to?*

Yes No Don't know

i) *febrile convulsions (with a fever)*

KD166 Attacks Due to Febrile Convulsions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	206	1.9	52.0	52.0
No	2	190	1.8	48.0	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	179	1.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 396 Missing cases 10354

ii) *fainting and blackouts*

KD167 Attacks Due to Fainting and Blackouts

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10	.1	2.5	2.5
No	2	386	3.6	97.5	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	179	1.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 396 Missing cases 10354

iii) *epilepsy*

KD168 Attacks Due to Epilepsy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	30	.3	7.6	7.6
No	2	366	3.4	92.4	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	179	1.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 396 Missing cases 10354

iv) *breath holding*

KD169 Attacks Due to Breath-Holding

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	65	.6	16.4	16.4
No	2	331	3.1	83.6	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	179	1.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 396 Missing cases 10354

A19. v) *reaction to immunisation*

KD170 Attacks Due to Reaction to IMM					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	23	.2	5.8	5.8
No	2	373	3.5	94.2	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	179	1.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	396	Missing cases	10354		

vi) *other (please specify)*

KD171 Other Reason for Attacks					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	101	.9	25.5	25.5
No	2	295	2.7	74.5	100.0
No fit	-2	10175	94.7	Missing	
Missing	-1	179	1.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	396	Missing cases	10354		

[Coder ensured anything written on the ‘please describe’ line is matched by a ‘yes’ tick. If not, coder put ‘0’ to indicate information present]
 [0’s have been recoded to ‘yes’ (n=2)]

A20. *Has she ever had any of the following infections?*

- | | |
|---|-----------|
| <i>Yes</i> | <i>No</i> |
| a) <i>German measles (rubella)</i> | |
| b) <i>measles</i> | |
| c) <i>chicken pox</i> | |
| d) <i>mumps</i> | |
| e) <i>meningitis</i> | |
| f) <i>other infection (please describe)</i> | |

[Coder ensured anything written on the ‘please describe’ line was matched by a ‘yes’ tick in A20. If not, coder puts ‘0’ to indicate information present]

KD175A Child Had German Measles					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	535	5.0	5.1	5.1
No	2	9955	92.6	94.9	100.0
Missing	-1	260	2.4	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10490	Missing cases	260		

A20. contd.

KD175B German measles (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	535	5.0	5.0	5.0
No	2	10131	94.2	95.0	100.0
Missing	-1	84	.8	Missing	
Total		10750	100.0	100.0	

Valid cases 10666 Missing cases 84

KD176A Child Had measles

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	352	3.3	3.3	3.3
No	2	10159	94.5	96.7	100.0
Missing	-1	239	2.2	Missing	
Total		10750	100.0	100.0	

Valid cases 10511 Missing cases 239

KD176B Measles (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	352	3.3	3.3	3.3
No	2	10314	95.9	96.7	100.0
Missing	-1	84	.8	Missing	
Total		10750	100.0	100.0	

Valid cases 10666 Missing cases 84

KD177A Child Had Chickenpox

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2044	19.0	19.4	19.4
No	2	8500	79.1	80.6	100.0
Missing	-1	206	1.9	Missing	
Total		10750	100.0	100.0	

Valid cases 10544 Missing cases 206

KD177B Chicken pox (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2044	19.0	19.2	19.2
No	2	8622	80.2	80.8	100.0
Missing	-1	84	.8	Missing	
Total		10750	100.0	100.0	

Valid cases 10666 Missing cases 84

KD178A Child Had mumps

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	71	.7	.7	.7
No	2	10406	96.8	99.3	100.0
Missing	-1	273	2.5	Missing	
Total		10750	100.0	100.0	

Valid cases 10477 Missing cases 273

A20. contd.

KD178B Mumps (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	71	.7	.7	.7
No	2	10595	98.6	99.3	100.0
Missing	-1	84	.8	Missing	
	Total	10750	100.0	100.0	

Valid cases 10666 Missing cases 84

KD179A CH Had Meningitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	66	.6	.6	.6
No	2	10410	96.8	99.4	100.0
Missing	-1	274	2.5	Missing	
	Total	10750	100.0	100.0	

Valid cases 10476 Missing cases 274

KD179B Meningitis (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	66	.6	.6	.6
No	2	10600	98.6	99.4	100.0
Missing	-1	84	.8	Missing	
	Total	10750	100.0	100.0	

Valid cases 10666 Missing cases 84

KD180A CH Had Other Infection

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1635	15.2	19.0	19.0
No	2	6961	64.8	81.0	100.0
Missing	-1	2154	20.0	Missing	
	Total	10750	100.0	100.0	

Valid cases 8596 Missing cases 2154

KD180B Other infection (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1635	15.2	15.3	15.3
No	2	9031	84.0	84.7	100.0
Missing	-1	84	.8	Missing	
	Total	10750	100.0	100.0	

Valid cases 10666 Missing cases 84

SECTION B: SLEEPING AND CRYING

B1. *Does your toddler have a regular sleeping routine?
(i.e. does she tend to go to sleep at the same times every day?)*

Yes No

KD200 CH Has Regular Sleeping Routine					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	9224	85.8	86.2	86.2
No	2	1472	13.7	13.8	100.0
Missing	-1	54	.5	Missing	
	Total	10750	100.0	100.0	
Valid cases		10696	Missing cases		54

B2. a) *How many hours sleep does she usually have during the day time?*

*none less than 1-2 more than don't
1 hour hours 2 hours know*

[‘Varies’ or similar is coded as ‘5’. The 28 cases coded thus, have been put to missing]

[If more than one box is ticked, coder ringed the one with the highest number]

KD201 NO of Hours Child Sleeps During Daytime					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	223	2.1	2.1	2.1
<1 Hr	2	1414	13.2	13.3	15.4
1-2 Hrs	3	7786	72.4	73.1	88.4
>2 Hrs	4	1232	11.5	11.6	100.0
Missing	-1	95	.9	Missing	
	Total	10750	100.0	100.0	
Valid cases		10655	Missing cases		95

b) *Normally what time in the evening does your toddler go to sleep?*

[The coder used 24 hour clock. If a range given, coder takes latest time stated]

KD202A Normal Bedtime for Child - Hour					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	16	1	.0	.0	.0
	17	43	.4	.4	.4
	18	956	8.9	9.0	9.5
	19	4668	43.4	44.2	53.6
	20	3322	30.9	31.4	85.1
	21	1098	10.2	10.4	95.5
	22	375	3.5	3.5	99.0
	23	95	.9	.9	99.9
	24	8	.1	.1	100.0
Missing	-1	184	1.7	Missing	
	Total	10750	100.0	100.0	
Valid cases		10566	Missing cases		184

KD202B Normal Bedtime for Child - Minute					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	6323	58.8	59.5	59.5
	10	2	.0	.0	59.6
	13	1	.0	.0	59.6
	15	167	1.6	1.6	61.1
	20	4	.0	.0	61.2
	30	3944	36.7	37.1	98.3
	40	2	.0	.0	98.3
	45	175	1.6	1.6	100.0
	50	1	.0	.0	100.0
	55	1	.0	.0	100.0
Missing	-1	130	1.2	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 10620 Missing cases 130					

**B3. a) *What time does she normally wake up in the morning?
office use***

[The coder used 24 hour clock. If a range given coder takes latest time stated]

KD203A Normal Waking Time for Child - Hour					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	.0	.0	.0
	2	8	.1	.1	.1
	3	5	.0	.0	.2
	4	25	.2	.2	.4
	5	277	2.6	2.6	3.0
	6	2823	26.3	26.6	29.6
	7	5363	49.9	50.5	80.1
	8	1778	16.5	16.7	96.8
	9	279	2.6	2.6	99.4
	10	52	.5	.5	99.9
	11	8	.1	.1	100.0
Missing	-1	127	1.2	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 10623 Missing cases 127					

KD203B Normal Waking Time for Child - Minute					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	6365	59.2	59.8	59.8
	5	1	.0	.0	59.8
	9	1	.0	.0	59.8
	10	6	.1	.1	59.8
	15	181	1.7	1.7	61.5
	20	9	.1	.1	61.6
	25	1	.0	.0	61.6
	30	3819	35.5	35.9	97.5
	40	6	.1	.1	97.6
	45	252	2.3	2.4	99.9
	50	8	.1	.1	100.0
Missing	-1	101	.9	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases 10649 Missing cases 101					

B3. a) contd.

KD204A Duration of sleep at night (minutes)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		165	1	.0	.0	.0
		180	1	.0	.0	.0
		210	2	.0	.0	.0
		300	2	.0	.0	.1
		360	9	.1	.1	.1
		390	7	.1	.1	.2
		420	13	.1	.1	.3
		450	9	.1	.1	.4
		465	1	.0	.0	.4
		480	54	.5	.5	.9
		495	2	.0	.0	1.0
		500	1	.0	.0	1.0
		510	54	.5	.5	1.5
		520	1	.0	.0	1.5
		525	4	.0	.0	1.5
		540	206	1.9	2.0	3.5
		555	7	.1	.1	3.6
		560	1	.0	.0	3.6
		570	259	2.4	2.5	6.0
		585	17	.2	.2	6.2
		590	1	.0	.0	6.2
		600	818	7.6	7.8	14.0
		615	47	.4	.4	14.5
		630	947	8.8	9.0	23.5
		640	3	.0	.0	23.5
		645	85	.8	.8	24.3
		650	5	.0	.0	24.4
		660	2062	19.2	19.6	44.0
		670	5	.0	.0	44.1
		675	134	1.2	1.3	45.3
		680	7	.1	.1	45.4
		690	1903	17.7	18.1	63.5
		700	3	.0	.0	63.6
		705	145	1.3	1.4	64.9
		710	1	.0	.0	64.9
		715	2	.0	.0	65.0
		720	1886	17.5	18.0	82.9
		725	1	.0	.0	82.9
		730	2	.0	.0	83.0
		735	98	.9	.9	83.9
		740	1	.0	.0	83.9
		750	901	8.4	8.6	92.5
		755	1	.0	.0	92.5
		759	1	.0	.0	92.5
		760	2	.0	.0	92.5
		765	45	.4	.4	93.0
		780	479	4.5	4.6	97.5
		790	1	.0	.0	97.5
		795	21	.2	.2	97.7
		810	137	1.3	1.3	99.0
		825	4	.0	.0	99.1
		840	68	.6	.6	99.7
		855	1	.0	.0	99.7
		870	15	.1	.1	99.9
		885	1	.0	.0	99.9
		900	8	.1	.1	100.0
		930	3	.0	.0	100.0
		960	1	.0	.0	100.0
		990	1	.0	.0	100.0
Missing		-1	253	2.4	Missing	
		Total	10750	100.0	100.0	
Valid cases	10497	Missing cases	253			

KD204B No. hours asleep at night

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
2.75			1	.0	.0	.0
3.00			1	.0	.0	.0
3.50			2	.0	.0	.0
5.00			2	.0	.0	.1
6.00			9	.1	.1	.1
6.50			7	.1	.1	.2
7.00			13	.1	.1	.3
7.50			9	.1	.1	.4
7.75			1	.0	.0	.4
8.00			54	.5	.5	.9
8.25			2	.0	.0	1.0
8.33			1	.0	.0	1.0
8.50			54	.5	.5	1.5
8.67			1	.0	.0	1.5
8.75			4	.0	.0	1.5
9.00			206	1.9	2.0	3.5
9.25			7	.1	.1	3.6
9.33			1	.0	.0	3.6
9.50			259	2.4	2.5	6.0
9.75			17	.2	.2	6.2
9.83			1	.0	.0	6.2
10.00			818	7.6	7.8	14.0
10.25			47	.4	.4	14.5
10.50			947	8.8	9.0	23.5
10.67			3	.0	.0	23.5
10.75			85	.8	.8	24.3
10.83			5	.0	.0	24.4
11.00			2062	19.2	19.6	44.0
11.17			5	.0	.0	44.1
11.25			134	1.2	1.3	45.3
11.33			7	.1	.1	45.4
11.50			1903	17.7	18.1	63.5
11.67			3	.0	.0	63.6
11.75			145	1.3	1.4	64.9
11.83			1	.0	.0	64.9
11.92			2	.0	.0	65.0
12.00			1886	17.5	18.0	82.9
12.08			1	.0	.0	82.9
12.17			2	.0	.0	83.0
12.25			98	.9	.9	83.9
12.33			1	.0	.0	83.9
12.50			901	8.4	8.6	92.5
12.58			1	.0	.0	92.5
12.65			1	.0	.0	92.5
12.67			2	.0	.0	92.5
12.75			45	.4	.4	93.0
13.00			479	4.5	4.6	97.5
13.17			1	.0	.0	97.5
13.25			21	.2	.2	97.7
13.50			137	1.3	1.3	99.0
13.75			4	.0	.0	99.1
14.00			68	.6	.6	99.7
14.25			1	.0	.0	99.7
14.50			15	.1	.1	99.9
14.75			1	.0	.0	99.9
15.00			8	.1	.1	100.0
15.50			3	.0	.0	100.0
16.00			1	.0	.0	100.0
16.50			1	.0	.0	100.0
Missing		-1.00	253	2.4	Missing	
			Total	10750	100.0	100.0
Valid cases	10497	Missing cases	253			

B3. b) How often during the night does she usually wake? times

[If 'occasionally' or similar is stated it was coded as '97'- but for this presentation, the 33 cases have been coded to missing]

[If a range was given coder took the higher number stated]

KD205A NO of Times CH Wakes During Night					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5283	49.1	50.3	50.3
	1	3163	29.4	30.1	80.4
	2	1320	12.3	12.6	93.0
	3	453	4.2	4.3	97.3
	4	178	1.7	1.7	99.0
	5	51	.5	.5	99.5
	6	31	.3	.3	99.8
	7	8	.1	.1	99.9
	8	5	.0	.0	99.9
	9	3	.0	.0	99.9
	10	5	.0	.0	100.0
	11	1	.0	.0	100.0
Missing	-1	249	2.3	Missing	
Total		10750	100.0	100.0	
Valid cases	10501	Missing cases	249		

KD205B Time ch wakes during night (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5283	49.1	50.3	50.3
	1	3163	29.4	30.1	80.4
	2	1320	12.3	12.6	93.0
3 or more	3	735	6.8	7.0	100.0
Missing	-1	249	2.3	Missing	
Total		10750	100.0	100.0	
Valid cases	10501	Missing cases	249		

B3. c) How often during the day does she usually sleep? times

[If 'occasional' stated, or a fraction less than 0.5 is indicated, this was coded as 97. If 'none' or 'nil' stated zero is coded. Here, all codes ≥ 3 have been recoded to 3, and 97 put to -1]

KD206 NO of Times CH Sleeps During Day					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	284	2.6	2.7	2.7
	1	9584	89.2	90.2	92.8
	2	735	6.8	6.9	99.7
3 or more	3	27	.3	.3	100.0
Missing	-1	120	1.1	Missing	
Total		10750	100.0	100.0	
Valid cases	10630	Missing cases	120		

B4. a) *In which room does she usually sleep?*

(i) *When you put her down at night* (ii) *When she wakes in the morning from her night sleep*

in her own room on her own
in a room with other children
in your bedroom
in a room with other adults
other place (please describe)
 [Keyed in as text]

[If more than one tick is given the coder recoded 'other' and put the numbers of the boxes ticked on the 'please describe' line]

KD207A Room CH Put Down to Sleep at Night In

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
On Own in Own Room	1	7459	69.4	69.8	69.8
With Other Children	2	1753	16.3	16.4	86.2
In Mums Bedroom	3	1273	11.8	11.9	98.1
With Other Adult	4	63	.6	.6	98.7
Other Place	5	144	1.3	1.3	100.0
Missing	-1	58	.5	Missing	
Total		10750	100.0	100.0	

Valid cases 10692 Missing cases 58

KD207B Room CH Wakes in Morning

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
On Own in Own Room	1	6449	60.0	60.2	60.2
With Other Children	2	1511	14.1	14.1	74.3
In Mums Bedroom	3	2206	20.5	20.6	94.9
With Other Adult	4	148	1.4	1.4	96.3
Other Place	5	393	3.7	3.7	100.0
Missing	-1	43	.4	Missing	
Total		10750	100.0	100.0	

Valid cases 10707 Missing cases 43

B4. b) *Does she sleep on her own most nights or does she share a bed or cot?*

(i) *When you put her down* (ii) *When she wakes in the morning from her night sleep*

in her own bed/cot
in bed/cot with other children
in your bed with you
in bed with other adult
other place (please describe)
 [Keyed in as text]

[If more than one box is ticked, coder recodes as 'other' and put the number of the boxes ticked on the 'please describe' line]

KD208A CH Shares Bed When Put Down to Sleep

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
In Own Bed/Cot	1	10059	93.6	94.4	94.4
With Other Children	2	82	.8	.8	95.2
In Bed With Mum	3	388	3.6	3.6	98.8
With Other Adult	4	13	.1	.1	98.9
Other Place	5	112	1.0	1.1	100.0
Missing	-1	96	.9	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10654	Missing cases	96		

KD208B CH Shares Bed When Wakes in Morning

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
In Own Bed/Cot	1	8541	79.5	80.0	80.0
With Other Children	2	76	.7	.7	80.7
In Bed With Mum	3	1664	15.5	15.6	96.3
With Other Adult	4	61	.6	.6	96.9
Other Place	5	332	3.1	3.1	100.0
Missing	-1	76	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10674	Missing cases	76		

B4. c) In the room where the baby sleeps most of the night:

Yes *Yes* *No not*
always *sometimes* *at all*

i) is the heating on at night?

KD210A Heating on at Night in Room CH Sleeps

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	17	.2	.2	.2
Yes Always	1	608	5.7	5.7	5.9
Yes Sometimes	2	3543	33.0	33.2	39.1
No, Not at All	3	6490	60.4	60.9	100.0
Missing	-1	92	.9	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10658	Missing cases	92		

KD210B Heating on at night (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4168	38.8	39.1	39.1
No	2	6490	60.4	60.9	100.0
Missing	-1	92	.9	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10658	Missing cases	92		

B4. c) ii) is there a window open at night?

KD211A Open Windows in Room CH Sleeps In

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	35	.3	.3	.3
Yes Always	1	675	6.3	6.3	6.7
Yes Sometimes	2	3916	36.4	36.8	43.5
No, Not at All	3	6012	55.9	56.5	100.0
Missing	-1	112	1.0	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 10638 Missing cases 112

KD211B Window open at night (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4626	43.0	43.5	43.5
No	2	6012	55.9	56.5	100.0
Missing	-1	112	1.0	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 10638 Missing cases 112

iii) does she sleep with a duvet?

KD212A CH Sleeps With Duvet

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	7	.1	.1	.1
Yes Always	1	6117	56.9	57.4	57.5
Yes Sometimes	2	1514	14.1	14.2	71.7
No, Not at All	3	3019	28.1	28.3	100.0
Missing	-1	93	.9	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 10657 Missing cases 93

KD212B Ch sleeps with a duvet (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7638	71.1	71.7	71.7
No	2	3019	28.1	28.3	100.0
Missing	-1	93	.9	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 10657 Missing cases 93

iv) does she have an electric blanket on at night?

KD213A CH Has Electric Blanket on at Night

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	1	.0	.0	.0
Yes Always	1	8	.1	.1	.1
Yes Sometimes	2	12	.1	.1	.2
No, Not at All	3	10592	98.5	99.8	100.0
Missing	-1	137	1.3	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 10613 Missing cases 137

KD213B Ch sleeps with an electric blanket (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	21	.2	.2	.2
No	2	10592	98.5	99.8	100.0
Missing	-1	137	1.3	Missing	
	Total	10750	100.0	100.0	
Valid cases		10613	Missing cases		137

B4. c) v) does she sleep with a pillow?

KD214A CH Sleeps With Pillow					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	4	.0	.0	.0
Yes Always	1	2998	27.9	28.2	28.2
Yes Sometimes	2	859	8.0	8.1	36.3
No, Not at All	3	6789	63.2	63.7	100.0
Missing	-1	100	.9	Missing	
	Total	10750	100.0	100.0	
Valid cases		10650	Missing cases		100

KD214B Ch sleeps with a pillow (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3861	35.9	36.3	36.3
No	2	6789	63.2	63.7	100.0
Missing	-1	100	.9	Missing	
	Total	10750	100.0	100.0	
Valid cases		10650	Missing cases		100

d) Do you have a room thermometer in this room:

Yes No

KD215 Thermometer Present in Childs Room					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2542	23.6	23.8	23.8
No	2	8130	75.6	76.2	100.0
Missing	-1	78	.7	Missing	
	Total	10750	100.0	100.0	
Valid cases		10672	Missing cases		78

If yes, i) have you used it to alter the number of bedclothes she has?

yes often yes sometimes not at all

KD216A Thermometer Used to Alter NO Bedclothes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	1	.0	.0	.0
Yes Often	1	500	4.7	19.7	19.8
Yes Sometimes	2	1313	12.2	51.8	71.6
Not at All	3	720	6.7	28.4	100.0
No thermometer	-2	8130	75.6	Missing	
Missing	-1	86	.8	Missing	
	Total	10750	100.0	100.0	

Valid cases 2534 Missing cases 8216

KD216B Alters no. bedclothes (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1814	16.9	69.2	69.2
No	2	806	7.5	30.8	100.0
No thermometer	-2	8130	75.6	Missing	
	Total	10750	100.0	100.0	

Valid cases 2620 Missing cases 8130

B5. *Do you feel her sleep pattern is:*

*better than other children of the same age
same as other children of the same age
worse than other children of the same age
don't know*

KD218 CHs Sleep Pattern COMP Other Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Better Than Others	1	3160	29.4	31.9	31.9
Same as Others	2	5202	48.4	52.4	84.3
Worse Than Others	3	1557	14.5	15.7	100.0
Missing	-1	831	7.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 9919 Missing cases 831

B6. *In the past year has your child regularly:*

*Yes, but Yes, Yes, No, did
did not worried worried not
worry me me me happen
somewhat greatly regularly*

a) refused to go to bed

[If more than one box is ticked, coder ringed the one with the highest number]

KD219A CH REG Refused to go to Bed in Past YR					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mum Not Worried	1	2029	18.9	19.1	19.1
Yes, Mum Bit Worried	2	613	5.7	5.8	24.9
Yes, Mum V Worried	3	135	1.3	1.3	26.2
No	4	7825	72.8	73.8	100.0
Missing	-1	148	1.4	Missing	
	Total	10750	100.0	100.0	
Valid cases 10602 Missing cases 148					

KD219B Ch refused to go to bed (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2777	25.8	26.0	26.0
No	2	7889	73.4	74.0	100.0
Missing	-1	84	.8	Missing	
	Total	10750	100.0	100.0	
Valid cases 10666 Missing cases 84					

B6. b) woken very early

[If more than one box is ticked, coder ringed around the one with the highest number]

KD220A CH REG Woken Early in Past YR					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mum Not Worried	1	4017	37.4	37.9	37.9
Yes, Mum Bit Worried	2	810	7.5	7.6	45.5
Yes, Mum V Worried	3	143	1.3	1.3	46.9
No	4	5631	52.4	53.1	100.0
Missing	-1	149	1.4	Missing	
	Total	10750	100.0	100.0	
Valid cases 10601 Missing cases 149					

KD220B Ch reg woke early (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4970	46.2	46.6	46.6
No	2	5696	53.0	53.4	100.0
Missing	-1	84	.8	Missing	
	Total	10750	100.0	100.0	
Valid cases 10666 Missing cases 84					

c) *had difficulty going to sleep*

[If more than one box is ticked, coder ringed the one with the highest number]

KD221A CH REG Difficulty Going to Sleep Past YR					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mum Not Worried	1	2206	20.5	20.9	20.9
Yes, Mum Bit Worried	2	910	8.5	8.6	29.5
Yes, Mum V Worried	3	199	1.9	1.9	31.3
No	4	7263	67.6	68.7	100.0
Missing	-1	172	1.6	Missing	
	Total	10750	100.0	100.0	
Valid cases	10578	Missing cases	172		

KD221B Ch reg had diffs sleeping (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3315	30.8	31.1	31.1
No	2	7351	68.4	68.9	100.0
Missing	-1	84	.8	Missing	
	Total	10750	100.0	100.0	
Valid cases	10666	Missing cases	84		

B6. d) *had nightmares*

[If more than one box is ticked, coder ringed the one with the highest number]

KD222A CH REG Had Nightmares in Past YR					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mum Not Worried	1	584	5.4	5.6	5.6
Yes, Mum Bit Worried	2	413	3.8	3.9	9.5
Yes, Mum V Worried	3	74	.7	.7	10.2
No	4	9434	87.8	89.8	100.0
Missing	-1	245	2.3	Missing	
	Total	10750	100.0	100.0	
Valid cases	10505	Missing cases	245		

KD222B Ch reg had nightmares (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1071	10.0	10.0	10.0
No	2	9595	89.3	90.0	100.0
Missing	-1	84	.8	Missing	
	Total	10750	100.0	100.0	
Valid cases	10666	Missing cases	84		

e) *continued to get up after being put to bed*

[If more than one box is ticked, coder ringed the one with the highest number]

KD223A CH REG Restless After Put to Bed in Past					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mum Not Worried	1	1615	15.0	15.3	15.3
Yes, Mum Bit Worried	2	710	6.6	6.7	22.1
Yes, Mum V Worried	3	204	1.9	1.9	24.0
No	4	7998	74.4	76.0	100.0
Missing	-1	223	2.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10527	Missing cases	223		

KD223B Ch reg got up (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2529	23.5	23.7	23.7
No	2	8137	75.7	76.3	100.0
Missing	-1	84	.8	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10666	Missing cases	84		

B6. f) *woken in the night*

[If more than one box is ticked, coder ringed the one with the highest number]

KD224A CH REG Woken in Night in Past YR					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mum Not Worried	1	5105	47.5	48.1	48.1
Yes, Mum Bit Worried	2	1542	14.3	14.5	62.7
Yes, Mum V Worried	3	432	4.0	4.1	66.7
No	4	3527	32.8	33.3	100.0
Missing	-1	144	1.3	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10606	Missing cases	144		

KD224B Ch reg woke in night (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7079	65.9	66.4	66.4
No	2	3587	33.4	33.6	100.0
Missing	-1	84	.8	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10666	Missing cases	84		

g) *got up after only a few hours sleep*

[If more than one box is ticked, coder ringed the one with the highest number]

KD225A CH REG Got up After Little sleep Past YR						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes, Mum Not Worried	1	1442	13.4	13.6	13.6	
Yes, Mum Bit Worried	2	607	5.6	5.7	19.4	
Yes, Mum V Worried	3	211	2.0	2.0	21.4	
No	4	8310	77.3	78.6	100.0	
Missing	-1	180	1.7	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10570	Missing cases	180			
KD225B Ch reg got up after few hrs (adj)						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	2260	21.0	21.2	21.2	
No	2	8406	78.2	78.8	100.0	
Missing	-1	84	.8	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10666	Missing cases	84			

B7. *Compared with other toddlers would you describe the amount of time your toddler cries as:*

more than other toddlers
the same as other toddlers
less than other toddlers
don't know

[If more than one box is ticked, coder ringed the one with lowest number]

KD228 Time CH Spends Crying COMP to Others						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
More Than Others	1	309	2.9	3.1	3.1	
Same as Others	2	5405	50.3	53.9	57.0	
Less Than Others	3	4312	40.1	43.0	100.0	
Missing	-1	724	6.7	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10026	Missing cases	724			

B8. *Most toddlers fuss and whine. How often does your child whine or fuss?*

for long periods each day
for a short while each day
a number of times during the week
sometimes
never or hardly ever

[If more than one box is ticked, coder ringed the one with the lowest number]

KD229	FREQ of CH Fussing and Whining				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Long Time Each Day	1	273	2.5	2.6	2.6
Short Time Each Day	2	3987	37.1	37.3	39.8
Several Times PWK	3	1547	14.4	14.5	54.3
Sometimes	4	3498	32.5	32.7	87.0
Never/Rarely	5	1391	12.9	13.0	100.0
Missing	-1	54	.5	Missing	
	Total	10750	100.0	100.0	
Valid cases	10696	Missing cases	54		

B9. *How often does your daughter cry for no particular reason?*

often (almost every day)
sometimes (at least once a week)
never or hardly ever

[If more than one box is ticked, coder ringed the one with the lowest number]

KD230	FREQ CH Cries For No Reason				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	785	7.3	7.3	7.3
Sometimes	2	3005	28.0	28.1	35.5
Never/Rarely	3	6901	64.2	64.5	100.0
Missing	-1	59	.5	Missing	
	Total	10750	100.0	100.0	
Valid cases	10691	Missing cases	59		

B10. *Does she cry at any particular times?*

Yes, always *Yes, often* *Yes, sometimes* *Hardly ever* *Don't know*

a) mornings
b) afternoons (before 17.00 hours)
c) in the late afternoon/evenings (5 p.m. onwards)
d) during the night

[If more than one box is ticked, coder ringed one with the lowest number]

KD231	FREQ CH Cries in Mornings				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Always	1	168	1.6	1.8	1.8
Yes Often	2	398	3.7	4.2	5.9
Yes Sometimes	3	2719	25.3	28.4	34.3
Hardly Ever	4	6298	58.6	65.7	100.0
Missing	-1	1167	10.9	Missing	
	Total	10750	100.0	100.0	
Valid cases	9583	Missing cases	1167		

KD232 **FREQ CH Cries Before 5 PM**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Always	1	91	.8	1.0	1.0
Yes Often	2	481	4.5	5.1	6.1
Yes Sometimes	3	3501	32.6	37.1	43.1
Hardly Ever	4	5369	49.9	56.9	100.0
Missing	-1	1308	12.2	Missing	
	Total	10750	100.0	100.0	

Valid cases 9442 Missing cases 1308

KD233 **FREQ CH Cries After 5 PM**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Always	1	271	2.5	2.8	2.8
Yes Often	2	1485	13.8	15.1	17.9
Yes Sometimes	3	4914	45.7	50.0	67.9
Hardly Ever	4	3160	29.4	32.1	100.0
Missing	-1	920	8.6	Missing	
	Total	10750	100.0	100.0	

Valid cases 9830 Missing cases 920

KD234 **FREQ CH Cries During Night**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Always	1	240	2.2	2.5	2.5
Yes Often	2	623	5.8	6.4	8.9
Yes Sometimes	3	2901	27.0	29.8	38.6
Hardly Ever	4	5977	55.6	61.4	100.0
Missing	-1	1009	9.4	Missing	
	Total	10750	100.0	100.0	

Valid cases 9741 Missing cases 1009

B10. e) other (please describe)

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder put '0' to indicate information present]

KD235 **FREQ CH Cries at Other Times**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Always	1	88	.8	3.7	3.7
Yes Often	2	147	1.4	6.2	9.9
Yes Sometimes	3	209	1.9	8.8	18.8
Hardly Ever	4	1920	17.9	81.2	100.0
Missing	-1	8386	78.0	Missing	
	Total	10750	100.0	100.0	

Valid cases 2364 Missing cases 8386

B11. Can you usually calm her when she cries?

no
yes, after much effort
yes, but it takes a while
yes, usually fairly easily

[If more than one box is ticked, coder ringed one with lowest number]

KD236 MUM Can Calm CH When Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	33	.3	.3	.3
Yes With Effort	2	196	1.8	1.8	2.1
Yes After Some Time	3	868	8.1	8.1	10.3
Yes Easily	4	9581	89.1	89.7	100.0
Missing	-1	72	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10678	Missing cases	72		

B12. Do you ever feel that her crying is a problem?

Yes No

KD237 MUM SMTS Feels CHs Crying is a Problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	750	7.0	7.0	7.0
No	2	9922	92.3	93.0	100.0
Missing	-1	78	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10672	Missing cases	78		

B13. a) How often do you use sweets or other foods to stop her crying or fussing?

at least several times infrequently
once a day a week never

[If more than one box is ticked, coder ringed one with the lowest number]

KD238 FREQ MUM Uses Food to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1+ Times a Day	1	748	7.0	7.6	7.6
Few Times PWK	2	1543	14.4	15.7	23.2
Rarely	3	5344	49.7	54.2	77.5
Never	4	2221	20.7	22.5	100.0
Missing	-1	894	8.3	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	9856	Missing cases	894		

b) what do you use to stop her crying or fussing?

Yes No

i) sweets
ii) chocolates
iii) crisps
iv) apple or fruit
v) breast feed
vi) milk drink
vii) other drink
viii) other food (please describe)

[Coder ensured anything written on the 'please describe' line was matched by a yes tick. If not, coder puts '0' to indicate information present]

B13. b) contd.

KD239A MUM Uses Sweets to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1589	14.8	23.6	23.6
No	2	5152	47.9	76.4	100.0
Missing	-1	4009	37.3	Missing	
	Total	10750	100.0	100.0	

Valid cases 6741 Missing cases 4009

KD239B Sweets given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1589	14.8	14.8	14.8
No	2	9161	85.2	85.2	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD240A MUM Uses Chocolates to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2117	19.7	31.5	31.5
No	2	4606	42.8	68.5	100.0
Missing	-1	4027	37.5	Missing	
	Total	10750	100.0	100.0	

Valid cases 6723 Missing cases 4027

KD240B Choc given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2117	19.7	19.7	19.7
No	2	8633	80.3	80.3	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD241A MUM Uses Crisps to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2308	21.5	34.1	34.1
No	2	4456	41.5	65.9	100.0
Missing	-1	3986	37.1	Missing	
	Total	10750	100.0	100.0	

Valid cases 6764 Missing cases 3986

KD241B Crisps given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2308	21.5	21.5	21.5
No	2	8442	78.5	78.5	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

B13. b) contd.

KD242A MUM Uses Fruit to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4714	43.9	66.2	66.2
No	2	2408	22.4	33.8	100.0
Missing	-1	3628	33.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 7122 Missing cases 3628

KD242B Fruit given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4714	43.9	43.9	43.9
No	2	6036	56.1	56.1	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD243A MUM Breastfeeds to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	244	2.3	3.9	3.9
No	2	6073	56.5	96.1	100.0
Missing	-1	4433	41.2	Missing	
	Total	10750	100.0	100.0	

Valid cases 6317 Missing cases 4433

KD243B Breast milk given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	244	2.3	2.3	2.3
No	2	10506	97.7	97.7	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD244A MUM Uses Milk to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3839	35.7	54.8	54.8
No	2	3163	29.4	45.2	100.0
Missing	-1	3748	34.9	Missing	
	Total	10750	100.0	100.0	

Valid cases 7002 Missing cases 3748

KD244B Milk drink given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3839	35.7	35.7	35.7
No	2	6911	64.3	64.3	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD245A MUM Uses Other Drink to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6326	58.8	84.5	84.5
No	2	1159	10.8	15.5	100.0
Missing	-1	3265	30.4	Missing	
	Total	10750	100.0	100.0	

Valid cases 7485 Missing cases 3265

KD245B Other drink given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6326	58.8	58.8	58.8
No	2	4424	41.2	41.2	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

KD246A MUM Uses Other Food to Stop CH Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	44	.4	1.0	1.0
Yes	1	2284	21.2	49.5	50.4
No	2	2290	21.3	49.6	100.0
Missing	-1	6132	57.0	Missing	
	Total	10750	100.0	100.0	

Valid cases 4618 Missing cases 6132

KD246B Other food given to stop crying (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2328	21.7	21.7	21.7
No	2	8422	78.3	78.3	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

B14. HOMEOPATHIC MEDICINES

a) *Has your toddler ever taken homeopathic medicines?*

Yes often Yes sometimes No

[If more than one box is ticked, coder ringed one with the lowest number; if something written, but no box ticked, 0 was coded.]

KD248A CH Taken Homeopathic Medicine

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	13	.1	.1	.1
Yes Often	1	177	1.6	1.8	1.9
Yes Sometimes	2	663	6.2	6.6	8.5
No	3	9200	85.6	91.5	100.0
Missing	-1	697	6.5	Missing	
	Total	10750	100.0	100.0	
Valid cases	10053	Missing cases	697		

KD248B Homeopathic medicines taken (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	853	7.9	7.9	7.9
No	2	9897	92.1	92.1	100.0
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

b) *If yes, please describe:*

[Keyed in as text]

SECTION C: YOU AND YOUR TODDLER

- C1. *Often parents are anxious that problems might occur.
Please indicate how often you think about the following:*

Yes, worries me a lot Yes, worry occasionally No, never think of it

- a) *My toddler may have a bad accident*
b) *She might get meningitis*
c) *She might get asthma*
d) *She might have fits*
e) *She might be mentally handicapped*
f) *She might get AIDS*

[For all of the above if more than one box is ticked, coder ringed the one with lowest number]

[If the child already has the illness, coder moved the tick to 'other problem' line and writes the comment that illness 'X' already exists]

KD260 MUM Worried About Possible CH Accident

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Often	1	1169	10.9	11.0	11.0
Yes Occasionally	2	6402	59.6	60.0	70.9
Never	3	3104	28.9	29.1	100.0
Missing	-1	75	.7	Missing	
Total		10750	100.0	100.0	

Valid cases 10675 Missing cases 75

KD261 MUM Worried by Meningitis Threat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Often	1	1321	12.3	12.4	12.4
Yes Occasionally	2	5388	50.1	50.5	62.9
Never	3	3953	36.8	37.1	100.0
Missing	-1	88	.8	Missing	
Total		10750	100.0	100.0	

Valid cases 10662 Missing cases 88

KD262 MUM Worried by Asthma Threat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Often	1	938	8.7	9.0	9.0
Yes Occasionally	2	2703	25.1	25.9	34.8
Never	3	6807	63.3	65.2	100.0
Missing	-1	302	2.8	Missing	
Total		10750	100.0	100.0	

Valid cases 10448 Missing cases 302

KD263 MUM Worried Threat of CH Fits						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes Often	1	391	3.6	3.7	3.7	
Yes Occasionally	2	1397	13.0	13.1	16.8	
Never	3	8858	82.4	83.2	100.0	
Missing	-1	104	1.0	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases 10646 Missing cases 104						

KD264 MUM Worried About CH Mental Handicap						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes Often	1	180	1.7	1.7	1.7	
Yes Occasionally	2	469	4.4	4.4	6.1	
Never	3	9998	93.0	93.9	100.0	
Missing	-1	103	1.0	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases 10647 Missing cases 103						

KD265 MUM Worried by Threat of AIDS to CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes Often	1	259	2.4	2.4	2.4	
Yes Occasionally	2	1080	10.0	10.1	12.6	
Never	3	9312	86.6	87.4	100.0	
Missing	-1	99	.9	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases 10651 Missing cases 99						

C1. g) Other problem (please describe)

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder put '0' to indicate information present]

KD266 MUM Worried by Other PROBS Affecting CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Y-freq NS	0	188	1.7	1.8	1.8	
Yes Often	1	380	3.5	3.6	5.3	
Yes Occasionally	2	496	4.6	4.6	9.9	
Never	3	9633	89.6	90.1	100.0	
Missing	-1	53	.5	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases 10697 Missing cases 53						

[The problem itself was keyed in as text]

C2. a) *Do you ever have a battle of wills with your toddler?*

never
rarely (less than once a week)
sometimes (at least once a week)
frequently (almost every day)

[If more than one box is ticked, coder ringed the one with the highest number]

If yes,

KD270 FREQ of MUMs Arguments With CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	2171	20.2	20.4	20.4
Rarely	2	2391	22.2	22.5	42.9
Sometimes	3	3896	36.2	36.7	79.6
Frequently	4	2165	20.1	20.4	100.0
Missing	-1	127	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases 10623 Missing cases 127					

b) *What are they usually about:*

[Keyed in as text]

c) *Who most often wins?*

me
my toddler
about even
neither of us

[If 1 and 4 are ticked coder codes as '1']

KD272 Usual Winner of Argument					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Mum	1	5222	48.6	62.8	62.8
Child	2	284	2.6	3.4	66.2
Mum & Child Evenly	3	2401	22.3	28.9	95.1
Neither	4	410	3.8	4.9	100.0
No bottle	-2	2171	20.2	Missing	
Missing	-1	262	2.4	Missing	
	Total	10750	100.0	100.0	
Valid cases 8317 Missing cases 2433					

C3. a) *How often does she refuse to go to bed when you take her?*

most of the time
often
at times
rarely
never
I never do this task

[If more than one box is ticked, coder ringed the one with the lowest number]

KD273 FREQ of Noncompliance With MUM About Bed					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most of the Time	1	422	3.9	4.0	4.0
Often	2	364	3.4	3.5	7.5
Sometimes	3	1514	14.1	14.4	21.8
Rarely	4	4389	40.8	41.7	63.5
Never	5	3838	35.7	36.5	100.0
Don't do this	-2	132	1.2	Missing	
Missing	-1	91	.8	Missing	
	Total	10750	100.0	100.0	
Valid cases	10527	Missing cases	223		

C3. b) *If she does refuse, how often might you try:*

Often Sometimes Never

i) *allowing her to stay up until she is more sleepy*
ii) *allowing her to fall asleep then putting her to bed*
iii) *insisting it is bedtime and putting her in her room*
iv) *playing or reading with her in her room for a while then putting her to bed*
v) *cuddling her until she falls asleep*
vi) *giving her a bottle*
vii) *giving her a dummy*
viii) *other (please describe)* [Keyed in as text]

[If more than one box is ticked, on a line coder ringed the one with lowest number]
[Coder ensured anything written on the 'please describe' line is matched by a yes tick in question viii. If not, coder put '0' to indicate information present]

KD274 FREQ CH Stays up After Bedtime					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	1217	11.3	19.0	19.0
Sometimes	2	3695	34.4	57.8	76.8
Never	3	1484	13.8	23.2	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	384	3.6	Missing	
	Total	10750	100.0	100.0	
Valid cases	6396	Missing cases	4354		

C3. b) *contd.*

KD275 FREQ CH Sleeps Before Put to Bed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	966	9.0	15.1	15.1
Sometimes	2	1673	15.6	26.2	41.3
Never	3	3746	34.8	58.7	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	395	3.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 6385 Missing cases 4365

KD276 FREQ CH Made to go to Bed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	2035	18.9	32.0	32.0
Sometimes	2	2535	23.6	39.9	71.8
Never	3	1791	16.7	28.2	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	419	3.9	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 6361 Missing cases 4389

KD277 FREQ of Play/Read Before Bed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	987	9.2	15.6	15.6
Sometimes	2	2877	26.8	45.5	61.1
Never	3	2461	22.9	38.9	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	455	4.2	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 6325 Missing cases 4425

KD278 FREQ of Cuddling Until CH Asleep

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	1313	12.2	20.5	20.5
Sometimes	2	2808	26.1	43.9	64.4
Never	3	2281	21.2	35.6	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	378	3.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 6402 Missing cases 4348

KD279 FREQ CH Has Bottle Before Bed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	1736	16.1	27.3	27.3
Sometimes	2	1715	16.0	27.0	54.3
Never	3	2904	27.0	45.7	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	425	4.0	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 6355 Missing cases 4395

KD280	FREQ CH Has Dummy Before Bed				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	1929	17.9	30.3	30.3
Sometimes	2	519	4.8	8.2	38.4
Never	3	3920	36.5	61.6	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	412	3.8	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	6368	Missing cases	4382		

KD281	FREQ of Other Methods to Placate CH				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	170	1.6	2.5	2.5
Often	1	404	3.8	6.1	8.6
Sometimes	2	238	2.2	3.6	12.2
Never	3	5856	54.5	87.8	100.0
No problem	-2	3970	36.9	Missing	
Missing	-1	112	1.0	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	6668	Missing cases	4082		

C4. a) *How often does she refuse to eat the meal you yourself prepare for her?*

most of the time
often
sometimes
rarely
never
I don't do this

[If more than one box is ticked, coder ringed the one with the lowest number]

KD283	FREQ CH Refuses Meal Prepared by MUM				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most of the Time	1	391	3.6	3.7	3.7
Often	2	927	8.6	8.7	12.3
Sometimes	3	3518	32.7	33.0	45.3
Rarely	4	4105	38.2	38.5	83.8
Never	5	1734	16.1	16.2	100.0
Don't do this	-2	3	.0	Missing	
Missing	-1	72	.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10675	Missing cases	75		

b) *When she refuses do you:*

Often Sometimes Never

C4. b)

- i) *give her another meal to eat*
- ii) *allow her to have dessert without eating a main savoury meal*
- iii) *insist she eats at least some of the meal before she can have a dessert*
- iv) *other (please describe)*

[If more than one box is ticked, coder ringed the one with the lowest number]

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder puts '0' to indicate information present]

KD284 CH Given Other Meal When Dislikes First

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	575	5.3	7.0	7.0
Sometimes	2	3796	35.3	46.5	53.5
Never	3	3799	35.3	46.5	100.0
No problem	-2	1737	16.2	Missing	
Missing	-1	843	7.8	Missing	
		Total	10750	100.0	100.0
Valid cases	8170	Missing cases	2580		

KD285 CH Has Dessert When Refused Main Meal

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	687	6.4	8.4	8.4
Sometimes	2	4652	43.3	57.1	65.5
Never	3	2812	26.2	34.5	100.0
No problem	-2	1737	16.2	Missing	
Missing	-1	862	8.0	Missing	
		Total	10750	100.0	100.0
Valid cases	8151	Missing cases	2599		

KD286 CH Must Eat Some Meal Before Dessert

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	2938	27.3	35.6	35.6
Sometimes	2	3193	29.7	38.7	74.3
Never	3	2122	19.7	25.7	100.0
No problem	-2	1737	16.2	Missing	
Missing	-1	760	7.1	Missing	
		Total	10750	100.0	100.0
Valid cases	8253	Missing cases	2497		

KD287 Other Action Taken When CH Refuses Meal

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	498	4.6	24.2	24.2
Sometimes	2	467	4.3	22.7	46.9
Never	3	1091	10.1	53.1	100.0
No problem	-2	1737	16.2	Missing	
Missing	-1	6957	64.7	Missing	
		Total	10750	100.0	100.0
Valid cases	2056	Missing cases	8694		

[The other strategy was keyed in as text]

C5. a) *How often does she have temper tantrums?*

more than once a day

most days

at least once a week

less than once a week

never

[If more than one box is ticked, coder ringed the one with the lowest number]

KD290A FREQ CH Has Temper Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
> Once Per Day	1	632	5.9	5.9	5.9
Most Days	2	2395	22.3	22.5	28.4
At Least Once Per WK	3	3375	31.4	31.7	60.1
< Once Per Week	4	2993	27.8	28.1	88.2
Never	5	1252	11.6	11.8	100.0
Missing	-1	103	1.0	Missing	
	Total	10750	100.0	100.0	

Valid cases 10647 Missing cases 103

KD290B Temper tantrums (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	9395	87.4	88.2	88.2
No	2	1252	11.6	11.8	100.0
Missing	-1	103	1.0	Missing	
	Total	10750	100.0	100.0	

Valid cases 10647 Missing cases 103

If she has temper tantrums:

b) *Do they occur because of:*

Yes No

i) *failure to get what she wants*

ii) *failure to make herself understood*

iii) *reaction to being corrected*

iv) *no particular reason*

v) *other (please describe)*

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder put '0' to indicate information present]

C5. b)

KD291 Tantrums Caused by Frustrated Desires

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8678	80.7	92.6	92.6
No	2	692	6.4	7.4	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	128	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	9370	Missing cases	1380		

KD292 Tantrums From CH Being Misunderstood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3333	31.0	35.6	35.6
No	2	6037	56.2	64.4	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	128	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	9370	Missing cases	1380		

KD293 Tantrums Due to Correction by Others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4443	41.3	47.4	47.4
No	2	4927	45.8	52.6	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	128	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	9370	Missing cases	1380		

KD294 Tantrums For no Special Reason

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	936	8.7	10.0	10.0
No	2	8434	78.5	90.0	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	128	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	9370	Missing cases	1380		

KD295 Tantrums Due to Other Reason

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	18	.2	.2	.2
Yes	1	627	5.8	6.7	6.9
No	2	8725	81.2	93.1	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	128	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	9370	Missing cases	1380		

C5. c) When she has temper tantrums how often do you:

Often Sometimes Never

- i) ignore it, let her get it out of her system
- ii) send her away for 'time out' e.g. send her to her bedroom
- iii) try to hold and cuddle her
- iv) try to reason with her
- v) leave it for someone else to cope with
- vi) try to distract her
- vii) give her a smack or shake
- viii) shout at her
- ix) other (please describe)

[If more than one box per line is ticked, coder ringed the one with the lowest number]
 [Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder puts '0' to indicate information present]

KD297 MUM Ignores CHs Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	4513	42.0	48.1	48.1
Sometimes	2	4137	38.5	44.1	92.3
Never	3	726	6.8	7.7	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
Total		10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

KD298 MUM Sends CH Away During Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	285	2.7	3.0	3.0
Sometimes	2	1669	15.5	17.8	20.8
Never	3	7422	69.0	79.2	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
Total		10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

KD299 MUM Cuddles CH During Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	1642	15.3	17.5	17.5
Sometimes	2	5356	49.8	57.1	74.6
Never	3	2378	22.1	25.4	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
Total		10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

C5. c)

KD300 MUM Reasons With CH During Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	2039	19.0	21.7	21.7
Sometimes	2	5033	46.8	53.7	75.4
Never	3	2304	21.4	24.6	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
		-----	-----		
	Total	10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

KD301 MUM Leaves Other Person to Cope

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	23	.2	.2	.2
Sometimes	2	994	9.2	10.6	10.8
Never	3	8359	77.8	89.2	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
		-----	-----		
	Total	10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

KD302 MUM Distracts CH During Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	4429	41.2	47.2	47.2
Sometimes	2	4024	37.4	42.9	90.2
Never	3	923	8.6	9.8	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
		-----	-----		
	Total	10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

KD303 MUM Smacks CH During Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	65	.6	.7	.7
Sometimes	2	2145	20.0	22.9	23.6
Never	3	7166	66.7	76.4	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
		-----	-----		
	Total	10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

KD304 MUM Shouts at CH During Tantrums

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	307	2.9	3.3	3.3
Sometimes	2	5173	48.1	55.2	58.4
Never	3	3896	36.2	41.6	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
		-----	-----		
	Total	10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

KD305	MUM Reacts Otherwise to Tantrums				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	128	1.2	1.4	1.4
Sometimes	2	106	1.0	1.1	2.5
Never	3	9142	85.0	97.5	100.0
No tantrums	-2	1252	11.6	Missing	
Missing	-1	122	1.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	9376	Missing cases	1374		

[Descriptions were keyed in as text]

C6. *How often does she do the following:*

Once a Less than Never
week or once a
more week

a) repeatedly rocks head or body

[If more than one box is ticked, coder ringed the one with the lowest number]

KD307	CH Repeatedly Rocks Head or Body				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1+ Per Week	1	486	4.5	4.6	4.6
<1 Per Week	2	529	4.9	5.0	9.5
Never	3	9621	89.5	90.5	100.0
Missing	-1	114	1.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10636	Missing cases	114		

KD307A	Ch repeatedly rocks head or body (adj)				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1015	9.4	9.5	9.5
No	2	9621	89.5	90.5	100.0
Missing	-1	114	1.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10636	Missing cases	114		

b) has a tic or twitch

[If more than one box is ticked, coder ringed the one with the lowest number]

KD308	CH Has Tick or Twitch				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1+ Per Week	1	17	.2	.2	.2
<1 Per Week	2	54	.5	.5	.7
Never	3	10565	98.3	99.3	100.0
Missing	-1	114	1.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10636	Missing cases	114		

KD308A Ch has tick or twitch (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	71	.7	.7	.7
No	2	10565	98.3	99.3	100.0
Missing	-1	114	1.1	Missing	
	Total	10750	100.0	100.0	
Valid cases	10636	Missing cases	114		

C6. c) *has other unusual behaviour (please describe)*

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder put '0' to indicate information present]

KD309 CH Has Other Unusual Behaviour					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	86	.8	.8	.8
1+ Per Week	1	245	2.3	2.3	3.1
<1 Per Week	2	81	.8	.8	3.9
Never	3	10224	95.1	96.1	100.0
Missing	-1	114	1.1	Missing	
	Total	10750	100.0	100.0	
Valid cases	10636	Missing cases	114		

KD309A Ch has other unusual behaviour (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	412	3.8	3.9	3.9
No	2	10224	95.1	96.1	100.0
Missing	-1	114	1.1	Missing	
	Total	10750	100.0	100.0	
Valid cases	10636	Missing cases	114		

[The behaviour was keyed in as text]

C7. *About how often do you take her to:*

<i>Nearly every day</i>	<i>Once a week</i>	<i>Once a month</i>	<i>A few times per year</i>	<i>Never</i>
-------------------------	--------------------	---------------------	-----------------------------	--------------

- a) *local shops*
- b) *department store*
- c) *supermarket*
- d) *park or playground*
- e) *visits to friends or family*
- f) *library*
- g) *places of interest (e.g. Zoo)*
- h) *places of entertainment (e.g. funfair)*

C7. contd.

[If more than one box is ticked per line coder ringed the one with the highest number]
[2 - 3 times/week is coded as '0' > 3 times is coded as '1']

KD315 FREQ CH Taken to Local Shops

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	7271	67.6	68.0	68.0
Once Per Week	2	3172	29.5	29.7	97.7
Once Per Month	3	182	1.7	1.7	99.4
A Few Times Per Year	4	35	.3	.3	99.7
Never	5	27	.3	.3	100.0
Missing	-1	63	.6	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10687 Missing cases 63

KD316 FREQ CH Taken to Department Store

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	151	1.4	1.4	1.4
Once Per Week	2	2810	26.1	26.6	28.0
Once Per Month	3	4382	40.8	41.4	69.4
A Few Times Per Year	4	2753	25.6	26.0	95.5
Never	5	480	4.5	4.5	100.0
Missing	-1	174	1.6	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10576 Missing cases 174

KD317 FREQ CH Taken to Supermarket

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	1292	12.0	12.1	12.1
Once Per Week	2	8169	76.0	76.4	88.4
Once Per Month	3	989	9.2	9.2	97.7
A Few Times Per Year	4	193	1.8	1.8	99.5
Never	5	56	.5	.5	100.0
Missing	-1	51	.5	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10699 Missing cases 51

KD318 FREQ CH Taken to Park

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	1809	16.8	17.0	17.0
Once Per Week	2	5609	52.2	52.8	69.8
Once Per Month	3	2122	19.7	20.0	89.7
A Few Times Per Year	4	861	8.0	8.1	97.8
Never	5	229	2.1	2.2	100.0
Missing	-1	120	1.1	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10630 Missing cases 120

C7. contd.

KD319 FREQ CH Visits Family/Friends

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	5501	51.2	51.5	51.5
Once Per Week	2	4677	43.5	43.8	95.3
Once Per Month	3	367	3.4	3.4	98.7
A Few Times Per Year	4	112	1.0	1.0	99.8
Never	5	26	.2	.2	100.0
Missing	-1	67	.6	Missing	
		Total	10750	100.0	100.0
Valid cases	10683	Missing cases	67		

KD320 FREQ CH Taken to Library

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	14	.1	.1	.1
Once Per Week	2	718	6.7	6.8	6.9
Once Per Month	3	2340	21.8	22.1	29.0
A Few Times Per Year	4	1543	14.4	14.5	43.5
Never	5	5990	55.7	56.5	100.0
Missing	-1	145	1.3	Missing	
		Total	10750	100.0	100.0
Valid cases	10605	Missing cases	145		

KD321 FREQ CH Taken to Places of Interest

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	72	.7	.7	.7
Once Per Week	2	1608	15.0	15.1	15.8
Once Per Month	3	3294	30.6	31.0	46.8
A Few Times Per Year	4	4857	45.2	45.7	92.4
Never	5	808	7.5	7.6	100.0
Missing	-1	111	1.0	Missing	
		Total	10750	100.0	100.0
Valid cases	10639	Missing cases	111		

KD322 FREQ CH Taken to Places of Entertainment

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly Every Day	1	39	.4	.4	.4
Once Per Week	2	618	5.7	5.8	6.2
Once Per Month	3	1747	16.3	16.5	22.7
A Few Times Per Year	4	5347	49.7	50.5	73.3
Never	5	2829	26.3	26.7	100.0
Missing	-1	170	1.6	Missing	
		Total	10750	100.0	100.0
Valid cases	10580	Missing cases	170		

Derived variable: Outside home activity score

(KD315-KD322 recoded (5=0) (4=1) (3=2) (2=3) (1=4); KD325 = KD315 + KD316+.....+ KD322)

KD325 Activity Score					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
0		0	2	.0	.0 .0
1		1	1	.0	.0 .0
3		3	2	.0	.0 .0
4		4	3	.0	.0 .1
5		5	5	.0	.0 .1
6		6	7	.1	.1 .2
7		7	13	.1	.1 .3
8		8	17	.2	.2 .5
9		9	34	.3	.3 .8
10		10	57	.5	.5 1.3
11		11	119	1.1	1.1 2.4
12		12	197	1.8	1.8 4.3
13		13	363	3.4	3.4 7.6
14		14	552	5.1	5.1 12.8
15		15	842	7.8	7.9 20.6
16		16	1070	10.0	10.0 30.6
17		17	1252	11.6	11.7 42.3
18		18	1399	13.0	13.0 55.4
19		19	1348	12.5	12.6 67.9
20		20	1093	10.2	10.2 78.1
21		21	883	8.2	8.2 86.4
22		22	667	6.2	6.2 92.6
23		23	377	3.5	3.5 96.1
24		24	225	2.1	2.1 98.2
25		25	103	1.0	1.0 99.2
26		26	57	.5	.5 99.7
27		27	23	.2	.2 99.9
28		28	4	.0	.0 99.9
29		29	1	.0	.0 99.9
30		30	5	.0	.0 100.0
32		32	1	.0	.0 100.0
Missing		-1	28	.3	Missing
		Total	10750	100.0	100.0
Valid cases	10722	Missing cases	28		

C8. When out with your toddler do you:

- | | | | | |
|----|--|------------------|--------------|--------------------------|
| | <i>Often</i> | <i>Sometimes</i> | <i>Never</i> | <i>Does not walk yet</i> |
| a) | <i>allow her to walk without restraint</i> | | | |
| b) | <i>allow her to walk holding your hand</i> | | | |
| c) | <i>allow her to walk with reins</i> | | | |
| d) | <i>carry her in a backpack</i> | | | |
| e) | <i>carry her in your arms</i> | | | |
| f) | <i>put her in pushchair or pram</i> | | | |

[If more than one box is ticked on any line, coder ringed the one with the highest no.]

KD330 FREQ CH Allowed to Walk Without Restraining					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Often		1	911	8.5	8.9 8.9
Sometimes		2	4873	45.3	47.5 56.4
Never		3	4465	41.5	43.6 100.0
Not started		-2	266	2.5	Missing
Missing		-1	235	2.2	Missing
		Total	10750	100.0	100.0
Valid cases	10249	Missing cases	501		

KD331 FREQ CH Walks Holding MUMs Hand						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Often	1	3967	36.9	38.4	38.4	
Sometimes	2	5730	53.3	55.5	93.9	
Never	3	631	5.9	6.1	100.0	
Not started	-2	266	2.5	Missing		
Missing	-1	156	1.5	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10328	Missing cases	422			

KD332 FREQ CH Walks With Reins						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Often	1	3736	34.8	36.3	36.3	
Sometimes	2	3890	36.2	37.8	74.2	
Never	3	2655	24.7	25.8	100.0	
Not started	-2	266	2.5	Missing		
Missing	-1	203	1.9	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10281	Missing cases	469			

KD333 FREQ CH Carried in Backpack						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Often	1	294	2.7	2.8	2.8	
Sometimes	2	1661	15.5	15.9	18.7	
Never	3	8483	78.9	81.3	100.0	
Missing	-1	312	2.9	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10438	Missing cases	312			

KD334 FREQ CH Carried in MUMs Arms						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Often	1	796	7.4	7.6	7.6	
Sometimes	2	7755	72.1	73.7	81.3	
Never	3	1965	18.3	18.7	100.0	
Missing	-1	234	2.2	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10516	Missing cases	234			

KD335 FREQ CH Put in Pushchair						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Often	1	8280	77.0	77.5	77.5	
Sometimes	2	2349	21.9	22.0	99.5	
Never	3	58	.5	.5	100.0	
Missing	-1	63	.6	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10687	Missing cases	63			

C9. *In which places do you allow her to walk freely?*

Often Sometimes Never Does not walk yet

C9. a) *own home*

[If more than one box is ticked, coder ringed the one with the highest number]

KD337 FREQ CH Walks Freely in Own Home						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always	1	10274	95.6	98.2	98.2	
Often	2	162	1.5	1.5	99.7	
Sometimes	3	28	.3	.3	100.0	
Never	4	3	.0	.0	100.0	
Not started	-2	234	2.2	Missing		
Missing	-1	49	.5	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10467	Missing cases	283			

b) *own garden*

c)

[If more than one box is ticked, coder ringed the one with the highest number]

['Shared garden' is coded as zero. 'No garden' is coded as '7']

KD338 FREQ CH Walks Freely in Own Garden						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always	1	8299	77.2	81.2	81.2	
Often	2	867	8.1	8.5	89.7	
Sometimes	3	697	6.5	6.8	96.5	
Never	4	353	3.3	3.5	100.0	
Not started	-2	234	2.2	Missing		
Missing	-1	300	2.8	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10216	Missing cases	534			

d) *other homes*

e)

[If more than one box is ticked, coder ringed the one with the highest number]

KD339 Freq CH walks freely in others homes						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always	1	7118	66.2	68.3	68.3	
Often	2	2167	20.2	20.8	89.1	
Sometimes	3	1036	9.6	9.9	99.0	
Never	4	100	.9	1.0	100.0	
Not started	-2	234	2.2	Missing		
Missing	-1	95	.9	Missing		
		-----	-----	-----		
Total		10750	100.0	100.0		
Valid cases	10421	Missing cases	329			

d) *other private gardens*

[If more than one box is ticked, coder ringed the one with the highest number]

KD340		Freq CH walks freely in others gardens			
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	5158	48.0	50.0	50.0
Often	2	2075	19.3	20.1	70.2
Sometimes	3	1994	18.5	19.3	89.5
Never	4	1083	10.1	10.5	100.0
Not started	-2	234	2.2	Missing	
Missing	-1	206	1.9	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10310	Missing cases	440		

C9. e) *park or playground*

[If more than one box is ticked, coder ringed the one with the highest number]

KD341	Freq CH walks freely in park					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always	1	3417	31.8	32.9	32.9	
Often	2	2681	24.9	25.8	58.7	
Sometimes	3	3091	28.8	29.8	88.5	
Never	4	1192	11.1	11.5	100.0	
Not started	-2	234	2.2	Missing		
Missing	-1	135	1.3	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10381	Missing cases	369			

f) *other (please describe)* [Keyed in as text]

[If more than one box is ticked, coder ringed the one with the highest number]

[Coder ensured anything written on the 'please describe' line is matched by a yes tick in question. If not, coder puts '0' to indicate information present]

KD342	Freq CH walks freely in other place				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y-Freq NS	0	129	1.2	1.2	1.2
Always	1	419	3.9	4.0	5.2
Often	2	214	2.0	2.0	7.3
Sometimes	3	190	1.8	1.8	9.1
Never	4	9515	88.5	90.9	100.0
Not started	-2	234	2.2	Missing	
Missing	-1	49	.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10467	Missing cases	283		

[Other places keyed in as text]

C10. *Please tick which is appropriate for your toddler:*

She wanders further than I like
She never leaves me
Neither of above

[If more than one box is ticked, coder ringed the one with the lowest number]

KD344 Proximity of CH to MUM					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CH Wanders Too Far	1	3319	30.9	31.9	31.9
CH Never Leaves Mum	2	2118	19.7	20.4	52.3
CH Does Neither	3	4964	46.2	47.7	100.0
Missing	-1	349	3.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	10401	Missing cases	349		

C11. a) *Are there any foods you do not allow her to eat?*

Yes No

KD345 Foods Forbidden to CH by MUM					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6216	57.8	59.3	59.3
No	2	4259	39.6	40.7	100.0
Missing	-1	275	2.6	Missing	
	Total	10750	100.0	100.0	
Valid cases	10475	Missing cases	275		

If yes,

b) *What are these?*

[Keyed in as text]

c) *For what reason(s) are they not allowed?*

Yes No

- i) *health*
- ii) *religious/moral*
- iii) *allergy*
- iv) *advice from doctor or health visitor*
- v) *likely to choke*
- vi) *other (please describe)*

[Coder ensured anything written on the 'please describe' line is matched by a yes tick in question. If not, coder put '0' to indicate information present]

KD350 Foods Forbidden For Health Reasons					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3249	30.2	50.1	50.1
No	2	3242	30.2	49.9	100.0
No foods	-2	4259	39.6	Missing	
	Total	10750	100.0	100.0	
Valid cases 6491 Missing cases 4259					

KD351 Foods Forbidden Due to Religion/Morals					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	268	2.5	4.1	4.1
No	2	6223	57.9	95.9	100.0
No foods	-2	4259	39.6	Missing	
	Total	10750	100.0	100.0	
Valid cases 6491 Missing cases 4259					

KD352 Foods Forbidden Due to Allergy					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	532	4.9	8.2	8.2
No	2	5959	55.4	91.8	100.0
No foods	-2	4259	39.6	Missing	
	Total	10750	100.0	100.0	
Valid cases 6491 Missing cases 4259					

KD353 Foods Forbidden Due to Medical Advice					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	516	4.8	7.9	7.9
No	2	5975	55.6	92.1	100.0
No foods	-2	4259	39.6	Missing	
	Total	10750	100.0	100.0	
Valid cases 6491 Missing cases 4259					

KD354 Foods Forbidden Since CH May Choke					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5047	46.9	77.8	77.8
No	2	1444	13.4	22.2	100.0
No foods	-2	4259	39.6	Missing	
	Total	10750	100.0	100.0	
Valid cases 6491 Missing cases 4259					

KD355 Foods Forbidden Due to Other Reasons					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	18	.2	.3	.3
Yes	1	714	6.6	11.0	11.3
No	2	5759	53.6	88.7	100.0
No foods	-2	4259	39.6	Missing	
	Total	10750	100.0	100.0	
Valid cases 6491 Missing cases 4259					

[Other reasons keyed in as text]

C12. How much choice do you allow her in deciding what foods she eats at meals?

*I decide what she will eat
She is given a choice from a few alternatives that I select
She can choose from any food available
I am never in charge of preparing her meals*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD357 Degree of Choice For CH at Meals					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Mum Chooses CHs Food	1	8807	81.9	83.8	83.8
CH - Limited Choice	2	1429	13.3	13.6	97.4
CH - Wide Choice	3	273	2.5	2.6	100.0
Don't do this	-2	18	.2	Missing	
Missing	-1	223	2.1	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases 10509 Missing cases 241					

C13. Do you allow her to choose what clothes she will wear?

*She always takes part in choosing
She has some choice
I decide what she will wear
I am never responsible for dressing her*

[If more than one box is ticked, coder ringed the one with the highest number]

KD359 Degree of Choice for CH With Clothes					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CH Helps Make Choice	1	478	4.4	4.5	4.5
CH - Limited Choice	2	1323	12.3	12.5	17.0
Mum Makes Choice	3	8764	81.5	83.0	100.0
Don't do this	-2	38	.4	Missing	
Missing	-1	147	1.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases 10565 Missing cases 185					

C14. Does your toddler have:

Yes No

- a) cuddly toys*
- b) push or pull toys*
- c) co-ordination toys (eg. set of blocks, shape posting box, stacking cups)*
- d) baby walker (that she sits in)*
- e) baby bouncer*

KD360 Child Has Cuddly Toys

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10693	99.5	99.8	99.8
No	2	24	.2	.2	100.0
Missing	-1	33	.3	Missing	
	Total	10750	100.0	100.0	

Valid cases 10717 Missing cases 33

KD361 Child Has Push or Pull Toys

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10682	99.4	99.7	99.7
No	2	35	.3	.3	100.0
Missing	-1	33	.3	Missing	
	Total	10750	100.0	100.0	

Valid cases 10717 Missing cases 33

KD362 Child Has Co-ordination Toys

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10632	98.9	99.3	99.3
No	2	79	.7	.7	100.0
Missing	-1	39	.4	Missing	
	Total	10750	100.0	100.0	

Valid cases 10711 Missing cases 39

KD363 Child Has Baby Walker

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2973	27.7	28.1	28.1
No	2	7623	70.9	71.9	100.0
Missing	-1	154	1.4	Missing	
	Total	10750	100.0	100.0	

Valid cases 10596 Missing cases 154

KD364 Child Has Baby Bouncer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2248	20.9	21.4	21.4
No	2	8273	77.0	78.6	100.0
Missing	-1	229	2.1	Missing	
	Total	10750	100.0	100.0	

Valid cases 10521 Missing cases 229

C15. *About how many books does she have of her own?*

none
1 - 2 books
3 - 9 books
10 or more

[If more than one box is ticked, coder ringed the one with lowest number]

KD365 NO of Books Owned by Child						
					Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
None		1	105	1.0	1.0	1.0
1-2		2	469	4.4	4.4	5.4
3-9		3	3027	28.2	28.3	33.6
10+		4	7114	66.2	66.4	100.0
Missing		-1	35	.3	Missing	
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10715	Missing cases	35			

C16. a) *Do you try to teach your toddler?*

no, she is too young
no, I do not have time
yes, sometimes
yes, often

[If more than one box is ticked, coder ringed the one with the lowest number]

KD366 MUM Tries to Teach Child					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No, CH Too Young	1	303	2.8	2.8	2.8
No, Mum Has No Time	2	39	.4	.4	3.2
Yes, Sometimes	3	3914	36.4	36.7	39.9
Yes, Often	4	6412	59.6	60.1	100.0
Missing	-1	82	.8	Missing	
		Total	10750	100.0	100.0
Valid cases	10668	Missing cases	82		

b) *Which things do you try to do with her?*

Yes No

i) clapping games such as pat-a-cake
ii) parts of the body
iii) to wave bye-bye
iv) colours
v) alphabet
vi) numbers
vii) nursery rhymes
viii) songs
ix) shapes and sizes
x) politeness (e.g. 'please', 'thank you')
xi) others (please describe)

[Coder ensured anything written on the 'please describe' line was matched by a yes tick in question. If not, coder put '0' to indicate information present]

KD367 MUM Teaches Clapping Games						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	10312	95.9	95.9	95.9
No		2	438	4.1	4.1	100.0
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0			

KD368 MUM Teaches Names of Body Parts						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	10346	96.2	96.2	96.2
No		2	404	3.8	3.8	100.0
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0			

C16. b)

KD369 MUM Teaches Waving Good-bye						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	10682	99.4	99.4	99.4
No		2	68	.6	.6	100.0
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0			

KD370 MUM Teaches Colours						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	7214	67.1	67.1	67.1
No		2	3536	32.9	32.9	100.0
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0			

KD371 MUM Teaches Alphabet						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	3193	29.7	29.7	29.7
No		2	7557	70.3	70.3	100.0
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0			

KD372 MUM Teaches Numbers						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	7048	65.6	65.6	65.6
No		2	3702	34.4	34.4	100.0
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0			

KD373 MUM Teaches Nursery Rhymes						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	9968	92.7	92.7	92.7
No		2	782	7.3	7.3	100.0
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0			

KD374 MUM Teaches Songs						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	9817	91.3	91.3	91.3	
No	2	933	8.7	8.7	100.0	
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10750	Missing cases	0			

KD375 MUM Teaches Shapes and Sizes						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	6834	63.6	63.6	63.6	
No	2	3916	36.4	36.4	100.0	
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10750	Missing cases	0			

KD376 MUM Teaches Politeness						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	10314	95.9	95.9	95.9	
No	2	436	4.1	4.1	100.0	
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10750	Missing cases	0			

KD377 MUM Teaches Other Things						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	2243	20.9	20.9	20.9	
No	2	8507	79.1	79.1	100.0	
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10750	Missing cases	0			

C17. *How often do you talk to her while you do housework or are occupied in some other way?*

never rarely sometimes often nearly always

[If more than one box is ticked, coder ringed the one with the lowest number]

KD380 FREQ MUM Talks to CH During Housework						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Never	1	26	.2	.2	.2	
Rarely	2	77	.7	.7	1.0	
Sometimes	3	630	5.9	5.9	6.9	
Often	4	3398	31.6	31.8	38.7	
Nearly Always	5	6555	61.0	61.3	100.0	
Missing	-1	64	.6	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10686	Missing cases	64			

Derived variable: Home score

KD360, KD361 and KD362 were recoded so that 1=1, 2 and -1=0. KD365 was recoded so that 1 and -1 =0, 2=1, 3=2 and 4=3. KD366 was recoded so that -1, and 2=0, 3=1 and 4=3. KD380 was recoded so that -1, 1 and 2=0, 3=1, 4=2 and 5=3. If all variables were missing then KD380A = -1 otherwise KD380A = KD360 + KD361 + KD362+KD365 + KD366+ KD380.

KD380A HOME score						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		1	1	.0	.0	.0
		2	3	.0	.0	.0
		3	8	.1	.1	.1
		4	19	.2	.2	.3
		5	49	.5	.5	.7
		6	150	1.4	1.4	2.1
		7	372	3.5	3.5	5.6
		8	1022	9.5	9.5	15.1
		9	1808	16.8	16.9	32.0
		10	1746	16.2	16.3	48.3
		11	2251	20.9	21.0	69.2
		12	3299	30.7	30.8	100.0
Missing		-1	22	.2	Missing	
		Total	10750	100.0	100.0	
Valid cases	10728	Missing cases	22			

C18. a) *Do you usually have the television on:*

Yes every day Yes some days No hardly ever Don't have a T.V.

i) in the mornings
ii) in the afternoons
iii) in the evenings

['Never/no' was coded as '5' but recoded to 3]

[If more than one box is ticked, coder ringed the one with the lowest number]

KD381 FREQ TV on in Mornings						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Yes, Every Day	1	3334	31.0	31.9	31.9
	Yes, Some Days	2	4024	37.4	38.5	70.3
	No, Hardly Ever	3	3103	28.9	29.7	100.0
	No tv	-2	85	.8	Missing	
	Missing	-1	204	1.9	Missing	
		Total	10750	100.0	100.0	
Valid cases	10461	Missing cases	289			

KD382 FREQ TV on in Afternoons						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Yes, Every Day	1	2123	19.7	20.4	20.4
	Yes, Some Days	2	4699	43.7	45.2	65.7
	No, Hardly Ever	3	3567	33.2	34.3	100.0
	No tv	-2	85	.8	Missing	
	Missing	-1	276	2.6	Missing	
		Total	10750	100.0	100.0	
Valid cases	10389	Missing cases	361			

KD383	FREQ TV on in Evenings					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes, Every Day	1	7825	72.8	74.3	74.3	
Yes, Some Days	2	2289	21.3	21.7	96.0	
No, Hardly Ever	3	418	3.9	4.0	100.0	
No tv	-2	84	.8	Missing		
Missing	-1	134	1.2	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10532	Missing cases	218			

- b) *Does your toddler watch television?*
- do not have a T.V.*
- yes, but only while playing*
- yes, concentrates and tries to understand*
- no, she ignores it*
- no, she is never allowed to see it*

[If more than one box is ticked, coder ringed the one with the highest number]

KD384	CH Watches TV					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes While CH Plays	1	4140	38.5	40.0	40.0	
Yes Attentively	2	4688	43.6	45.3	85.2	
No, Ignores TV	3	1464	13.6	14.1	99.4	
No, Not Allowed	4	64	.6	.6	100.0	
No tv	-2	77	.7	Missing		
Missing	-1	317	2.9	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10356	Missing cases	394			

If she does watch TV,

C18. c) *what programmes does she see?*

Yes No

- i) *children's programmes*
- ii) *other programmes*
- iii) *children's videos*
- iv) *other videos*

KD385	CH Watches Childrens Programmes					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	8932	83.1	83.1	83.1	
No	2	1818	16.9	16.9	100.0	
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10750	Missing cases	0			

KD386	CH Watches Other Programmes					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	5009	46.6	46.6	46.6	
No	2	5741	53.4	53.4	100.0	
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases	10750	Missing cases	0			

KD387	CH Watches Childrens Videos				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6601	61.4	61.4	61.4
No	2	4149	38.6	38.6	100.0
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		
KD388	CH Watches Other Videos				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	712	6.6	6.6	6.6
No	2	10038	93.4	93.4	100.0
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

C19. *How often does she play with other children (other than brothers or sisters)*

everyday
2-6 times a week
once a week
less than once a week
never

[If more than one box is ticked, coder ringed the one with the highest number]

KD390	FREQ CH Plays With Other Kids				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	1950	18.1	18.3	18.3
2-6 Times Per Week	2	5843	54.4	54.7	73.0
Once Per week	3	1926	17.9	18.0	91.0
< Once Per Week	4	815	7.6	7.6	98.7
Never	5	144	1.3	1.3	100.0
Missing	-1	72	.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10678	Missing cases	72		

C20. *How often does your partner do these activities with your toddler?*

Nearly every day *3-5 times a week* *1-2 times a week* *less than once a week* *Never* *Have no partner*

a) *baths her*

[If more than one box is ticked, coder ringed the one with the highest number]

KD391	FREQ PTNR Baths CH				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	1317	12.3	12.9	12.9
3-5 Times Per week	2	1839	17.1	18.0	30.9
1-2 Times Per week	3	3033	28.2	29.7	60.5
< Once Per Week	4	2543	23.7	24.9	85.4
Never	5	1497	13.9	14.6	100.0
No partner	-2	423	3.9	Missing	
Missing	-1	98	.9	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10229	Missing cases	521		

b) feeds her

[If more than one box is ticked, coder ringed the one with the highest number]

KD392 FREQ PTNR Feeds CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	1887	17.6	18.7	18.7
3-5 Times Per week	2	2660	24.7	26.4	45.1
1-2 Times Per week	3	3107	28.9	30.8	75.9
< Once Per Week	4	1562	14.5	15.5	91.4
Never	5	865	8.0	8.6	100.0
No partner	-2	423	3.9	Missing	
Missing	-1	246	2.3	Missing	
		Total	10750	100.0	100.0
Valid cases	10081	Missing cases	669		

C20. c) sings to her

[If more than one box is ticked, coder ringed the one with the highest number]

KD393 FREQ PTNR Sings to CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	1960	18.2	19.3	19.3
3-5 Times Per week	2	1722	16.0	17.0	36.3
1-2 Times Per week	3	2101	19.5	20.7	57.1
< Once Per Week	4	2015	18.7	19.9	77.0
Never	5	2333	21.7	23.0	100.0
No partner	-2	423	3.9	Missing	
Missing	-1	196	1.8	Missing	
		Total	10750	100.0	100.0
Valid cases	10131	Missing cases	619		

d) reads stories or shows her pictures in books

[If more than one box is ticked, coder ringed the one with the highest number]

KD394 FREQ PTNR Reads to CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	3247	30.2	32.0	32.0
3-5 Times Per week	2	2491	23.2	24.5	56.5
1-2 Times Per week	3	2326	21.6	22.9	79.4
< Once Per Week	4	1366	12.7	13.5	92.9
Never	5	723	6.7	7.1	100.0
No partner	-2	423	3.9	Missing	
Missing	-1	174	1.6	Missing	
		Total	10750	100.0	100.0
Valid cases	10153	Missing cases	597		

e) plays with toys

[If more than one box is ticked, coder ringed the one with the highest number]

KD395 FREQ PTNR Plays With Toys With CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	5131	47.7	50.4	50.4
3-5 Times Per week	2	2631	24.5	25.9	76.3
1-2 Times Per week	3	1699	15.8	16.7	93.0
< Once Per Week	4	544	5.1	5.3	98.4
Never	5	166	1.5	1.6	100.0
No partner	-2	423	3.9	Missing	
Missing	-1	156	1.5	Missing	
		Total	10750	100.0	100.0
Valid cases	10171	Missing cases	579		

C20. f) *cuddles her*

[If more than one box is ticked, coder ringed the one with the highest number]

KD396 FREQ PTNR Cuddles CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Almost Daily	1	9070	84.4	89.1	89.1	
3-5 Times Per week	2	699	6.5	6.9	95.9	
1-2 Times Per week	3	309	2.9	3.0	99.0	
< Once Per Week	4	74	.7	.7	99.7	
Never	5	32	.3	.3	100.0	
No partner	-2	423	3.9	Missing		
Missing	-1	143	1.3	Missing		
		-----	-----	-----	-----	
Total		10750	100.0	100.0		
Valid cases	10184	Missing cases	566			

g) *imitation games (pat-a-cake, peek-a-boo)*

[If more than one box is ticked, coder ringed the one with the highest number]

KD397 FREQ PTNR Plays Pat-a-Cake etc With CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Almost Daily	1	3963	36.9	39.1	39.1	
3-5 Times Per week	2	2488	23.1	24.6	63.7	
1-2 Times Per week	3	1956	18.2	19.3	83.0	
< Once Per Week	4	1071	10.0	10.6	93.6	
Never	5	651	6.1	6.4	100.0	
No partner	-2	423	3.9	Missing		
Missing	-1	198	1.8	Missing		
		-----	-----	-----	-----	
Total		10750	100.0	100.0		
Valid cases	10129	Missing cases	621			

h) *physical play (eg. rolling over, bouncing)*

[If more than one box is ticked, coder ringed the one with the highest number]

KD398 FREQ PTNR Has Physical Play With CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Almost Daily	1	6446	60.0	63.5	63.5	
3-5 Times Per week	2	2115	19.7	20.8	84.3	
1-2 Times Per week	3	1066	9.9	10.5	94.8	
< Once Per Week	4	354	3.3	3.5	98.2	
Never	5	178	1.7	1.8	100.0	
No partner	-2	423	3.9	Missing		
Missing	-1	168	1.6	Missing		
		-----	-----	-----	-----	
Total		10750	100.0	100.0		
Valid cases	10159	Missing cases	591			

i) *takes her for walks*

[If more than one box is ticked, coder ringed the one with the highest number]

KD399 FREQ PTNR Takes CH For Walks						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Almost Daily	1	927	8.6	9.1	9.1	
3-5 Times Per week	2	1617	15.0	15.9	25.1	
1-2 Times Per week	3	4227	39.3	41.6	66.7	
< Once Per Week	4	2603	24.2	25.6	92.4	
Never	5	776	7.2	7.6	100.0	
No partner	-2	423	3.9	Missing		
Missing	-1	177	1.6	Missing		
		-----	-----	-----	-----	
Total		10750	100.0	100.0		
Valid cases	10150	Missing cases	600			

C20. j) *other (please describe)*

[Coder ensured anything written on the 'please describe' line is matched by a yes tick in question. If it is not, coder puts '0' to indicate information present]

KD400 FREQ PTNR Does Other Activity With CH						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y-freq NS		0	133	1.2	7.3	7.3
Almost Daily		1	335	3.1	18.4	25.8
3-5 Times Per week		2	161	1.5	8.9	34.6
1-2 Times Per week		3	253	2.4	13.9	48.6
< Once Per Week		4	104	1.0	5.7	54.3
Never		5	830	7.7	45.7	100.0
No partner		-2	423	3.9	Missing	
Missing		-1	8511	79.2	Missing	
			-----	-----	-----	
Total			10750	100.0	100.0	
Valid cases	1816	Missing cases		8934		

[Description keyed in as text]

C21. *How often do you do these activities with your toddler?*

Nearly 3-5 1-2 less than Never
every times times once a
day week a week week

You:

a) bath her

[If more than one box is ticked, coder ringed the one with the highest number]

KD405 FREQ MUM Baths CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	5238	48.7	48.9	48.9
3-5 Times Per week	2	3278	30.5	30.6	79.6
1-2 Times Per week	3	1743	16.2	16.3	95.9
< Once Per Week	4	380	3.5	3.6	99.4
Never	5	63	.6	.6	100.0
Missing	-1	48	.4	Missing	
		Total	10750	100.0	100.0
Valid cases	10702	Missing cases	48		

C21. b) feed her

[If more than one box is ticked, coder ringed the one with the highest number]

KD406 FREQ MUM Feeds CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	9253	86.1	87.3	87.3
3-5 Times Per week	2	694	6.5	6.6	93.9
1-2 Times Per week	3	172	1.6	1.6	95.5
< Once Per Week	4	112	1.0	1.1	96.6
Never	5	364	3.4	3.4	100.0
Missing	-1	155	1.4	Missing	
		Total	10750	100.0	100.0
Valid cases	10595	Missing cases	155		

c) *sing to her*

[If more than one box is ticked, coder ringed the one with the highest number]

KD407 FREQ MUM Sings to CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	7132	66.3	66.8	66.8
3-5 Times Per week	2	1884	17.5	17.6	84.4
1-2 Times Per week	3	1053	9.8	9.9	94.3
< Once Per Week	4	450	4.2	4.2	98.5
Never	5	164	1.5	1.5	100.0
Missing	-1	67	.6	Missing	
		Total	10750	100.0	100.0
Valid cases	10683	Missing cases	67		

d) *read stories or show her pictures in books*

[If more than one box is ticked, coder ringed the one with the highest number]

KD408 FREQ MUM Reads to CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	7508	69.8	70.2	70.2
3-5 Times Per week	2	2038	19.0	19.1	89.3
1-2 Times Per week	3	829	7.7	7.8	97.1
< Once Per Week	4	235	2.2	2.2	99.3
Never	5	80	.7	.7	100.0
Missing	-1	60	.6	Missing	
		Total	10750	100.0	100.0
Valid cases	10690	Missing cases	60		

C21. e) *play with toys*

[If more than one box is ticked, coder ringed the one with the highest number]

KD409 FREQ MUM Plays With Toys With CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	9196	85.5	85.9	85.9
3-5 Times Per week	2	1148	10.7	10.7	96.6
1-2 Times Per week	3	307	2.9	2.9	99.5
< Once Per Week	4	45	.4	.4	99.9
Never	5	12	.1	.1	100.0
Missing	-1	42	.4	Missing	
		Total	10750	100.0	100.0
Valid cases	10708	Missing cases	42		

f) *cuddle her*

[If more than one box is ticked, coder ringed the one with the highest number]

KD410 FREQ MUM Cuddles CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	10619	98.8	99.2	99.2
3-5 Times Per week	2	62	.6	.6	99.8
1-2 Times Per week	3	15	.1	.1	100.0
< Once Per Week	4	5	.0	.0	100.0
Missing	-1	49	.5	Missing	
		Total	10750	100.0	100.0
Valid cases	10701	Missing cases	49		

g) *imitation games (pat-a-cake, peek-a-boo)*

[If more than one box is ticked, coder ringed the one with the highest number]

KD411 FREQ MUM Plays Pat-a-Cake Etc With CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	8061	75.0	75.6	75.6
3-5 Times Per week	2	1864	17.3	17.5	93.1
1-2 Times Per week	3	579	5.4	5.4	98.5
< Once Per Week	4	115	1.1	1.1	99.6
Never	5	44	.4	.4	100.0
Missing	-1	87	.8	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10663	Missing cases	87		

h) *physical play (eg. rolling over, bouncing)*

[If more than one box is ticked, coder ringed the one with the highest number]

KD412 FREQ MUM Has Physical Play With CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	6791	63.2	63.7	63.7
3-5 Times Per week	2	2216	20.6	20.8	84.5
1-2 Times Per week	3	1148	10.7	10.8	95.3
< Once Per Week	4	401	3.7	3.8	99.0
Never	5	104	1.0	1.0	100.0
Missing	-1	90	.8	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10660	Missing cases	90		

C21. i) *take her for walks*

[If more than one box is ticked, coder ringed the one with the highest number]

KD413 FREQ MUM Takes CH For Walks					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Daily	1	7079	65.9	66.3	66.3
3-5 Times Per week	2	2150	20.0	20.1	86.5
1-2 Times Per week	3	1189	11.1	11.1	97.6
< Once Per Week	4	217	2.0	2.0	99.7
Never	5	36	.3	.3	100.0
Missing	-1	79	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10671	Missing cases	79		

j) *other (please describe)*

[Coder ensured anything written on the 'please describe' line is matched by a yes tick in question. If not, coder puts '0' to indicate information present]

KD414 FREQ MUM Does Other Activity With CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y-freq NS	0	62	.6	3.9	3.9
Almost Daily	1	471	4.4	29.5	33.4
3-5 Times Per week	2	112	1.0	7.0	40.4
1-2 Times Per week	3	189	1.8	11.8	52.3
< Once Per Week	4	75	.7	4.7	57.0
Never	5	687	6.4	43.0	100.0
Missing	-1	9154	85.2	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	1596	Missing cases	9154		

C22. *When you and your toddler meet again after being apart for an hour or more, how often does she:*

*Usually Sometimes Hardly ever We are
never apart*

a) *move away, avoid looking at you*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD420 FREQ CH Avoids Contact After SEP						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Usually	1	58	.5	.7	.7	
Sometimes	2	582	5.4	6.8	7.5	
Hardly Ever	3	7861	73.1	92.5	100.0	
Never apart	-2	576	5.4	Missing		
Missing	-1	1673	15.6	Missing		
		-----	-----	-----		
	Total	10750	100.0	100.0		
Valid cases 8501 Missing cases 2249						

b) *push you away*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD421 FREQ CH Pushes MUM Away After SEP						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Usually		1	42	.4	.5	.5
Sometimes		2	458	4.3	5.4	5.9
Hardly Ever		3	7977	74.2	94.1	100.0
Never apart		-2	576	5.4	Missing	
Missing		-1	1697	15.8	Missing	
			-----	-----	-----	
Total			10750	100.0	100.0	
Valid cases		8477	Missing cases		2273	

C22. c) *run to you for a hug or cuddle*

[If more than one box is ticked, coder ringed the one with the highest number]

KD422 FREQ CH Cuddles MUM After SEP						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Usually		1	8678	80.7	86.0	86.0
Sometimes		2	1236	11.5	12.2	98.2
Hardly Ever		3	181	1.7	1.8	100.0
Never apart		-2	576	5.4	Missing	
Missing		-1	79	.7	Missing	
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases		10095	Missing cases		655	

SECTION D: BROTHERS AND SISTERS

We are interested in the other children who live with your toddler. Please include half-brothers and half-sisters, step-brothers and step-sisters, fostered or adopted children.

D1. a) *Are there any other children in your home?*

		<i>Yes</i>		<i>No</i>	
KD430	Other Kids in House				
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Yes	1	6392	59.5	59.9
2	No	2	4287	39.9	40.1
-1	Missing	-1	71	.7	Missing
Total			10750	100.0	100.0
Valid cases		10679	Missing cases		71

(If KD430 = 2, KD432-7 = -2 and KD431, KD440 and KD450 = 2)

D1. b) *Does your toddler have older children living with her?*

		<i>Yes</i>		<i>No</i>	
KD431 Older Children Living With CH					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Yes	1	5933	55.2	55.7 55.7
2	No	2	4728	44.0	44.3 100.0
-1	Missing	-1	89	.8	Missing
Total			10750	100.0	100.0

Valid cases 10661		Missing cases 89			

c) *How many?*

older brothers:

older sisters:

[Coder counts step-, foster- and other children staying in the house as well as natural siblings]

(If KD431=2, KD434 - KD437 = -2 and KD432-3 = 0)

KD432	NO of Older Brothers					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent	
None		0	7102	66.1	66.6	66.6
		1	2779	25.9	26.1	92.7
		2	647	6.0	6.1	98.7
		3	105	1.0	1.0	99.7
		4	22	.2	.2	99.9
		5	3	.0	.0	100.0
		6	1	.0	.0	100.0
		7	2	.0	.0	100.0
		9	1	.0	.0	100.0
		11	1	.0	.0	100.0
	Missing		-1	87	.8	Missing
		Total	10750	100.0	100.0	
Valid cases	10663	Missing cases	87			

KD433	NO of Older Sisters				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	7269	67.6	68.2	68.2
	1	2756	25.6	25.9	94.1
	2	521	4.8	4.9	99.0
	3	87	.8	.8	99.8
	4	17	.2	.2	99.9
	5	6	.1	.1	100.0
	10	1	.0	.0	100.0
Missing	-1	93	.9	Missing	
Total		10750	100.0	100.0	
Valid cases	10657	Missing cases	93		

Derived variable: Older siblings

(KD434 = KD432+ KD433, recode (-2 = -1))

KD434	No. of older siblings				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	4733	44.0	44.4	44.4
	1	3892	36.2	36.5	80.9
	2	1512	14.1	14.2	95.1
	3	384	3.6	3.6	98.7
	4	95	.9	.9	99.6
	5	23	.2	.2	99.8
	6	8	.1	.1	99.9
	7	4	.0	.0	99.9
	8	2	.0	.0	100.0
	9	1	.0	.0	100.0
	10	1	.0	.0	100.0
	11	1	.0	.0	100.0
	13	1	.0	.0	100.0
Missing	-1	93	.9	Missing	
Total		10750	100.0	100.0	
Valid cases	10657	Missing cases	93		

D1. d) *How does your toddler get on with her older brothers and sisters?*

Yes, most of the time *Yes, some of the time* *No, hardly ever*

i) *she likes to be with them*

[If more than one box is ticked, coder ringed the one with the highest number]

KD435	CH Likes to be With Older Children				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mostly	1	5545	51.6	93.7	93.7
Yes, Sometimes	2	366	3.4	6.2	99.9
Rarely	3	8	.1	.1	100.0
None older	-2	4728	44.0	Missing	
Missing	-1	103	1.0	Missing	
Total		10750	100.0	100.0	
Valid cases	5919	Missing cases	4831		

D1. d) ii) *she quarrels with them*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD436 CH Quarrels With Older Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mostly	1	290	2.7	5.1	5.1
Yes, Sometimes	2	3654	34.0	63.7	68.8
Rarely	3	1790	16.7	31.2	100.0
None older	-2	4728	44.0	Missing	
Missing	-1	288	2.7	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 5734 Missing cases 5016

iii) *she is upset if she's parted from them*

KD437 CH Upset if Apart From Older Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mostly	1	565	5.3	9.9	9.9
Yes, Sometimes	2	2835	26.4	49.5	59.4
Rarely	3	2326	21.6	40.6	100.0
None older	-2	4728	44.0	Missing	
Missing	-1	296	2.8	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 5726 Missing cases 5024

D2. a) *Does your toddler have a twin or triplet?*

Yes No

KD440 CH Has Twin or Triplet

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	279	2.6	2.6	2.6
No	2	10352	96.3	97.4	100.0
Missing	-1	119	1.1	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	

Valid cases 10631 Missing cases 119

If yes,

D2. b) *Would you say they are alike:*

Yes No

- i) in looks*
- ii) in behaviour*
- iii) personality/character*
- iv) in health*

(If KD440=2, KD441-8=-2)

KD441 Twins Alike in Looks						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	115	1.1	41.8	41.8	
No	2	160	1.5	58.2	100.0	
No twin	-2	10352	96.3	Missing		
Missing	-1	123	1.1	Missing		
	Total	10750	100.0	100.0		
Valid cases	275	Missing cases	10475			

KD442 Twins Alike in Behavior						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	81	.8	30.0	30.0	
No	2	189	1.8	70.0	100.0	
No twin	-2	10352	96.3	Missing		
Missing	-1	128	1.2	Missing		
	Total	10750	100.0	100.0		
Valid cases	270	Missing cases	10480			

KD443 Twins Alike in Personality						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	30	.3	11.1	11.1	
No	2	240	2.2	88.9	100.0	
No twin	-2	10352	96.3	Missing		
Missing	-1	128	1.2	Missing		
	Total	10750	100.0	100.0		
Valid cases	270	Missing cases	10480			

KD444 Twins Alike in Health						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	186	1.7	68.9	68.9	
No	2	84	.8	31.1	100.0	
No twin	-2	10352	96.3	Missing		
Missing	-1	128	1.2	Missing		
	Total	10750	100.0	100.0		
Valid cases	270	Missing cases	10480			

D2. c) *How do you dress them?*

in similar clothes each day
in similar clothes sometimes
hardly ever in similar clothes

[If more than one box is ticked, coder ringed the one with the lowest number]

KD445 Twins Dressed Similarly						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	94	.9	34.1	34.1
Sometimes		2	83	.8	30.1	64.1
Hardly Ever		3	99	.9	35.9	100.0
No twin		-2	10352	96.3	Missing	
Missing		-1	122	1.1	Missing	
			-----	-----	-----	
Total			10750	100.0	100.0	
Valid cases		276	Missing cases		10474	

d) *How does this twin react to the other?*

Yes, most of the time *Yes, some of the time* *No, hardly ever*

i) *she likes to be with her twin*

[If more than one box is ticked, coder ringed the one with the highest number]

KD446 CH Likes to be With Twin						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mostly		1	227	2.1	84.4	84.4
Yes, Sometimes		2	40	.4	14.9	99.3
Rarely		3	2	.0	.7	100.0
No twin		-2	10352	96.3	Missing	
Missing		-1	129	1.2	Missing	
			-----	-----	-----	
Total			10750	100.0	100.0	
Valid cases	269	Missing cases	10481			

ii) *she quarrels with her twin*

[If more than one box is ticked, coder ringed the one with the lowest number]

KD447 CH Quarrels With Twin					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mostly	1	48	.4	18.2	18.2
Yes, Sometimes	2	180	1.7	68.2	86.4
Rarely	3	36	.3	13.6	100.0
No twin	-2	10352	96.3	Missing	
Missing	-1	134	1.2	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	264	Missing cases	10486		

iii) *she is upset if she is parted from her twin*

KD448 CH Upset if Apart From Twin					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Mostly	1	49	.5	18.8	18.8
Yes, Sometimes	2	86	.8	33.0	51.7
Rarely	3	126	1.2	48.3	100.0
No twin	-2	10352	96.3	Missing	
Missing	-1	137	1.3	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	261	Missing cases	10489		

D3. a) *Does your toddler have any younger brothers or sisters?*

Yes No

KD450 CH Has Younger SIBS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	557	5.2	5.3	5.3
No	2	10030	93.3	94.7	100.0
Missing	-1	163	1.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10587	Missing cases	163		

b) *How many?*

Younger brothers:

Younger sisters:

[Coder counted step-, foster-, and other children staying in the house as natural siblings] (If KD450=2, KD451-2=0)

KD451 NO of Younger Brothers					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	10309	95.9	97.4	97.4
	1	268	2.5	2.5	99.9
	2	9	.1	.1	100.0
Missing	-1	164	1.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10586	Missing cases	164		

KD452 NO of Younger Sisters					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	10303	95.8	97.3	97.3
	1	280	2.6	2.6	100.0
	2	3	.0	.0	100.0
Missing	-1	164	1.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	10586	Missing cases	164		

Derived variable: No. younger siblings

(KD453 = KD451+KD452; If KD451 or KD452 LTO, KD453=-1)

KD453 No. of younger siblings					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
		0	10030	93.3	94.7
		1	540	5.0	5.1
		2	16	.1	.2
Missing		-1	164	1.5	Missing
		Total	10750	100.0	100.0
Valid cases	10586	Missing cases	164		

D3. c) Please give each child's name, age and sex:

*Younger
Child 1* *Younger
Child 2* *Younger
Child 3*

- i) Name
- ii) Age (months)
- iii) Sex

[Coder codes 'M' for male and 'F' for female]

[Part months are rounded down to lower month]

KD454A Age of Younger SIBS - Child 1					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
		0	36	.3	7.5
		1	89	.8	18.7
		2	102	.9	21.4
		3	80	.7	16.8
		4	59	.5	12.4
		5	49	.5	10.3
		6	29	.3	6.1
		7	11	.1	2.3
		8	4	.0	.8
		9	2	.0	.4
		10	1	.0	.2
		11	2	.0	.4
		14	1	.0	.2
		17	4	.0	.8
		18	6	.1	1.3
		19	1	.0	.2
		24	1	.0	.2
Missing		-1	10273	95.6	Missing
		Total	10750	100.0	100.0
Valid cases	477	Missing cases	10273		

KD454B Age of Younger SIBS - Child 2

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	8.3	8.3
	1	2	.0	16.7	25.0
	2	2	.0	16.7	41.7
	3	1	.0	8.3	50.0
	5	2	.0	16.7	66.7
	6	2	.0	16.7	83.3
	16	1	.0	8.3	91.7
	22	1	.0	8.3	100.0
Missing	-1	10738	99.9	Missing	
Total		10750	100.0	100.0	
Valid cases	12	Missing cases	10738		

KD454C Age of Younger SIBS - Child 3

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	2	.0	40.0	40.0
	2	1	.0	20.0	60.0
	11	1	.0	20.0	80.0
	12	1	.0	20.0	100.0
Missing	-1	10745	100.0	Missing	
Total		10750	100.0	100.0	
Valid cases	5	Missing cases	10745		

KD455A Sex of Younger SIBS - Child 1

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Male	1	249	2.3	48.3	48.3
Female	2	267	2.5	51.7	100.0
Missing	-1	10234	95.2	Missing	
Total		10750	100.0	100.0	
Valid cases	516	Missing cases	10234		

KD455B Sex of Younger SIBS - Child 2

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Male	1	9	.1	75.0	75.0
Female	2	3	.0	25.0	100.0
Missing	-1	10738	99.9	Missing	
Total		10750	100.0	100.0	
Valid cases	12	Missing cases	10738		

KD455C Sex of Younger SIBS - Child 3

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Male	1	1	.0	50.0	50.0
Female	2	1	.0	50.0	100.0
Missing	-1	10748	100.0	Missing	
Total		10750	100.0	100.0	
Valid cases	2	Missing cases	10748		

D3. d) When your younger child/children arrived how did your toddler react?

Younger Younger Younger
Child 1 Child 2 Child 3

seemed pleased
didn't mind
was unhappy

[Each child is coded for separately]

[If more than one box is ticked, coder ringed the one with the highest number]

KD460 Reaction CH to Arrival of SIB #1					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Seemed Pleased	1	224	2.1	41.4	41.4
Did not Mind	2	273	2.5	50.5	91.9
Was Unhappy	3	44	.4	8.1	100.0
Missing	-1	10209	95.0	Missing	
	Total	10750	100.0	100.0	

Valid cases 541 Missing cases 10209

KD461 Reaction CH to Arrival of SIB #2					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Seemed Pleased	1	7	.1	46.7	46.7
Did not Mind	2	5	.0	33.3	80.0
Was Unhappy	3	3	.0	20.0	100.0
Missing	-1	10735	99.9	Missing	
	Total	10750	100.0	100.0	

Valid cases 15 Missing cases 10735

KD462 Reaction CH to Arrival of SIB #3					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Seemed Pleased	1	1	.0	25.0	25.0
Did not Mind	2	1	.0	25.0	50.0
Was Unhappy	3	2	.0	50.0	100.0
Missing	-1	10746	100.0	Missing	
	Total	10750	100.0	100.0	

Valid cases 4 Missing cases 10746

D3. e) *Does she like to touch her younger brother(s)/sister(s)?*

yes often
sometimes
No

[If more than one box is ticked, coder ringed the one with the highest number]

KD463 CH Enjoys Touching Younger SIBS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Often	1	534	5.0	87.7	87.7
Sometimes	2	64	.6	10.5	98.2
No	3	11	.1	1.8	100.0
Missing	-1	10141	94.3	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	609	Missing cases	10141		

f) *Does she try to harm her younger brother(s)/sister(s)?*

yes often
sometimes
No

[If more than one box is ticked, coder ringed the one with the lowest number]

KD464 CH Tries to Harm Younger SIBS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Often	1	23	.2	3.8	3.8
Sometimes	2	174	1.6	29.1	32.9
No	3	401	3.7	67.1	100.0
Missing	-1	10152	94.4	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	598	Missing cases	10152		

D3. g) *Is she affectionate to her younger brother(s)/sister(s)?*

yes often
sometimes
No

[If more than one box is ticked, coder ringed the one with the highest number]

KD465 CH Affectionate to Younger SIBS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Often	1	476	4.4	80.3	80.3
Sometimes	2	107	1.0	18.0	98.3
No	3	10	.1	1.7	100.0
Missing	-1	10157	94.5	Missing	
		-----	-----	-----	
	Total	10750	100.0	100.0	
Valid cases	593	Missing cases	10157		

h) *Does she like helping you to look after her younger brother(s)/sister(s)?*

yes often
sometimes
No

[If more than one box is ticked, coder ringed the one with the highest number]

KD466 CH Helps MUM Look After Younger SIBS						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Often		1	303	2.8	52.1	52.1
Sometimes		2	217	2.0	37.3	89.3
No		3	62	.6	10.7	100.0
Missing		-1	10168	94.6	Missing	
			-----	-----	-----	
Total			10750	100.0	100.0	
Valid cases	582	Missing cases		10168		

i) *Does she resent her younger brother(s)/sister(s)?*

yes often
sometimes
No

[If more than one box is ticked, coder ringed the one with the lowest number]

KD467 CH Resents Younger SIBS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Often	1	11	.1	1.9	1.9
Sometimes	2	182	1.7	31.2	33.1
No	3	390	3.6	66.9	100.0
Missing	-1	10167	94.6	Missing	
		Total	10750	100.0	100.0
<hr/>					
Valid cases	583	Missing cases	10167		

D3. j) *Does she get angry with her younger brother(s)/sister(s)?*

yes often
sometimes
No

[If more than one box is ticked, coder ringed the one with the lowest number]

KD468 CH Gets Angry With Younger SIBS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Often	1	15	.1	2.6	2.6
Sometimes	2	119	1.1	20.5	23.1
No	3	447	4.2	76.9	100.0
Missing	-1	10169	94.6	Missing	
	Total	10750	100.0	100.0	
Valid cases	581	Missing cases	10169		

SECTION E: UPSETTING EVENTS

Below are listed some events that might upset some children. Please state whether any of these happened.

Since she was 6 months old:

<i>Yes and she was very upset</i>	<i>Yes and she was quite upset</i>	<i>Yes and she was a bit upset</i>	<i>Yes but she wasn't upset</i>	<i>No did not happen</i>
---	--	--	---	----------------------------------

In each questions E1-E15, Variable B recodes variable A 1-4=1, 5=2, -1=2.
[If more than one box is ticked, coder ringed the one with the lowest number]

E1. She was taken into care*

KD500A CH Taken Into Care Since 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	5	.0	.0	.0
Yes & CH Quite Upset	2	4	.0	.0	.1
Yes & CH Bit Upset	3	1	.0	.0	.1
Yes & CH Not Upset	4	5	.0	.0	.1
Did Not Happen	5	10696	99.5	99.9	100.0
Missing	-1	39	.4	Missing	
Total		10750	100.0	100.0	

Valid cases 10711 Missing cases 39

KD500B Ch taken into care (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	15	.1	.1	.1
No	2	10735	99.9	99.9	100.0
Total		10750	100.0	100.0	

Valid cases 10750 Missing cases 0

E2. A pet died

KD501A Pet Died Since Child 6 Months Old

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	3	.0	.0	.0
Yes & CH Quite Upset	2	10	.1	.1	.1
Yes & CH Bit Upset	3	53	.5	.5	.6
Yes & CH Not Upset	4	522	4.9	4.9	5.5
Did Not Happen	5	10123	94.2	94.5	100.0
Missing	-1	39	.4	Missing	
Total		10750	100.0	100.0	

Valid cases 10711 Missing cases 39

KD501B A pet died (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	588	5.5	5.5	5.5
No	2	10162	94.5	94.5	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

E3. She moved home

KD502A CH Moved Home Since 6 Months Old

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	28	.3	.3	.3
Yes & CH Quite Upset	2	69	.6	.6	.9
Yes & CH Bit Upset	3	276	2.6	2.6	3.5
Yes & CH Not Upset	4	1458	13.6	13.6	17.1
Did Not Happen	5	8875	82.6	82.9	100.0
Missing	-1	44	.4	Missing	
	Total	10750	100.0	100.0	

Valid cases 10706 Missing cases 44

KD502B Ch moved home (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1831	17.0	17.0	17.0
No	2	8919	83.0	83.0	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

*E4. She had a shock or fright**

KD503A CH Had Shock Since 6 Months Old

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	306	2.8	2.9	2.9
Yes & CH Quite Upset	2	337	3.1	3.2	6.0
Yes & CH Bit Upset	3	583	5.4	5.5	11.5
Yes & CH Not Upset	4	198	1.8	1.9	13.3
Did Not Happen	5	9256	86.1	86.7	100.0
Missing	-1	70	.7	Missing	
	Total	10750	100.0	100.0	

Valid cases 10680 Missing cases 70

KD503B Ch had fright (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1424	13.2	13.2	13.2
No	2	9326	86.8	86.8	100.0
	Total	10750	100.0	100.0	

Valid cases 10750 Missing cases 0

E5. *She was physically hurt by someone**

KD504A CH Physically Hurt by Person > 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	52	.5	.5	.5
Yes & CH Quite Upset	2	73	.7	.7	1.2
Yes & CH Bit Upset	3	106	1.0	1.0	2.2
Yes & CH Not Upset	4	23	.2	.2	2.4
Did Not Happen	5	10449	97.2	97.6	100.0
Missing	-1	47	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10703	Missing cases	47		

KD504B Ch physically hurt by someone (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	254	2.4	2.4	2.4
No	2	10496	97.6	97.6	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

E6. *She was sexually abused**

KD505A CH Sexually Abused > 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	3	.0	.0	.0
Yes & CH Quite Upset	2	1	.0	.0	.0
Yes & CH Bit Upset	3	1	.0	.0	.0
Did Not Happen	5	10704	99.6	100.0	100.0
Missing	-1	41	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10709	Missing cases	41		

KD505B Ch sexually abused (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5	.0	.0	.0
No	2	10745	100.0	100.0	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

E7. *She was separated from her mother for at least a week**

KD506A CH Separated 1+ WK From MUM > 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	33	.3	.3	.3
Yes & CH Quite Upset	2	65	.6	.6	.9
Yes & CH Bit Upset	3	195	1.8	1.8	2.7
Yes & CH Not Upset	4	380	3.5	3.5	6.3
Did Not Happen	5	10035	93.3	93.7	100.0
Missing	-1	42	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10708	Missing cases	42		

KD506B Ch separated from mum for > a wk (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	673	6.3	6.3	6.3
No	2	10077	93.7	93.7	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

E8. She was separated from her father for at least a week*

KD507A CH Separated 1+ WK From DAD > 6 MTHS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	55	.5	.5	.5
Yes & CH Quite Upset	2	105	1.0	1.0	1.5
Yes & CH Bit Upset	3	415	3.9	3.9	5.4
Yes & CH Not Upset	4	1306	12.1	12.3	17.7
Did Not Happen	5	8767	81.6	82.3	100.0
Missing	-1	102	.9	Missing	
	Total	10750	100.0	100.0	
Valid cases		10648	Missing cases		102

KD507B Ch separated from dad for > a wk (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1881	17.5	17.5	17.5
No	2	8869	82.5	82.5	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

E9. She acquired a new parent*

KD508A CH Acquired New Parent > 6 MTHS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	3	.0	.0	.0
Yes & CH Bit Upset	3	6	.1	.1	.1
Yes & CH Not Upset	4	89	.8	.8	.9
Did Not Happen	5	10601	98.6	99.1	100.0
Missing	-1	51	.5	Missing	
	Total	10750	100.0	100.0	
Valid cases		10699	Missing cases		51

KD508B Ch acquired a new parent (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	98	.9	.9	.9
No	2	10652	99.1	99.1	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

E10. *She had a new brother or sister*

KD509A CH Had New SIB > 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	5	.0	.0	.0
Yes & CH Quite Upset	2	20	.2	.2	.2
Yes & CH Bit Upset	3	71	.7	.7	.9
Yes & CH Not Upset	4	449	4.2	4.2	5.1
Did Not Happen	5	10153	94.4	94.9	100.0
Missing	-1	52	.5	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10698	Missing cases	52		

KD509B Ch had a new sibling (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	545	5.1	5.1	5.1
No	2	10205	94.9	94.9	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

E11. *She was admitted to hospital*

KD510A CH Admitted to HOSP > 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	127	1.2	1.2	1.2
Yes & CH Quite Upset	2	144	1.3	1.3	2.5
Yes & CH Bit Upset	3	277	2.6	2.6	5.1
Yes & CH Not Upset	4	454	4.2	4.2	9.4
Did Not Happen	5	9694	90.2	90.6	100.0
Missing	-1	54	.5	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10696	Missing cases	54		

KD510B Ch admitted to hospital (adj)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1002	9.3	9.3	9.3
No	2	9748	90.7	90.7	100.0
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

E12. *She changed carer/care giver*

KD511A Change of Care Giver > CH 6 MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	10	.1	.1	.1
Yes & CH Quite Upset	2	43	.4	.4	.5
Yes & CH Bit Upset	3	156	1.5	1.5	2.0
Yes & CH Not Upset	4	416	3.9	3.9	5.8
Did Not Happen	5	10061	93.6	94.2	100.0
Missing	-1	64	.6	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10686	Missing cases	64		

KD511B Ch changed carer (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	625	5.8	5.8	5.8
No	2	10125	94.2	94.2	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

E13. *She was separated from someone else**

KD512A CH Separated From Someone Else > 6 MTHS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	15	.1	.1	.1
Yes & CH Quite Upset	2	21	.2	.2	.3
Yes & CH Bit Upset	3	70	.7	.7	1.0
Yes & CH Not Upset	4	105	1.0	1.0	2.0
Did Not Happen	5	10463	97.3	98.0	100.0
Missing	-1	76	.7	Missing	
	Total	10750	100.0	100.0	
Valid cases		10674	Missing cases		76

KD512B Ch separated from someone else (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	211	2.0	2.0	2.0
No	2	10539	98.0	98.0	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

E14. *She started creche or nursery*

[If E14 mentions 'childminder', coder transfers the tick to E12]

KD513A CH Started Creche > 6 MTHS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & CH Very Upset	1	58	.5	.5	.5
Yes & CH Quite Upset	2	99	.9	.9	1.5
Yes & CH Bit Upset	3	314	2.9	2.9	4.4
Yes & CH Not Upset	4	573	5.3	5.4	9.8
Did Not Happen	5	9632	89.6	90.2	100.0
Missing	-1	74	.7	Missing	
	Total	10750	100.0	100.0	
Valid cases		10676	Missing cases		74

KD513B Ch started nursery (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1044	9.7	9.7	9.7
No	2	9706	90.3	90.3	100.0
	Total	10750	100.0	100.0	
Valid cases		10750	Missing cases		0

*E15. Something else**

[Coder ensured anything written on the 'please describe' line is matched by a yes tick in question. If not, coder put '0' to indicate information present]

KD514A CH Had Other Upsetting Event > 6 MTHS					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes-other	0	17	.2	.2	.2
Yes & CH Very Upset	1	49	.5	.6	.8
Yes & CH Quite Upset	2	53	.5	.7	1.5
Yes & CH Bit Upset	3	94	.9	1.2	2.6
Yes & CH Not Upset	4	146	1.4	1.8	4.4
Did Not Happen	5	7738	72.0	95.6	100.0
Missing	-1	2653	24.7	Missing	
	Total	10750	100.0	100.0	
Valid cases 8097 Missing cases 2653					

KD514B Ch had other upsetting event (adj)					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	359	3.3	3.3	3.3
No	2	10391	96.7	96.7	100.0
	Total	10750	100.0	100.0	
Valid cases 10750 Missing cases 0					

*If yes, to any marked *, please give details below:*

[Keyed in as text]

Derived variable: Life events score

KD515 Life events score

(KD515 = 30 - [KD500B + KD501B +.....+ KD514B]; if all of KD500A - KD514A = -1, KD515 = -1)

KD515 Life events score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	4505	41.9	42.0	42.0
	1	3419	31.8	31.9	73.9
	2	1757	16.3	16.4	90.3
	3	704	6.5	6.6	96.9
	4	238	2.2	2.2	99.1
	5	66	.6	.6	99.7
	6	25	.2	.2	99.9
	7	2	.0	.0	99.9
	8	3	.0	.0	100.0
	10	1	.0	.0	100.0
	15	2	.0	.0	100.0
Missing	-1	28	.3	Missing	
	Total	10750	100.0	100.0	
Valid cases 10722 Missing cases 28					

SECTION F: MILESTONES

Below are a list of things which children gradually learn to do as they get older. Some of them your toddler will be doing and others she won't have started yet. Please indicate which she is doing:

<i>Yes, can do well or twice</i>	<i>Has only done once</i>	<i>Has not yet started</i>
--	-------------------------------	------------------------------------

[If column heading altered to, 'Always' is coded a '1', 'sometimes' coded as '2', 'never' is coded as '3']

[N.B. From F1 to F4 the coder coded 'tries' or 'attempts' as 3. If mother indicates that child never did this action or has passed this stage '5' is coded]

[If more than one box is ticked, coder ringed the one with the highest number]

F1. a) *She is able to drink from a cup*

KD600 CH Can Drink From Cup

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	7598	70.7	71.4	71.4
Only Done 1-2 Times	2	2341	21.8	22.0	93.4
Not Yet Started	3	697	6.5	6.6	100.0
Missing	-1	114	1.1	Missing	
	Total	10750	100.0	100.0	

Valid cases 10636 Missing cases 114

b) *She shows what she wants without crying for it*

KD601 CH Indicates Desires Without Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	9620	89.5	90.0	90.0
Only Done 1-2 Times	2	887	8.3	8.3	98.3
Not Yet Started	3	179	1.7	1.7	100.0
Missing	-1	64	.6	Missing	
	Total	10750	100.0	100.0	

Valid cases 10686 Missing cases 64

c) *She copies me doing the housework*

KD602 CH Copies MUM Doing Housework

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	8318	77.4	77.8	77.8
Only Done 1-2 Times	2	1749	16.3	16.4	94.1
Not Yet Started	3	626	5.8	5.9	100.0
Missing	-1	57	.5	Missing	
	Total	10750	100.0	100.0	

Valid cases 10693 Missing cases 57

F1. d) She uses a spoon without spilling much

KD603 CH Uses Spoon Without Spilling

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	8547	79.5	79.9	79.9
Only Done 1-2 Times	2	1799	16.7	16.8	96.8
Not Yet Started	3	347	3.2	3.2	100.0
Missing	-1	57	.5	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10693 Missing cases 57

e) She helps in the house with simple tasks

KD604 CH Helps MUM With Simple Tasks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	5784	53.8	54.2	54.2
Only Done 1-2 Times	2	2682	24.9	25.2	79.4
Not Yet Started	3	2196	20.4	20.6	100.0
Missing	-1	88	.8	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10662 Missing cases 88

f) She can take off her clothes with help

KD605 CH Can Undress With Help

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	3832	35.6	35.9	35.9
Only Done 1-2 Times	2	3527	32.8	33.0	68.9
Not Yet Started	3	3321	30.9	31.1	100.0
Missing	-1	70	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10680 Missing cases 70

g) She can put her shoes on (without fastening them)

KD606 CH Can Put Own Shoes On

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	2075	19.3	19.4	19.4
Only Done 1-2 Times	2	2592	24.1	24.3	43.7
Not Yet Started	3	6010	55.9	56.3	100.0
Missing	-1	73	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10677 Missing cases 73

F1. h) She can wash and dry her hands

KD607 CH Can Wash and Dry Own hands

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	2038	19.0	19.1	19.1
Only Done 1-2 Times	2	2466	22.9	23.1	42.2
Not Yet Started	3	6176	57.5	57.8	100.0
Missing	-1	70	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10680 Missing cases 70

i) She lets me know when she wants to go to the lavatory

KD608 CH Indicates Need For Lavatory

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	325	3.0	3.0	3.0
Only Done 1-2 Times	2	1466	13.6	13.7	16.8
Not Yet Started	3	8893	82.7	83.2	100.0
Missing	-1	66	.6	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10684 Missing cases 66

j) She will play happily on her own

KD609 CH Plays Happily by Self

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	9693	90.2	90.6	90.6
Only Done 1-2 Times	2	873	8.1	8.2	98.8
Not Yet Started	3	130	1.2	1.2	100.0
Missing	-1	54	.5	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10696 Missing cases 54

k) She eats with a spoon and fork

KD610 CH Eats With Spoon and Fork

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	5737	53.4	53.7	53.7
Only Done 1-2 Times	2	1822	16.9	17.1	70.8
Not Yet Started	3	3120	29.0	29.2	100.0
Missing	-1	71	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	

Valid cases 10679 Missing cases 71

F1. l) *She is shy when she first meets a stranger*

KD611 CH Shy When Meets Stranger

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	5314	49.4	51.1	51.1
Only Done 1-2 Times	2	4211	39.2	40.5	91.5
Not Yet Started	3	881	8.2	8.5	100.0
Missing	-1	344	3.2	Missing	
Total		10750	100.0	100.0	
Valid cases		10406	Missing cases 344		

m) *She plays peek-a-boo*

KD612 CH Plays Peek-a-boo

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10318	96.0	96.4	96.4
Only Done 1-2 Times	2	301	2.8	2.8	99.3
Not Yet Started	3	79	.7	.7	100.0
Missing	-1	52	.5	Missing	
Total		10750	100.0	100.0	
Valid cases		10698	Missing cases 52		

n) *She plays pat-a-cake (or other clapping game) with me*

KD613 CH Plays Pat-a-cake With MUM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	9307	86.6	87.0	87.0
Only Done 1-2 Times	2	1088	10.1	10.2	97.2
Not Yet Started	3	298	2.8	2.8	100.0
Missing	-1	57	.5	Missing	
Total		10750	100.0	100.0	
Valid cases		10693	Missing cases 57		

Derived variable

KD614 Social achievement score

(Recode KD600-KD613 (1=2)(2=1)(else=0)

KD614 = KD600 +.....+ KD613; If all of KD600 - KD613 = -1, KD614 = -1)

KD614 Social Achievement Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
	2	1	.0	.0	.0
	3	1	.0	.0	.0
	4	2	.0	.0	.0
	5	7	.1	.1	.1
	6	9	.1	.1	.2
	7	19	.2	.2	.4
	8	26	.2	.2	.6
	9	51	.5	.5	1.1
	10	89	.8	.8	1.9
	11	119	1.1	1.1	3.0
	12	202	1.9	1.9	4.9
	13	316	2.9	2.9	7.9

KD614 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	14	438	4.1	4.1	12.0
	15	590	5.5	5.5	17.5
	16	768	7.1	7.2	24.6
	17	882	8.2	8.2	32.8
	18	1041	9.7	9.7	42.6
	19	1078	10.0	10.1	52.6
	20	1092	10.2	10.2	62.8
	21	986	9.2	9.2	72.0
	22	856	8.0	8.0	80.0
	23	710	6.6	6.6	86.6
	24	551	5.1	5.1	91.8
	25	428	4.0	4.0	95.7
	26	291	2.7	2.7	98.5
	27	119	1.1	1.1	99.6
	28	46	.4	.4	100.0
Missing	-1	31	.3	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10719	Missing cases	31		

F2. a) *She can hold a rattle*

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10669	99.2	99.8	99.8
Only Done 1-2 Times	2	9	.1	.1	99.9
Not Yet Started	3	10	.1	.1	100.0
Missing	-1	62	.6	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10688	Missing cases	62		

b) *She can focus her eyes on a small object such as a raisin*

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10658	99.1	99.7	99.7
Only Done 1-2 Times	2	20	.2	.2	99.9
Not Yet Started	3	16	.1	.1	100.0
Missing	-1	56	.5	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10694	Missing cases	56		

c) *She can pick up a small object such as a raisin*

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10665	99.2	99.6	99.6
Only Done 1-2 Times	2	29	.3	.3	99.8
Not Yet Started	3	18	.2	.2	100.0
Missing	-1	38	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10712	Missing cases	38		

F2. d) She can pass an object from one hand to another

KD623 CH Can Pass Object Between Hands					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10687	99.4	99.8	99.8
Only Done 1-2 Times	2	12	.1	.1	99.9
Not Yet Started	3	8	.1	.1	100.0
Missing	-1	43	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10707	Missing cases	43		

e) She can bang together two similar objects that she is holding

KD624 CH Can Bang 2 SIM Objects Together					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10652	99.1	99.5	99.5
Only Done 1-2 Times	2	32	.3	.3	99.8
Not Yet Started	3	20	.2	.2	100.0
Missing	-1	46	.4	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10704	Missing cases	46		

f) She grabs objects using the whole hand

KD625 CH Grabs Objects Using Whole Hand					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10550	98.1	99.1	99.1
Only Done 1-2 Times	2	71	.7	.7	99.8
Not Yet Started	3	25	.2	.2	100.0
Missing	-1	104	1.0	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10646	Missing cases	104		

g) She can pick up a small object using finger and thumb only

KD626 CH Picks Small Object With Finger+Thumb					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10476	97.5	98.2	98.2
Only Done 1-2 Times	2	144	1.3	1.3	99.5
Not Yet Started	3	50	.5	.5	100.0
Missing	-1	80	.7	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10670	Missing cases	80		

h) She will use a pencil and scribble

KD627 CH Scribbles With Pencil					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	9336	86.8	87.1	87.1
Only Done 1-2 Times	2	968	9.0	9.0	96.2
Not Yet Started	3	409	3.8	3.8	100.0
Missing	-1	37	.3	Missing	
		-----	-----	-----	
Total		10750	100.0	100.0	
Valid cases	10713	Missing cases	37		

F2. i) She can build a tower putting one object on top of another

KD628 CH Can Build Tower of Objects

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	8506	79.1	79.8	79.8
Only Done 1-2 Times	2	1605	14.9	15.1	94.8
Not Yet Started	3	551	5.1	5.2	100.0
Missing	-1	88	.8	Missing	
Total		10750	100.0	100.0	
Valid cases		10662	Missing cases 88		

j) She can build a tower of 3 bricks

KD629 CH Can Build Tower of 3 Bricks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	8066	75.0	76.1	76.1
Only Done 1-2 Times	2	1501	14.0	14.2	90.3
Not Yet Started	3	1028	9.6	9.7	100.0
Missing	-1	155	1.4	Missing	
Total		10750	100.0	100.0	
Valid cases		10595	Missing cases 155		

k) She can build a tower of 4 bricks

KD630 CH Can Build Tower of 4 Bricks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	5980	55.6	56.8	56.8
Only Done 1-2 Times	2	1981	18.4	18.8	75.6
Not Yet Started	3	2566	23.9	24.4	100.0
Missing	-1	223	2.1	Missing	
Total		10750	100.0	100.0	
Valid cases		10527	Missing cases 223		

l) She can build a tower of 8 bricks

KD631 CH Can Build Tower of 8 Bricks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	1442	13.4	13.9	13.9
Only Done 1-2 Times	2	1980	18.4	19.0	32.9
Not Yet Started	3	6980	64.9	67.1	100.0
Missing	-1	348	3.2	Missing	
Total		10750	100.0	100.0	
Valid cases		10402	Missing cases 348		

F2. n) She can copy a vertical line with a pencil

KD633 CH Can Copy Vertical Line in Pencil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	596	5.5	5.7	5.7
Only Done 1-2 Times	2	978	9.1	9.3	15.0
Not Yet Started	3	8921	83.0	85.0	100.0
Missing	-1	255	2.4	Missing	
		Total	10750	100.0	100.0
Valid cases	10495	Missing cases	255		

o) She points to what she wants

KD634 CH Points to What CH Wants

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10262	95.5	95.9	95.9
Only Done 1-2 Times	2	320	3.0	3.0	98.9
Not Yet Started	3	118	1.1	1.1	100.0
Missing	-1	50	.5	Missing	
		Total	10750	100.0	100.0
Valid cases	10700	Missing cases	50		

p) She will turn the pages of a book

KD635 CH Turns Book Pages

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10276	95.6	96.1	96.1
Only Done 1-2 Times	2	346	3.2	3.2	99.3
Not Yet Started	3	74	.7	.7	100.0
Missing	-1	54	.5	Missing	
		Total	10750	100.0	100.0
Valid cases	10696	Missing cases	54		

Derived score

KD636 Fine motor score

(Variables KD620 - KD635 were recoded (1=2)(2=1)(else 0) KD636 = KD620 +.....+ KD635; If all of KD620..... KD635 = -1, KD636 = -1

KD636 Fine Motor Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	.0	.0
	2	3	.0	.0	.0
	4	4	.0	.0	.1
	6	2	.0	.0	.1
	7	2	.0	.0	.1
	8	4	.0	.0	.2
	11	4	.0	.0	.2
	12	5	.0	.0	.2
	13	1	.0	.0	.3
	14	9	.1	.1	.3
	15	9	.1	.1	.4
	16	14	.1	.1	.6
	17	24	.2	.2	.8
	18	60	.6	.6	1.3
	19	78	.7	.7	2.1
	20	157	1.5	1.5	3.5
	21	224	2.1	2.1	5.6
	22	482	4.5	4.5	10.1
	23	512	4.8	4.8	14.9

KD636 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	24	775	7.2	7.2	22.1
	25	664	6.2	6.2	28.3
	26	1208	11.2	11.3	39.6
	27	1241	11.5	11.6	51.1
	28	2286	21.3	21.3	72.5
	29	1278	11.9	11.9	84.4
	30	1189	11.1	11.1	95.5
	31	303	2.8	2.8	98.3
	32	182	1.7	1.7	100.0
Missing	-1	28	.3	Missing	
		Total	10750	100.0	100.0
Valid cases	10722	Missing cases	28		

F3. a) *When a bell rings, she moves or makes a noise*

KD640 CH Reacts to Ringing Bell

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10247	95.3	96.1	96.1
Only Done 1-2 Times	2	290	2.7	2.7	98.9
Not Yet Started	3	122	1.1	1.1	100.0
Missing	-1	91	.8	Missing	
		Total	10750	100.0	100.0
Valid cases	10659	Missing cases	91		

b) *She turns towards people when they are speaking*

KD641 CH Turns Towards People Speaking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10480	97.5	98.1	98.1
Only Done 1-2 Times	2	178	1.7	1.7	99.7
Not Yet Started	3	29	.3	.3	100.0
Missing	-1	63	.6	Missing	
		Total	10750	100.0	100.0
Valid cases	10687	Missing cases	63		

c) *She tries to copy what you say*

KD642 CH Tries to Copy What MUM Says

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	8328	77.5	78.1	78.1
Only Done 1-2 Times	2	1743	16.2	16.3	94.4
Not Yet Started	3	594	5.5	5.6	100.0
Missing	-1	85	.8	Missing	
		Total	10750	100.0	100.0
Valid cases	10665	Missing cases	85		

d) *She says 'dada' and 'mama' and knows what they mean*

KD643 CH Says & Understands Mama & Dada

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10158	94.5	94.9	94.9
Only Done 1-2 Times	2	376	3.5	3.5	98.4
Not Yet Started	3	168	1.6	1.6	100.0
Missing	-1	48	.4	Missing	
		Total	10750	100.0	100.0
Valid cases	10702	Missing cases	48		

F3. e) She says at least 3 other words and knows what they mean

KD644 CH Says & Understands > 3 Other Words

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	9158	85.2	85.7	85.7
Only Done 1-2 Times	2	621	5.8	5.8	91.5
Not Yet Started	3	911	8.5	8.5	100.0
Missing	-1	60	.6	Missing	
		Total	10750	100.0	100.0
Valid cases	10690	Missing cases	60		

f) She combines two different words (e.g. nice dinner)

KD645 CH Combines 2 DIFF Words

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	3732	34.7	35.0	35.0
Only Done 1-2 Times	2	1825	17.0	17.1	52.1
Not Yet Started	3	5119	47.6	47.9	100.0
Missing	-1	74	.7	Missing	
		Total	10750	100.0	100.0
Valid cases	10676	Missing cases	74		

g) She can point to her toes when asked

KD646 CH Points to Toes When Asked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	7761	72.2	73.1	73.1
Only Done 1-2 Times	2	966	9.0	9.1	82.2
Not Yet Started	3	1892	17.6	17.8	100.0
Missing	-1	131	1.2	Missing	
		Total	10750	100.0	100.0
Valid cases	10619	Missing cases	131		

h) She uses plurals (eg. cats, toys)

KD647 CH Uses Plurals

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	1900	17.7	17.9	17.9
Only Done 1-2 Times	2	1062	9.9	10.0	27.9
Not Yet Started	3	7662	71.3	72.1	100.0
Missing	-1	126	1.2	Missing	
		Total	10750	100.0	100.0
Valid cases	10624	Missing cases	126		

i) She gives her first name

KD648 CH Gives First Name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	1780	16.6	16.7	16.7
Only Done 1-2 Times	2	1174	10.9	11.0	27.7
Not Yet Started	3	7714	71.8	72.3	100.0
Missing	-1	82	.8	Missing	
		Total	10750	100.0	100.0
Valid cases	10668	Missing cases	82		

F3. j) She gives her first and last name

KD649 CH Gives First & Last Names

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	150	1.4	1.4	1.4
Only Done 1-2 Times	2	221	2.1	2.1	3.5
Not Yet Started	3	10295	95.8	96.5	100.0
Missing	-1	84	.8	Missing	
Total		10750	100.0	100.0	
Valid cases	10666	Missing cases	84		

k) She understands the word 'cold'

KD650 CH Understands the Word Cold

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	4781	44.5	45.0	45.0
Only Done 1-2 Times	2	1094	10.2	10.3	55.4
Not Yet Started	3	4739	44.1	44.6	100.0
Missing	-1	136	1.3	Missing	
Total		10750	100.0	100.0	
Valid cases	10614	Missing cases	136		

l) She understands 'hungry'

KD651 CH Understands the Word Hungry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	6609	61.5	62.2	62.2
Only Done 1-2 Times	2	1258	11.7	11.8	74.0
Not Yet Started	3	2761	25.7	26.0	100.0
Missing	-1	122	1.1	Missing	
Total		10750	100.0	100.0	
Valid cases	10628	Missing cases	122		

m) She can name three colours, even if she doesn't get them right

KD652 CH Can Name 3 Colours

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	544	5.1	5.1	5.1
Only Done 1-2 Times	2	368	3.4	3.4	8.5
Not Yet Started	3	9763	90.8	91.5	100.0
Missing	-1	75	.7	Missing	
Total		10750	100.0	100.0	
Valid cases	10675	Missing cases	75		

n) She makes negative statements (e.g. nobath)

KD653 CH Makes Negative Statements

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	3515	32.7	33.0	33.0
Only Done 1-2 Times	2	1204	11.2	11.3	44.3
Not Yet Started	3	5928	55.1	55.7	100.0
Missing	-1	103	1.0	Missing	
Total		10750	100.0	100.0	
Valid cases	10647	Missing cases	103		

Derived variable

KD654 Communication score

(Variables KD640 - KD653 recoded (1=2)(2=1)(else=0), KD654 = KD640+.....+ KD653; If all of KD640 - KD653 = -1, then KD654 = -1)

KD654 Communication Score					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
0			3	.0	.0 .0
1			4	.0	.0 .1
2			15	.1	.1 .2
3			11	.1	.1 .3
4			37	.3	.3 .7
5			43	.4	.4 1.1
6			104	1.0	1.0 2.0
7			149	1.4	1.4 3.4
8			249	2.3	2.3 5.7
9			290	2.7	2.7 8.4
10			444	4.1	4.1 12.6
11			514	4.8	4.8 17.4
12			864	8.0	8.0 25.4
13			657	6.1	6.1 31.5
14			1026	9.5	9.6 41.1
15			675	6.3	6.3 47.4
16			1065	9.9	9.9 57.3
17			627	5.8	5.8 63.1
18			857	8.0	8.0 71.1
19			542	5.0	5.0 76.2
20			675	6.3	6.3 82.5
21			408	3.8	3.8 86.3
22			489	4.5	4.6 90.8
23			280	2.6	2.6 93.4
24			300	2.8	2.8 96.2
25			140	1.3	1.3 97.5
26			152	1.4	1.4 98.9
27			58	.5	.5 99.5
28			56	.5	.5 100.0
Missing		-1	16	.1	Missing
		Total	10750	100.0	100.0
Valid cases	10734	Missing cases	16		

F4. a) *She can stand up without being supported even if only for a very short time*

KD660 CH Can Stand Briefly Without Support					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Yes, Can do Well		10582	98.4	98.8 98.8
2	Only Done 1-2 Times		51	.5	.5 99.3
3	Not Yet Started		73	.7	.7 100.0
Missing		-1	44	.4	Missing
		Total	10750	100.0	100.0
Valid cases	10706	Missing cases	44		

F4. b) From a standing position she can bend down and return to standing

KD661 CH Can Bend Down & Stand Up Again					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10514	97.8	98.2	98.2
Only Done 1-2 Times	2	61	.6	.6	98.8
Not Yet Started	3	131	1.2	1.2	100.0
Missing	-1	44	.4	Missing	
Total		10750	100.0	100.0	
Valid cases	10706	Missing cases	44		

c) She can stand alone for at least a minute without holding on to anything

KD662 Can stand alone for at least a minute					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10513	97.8	98.3	98.3
Only Done 1-2 Times	2	57	.5	.5	98.8
Not Yet Started	3	124	1.2	1.2	100.0
Missing	-1	56	.5	Missing	
Total		10750	100.0	100.0	
Valid cases	10694	Missing cases	56		

d) She can walk while holding someone's hand

KD663 CH Can Walk Holding Others Hand					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10585	98.5	99.0	99.0
Only Done 1-2 Times	2	38	.4	.4	99.4
Not Yet Started	3	68	.6	.6	100.0
Missing	-1	59	.5	Missing	
Total		10750	100.0	100.0	
Valid cases	10691	Missing cases	59		

e) She can walk alone for at least 5 steps

KD664 CH Can Take 5+ steps Unaided					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10496	97.6	98.1	98.1
Only Done 1-2 Times	2	35	.3	.3	98.5
Not Yet Started	3	164	1.5	1.5	100.0
Missing	-1	55	.5	Missing	
Total		10750	100.0	100.0	
Valid cases	10695	Missing cases	55		

f) She can walk backwards 5 steps

KD665 CH Can Walk Backwards 5+ Steps					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	8535	79.4	80.6	80.6
Only Done 1-2 Times	2	874	8.1	8.3	88.9
Not Yet Started	3	1175	10.9	11.1	100.0
Missing	-1	166	1.5	Missing	
Total		10750	100.0	100.0	
Valid cases	10584	Missing cases	166		

F4. g) She can move around by shuffling on her bottom

KD666 CH Can Shuffle on Bottom

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	8638	80.4	85.5	85.5
Only Done 1-2 Times	2	861	8.0	8.5	94.0
Not Yet Started	3	606	5.6	6.0	100.0
Missing	-1	645	6.0	Missing	
Total		10750	100.0	100.0	

Valid cases 10105 Missing cases 645

h) She can kick a ball

KD667 CH Can Kick a Ball

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	9229	85.9	86.5	86.5
Only Done 1-2 Times	2	931	8.7	8.7	95.3
Not Yet Started	3	505	4.7	4.7	100.0
Missing	-1	85	.8	Missing	
Total		10750	100.0	100.0	

Valid cases 10665 Missing cases 85

i) She can throw a ball

KD668 CH Can Throw a Ball

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	9817	91.3	91.8	91.8
Only Done 1-2 Times	2	682	6.3	6.4	98.1
Not Yet Started	3	199	1.9	1.9	100.0
Missing	-1	52	.5	Missing	
Total		10750	100.0	100.0	

Valid cases 10698 Missing cases 52

j) She can balance on one foot for at least 1 second

KD669 CH Can Stand on 1 foot for 1+ Seconds

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	5348	49.7	51.0	51.0
Only Done 1-2 Times	2	1410	13.1	13.4	64.5
Not Yet Started	3	3726	34.7	35.5	100.0
Missing	-1	266	2.5	Missing	
Total		10750	100.0	100.0	

Valid cases 10484 Missing cases 266

k) She can jump up and down

KD670 CH Can Jump Up & Down

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	5153	47.9	48.5	48.5
Only Done 1-2 Times	2	1867	17.4	17.6	66.1
Not Yet Started	3	3600	33.5	33.9	100.0
Missing	-1	130	1.2	Missing	
Total		10750	100.0	100.0	

Valid cases 10620 Missing cases 130

F4. l) She can climb stairs

KD671 CH Can Climb Stairs					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Can do Well	1	10240	95.3	95.7	95.7
Only Done 1-2 Times	2	270	2.5	2.5	98.2
Not Yet Started	3	193	1.8	1.8	100.0
Missing	-1	47	.4	Missing	
		Total	10750	100.0	100.0
Valid cases	10703	Missing cases	47		

[If more than one box is ticked, coder ringed the one with the highest number]

Derived variables

KD672 Gross motor score

(Variables KD660 - KD671 recoded (1=2)(2=1)(else=0) KD672 = KD660 +.....+ KD671; If all of KD660 - KD671 = -1, KD672 = -1)

KD672 Gross Motor Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	18	.2	.2	.2
	1	10	.1	.1	.3
	2	11	.1	.1	.4
	3	5	.0	.0	.4
	4	19	.2	.2	.6
	5	17	.2	.2	.7
	6	16	.1	.1	.9
	7	16	.1	.1	1.0
	8	22	.2	.2	1.2
	9	13	.1	.1	1.4
	10	25	.2	.2	1.6
	11	24	.2	.2	1.8
	12	61	.6	.6	2.4
	13	83	.8	.8	3.2
	14	169	1.6	1.6	4.7
	15	205	1.9	1.9	6.7
	16	564	5.2	5.3	11.9
	17	529	4.9	4.9	16.9
	18	1475	13.7	13.8	30.6
	19	983	9.1	9.2	39.8
	20	2062	19.2	19.2	59.0
	21	1327	12.3	12.4	71.4
	22	3067	28.5	28.6	100.0
Missing	-1	29	.3	Missing	
		Total	10750	100.0	100.0
Valid cases	10721	Missing cases	29		

KD675 Total development score

(KD675 = KD614 + KD636 + KD654 + KD672; If any of KD614, KD636, KD654, KD672 = -1, then KD675 = -1)

KD675 Total Development Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	4	1	.0	.0	.0
	7	1	.0	.0	.0
	10	1	.0	.0	.0
	15	2	.0	.0	.0

KD675 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	16	1	.0	.0	.1
	18	1	.0	.0	.1
	20	2	.0	.0	.1
	21	1	.0	.0	.1
	23	2	.0	.0	.1
	27	1	.0	.0	.1
	28	2	.0	.0	.1
	29	1	.0	.0	.1
	30	3	.0	.0	.2
	31	3	.0	.0	.2
	32	1	.0	.0	.2
	33	4	.0	.0	.3
	34	2	.0	.0	.3
	36	1	.0	.0	.3
	37	2	.0	.0	.3
	38	2	.0	.0	.3
	39	2	.0	.0	.3
	40	5	.0	.0	.4
	41	1	.0	.0	.4
	42	1	.0	.0	.4
	43	2	.0	.0	.4
	44	4	.0	.0	.5
	45	6	.1	.1	.5
	46	4	.0	.0	.6
	47	7	.1	.1	.6
	48	11	.1	.1	.7
	49	19	.2	.2	.9
	50	11	.1	.1	1.0
	51	11	.1	.1	1.1
	52	15	.1	.1	1.2
	53	19	.2	.2	1.4
	54	20	.2	.2	1.6
	55	21	.2	.2	1.8
	56	27	.3	.3	2.1
	57	24	.2	.2	2.3
	58	37	.3	.3	2.6
	59	33	.3	.3	2.9
	60	48	.4	.4	3.4
	61	49	.5	.5	3.8
	62	79	.7	.7	4.6
	63	78	.7	.7	5.3
	64	92	.9	.9	6.2
	65	83	.8	.8	6.9
	66	110	1.0	1.0	8.0
	67	145	1.3	1.4	9.3
	68	150	1.4	1.4	10.7
	69	164	1.5	1.5	12.3
	70	210	2.0	2.0	14.2
	71	214	2.0	2.0	16.2
	72	259	2.4	2.4	18.6
	73	255	2.4	2.4	21.0
	74	319	3.0	3.0	24.0
	75	327	3.0	3.1	27.1
	76	373	3.5	3.5	30.5
	77	367	3.4	3.4	34.0
	78	404	3.8	3.8	37.8
	79	376	3.5	3.5	41.3
	80	413	3.8	3.9	45.1
	81	425	4.0	4.0	49.1
	82	442	4.1	4.1	53.2
	83	434	4.0	4.1	57.3
	84	424	3.9	4.0	61.2
	85	398	3.7	3.7	65.0
	86	377	3.5	3.5	68.5
	87	377	3.5	3.5	72.0
	88	370	3.4	3.5	75.5
	89	315	2.9	2.9	78.4
	90	296	2.8	2.8	81.2
	91	291	2.7	2.7	83.9
	92	263	2.4	2.5	86.4
	93	242	2.3	2.3	88.6
	94	215	2.0	2.0	90.6

KD675 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	95	174	1.6	1.6	92.3
	96	163	1.5	1.5	93.8
	97	134	1.2	1.3	95.0
	98	125	1.2	1.2	96.2
	99	106	1.0	1.0	97.2
	100	76	.7	.7	97.9
	101	64	.6	.6	98.5
	102	40	.4	.4	98.9
	103	41	.4	.4	99.3
	104	17	.2	.2	99.4
	105	21	.2	.2	99.6
	106	20	.2	.2	99.8
	107	8	.1	.1	99.9
	108	8	.1	.1	99.9
	109	4	.0	.0	100.0
	110	2	.0	.0	100.0
Missing	-1	49	.5	Missing	
	Total	10750	100.0	100.0	
Valid cases	10701				
Missing cases		49			

Denver Derived Variables

True Denver scores cannot be calculated with the data collected by ALSPAC due to slight differences. Developmental scores have been calculated here including communication, social, gross motor, fine motor and total scores (it should be noted that the communication score was only calculated at 6 and 18 months and so the total scores at 30 and 42 months are not summarising the same thing and not comparable across time).

Five variables have been derived for each score at each time point. Each question has possible responses of 'often', 'once or twice' or 'not yet started' and these were recoded as 2, 1 and 0 respectively. Some researchers may prefer to retain as much information as possible by maintaining the three-category classification although this assumes a linear relationship across the three groups. Therefore 2 category responses were also created (by combining 'once or twice' with 'not yet started') and totalled. Researchers can then decide which they may prefer to use. Both complete case and prorated scores have been created for each measure along with a variable that summarises the number of missing responses. The prorated score assigns the mean of that child's available scores to any missing variables. This has been done where three or fewer variables are missing.

All scores created are age adjusted z-scores and the derived variables are summarised as follows:

Kd676	Social score: 18 months: Complete cases
Kd677	Fine motor score: 18 months: Complete cases
Kd678	Communication score: 18 months: Complete cases
Kd679	Gross motor score: 18 months: Complete cases
Kd680	Total ALSPAC development score: 18 months: Complete cases
Kd681	Social score: 18 months: Prorated
Kd682	Fine motor core: 18 months: Prorated
Kd683	Communication score: 18 months: Prorated
Kd684	Gross motor score: 18 months: Prorated
Kd685	Total ALSPAC development score: 18 months: Prorated
Kd686	Social score (based on dichotomised component scores): 18 months: Complete cases
	Fine motor score (based on dichotomised component scores): 18 months: Complete cases
Kd687	Communication score (based on dichotomised component scores): 18 months: Complete cases
Kd688	Gross motor score (based on dichotomised component scores): 18 months: Complete cases
Kd689	Total ALSPAC development score (based on dichotomised component scores): 18 months: Complete cases
Kd691	Social score (based on dichotomised component scores): 18 months: Prorated
Kd692	Fine motor score (based on dichotomised component scores): 18 months: Prorated
Kd693	Communication score (based on dichotomised component scores): 18 months: Prorated
Kd694	Gross motor score (based on dichotomised component scores): 18 months: Prorated
Kd695	Total ALSPAC development score (based on dichotomised component scores): 18 months: Prorated

Social score is derived using kd600, kd601, kd602, kd603, kd604, kd605, kd606, kd607, kd608, kd609, kd610, kd611, kd612 and kd613.

Fine motor score is derived using kd620, kd621, kd622, kd623, kd624, kd625, kd626, kd627, kd628, kd629, kd630, kd631, kd632, kd633, kd634 and kd635.


Communication score is derived using kd640, kd641, kd642, kd643, kd644, kd645, kd646, kd647, kd648, kd649, kd650, kd651, kd652 and kd653.

Gross motor score is derived using kd660, kd661, kd662, kd663, kd664, kd665, kd667, kd668, kd669, kd670 and kd671.


Total score is derived from all of the above.

An 8-week age range was used to calculate the Denver scales in order for them to be valid. For the 18 month data this was 77-85 weeks. Scripts are available on request.


kd676 DV: Social score: 18 months: Complete cases




kd677 DV: Fine motor score: 18 months: Complete cases




kd678 DV: Communication score: 18 months: Complete cases




kd679 DV: Gross motor score: 18 months: Complete cases




kd680 DV: Total ALSPAC development score: 18 months: Complete cases




kd681 DV: Social score: 18 months: Prorated




kd682 DV: Fine motor score: 18 months: Prorated




kd683 DV: Communication score: 18 months: Prorated




kd684 DV: Gross motor score: 18 months: Prorated




kd685 DV: Total ALSPAC development score: 18 months: Prorated




kd686 DV: Social score (based on dichotomised component scores): 18 months: Complete cases




**kd687 DV: Fine motor score (based on dichotomised component scores): 18 months:
Complete cases**




**kd688 DV: Communication score (based on dichotomised component scores): 18 months:
Complete cases**




**kd689 DV: Gross motor score (based on dichotomised component scores): 18 months:
Complete cases**




kd690 DV: Total ALSPAC development score (based on dichotomised component scores): 18 months: Complete cases




kd691 DV: Social score (based on dichotomised component scores): 18 months: Prorated




kd692 DV: Fine motor score (based on dichotomised component scores): 18 months: Prorated




**kd693 DV: Communication score (based on dichotomised component scores): 18 months:
Prorated**



**kd694 DV: Gross motor score (based on dichotomised component scores): 18 months:
Prorated**



**kd695 DV: Total ALSPAC development score (based on dichotomised component scores):
18 months: Prorated**



F5. Are you worried about any aspects of your child's growth and development?

*Yes I No not
am worried worried*

- a) her speech*
- b) her weight*
- c) her height*
- d) her behaviour*
- e) her general development*

KD700 MUM Worried About CH Speech Development

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	934	8.7	8.7	8.7
No		2	9816	91.3	91.3	100.0
			Total	10750	100.0	
Valid cases	10750	Missing cases		0		

KD701 MUM Worried About CH Weight Development

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	507	4.7	4.7	4.7
No		2	10243	95.3	95.3	100.0
			Total	10750	100.0	
Valid cases	10750	Missing cases		0		

KD702 MUM Worried About CH Height Development

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	212	2.0	2.0	2.0
No		2	10538	98.0	98.0	100.0
			Total	10750	100.0	
Valid cases	10750	Missing cases		0		

KD703	MUM Worried About CH Behavior Developmnt				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	406	3.8	3.8	3.8
No	2	10344	96.2	96.2	100.0
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

KD704	MUM Worried About CH General Development				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	261	2.4	2.4	2.4
No	2	10489	97.6	97.6	100.0
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

Derived variable: Worries over development

(KD705 Worries over development

KD705 = 10 -[KD700 + KD701.....+ KD704])

KD705	Worries over development				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	8968	83.4	83.4	83.4
	1	1408	13.1	13.1	96.5
	2	276	2.6	2.6	99.1
	3	53	.5	.5	99.6
	4	24	.2	.2	99.8
	5	21	.2	.2	100.0
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		

If yes to any of these, please describe what worries you:

[Keyed in as text]

This is confidential information, so we cannot make any response to what you put. If you are worried about your child's development we suggest you contact your family doctor or your health visitor.

G1. This questionnaire was completed by:

Yes No

- a) mother*
- b) father*
- c) other (please describe)*

(If all of KD980-KD981 = -1, it was kept as such; otherwise for KD980-KD982 recode (-1=2))

KD980 Questionnaire Completed by MUM					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10457	97.3	98.5	98.5
No	2	162	1.5	1.5	100.0
Missing	-1	131	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	10619	Missing cases	131		

KD981 Questionnaire Completed by DAD					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	690	6.4	6.5	6.5
No	2	9929	92.4	93.5	100.0
Missing	-1	131	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	10619	Missing cases	131		

KD982 Questionnaire Completed by other					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	55	.5	.5	.5
No	2	10564	98.3	99.5	100.0
Missing	-1	131	1.2	Missing	
	Total	10750	100.0	100.0	
Valid cases	10619	Missing cases	131		

G2. *Please give the date on which you completed this questionnaire:*

day month year 1 9 9

[Where date is described as 'not known' coder put 99 99 1999. If year is known but day or month are described 'not known', days coded as 99 but fills in correct month and year]

G3. *Please give the date of birth of your toddler:*

day month year 1 9 9

[Where date is described as 'not known' coder put 99 99 1999. If year is known but day or month are described 'not known', days coded as 99 but fills in correct month and year]

Derived variable

KD990 Age of child at completion

KD990		Age at completion (months)			Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
		18	9168	85.3	85.4	85.4
		19	1120	10.4	10.4	95.8
		20	197	1.8	1.8	97.6
		21	157	1.5	1.5	99.1
		22	57	.5	.5	99.6
		23	20	.2	.2	99.8
		24	5	.0	.0	99.8
		25	5	.0	.0	99.9
		27	1	.0	.0	99.9
		29	1	.0	.0	99.9
		30	8	.1	.1	100.0
		31	2	.0	.0	100.0
Missing		-1	9	.1	Missing	
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10741	Missing cases	9			

KD991 Date Questionnaire Completed - Month						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
January	1	1470	13.7	13.7	13.7	
February	2	1024	9.5	9.5	23.2	
March	3	1156	10.8	10.8	34.0	
April	4	1079	10.0	10.1	44.1	
May	5	917	8.5	8.5	52.6	
June	6	758	7.1	7.1	59.7	
July	7	522	4.9	4.9	64.5	
August	8	585	5.4	5.5	70.0	
September	9	594	5.5	5.5	75.5	
October	10	996	9.3	9.3	84.8	
November	11	901	8.4	8.4	93.2	
December	12	729	6.8	6.8	100.0	
Missing	-1	19	.2	Missing		
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10731	Missing cases		19		

KD992 Date Questionnaire Completed - Year						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
		92	1085	10.1	10.2	10.2
		93	6646	61.8	62.4	72.6
		94	2924	27.2	27.4	100.0
Missing		-1	95	.9	Missing	
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10655	Missing cases	95			

KD995		Month of birth				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
January		1	565	5.3	5.3	5.3
February		2	516	4.8	4.8	10.1
March		3	655	6.1	6.1	16.2
April		4	866	8.1	8.1	24.3
May		5	991	9.2	9.3	33.6
June		6	1019	9.5	9.5	43.1
July		7	1177	10.9	11.0	54.2
August		8	1078	10.0	10.1	64.2
September		9	1077	10.0	10.1	74.3
October		10	1075	10.0	10.1	84.4
November		11	952	8.9	8.9	93.3
December		12	718	6.7	6.7	100.0
Missing		-1	61	.6	Missing	
			-----	-----	-----	
		Total	10750	100.0	100.0	
Valid cases	10689	Missing cases	61			

KD999 Questionnaire completed with aid of interviewer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	17	.2	.2	.2
No	2	10733	99.8	99.8	100.0
	Total	10750	100.0	100.0	
Valid cases	10750	Missing cases	0		