#### THE ALSPAC STUDY

# **CCQ FILE**

#### DATA COLLECTED FROM THE QUESTIONNAIRE

Boy's/Girl's experiences, thoughts and behaviour

At 167 Months

#### **Prepared by**

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1c of the release file.

October 2008

© University of Bristol

# **Contents**

Introduction		Page 3
Section A	How you spend your time Text Frequencies	Page 10 Page 12
Section B	Everyone is different! Text (Boys' Questionnaire) Text (Girls' Questionnaire) Frequencies	Page 24 Page 35 Page 46
Section C	Behaviour Text Frequencies	Page 81 Page 83
Section D	Accidents Text Frequencies	Page 88 Page 90
Section E	Feelings and experiences Text Frequencies	Page 93 Page 95
Section F	Your attitudes to health issues Text Frequencies	Page 99 Page 100
Section G		Page 103
Appendix A	General Coding Instructions	Page 109
Appendix B	Specific Coding Instructions	Page 112
Appendix C	Questionnaire Methodology	Page 119

#### Introduction

#### Contents

This questionnaire was sent out to study children when they were 167 months old. It is in 7 sections. Section A contains questions about activities. Section B asks in detail about body image, dieting and eating disorders. Section C contains questions on antisocial behaviours and section D questions on accidents. Section E asks about feelings and experiences and section F about attitudes to health issues of smoking, drinking and cannabis. Finally, section G collects the usual "back page" information on who completed the questionnaire and when.

#### **Questionnaire versions**

There was only one version of this questionnaire, although as with all child-based questionnaires there were separate copies for boys and girls. There were substantial differences between the boys' and girls' copies in section B:

- The text of question 1 differed substantially in the girls' questionnaire. The variables for question B1 are therefore presented separately for boys and girls.
- In the girls' questionnaire B2c asked about "breasts" rather than "body build". The variables for question B2c are therefore presented separately for boys and girls.
- Part c of question B3 as presented on the boys' questionnaire was not asked in the girls' questionnaire. Parts d & e as presented on the boys' questionnaire were therefore labelled as parts c & d on the girls' questionnaire.
- Question B4 as presented on the boys' questionnaire was not present in the girls'
  questionnaire. Questions B5 to B33 as presented on the boys' questionnaire were
  therefore labelled as questions B4 to B32 on the girls' questionnaire. Labels for
  variables for these questions indicate first the question number for boys and second
  that for girls.
- In part b of question B22 on the girls' questionnaire there was an extra item that was not present in question B23 on the boys questionnaire. This was "make up" which appeared after "hair style" as item (iii), with items (iii) to (ix) as presented on the boys' questionnaire renumbered as (iv) to (x) respectively. In addition the items were ordered down then across on the girls' questionnaire rather than across then down as on the boys' questionnaire.

This documentation is based around the boys' copy, although the text for section B of the girls' questionnaire is also included.

#### Sample & response rates

There are a total of 15,195 records on this built file. This number is made up of the 14,676 fetuses in the core ALSPAC sample (regardless of whether or not the 167-month questionnaire was sent out for them or whether they were returned) plus 519 eligible children not in the core sample for whom the questionnaires were sent out. Note that this questionnaire was completed for 280 of these 519 children not in the core sample.

Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 167-month questionnaire was sent out for 10,142 (72%) of these live born children. As of 30<sup>th</sup> January 2008 completed questionnaires had been returned for 5,938 (59%) of these

#### CCQ File - Introduction

children, which is 42% of the 14,062 live born children. Note that 5 of these questionnaires belong to children from triplet or quadruplet pregnancies. For reasons of confidentiality the data from these questionnaires are not available (all variables have been set to –11), but the administrative variables (CCQ001 – CCQ007a) remain visible, with CCQ007a set to 2 "No". For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

#### Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

#### Release file version history

#### Release version 1a – June 2007

The first version of the release file.

#### Release version 1b – February 2008

Data from fifty-eight questionnaires returned later than 31<sup>st</sup> March 2007 for males and 20<sup>th</sup> February 2007 for females were added to the file.

#### Release version 1c – October 2008

This version of the release file removes triplets/quadruplets for confidentiality reasons.

# **Administrative variables**

ccq001 Questionnaire sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	10661	70.2	70.2	70.2
	No	4534	29.8	29.8	100.0
	Total	15195	100.0	100.0	

ccq002 Reminder sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5870	38.6	55.1	55.1
	No	4791	31.5	44.9	100.0
	Total	10661	70.2	100.0	
Missing	Questionnaire not sent	4534	29.8		
Total		15195	100.0		

ccq005 Questionnaire return status (as of 30/01/08)

334333	aconomiane return status	(4.5 5: 55/5 :/5	-,		
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not returned	4402	29.0	41.3	41.3
	Returned, completed	6218	40.9	58.3	99.6
	Returned, blank	41	.3	.4	100.0
	Total	10661	70.2	100.0	
Missing	Questionnaire not sent	4534	29.8		
Total		15195	100.0		

ccq006 Questionnaire returned (as of 30/01/08)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	6259	41.2	58.7	58.7
	No	4402	29.0	41.3	100.0
	Total	10661	70.2	100.0	
Missing	Questionnaire not sent	4534	29.8		
Total		15195	100.0		

ccq007 Questionnaire completed (as of 30/01/08)

ccquor Questionnaire completed (as of 50/01/06)									
					Cumulative				
		Frequency	Percent	Valid Percent	Percent				
Valid	Yes	6218	40.9	58.3	58.3				
	No	4443	29.2	41.7	100.0				
	Total	10661	70.2	100.0					
Missing	Questionnaire not sent	4534	29.8						
Total		15195	100.0						


ccq007a Data available (as of 30/01/08)

ccqoor	ccqoora Data available (as of 50/01/00)											
					Cumulative							
		Frequency	Percent	Valid Percent	Percent							
Valid	Yes	6213	40.9	40.9	40.9							
	No	8982	59.1	59.1	100.0							
	Total	15195	100.0	100.0								

# CCQ File - Introduction

#### ccq008 Questionnaire version

-	auestionnaire version			2	
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female version 1 - 01/08/2005	3449	22.7	55.5	55.5
	Male version 1 - 02/08/2005	2764	18.2	44.5	100.0
	Total	6213	40.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Total	8982	59.1		
Total		15195	100.0		



# Boys' experiences, thoughts and behaviour

Alert!

This question naire is different!


Use black or blue pen

Answer questions with a cross in the box, like this:



If you are writing words make sure they are inside the box, like this:






02/08/2005





#### PAGE 2 OF THE QUESTIONNAIRE



# REMEMBER III

Do not tick the answer boxes!!

Mark them with a cross like this

If you make a mistake, shade the box in like this

then cross the correct box.



#### PAGE 4 OF THE QUESTIONNAIRE

AI	A1. How much time on average do you spend each day:  (i)  on a school weekday  on a weekend day								ay
		Not at all	less than 1 hour	1-2 hours	3 or more hours	Not at all	less than 1 hour	1-2 hours	3 or more hour
a)	in a car, bus or other transport	1 🔲	2 🔲	3 🔲	4	1 🗆	2 🔲	3 🔲	4
b)	out of doors in summer	1 🔲	2 🔲	3 🔲	4 🔲	1 🗆	2 🔲	3 🔲	4
c)	out of doors in winter	1 🔲	2 🔲	3 🔲	4	1 🔲	2 🔲	3 🔲	4
d)	watching TV	1 🔲	2	3 🔲	4	1 🗆	2	3 🔲	4
e)	with other young people	1 🔲	2 🔲	3 🔲	4 🔲	1 🗆	2	3 🔲	4
f)	drawing, making, constructing things	1 🔲	2 🔲	3 🔲	4	1 🗆	2 🔲	3 🔲	4
g)	doing things by yourself	1 🔲	2 🔲	3	4	1 🔲	2	3 🔲	4
h)	school homework	1 🔲	2 🔲	3 🔲	4	1 🔲	2	3 🔲	4 🔲
i)	reading books for pleasure	1 🔲	2 🔲	3 🔲	4	1 🔲	2 🔲	3 🔲	4
j)	playing musical instruments	1 🔲	2 🔲	3 🔲	4	1 🗆	2 🔲	3 🔲	4
k)	using a computer	1 🔲	2	3 🔲	4	1 🗆	2	3 🔲	4
1)	talking on a mobile phone	1 🔲	2 🔲	3 🔲	4 🔲	1 🗆	2 🔲	3 🔲	4
m)	texting	1 🔲	2 🔲	3 🔲	4	1 🔲	2 🔲	3 🔲	4
n)	talking on an ordinary phone	1 🔲	2 🔲	з 🔲	4 🔲	1 🗆	2 🔲	3 🔲	4

#### PAGE 5 OF THE QUESTIONNAIRE

		on no	iii) ormal days ir		lidays
		Not at all	less than 1 hour	1-2 hours	3 or more hours
a)	in a car, bus or other transport	1 🔲	2 🔲	3 🔲	4
b)	out of doors in summer	1 🔲	2 🔲	3 🔲	4 🔲
c)	out of doors in winter	1 🔲	2 🔲	3 🔲	4 🔲
d)	watching TV	1 🔲	2 🔲	3 🔲	4
e)	with other young people	1 🔲	2 🔲	3 🔲	4 🔲
f)	drawing, making, constructing things	1 🔲	2 🔲	3 🔲	4 🔲
g)	doing things by yourself	1 🔲	2 🔲	3 🔲	4 🔲
h)	school homework	1 🔲	2 🔲	3 🔲	4
i)	reading books for pleasure	1 🔲	2 🗖	3 🔲	4
j)	playing musical instruments	1 🔲	2 🔲	3 🔲	4 🔲
k)	using a computer	1 🔲	2 🔲	3	4
1)	talking on a mobile phone	1 🔲	2 🔲	3 🔲	4 🔲
m)	texting	1 🔲	2 🔲	3 🔲	4
n)	talking on an ordinary phone	1 🔲	2 🔲	3 🔲	4 🔲

ccq100 A1a1: Average time spent on a school weekday in a car/bus/other transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	839	5.5	13.6	13.6
	< 1 hour	3978	26.2	64.7	78.3
	1-2 hours	1192	7.8	19.4	97.7
	>3 hours	143	.9	2.3	100.0
	Total	6152	40.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	61	.4		
	Total	9043	59.5		
Total		15195	100.0		

ccq101 A1b1: Average time spent on a school weekday out of doors in the summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	54	.4	.9	.9
	< 1 hour	546	3.6	8.9	9.8
	1-2 hours	2416	15.9	39.3	49.1
	>3 hours	3127	20.6	50.9	100.0
	Total	6143	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	70	.5		
	Total	9052	59.6		
Total		15195	100.0		

ccq102 A1c1: Average time spent on a school weekday out of doors in the winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	215	1.4	3.5	3.5
	< 1 hour	2420	15.9	39.5	43.0
	1-2 hours	2671	17.6	43.6	86.5
	>3 hours	825	5.4	13.5	100.0
	Total	6131	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	82	.5		
	Total	9064	59.7		
Total		15195	100.0		

ccq103 A1d1: Average time spent on a school weekday watching television

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	109	.7	1.8	1.8
	< 1 hour	1360	9.0	22.2	23.9
	1-2 hours	3240	21.3	52.8	76.7
	>3 hours	1427	9.4	23.3	100.0
	Total	6136	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	77	.5		
	Total	9059	59.6		
Total		15195	100.0		

ccq104 A1e1: Average time spent on a school weekday with other young people

-		_	,		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	140	.9	2.3	2.3
	< 1 hour	524	3.4	8.5	10.8
	1-2 hours	1153	7.6	18.8	29.6
	>3 hours	4322	28.4	70.4	100.0
	Total	6139	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	74	.5		
	Total	9056	59.6		
Total		15195	100.0		

ccq105 A1f1: Average time spent on a school weekday drawing/making/constructing things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1405	9.2	22.9	22.9
	< 1 hour	3200	21.1	52.2	75.1
	1-2 hours	1300	8.6	21.2	96.3
	>3 hours	224	1.5	3.7	100.0
	Total	6129	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	84	.6		
	Total	9066	59.7		
Total		15195	100.0		

ccq106 A1g1: Average time spent on a school weekday doing things by themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	285	1.9	4.7	4.7
	< 1 hour	2023	13.3	33.1	37.8
	1-2 hours	2416	15.9	39.6	77.4
	>3 hours	1380	9.1	22.6	100.0
	Total	6104	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	109	.7		
	Total	9091	59.8		
Total		15195	100.0		

ccq107 A1h1: Average time spent on a school weekday completing school homework

			Davaant	Valid Daggert	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	246	1.6	4.0	4.0
	< 1 hour	2858	18.8	46.5	50.5
	1-2 hours	2725	17.9	44.4	94.9
	>3 hours	312	2.1	5.1	100.0
	Total	6141	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	72	.5		
	Total	9054	59.6		
Total		15195	100.0		

ccq108 A1i1: Average time spent on a school weekday reading books for pleasure

	<u> </u>				Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	2079	13.7	33.9	33.9
	< 1 hour	2781	18.3	45.3	79.2
	1-2 hours	1057	7.0	17.2	96.4
	>3 hours	218	1.4	3.6	100.0
	Total	6135	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	78	.5		
	Total	9060	59.6		
Total		15195	100.0		

ccq109 A1j1: Average time spent on a school weekday playing musical instruments

T	ATJI. Average time sper	I	woonaay pi	ayınığınıacıcanını	
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	3562	23.4	58.0	58.0
	< 1 hour	1778	11.7	29.0	87.0
	1-2 hours	649	4.3	10.6	97.6
	>3 hours	150	1.0	2.4	100.0
	Total	6139	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	74	.5		
	Total	9056	59.6		
Total		15195	100.0		

ccq110 A1k1: Average time spent on a school weekday using a computer

004.10 7	ccq110 ATK1. Average time spent on a school weekday using a computer					
		Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	Not at all	180	1.2	2.9	2.9	
	< 1 hour	1842	12.1	30.0	32.9	
	1-2 hours	2876	18.9	46.9	79.8	
	>3 hours	1240	8.2	20.2	100.0	
	Total	6138	40.4	100.0		
Missing	Triplet / quadruplet	5	.0			
	Not completed	8977	59.1			
	No response	75	.5			
	Total	9057	59.6			
Total		15195	100.0			

ccq111 A1I1: Average time spent on a school weekday talking on a mobile phone

		_	_		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	1944	12.8	31.7	31.7
	< 1 hour	3559	23.4	58.0	89.6
	1-2 hours	487	3.2	7.9	97.6
	>3 hours	149	1.0	2.4	100.0
	Total	6139	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	74	.5		
	Total	9056	59.6		
Total		15195	100.0		

ccq112 A1m1: Average time spent on a school weekday texting

		_	_		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	1357	8.9	22.1	22.1
	< 1 hour	3555	23.4	57.9	80.0
	1-2 hours	848	5.6	13.8	93.8
	>3 hours	378	2.5	6.2	100.0
	Total	6138	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	75	.5		
	Total	9057	59.6		
Total		15195	100.0		

ccq113 A1n1: Average time spent on a school weekday talking on an ordinary phone

ccq113 A1111. Average time spent on a school weekday talking on an ordinary phone					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1051	6.9	17.1	17.1
	< 1 hour	4035	26.6	65.7	82.9
	1-2 hours	879	5.8	14.3	97.2
	>3 hours	173	1.1	2.8	100.0
	Total	6138	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	75	.5		
	Total	9057	59.6		
Total		15195	100.0		

ccq120 A1a2: Average time spent on a weekend day in a car/bus/other transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	346	2.3	5.7	5.7
	< 1 hour	3464	22.8	57.5	63.2
	1-2 hours	1994	13.1	33.1	96.3
	>3 hours	222	1.5	3.7	100.0
	Total	6026	39.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	187	1.2		
	Total	9169	60.3		
Total		15195	100.0		

ccq121 A1b2: Average time spent on a weekend day out of doors in the summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	32	.2	.5	.5
	< 1 hour	295	1.9	4.9	5.4
	1-2 hours	1167	7.7	19.4	24.8
	>3 hours	4530	29.8	75.2	100.0
	Total	6024	39.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	189	1.2		
	Total	9171	60.4		
Total		15195	100.0		

ccq122 A1c2: Average time spent on a weekend day out of doors in the winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	211	1.4	3.5	3.5
	< 1 hour	1844	12.1	30.7	34.2
	1-2 hours	2400	15.8	40.0	74.2
	>3 hours	1546	10.2	25.8	100.0
	Total	6001	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	212	1.4		
	Total	9194	60.5		
Total		15195	100.0		

ccq123 A1d2: Average time spent on a weekend day watching television

ccq125 A1d2. Average time spent on a weekend day watching television					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	120	.8	2.0	2.0
	< 1 hour	1148	7.6	19.1	21.1
	1-2 hours	2733	18.0	45.5	66.6
	>3 hours	2010	13.2	33.4	100.0
	Total	6011	39.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	202	1.3		
	Total	9184	60.4		
Total		15195	100.0		

ccq124 A1e2: Average time spent on a weekend day with other young people

004:2: 7	ccq124 Arez. Average time spent on a weekend day with other young people					
		Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	Not at all	229	1.5	3.8	3.8	
	< 1 hour	775	5.1	12.9	16.7	
	1-2 hours	1703	11.2	28.4	45.1	
	>3 hours	3295	21.7	54.9	100.0	
	Total	6002	39.5	100.0		
Missing	Triplet / quadruplet	5	.0			
	Not completed	8977	59.1			
	No response	211	1.4			
	Total	9193	60.5			
Total		15195	100.0			

ccq125 A1f2: Average time spent on a weekend day drawing/making/constructing things

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	2111	13.9	35.2	35.2
	< 1 hour	2607	17.2	43.4	78.6
	1-2 hours	1026	6.8	17.1	95.7
	>3 hours	260	1.7	4.3	100.0
	Total	6004	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	209	1.4		
	Total	9191	60.5		
Total		15195	100.0		

ccq126 A1g2: Average time spent on a weekend day doing things by themselves

	<u> </u>				
			-		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	373	2.5	6.2	6.2
	< 1 hour	1934	12.7	32.3	38.6
	1-2 hours	2124	14.0	35.5	74.1
	>3 hours	1549	10.2	25.9	100.0
	Total	5980	39.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	233	1.5		
	Total	9215	60.6		
Total		15195	100.0		

ccq127 A1h2: Average time spent on a weekend day completing school homework

ccq127 ATTIZ. Average time spent off a weekend day completing school nomework					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	812	5.3	13.5	13.5
	< 1 hour	2722	17.9	45.3	58.9
	1-2 hours	2115	13.9	35.2	94.1
	>3 hours	356	2.3	5.9	100.0
	Total	6005	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	208	1.4		
	Total	9190	60.5		
Total		15195	100.0		

ccq128 A1i2: Average time spent on a weekend day reading books for pleasure

ccq126 A112. Average time spent on a weekend day reading books for pleasure					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2302	15.1	38.3	38.3
	< 1 hour	2166	14.3	36.1	74.4
	1-2 hours	1144	7.5	19.1	93.5
	>3 hours	393	2.6	6.5	100.0
	Total	6005	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	208	1.4		
	Total	9190	60.5		
Total		15195	100.0		

ccq129 A1j2: Average time spent on a weekend day playing musical instruments

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	3769	24.8	62.7	62.7
	< 1 hour	1384	9.1	23.0	85.7
	1-2 hours	632	4.2	10.5	96.2
	>3 hours	227	1.5	3.8	100.0
	Total	6012	39.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	201	1.3		
	Total	9183	60.4		
Total		15195	100.0		

ccq130 A1k2: Average time spent on a weekend day using a computer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	281	1.8	4.7	4.7
	< 1 hour	1452	9.6	24.2	28.8
	1-2 hours	2443	16.1	40.7	69.5
	>3 hours	1833	12.1	30.5	100.0
	Total	6009	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	204	1.3		
	Total	9186	60.5		
Total		15195	100.0		

ccq131 A1I2: Average time spent on a weekend day talking on a mobile phone

ccq131 7	Ariz. Average tille spe	it on a weeker	id day taikii	ig on a mobile pr	IOHE
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1729	11.4	28.8	28.8
	< 1 hour	3396	22.3	56.5	85.3
	1-2 hours	667	4.4	11.1	96.4
	>3 hours	217	1.4	3.6	100.0
	Total	6009	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	204	1.3		
	Total	9186	60.5		
Total		15195	100.0		

ccq132 A1m2: Average time spent on a weekend day texting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1214	8.0	20.2	20.2
	< 1 hour	3321	21.9	55.3	75.5
	1-2 hours	990	6.5	16.5	91.9
	>3 hours	485	3.2	8.1	100.0
	Total	6010	39.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	203	1.3		
	Total	9185	60.4		
Total		15195	100.0		

ccq133 A1n2: Average time spent on a weekend day talking on an ordinary phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	881	5.8	14.7	14.7
	< 1 hour	3848	25.3	64.0	78.7
	1-2 hours	1022	6.7	17.0	95.7
	>3 hours	258	1.7	4.3	100.0
	Total	6009	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	204	1.3		
	Total	9186	60.5		
Total		15195	100.0		

ccq140 A1a3: Average time spent on a weekend day in a car/bus/other transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	350	2.3	5.7	5.7
	< 1 hour	3888	25.6	63.5	69.2
	1-2 hours	1635	10.8	26.7	96.0
	>3 hours	247	1.6	4.0	100.0
	Total	6120	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	93	.6		
	Total	9075	59.7		
Total		15195	100.0		

ccq141 A1b3: Average time spent on normal days in school holidays out of doors in the summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	16	.1	.3	.3
	< 1 hour	282	1.9	4.6	4.9
	1-2 hours	1358	8.9	22.2	27.1
	>3 hours	4456	29.3	72.9	100.0
	Total	6112	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	101	.7		
	Total	9083	59.8		
Total		15195	100.0		

ccq142 A1c3: Average time spent on normal days in school holidays out of doors in the winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	231	1.5	3.8	3.8
	< 1 hour	2032	13.4	33.2	37.0
	1-2 hours	2352	15.5	38.5	75.5
	>3 hours	1498	9.9	24.5	100.0
	Total	6113	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	100	.7		
	Total	9082	59.8		
Total		15195	100.0		

ccq143 A1d3: Average time spent on normal days in school holidays watching television

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	97	.6	1.6	1.6
	< 1 hour	1306	8.6	21.4	22.9
	1-2 hours	2916	19.2	47.7	70.6
	>3 hours	1797	11.8	29.4	100.0
	Total	6116	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	97	.6		
	Total	9079	59.7		
Total		15195	100.0		

ccq144 A1e3: Average time spent on normal days in school holidays with other young people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	195	1.3	3.2	3.2
	< 1 hour	807	5.3	13.2	16.4
	1-2 hours	1714	11.3	28.0	44.4
	>3 hours	3398	22.4	55.6	100.0
	Total	6114	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	99	.7		
	Total	9081	59.8		
Total		15195	100.0		

ccq145 A1f3: Average time spent on normal days in school holidays drawing/making/constructing things

Ĭ		_	,	V 515	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	2046	13.5	33.5	33.5
	< 1 hour	2783	18.3	45.5	79.0
	1-2 hours	994	6.5	16.3	95.3
	>3 hours	289	1.9	4.7	100.0
	Total	6112	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	101	.7		
	Total	9083	59.8		
Total		15195	100.0		

ccq146 A1g3: Average time spent on normal days in school holidays doing things by themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	392	2.6	6.4	6.4
	< 1 hour	2225	14.6	36.5	42.9
	1-2 hours	2191	14.4	35.9	78.8
	>3 hours	1294	8.5	21.2	100.0
	Total	6102	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	111	.7		
	Total	9093	59.8		
Total		15195	100.0		

ccq147 A1h3: Average time spent on normal days in school holidays completing school homework

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2164	14.2	35.4	35.4
	< 1 hour	2868	18.9	46.9	82.3
	1-2 hours	988	6.5	16.2	98.5
	>3 hours	93	.6	1.5	100.0
	Total	6113	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	100	.7		
	Total	9082	59.8		
Total		15195	100.0		

100.0

ccq148 A1i3: Average time spent on normal days in school holidays reading books for pleasure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2258	14.9	36.9	36.9
	< 1 hour	2184	14.4	35.7	72.6
	1-2 hours	1199	7.9	19.6	92.2
	>3 hours	475	3.1	7.8	100.0
	Total	6116	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	97	.6		
	Total	9079	59.7		

ccq149 A1j3: Average time spent on normal days in school holidays playing musical instruments

15195

Total

			Davaset	Valid Dansont	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	3827	25.2	62.6	62.6
	< 1 hour	1398	9.2	22.9	85.5
	1-2 hours	660	4.3	10.8	96.3
	>3 hours	227	1.5	3.7	100.0
	Total	6112	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	101	.7		
	Total	9083	59.8		
Total		15195	100.0		

ccq150 A1k3: Average time spent on normal days in school holidays using a computer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	237	1.6	3.9	3.9
	< 1 hour	1445	9.5	23.6	27.5
	1-2 hours	2531	16.7	41.3	68.8
	>3 hours	1909	12.6	31.2	100.0
	Total	6122	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	91	.6		
	Total	9073	59.7		
Total		15195	100.0		

ccq151 A1l3: Average time spent on normal days in school holidays talking on a mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1759	11.6	28.8	28.8
	< 1 hour	3384	22.3	55.3	84.1
	1-2 hours	711	4.7	11.6	95.7
	>3 hours	260	1.7	4.3	100.0
	Total	6114	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	99	.7		
	Total	9081	59.8		
Total		15195	100.0		

ccq152 A1m3: Average time spent on normal days in school holidays texting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1210	8.0	19.8	19.8
	< 1 hour	3249	21.4	53.2	73.0
	1-2 hours	1125	7.4	18.4	91.4
	>3 hours	524	3.4	8.6	100.0
	Total	6108	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	105	.7		
	Total	9087	59.8		
Total		15195	100.0		

ccq153 A1n3: Average time spent on normal days in school holidays talking on an ordinary phone

		Frequency	Percent	Valid Percent	Cumulative Percent
	_	Frequency		valid Fercerit	reiteiit
Valid	Not at all	870	5.7	14.3	14.3
	< 1 hour	3812	25.1	62.6	76.8
	1-2 hours	1062	7.0	17.4	94.3
	>3 hours	349	2.3	5.7	100.0
	Total	6093	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	120	.8		
	Total	9102	59.9		
Total		15195	100.0		

#### PAGE 6 OF THE BOYS' QUESTIONNAIRE

	ase answer these question tyear. There are no right	•	-	es, thoughts a	and behaviour	over the
Wε	e want to know what <b>you</b> t	hink good-l	ooking men	look like.		
В1	. What do you think make	s a man goo	od-looking?			
		Strongly agree	Agree	Can't decide	Disagree	Strongly disagree
a)	Thin men are more good-looking	1 🔲	2 🔲	3 🗖	4 🔲	5 🔲
b)	Men who are in shape are better looking	1 🗖	2 🗖	3 🗖	4 🗖	5 🗖
c)	Men with toned (lean) bodies are more good-looking	1 🗆	2 🔲	3 🔲	4 🔲	5 🔲
d)	Men with large, pronounced muscles are better looking	1 🗖	2 🔲	3 🔲	4 🔲	5 🗖
e)	Tall men are more good-looking than men of normal height	1 🔲	2 🔲	3 🗖	4 🔲	5 🔲
f)	Body builders, such as Arnold Schwarzenegger are better looking	1 🗆	2 🔲	3 🔲	4 🗖	5 🗖
			6		19	9095

#### PAGE 7 OF THE BOYS' QUESTIONNAIRE

	Extremely satisfied	Moderately satisfied	Can't decide	Moderately dissatisfied	Extremely dissatisfied	Not an issue
a) weight	1 🔲	2 🔲	3 🔲	4	5 🔲	6
b) figure	1 🔲	2	3 🔲	4 🔲	5 🔲	6
c) body build	d 1 🗖	2 🔲	3 🔲	4 🔲	5 🔲	6
d) stomach	1 🔲	2 🔲	з 🔲	4 🔲	5 🔲	6 🔲
e) waist	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6
f) thighs	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲
g) buttocks	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲
h) hips	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲
i) legs	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6
j) face	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲
k) hair	1 🔲	2 🔲	3 🔲	4 🔲	5 🗖	6 🔲

#### PAGE 8 OF THE BOYS' QUESTIONNAIRE

Ü	your weight.	Not at	A little	Quite	A lot
a)	I've felt pressure to <b>lose</b> weight:	all		a lot	
a)		_	_	_	
	(i) from my friends	1 🔲	2 🗖	3 🗆	4 🔲
	(ii) from my family	1 🔲	2 🔲	3 🔲	4 🔲
	(iii) from girls I've gone out with	1 🔲	2 🔲	3 🔲	4
	(iv) from the media (e.g. TV, magazines)	1 🔲	2 🔲	3 🔲	4 🔲
)	I've felt pressure to <b>gain</b> weight:				
	(i) from my friends	1 🔲	2 🔲	3	4
	(ii) from my family	1 🔲	2 🔲	3 🔲	4 🔲
	(iii) from girls I've gone out with	1 🔲	2 🔲	3 🔲	4 🔲
	(iv) from the media (e.g. TV, magazines)	1 🔲	2 🔲	3 🔲	4 🔲
c)	I've felt pressure to increase the size of my muscles:	ze			
	(i) from my friends	1 🔲	2 🔲	3 🗖	4 🔲
	(ii) from my family	1 🔲	2 🔲	з 🔲	4 🔲
	(iii) from girls I've gone out with	1 🔲	2 🔲	3 🔲	4 🔲
	(iv) from the media (e.g. TV, magazines)	1 🔲	2 🔲	3 🔲	4 🔲
d)	Do family members tease you about your weight or body shape?	1 🔲	2 🔲	3	4
e)	Do people at school tease you about your weight or body shape?	1 🔲	2 🔲	3 🔲	4 🔲

#### PAGE 9 OF THE BOYS' QUESTIONNAIRE

	Yes ¹□	No 2	□ → I:	' <u>no</u> , go t	to B5 below	•	
If v	ves, which of the follo	owing hav	ve vou done'	(Please	mark <b>all</b> th	at apply)	
•	,	Ye			<u></u>	······································	
a)	exercise in a gym	1	]				
b)	exercise at home	1	]				
c)	exercise elsewhere	1	]				
d)	took drugs or medica	ntion 1	] please g	ive the n	name of the	drug or m	edication:
e)	something else	1	please of	escribe:			
Remen	nber there are no rigl	ht or wr	ong answer	s, we jus	t want to k	now what	you think
	_		_	s, we jus	t want to k	now what	you think
	w do you describe you	r weight'	)	-			you think
	_	r weight' Sli	_	-	t want to kee	ne 3 🗆	you think
	w do you describe your  Very  underweight	r weight' Sli	ghtly 2 [derweight	]	About th	ne 3 🗆	you think
	w do you describe youi Very 1 □	r weight' Sli un Ve	ghtly 2 [derweight	]	About th	ne 3 🗆	you think
В5. Но	w do you describe your  Very  underweight  Slightly  overweight	r weight' Sli un Ve ove	ghtly 2 [derweight ry 5 [erweight	]	About th	ne 3 🗆	you think
В5. Но	w do you describe your  Very 1  underweight  Slightly 4  overweight  nich of the following an	r weight' Sli un Ve ove	ghtly 2 [derweight ry 5 [erweight	] ] pout your	About the right we weight?	ne ₃ □ ight	you think
В5. Но	w do you describe your  Very  underweight  Slightly  overweight	r weight' Sli un Ve ove re you try	ghtly 2 [derweight ry 5 [erweight	] ] pout your	About th	ne ₃ □ ight	you think
В5. Но	w do you describe your  Very  underweight  Slightly  overweight  nich of the following an	r weight' Sli un Ve ove re you try	ghtly 2 [derweight ry 5 [erweight	] oout your S	About the right we weight?	ne ₃ ☐ ight	you think
B5. Ho	w do you describe your  Very 1	r weight Sli un Ve over re you try 1 —	ghtly 2 [derweight ry 5 [erweight	oout your S	About the right we weight? Stay the same cose weight	ne 3  ight  e 2  4	
B5. Ho	w do you describe your  Very 1  underweight  Slightly 4  overweight  nich of the following ar  I am not trying to do anything about my w	r weight Sli un Ve over re you try 1 —	ghtly 2 [derweight ry 5 [erweight	oout your S	About the right we weight? Stay the same cose weight	ne 3  ight  e 2  4	
В5. Но	w do you describe your  Very 1 underweight  Slightly 4 overweight  nich of the following at I am not trying to do anything about my w Gain weight 3 During the past year weight?	r weight' Sli un Ve ove re you try 'eight r, did you	ghtly 2 [derweight sry 5 [erweight]	oout your S L t to lose	About the right we weight? Stay the same cose weight weight or k	ne 3 ☐ ight  e 2 ☐ 4 ☐ eep from	gaining
B5. Ho	w do you describe your  Very 1 underweight  Slightly 4 overweight  nich of the following at I am not trying to do anything about my w Gain weight 3 During the past year weight?	r weight' Sli un Ve over re you try reight r, did you	ghtly 2 [derweight ry 5 [erweight wing to do also on a die Often 2 [	oout your S L t to lose	About the right we weight? Stay the same cose weight weight or k	e 2	gaining

# PAGE 10 OF THE BOYS' QUESTIONNAIRE

B7. b)	How long did you stay on the diet(s)?		
	Less than a ¹ ☐ 1-3 weeks ² ☐ week	1-3 months ₃ □	3 or more 4 ☐ months
c)	What type of diet(s) did you use? (You	<u>can</u> mark <u>more</u> tha	n one answer.)
		Yes	
	i) Low calorie	1 🔲	
	ii) High protein	1 🔲	
	iii) Skipped meals	1 🔲	
	iv) Weight loss shakes	1 🔲	
	v) Low carbohydrate	1 🔲	
	vi) High carbohydrate	1 🔲	
	vii) Smaller portion size	1 🗖	
	viii) Weight Watchers or other program	ime 1 🔲	
	ix) Low fat	1 🗖	
	x) Did not eat snacks or desserts	1 🔲	
	xi) Other (please cross box then descri	ibe below) 1 □	
d)	Did you lose weight on the diet(s)?  Yes more than  10 pounds  (more than  5 kilos)  Yes, 6-10  pounds  2  (3-5 kilos)	Yes, 1-5 pounds (½-2½ kil	3
e)	Did you gain back any of the weight you	u lost on the diet?	
	No, did not regain any of the weigh	nt 1 🔲	
		2	
	Gained back a little of the weight		
	Gained back a little of the weight Gained back most of the weight	3 🔲	
		3 🔲	

#### PAGE 11 OF THE BOYS' QUESTIONNAIRE

B8. a)	During the <b>past year</b> , how o	often did you do any exercise	?
	5 or more times $_1 \square$ a week	1-4 times <sub>2</sub> □ a week	1-3 times a month 3 □
	less than once a month	never 5 🗆 — If nev	<u>ver</u> go to B9 below
b)	Was it difficult for you to do amount of time that you were	•	ecause of the
	Yes, sometimes ¹□	Yes, frequently <sup>2</sup> □	No 3 🗆
c)	Did you exercise in order to	lose weight or avoid gaining	g weight?
	Yes, sometimes ¹□	Yes, frequently <sup>2</sup> □	No 3 🔲
Te			If <u>no</u> , go to B9 belo
If y		:f	19
d)	Did you carry on exercising  No ¹□ Y	even if you were sick or inju- les <sup>2</sup> Was not sick	
	110 1	es 2  was not sick	or injured 5 🗖
B9.	During the <b>past year</b> , how of weight or avoid gaining weight	•	at least a day) to lose
	Never ¹□	Less than once a month	1-3 times a month 3 □
	Once a week ⁴□	2 or more times a week	5 🔲
B10.	During the <b>past year</b> , how of weight or avoid gaining weight		hrow up (vomit) to lose
	Never ¹□	Less than once <sub>2</sub> $\square$ a month	1-3 times a month 3 □
	Once a week ⁴□	2-6 times a week ⁵ □	Every day 6
B11.	During the <b>past year</b> , how or gaining weight?	ften did you take laxatives to	lose weight or avoid
	Never 1 □	Less than once a month	1-3 times a month 3 □
	Once a week 4	2-6 times a week ₅ □	Every day 6 □

#### PAGE 12 OF THE BOYS' QUESTIONNAIRE

B12.		metimes people will go on t most people would consid	-	_	•		
	Du	ring the past year, how o	often did y	ou go on a	n eating bi	nge?	
		Never	1 🔲	<b>→</b>	If <u>never</u> , go	o to B15 on p	age 13
		Less than once a month	2 🔲				
		1-3 times a month	3 🔲				
		Once a week	4 🔲				
		More than once a week	5 🔲				
313.	The	ese questions refer to when	ı you were	e on a bing	ge.		
					Yes usually	Yes sometimes	No
	a)	Did you feel out of contro stop eating even if you w	•		1 🔲	2 🔲	3 🔲
	b)	Did you eat very fast or f normally do?	aster than	you	1 🔲	2 🔲	3 🔲
	c)	Did you eat until your storyou felt sick to your story		rt or	1 🔲	2 🔲	3 🔲
	d)	Did you eat really large a when you didn't feel hun		f food	1 🔲	2 🔲	3 🔲
	e)	Did you eat by yourself be not want anyone to see h	•		1 🔲	2 🔲	3 🔲
	f)	Did you feel really bad a feel guilty after eating a	•		1 🔲	2 🔲	3 🔲
14.	a)	In the past year, if there binges at least once a we	_		•		ıg
		1 month ¹ □	2 month	ns 2 🔲	3 or m	ore months 3	
		Didn't do this at leas	st once a v	veek 4 🗖	<b>→</b> G	o to B15 on p	age 13
	b)	<b>During that time</b> did yo	u do any o	of the follo	wing:		
		(i) exercise a lot to burn	n off the c	alories you	had eaten	during the ea	ting
		binges?					

#### PAGE 13 OF THE BOYS' QUESTIONNAIRE

B14.	b) (i	i) use	laxativ	es to ke	eep fr	om gair	ning weig	ht?		
	, ,	,	Yes		1	C	No	2		
	(i	ii) mal	ke yours	self thr	ow up	p to kee	p from ga	ining weigh	t?	
			Yes, m	nonthly	/ 1 <b>[</b>			Ye	s, weekly	2 🔲
			Yes, 2	or mo	re tim	nes a we	eek з 🔲	No	4 🔲	
B15.		•				•	•	ad an eating ark <u>more</u> th		wer)
	a)	No			1 🔲					
	<b>b</b> )	Yes	, a frier	nd	1 🔲					
	c)	Yes	, a pare	ent	1 🔲					
	d)	Yes	, a doct	tor, nur	rse, or	r other l	health car	e provider	1 🔲	
	health				<u>u</u> 101	an eatii	ing unborus	•	-,	J. 1101
Remei	N	care p	orovider	:? Yes,	, in th	ie past	2 🔲	Yes, an	n being 3 [ now	٥
Rementhink.	N mber th	care p	orovider	:? Yes,	, in th	ie past	2 🔲	Yes, an	n being 3 [ now	٥
think.	N mber th	care p	orovider	:? Yes,	, in th	ne past g answ	² □ ers. We j	Yes, an	n being 3 [ now <b>know what</b>	٥
think.	nber the past year How on though	care p  o 1   ere are  ar: often hant about	orovider	Yes,  ght or	, in th wron	g answ	² □ ers. We j	Yes, an treated ust want to	n being 3 [ now <b>know what</b>	you Don'
think. In the	past year How of thought toned	ere are	rovider  no rig  ave you  ut wanti	Yes, ght or	, in th	g answ	<sup>2</sup> □ ers. We j Someti	Yes, an treated ust want to mes Often	n being 3 [ now  know what  Always	٥
think.  In the  B17.	Move the past year though toned How comother about amount of the past year though to the past year to the past year though toned the past year to the past year the past year the past year to the past year the year the past year the past year the past year the year the past year the	ere are  ar:  often ha often ha often ha made your w nt you a	e no rig ave you at wanti ned mu	Yes,  Yes,  ght or wing to hascles?  e weight mother the or the	nave	g answ	<sup>2</sup> □ ers. We j Someti	Yes, an treated ust want to mes Often	n being 3 [now know what Always	you Don' know

#### PAGE 14 OF THE BOYS' QUESTIONNAIRE

	In the	past year how happy have you	ı been wit	h the way your body looks?						
	Ve	ry unhappy 1 □	A little	unhappy 2 🗖						
	Qu	ite happy 3 □	Very ha	appy 4 □						
B21.		past year, how much has your ourself?	weight m	ade a difference to how you feel						
	No	t at all 1	A little	2 🔲						
	Qυ	ite a lot ₃ □	A lot	4 🔲						
B22.		past year, how much have you e as one kilo)?	worried a	about gaining a little weight						
	No	t at all ¹□	A little	2 🔲						
	A	lot 3 🔲	All the	time 4 □						
B23.	a) In the past year, how much have you tried to look like some of the boys or men you see on television, in movies, or in magazines?									
		Not at all 1 Go to	B24 belov	v						
		A little <sup>2</sup> □	Sometin	mes <sup>3</sup>						
		Frequently 4	A lot	5 🔲						
		look like them I have changed ou <u>can</u> mark <u>more</u> than one b	-	ying to change my:						
			1 🔲	(ii) hair style						
		(i) hair colour	. П	•						
		(i) hair colour (iii) clothing	1 🔲	(iv) body shape						
		, ,								
		(iii) clothing	1 🔲	(vi) tan/skin colour 1						
		<ul><li>(iii) clothing</li><li>(v) muscle definition</li></ul>	1	(vi) tan/skin colour 1 (viii) weight (trying to lose) 1						
		<ul><li>(iii) clothing</li><li>(v) muscle definition</li><li>(vii) weight (trying to gain)</li></ul>	1	(vi) tan/skin colour 1 (viii) weight (trying to lose) 1						
B24.	Do you	<ul><li>(iii) clothing</li><li>(v) muscle definition</li><li>(vii) weight (trying to gain)</li></ul>	1	(vi) tan/skin colour 1 [ (viii) weight (trying to lose) 1 [ ribe below) 1 [						
B24.	-	(iii) clothing  (v) muscle definition  (vii) weight (trying to gain)  (ix) other (please cross box  try to eat less at mealtimes that	1	(vi) tan/skin colour 1 [ (viii) weight (trying to lose) 1 [ ribe below) 1 [  uld like to eat?						

#### PAGE 15 OF THE BOYS' QUESTIONNAIRE

	How often do you refuse food or drink offered because you are concerned about your weight?									
		Never	1 🔲	Occ	asionally	2				
		Sometimes	3 🔲	Free	quently	4				
26.	Do you feel that you want to eat more than usual at the following times:									
					Yes, usua want to eat more	ılly	Sometimes want to eat more	No, not at all		
	a)	when you ar	re irritated or cross	s?	1 🔲		2	3 🔲		
	b)	when you ha	ave nothing to do?		1 🔲		2	3 🔲		
	c)	when you ar	re depressed or ?		1 🔲		2	3 🔲		
	d)	•	re feeling lonely?		1 🔲		2 🔲	3 🔲		
	e)	when some	oody lets you down	1?	1 🔲		2	3 🔲		
	f)	when you ar	re happy?		1 🔲		2	3 🔲		
	g)	when somet due to happ	hing unpleasant is en?		1 🔲		2 🔲	3 🔲		
	h)	when you are or tense?	re anxious, worried	d	1 🔲		2 🔲	3 🔲		
	i)		s have gone wrong	?	1 🔲		2 🔲	3 🔲		
	j)	when you ar	re frightened?		1 🔲		2 🔲	3 🔲		
	k)	when you ar	re disappointed?		1 🔲		2 🔲	3 🔲		
	1)	when you ar	re emotionally upso	et?	1 🔲		2 🔲	3 🔲		
	m)	when you an	re bored or restless	?	1 🔲		2 🔲	3 🔲		
	n)	when you ar	re excited?		1 🔲		2 🔲	3 🔲		

#### PAGE 16 OF THE BOYS' QUESTIONNAIRE

D27 14	5 <b>6</b> - <b>1</b> 4			41	10			
B2/. II	1000 tas	tes good d	o you eat more	tnan usua.	1 ?			
	Never	1 🔲	Occasionally	2 🔲	Sometimes	3 🔲	Always	4
B28. If	f food sm	ells and lo	oks good do y	ou eat more	than usual?			
	Never	1 🔲	Occasionally	2 🔲	Sometimes	3 🔲	Always	4
B29. If	f you see	or smell so	omething delic	cious do you	ı have the de	sire to eat	it?	
	Never	1 🔲	Occasionally	2 🔲	Sometimes	3 🔲	Always	4
B30. If	f you see	others eati	ng do you also	have the o	lesire to eat?			
	Never	1 🔲	Occasionally	2 🔲	Sometimes	3 🔲	Always	4 🔲
B31. C	Can you r	esist eating	g delicious foo	ds?				
	Never	1 🔲	Occasionally	2 🔲	Sometimes	3 🔲	Always	4 🔲
B32. D	o you ea	t more tha	n usual when	you see oth	ers eating?			
	Never	1 🔲	Occasionally	2 🔲	Sometimes	3	Always	4
	When prepreparing		neal are you in	clined to ea	t something	while you	are	
	Never	1 🔲	Occasionally	2 🔲	Sometimes	3 🔲	Always	4 🔲
	Never p	orepare a n	neal 5					
							19095	
				16				

#### PAGE 6 OF THE GIRLS' QUESTIONNAIRE

last year. There are no right and wrong answers.								
We	e want to know what <b>you</b>	think attract	ive women	look like.				
B1	. What do you think make	es a woman l	look attracti	ve?				
		Strongly agree	Agree	Can't decide	Disagree	Strongly disagree		
a)	Very thin women are not attractive	1 🔲	2 🔲	3 🔲	4	5 🔲		
b)	Women with long legs are more attractive than those with normal length legs	1 🗖	2 🗖	з 🗖	4 🗖	5 🗖		
c)	Women with toned (lean) bodies are more attractive	1 🔲	2 🔲	з 🗖	4 🔲	5 🔲		
d)	Tall women are more attractive than women of normal height	1 🔲	2 🔲	з 🗖	4 🔲	5 🗖		
e)	Shapely women are attractive	1 🔲	2 🔲	3 🗖	4 🔲	5 🔲		
f)	Women are more attractive if they are short (petite)	1 🔲	2 🔲	з 🗖	4 🗖	5 🗖		

#### PAGE 7 OF THE GIRLS' QUESTIONNAIRE

	Extremely satisfied	Moderately satisfied	Can't decide	Moderately dissatisfied		Not an issue
a) weight	1 🗖	2 🔲	3 🔲	4	5 🔲	6 🔲
b) figure	1 🗖	2 🔲	3 🗖	4 🗖	5 🗖	6 🗆
c) breasts	1 🗖	2 🔲	3 🗖	4 🔲	5 🗖	6 🔲
d) stomach	1 🗖	2 🔲	3 🗖	4 🔲	5 🗖	6
e) waist	1 🗖	2 🔲	3 🗖	4 🔲	5 🗖	6
f) thighs	1 🗖	2 🔲	3 🔲	4 🔲	5 🗖	6 🔲
g) buttocks	1 🗖	2 🔲	3 🔲	4 🔲	5 🗖	6
h) hips	1 🗖	2 🔲	3 🔲	4 🔲	5 🗖	6 🔲
i) legs	1 🔲	2 🔲	3 🔲	4 🔲	5 🗖	6 🔲
j) face	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲
k) hair	1 🗖	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲

# PAGE 8 OF THE GIRLS' QUESTIONNAIRE

	your weight.	Not at all	A little	Quite a lot	A lot
a)	I've felt pressure to <b>lose</b> weigh  (i) from my friends	1 🔲	2 🔲	3 🔲	4 🔲
	(ii) from my family	1 🗆	2 🗆	3 🔲	4 🗆
	(iii) from boys I've gone out w	_	2 🗆	3 🗖	4 🗆
	(iv) from the media (e.g. TV, magazines)		2 🗆	3 🗖	4 🗆
b)	I've felt pressure to <b>gain</b> weig	ht:			
	(i) from my friends	1 🔲	2	3 🔲	4
	(ii) from my family	1 🔲	2	3 🔲	4 🔲
	(iii) from boys I've gone out w	⁄ith 1□	2	3 🔲	4 🔲
	(iv) from the media (e.g. TV, magazines)	1 🔲	2 🔲	3 🔲	4 🔲
c)	Do family members tease you about your weight or body sha	111	2 🗖	3 🔲	4 🔲
d)	Do people at school tease you about your weight or body sha	1 1 1	2 🗖	3 🔲	4 🔲
Remen	nber there are no right or wro	ong answers, w	e just want t	o know what	you think.
B4. Ho	w do you describe your weight?	,			
	· I I I	ghtly <sup>2</sup> □		at the weight 3 $\square$	
	Slightly overweight 4 D Verweight	ry erweight 5 🗖			

# PAGE 9 OF THE GIRLS' QUESTIONNAIRE

	I am not trying to do ¹□ anything about my weight	Stay the same 2 □
	Gain weight ₃ □	Lose weight 4 □
B6. a)	During the <b>past year</b> , did you go on a diet weight?	to lose weight or keep from gaining
	Always on a diet ¹□ Often ²□	Several times <sup>3</sup> □
	A couple of times 4 ☐ Never 5 ☐	→ If never, go to <u>B7a</u> on page 10
b)	How long did you stay on the diet(s)?	
	Less than a week 1 -3 weeks 2 -	1-3 months <sup>3</sup> □ 3 or more <sup>4</sup> □ months
c)	What type of diet(s) did you use? (You can	mark more than one answer)
		Yes
	i) Low calorie	1 🗖
	ii) High protein	1 🔲
	iii) Skipped meals	1 🗖
	iv) Weight loss shakes	1 🗖
	v) Low carbohydrate	1 🔲
	vi) High carbohydrate	1 🔲
	vii) Smaller portion size	1 🗖
	viii) Weight Watchers or other programme	1 🔲
	ix) Low fat	1 🗖
	x) Did not eat snacks or desserts	1 🗖
	xi) Other (please cross box then describe l	below) 1 🔲

# PAGE 10 OF THE GIRLS' QUESTIONNAIRE

B6. d) Di	d you lose weight on	the diet(s)?			
	es more than 1	Yes, 6-10 <sub>2</sub> □ pounds (3-5 kilos)	pou	, 1-5 <sub>3</sub> □ ands ⁄2 kilos)	No 4
e) Di	d you gain back any o	of the weight you	ost on the o	liet?	B7a below
	No, did not regain a Gained back a little		1 🗆		
	Gained back a fittle		2 <b>□</b> 3 <b>□</b>		
	Gained back all of t	_	4 🗆		
	Put on more than I		5 🔲		
B7. a) Du	oring the <b>past year</b> , h	-	-	cise?	
	1	1 1 1111105			3 🔲
	a week	a week	2 📙	a month	
	less than once a month	a week			_
	less than once	a week  never 5   to do your work or	□ <b>→</b> If	a month never go to B	8 on page 11
	less than once a month  4 □ as it difficult for you t	a week  never 5    to do your work of were exercising?	☐ → If	a month  never go to B  rk because of the	8 on page 11
an	less than once a month 4  as it difficult for you to the count of time that you	a week  never 5    to do your work of were exercising?  Yes, fi	school wor	a month  never go to B  rk because of the second se	8 on page 11
an	less than once a month  as it difficult for you to thount of time that you  Yes, sometimes  d you exercise in order	a week  never 5    to do your work or were exercising?  Yes, fi	school wor	a month  never go to B  rk because of the second se	8 on page 11
an c) Di	less than once a month  as it difficult for you to nount of time that you  Yes, sometimes  d you exercise in order	a week  never 5    to do your work or were exercising?  Yes, fi	school workequently	a month  never go to B  rk because of the second se	8 on page 11  he
c) Di	less than once a month  as it difficult for you to nount of time that you  Yes, sometimes  d you exercise in order	a week  never 5    to do your work or were exercising?  Yes, fi  er to lose weight of	school workequently	a month  never go to B  rk because of the second se	8 on page 11  he  No 3   No 3
c) Di	less than once a month  as it difficult for you to nount of time that you  Yes, sometimes  d you exercise in order  Yes, sometimes	a week  never 5    to do your work or were exercising?  Yes, fi  er to lose weight of	school workequently are avoid gain requently are equently	a month  never go to B  rk because of the second se	8 on page 11  he  No 3   No 3   B8 on page 11
c) Di	less than once a month  as it difficult for you to nount of time that you Yes, sometimes  d you exercise in order  Yes, sometimes  d you exercise in order  Yes, sometimes  d you carry on exercise	a week  never 5    to do your work or were exercising?  Yes, firer to lose weight or Yes, firer to lose weight or sing even if you we	school workequently are avoid gain requently are equently	a month  never go to B  rk because of the second of the se	8 on page 11  he  No 3   No 3   B8 on page 11

# PAGE 11 OF THE GIRLS' QUESTIONNAIRE

B8.	During the <b>past year</b> , how often did you fast (not eat for at least a day) to lose weight or avoid gaining weight?					
	Never 1 □	Less than once <sup>2</sup> □ a month	1-3 times ₃ ☐ a month			
	Once a week 4 □	2 or more times a week 5				
B9.	During the <b>past year</b> , how or weight or avoid gaining weight	•	row up (vomit) to lose			
	Never 1 □	Less than once 2 ☐ a month	1-3 times ₃ ☐ a month			
	Once a week ₄ □	2-6 times a week ₅ □	Every day 6 □			
B10.	During the <b>past year</b> , how often did you take laxatives to lose weight or avoid gaining weight?					
	Never 1 □	Less than once 2 □	1-3 times ₃ □			
		a month	a month			
	Once a week ₄□	a month  2-6 times a week 5 □	a month  Every day 6 □			
B11.	Once a week 4   Sometimes people will go on that most people would consider	2-6 times a week ₅ □ an "eating binge", where they	Every day 6  veat an amount of food			
B11.	Sometimes people will go on	2-6 times a week 5  an "eating binge", where they der to be very large, in a shor	Every day 6  veat an amount of food t period of time.			
B11.	Sometimes people will go on that most people would consider	2-6 times a week 5  an "eating binge", where they der to be very large, in a shor often did you go on an eating	Every day 6  veat an amount of food t period of time.			
B11.	Sometimes people will go on that most people would conside <b>During the past year</b> , how of	2-6 times a week 5  an "eating binge", where they der to be very large, in a shor often did you go on an eating	Every day 6  veat an amount of food t period of time. binge?			
B11.	Sometimes people will go on that most people would conside <b>During the past year</b> , how on the past year, how on the past year, how or the past year.	2-6 times a week 5 ☐  an "eating binge", where they der to be very large, in a shore often did you go on an eating  1 ☐ ► If never,	Every day 6  veat an amount of food t period of time. binge?			
B11.	Sometimes people will go on that most people would conside the past year, how on the past year, how or the past year, how on the past year, how or the past year.	2-6 times a week 5 ☐  an "eating binge", where they der to be very large, in a shore often did you go on an eating  1 ☐ → If never,	Every day 6  veat an amount of food t period of time. binge?			
B11.	Sometimes people will go on that most people would conside the past year, how on the past year, how on the past year, how or the past year is a month that times a month that the past year is a month that year is a month that year is a month that	2-6 times a week 5 ☐  an "eating binge", where they der to be very large, in a shore often did you go on an eating  1 ☐ → If never, 2 ☐ 3 ☐	Every day 6  veat an amount of food t period of time. binge?			
B11.	Sometimes people will go on that most people would consider that most people would consider the past year, how on the past year, how of the past year, how	2-6 times a week 5 □  an "eating binge", where they der to be very large, in a short often did you go on an eating  1 □ → If never, 2 □ 3 □ 4 □	Every day 6  veat an amount of food t period of time. binge?			

# PAGE 12 OF THE GIRLS' QUESTIONNAIRE

B12.	Th	ese questions refer to when you were on a binge.	Yes usually	Yes sometimes	No
	a)	Did you feel out of control, like you couldn't stop eating even if you wanted to stop?	1 🔲	2 🔲	3 🔲
	b)	Did you eat very fast or faster than you normally do?	1 🔲	2 🔲	3 🔲
	c)	Did you eat until your stomach hurt or you felt sick to your stomach?	1 🔲	2 🔲	3 🔲
	d)	Did you eat really large amounts of food when you didn't feel hungry?	1 🔲	2 🔲	3 🔲
	e)	Did you eat by yourself because you did not want anyone to see how much you ate?	1 🔲	2 🔲	3 🔲
	f)	Did you feel really bad about yourself or feel guilty after eating a lot of food?	1 🔲	2 🔲	3 🔲
B13.	a)	In the past year, if there was a period of time binges at least once a week, how long did you 1 month 1 \( \begin{picture} 2 \text{ months} & 2 \end{picture} \)	ı do this a		
		Didn't do this at least once a week 4 🗖 –	<b>→</b> G	o to B14 on p	age 13
	b)	Didn't do this at least once a week 4 During that time did you do any of the follow		o to B14 on p	age 13
	b)		ving:	-	
	b)	<b>During that time</b> did you do any of the follow  (i) exercise a lot to burn off the calories you have	ving:	-	
	b)	During that time did you do any of the follow  (i) exercise a lot to burn off the calories you binges?	ving: nad eaten	-	
	b)	During that time did you do any of the follow  (i) exercise a lot to burn off the calories you be binges?  Yes ¹□ No ²□	ving: nad eaten	-	J
	b)	During that time did you do any of the follow  (i) exercise a lot to burn off the calories you be binges?  Yes ¹□ No ²□  (ii) use laxatives to keep from gaining weight	ving: nad eaten	during the ear	J
	b)	During that time did you do any of the follow  (i) exercise a lot to burn off the calories you be binges?  Yes ¹□ No ²□  (ii) use laxatives to keep from gaining weight  Yes ¹□ No ²□	ving: nad eaten ? ing weigh	during the ear	ting
	b)	During that time did you do any of the follow  (i) exercise a lot to burn off the calories you have binges?  Yes ¹□ No ²□  (ii) use laxatives to keep from gaining weight  Yes ¹□ No ²□  (iii) make yourself throw up to keep from gain	ving: nad eaten ? ing weigh	during the ear	ting

# PAGE 13 OF THE GIRLS' QUESTIONNAIRE

B14.	Has anyone ever <u>told</u> you that they thought you had an eating disorder, such as anorexia nervosa or bulimia? (you <u>can</u> mark <u>more</u> than one answer)								
	a) No 1								
	b) Yes, a friend 1								
	c) Yes, a parent 1								
	d) Yes, a doctor, nurse,	or other h	ealth care pro	ovider 1					
B15.	Have you ever been <b>treated</b> f health care provider?	or an eatin	g disorder by	a doctor	, nurse or of	her			
	No ¹□ Yes, in	the past 2	2 🗖	Yes, am treated n	being 3  ow				
Remei	nber there are no right or wr	ong answe	ers. We just v	want to k	now what y	ou think			
In the	past year:	Never	Sometimes	Often	Always				
B16.	How often have you thought about wanting to hav toned or defined muscles?	re 1□	2	3 🔲	4 🔲	Don't			
B17.	How often has your <b>mother</b> tried to lose weight?	1 🔲	2 🔲	3 🔲	4 🔲	know <sup>5</sup> □			
B18.	How often has your mother of father made a comment to you about your weight or the amount you are eating, that made you feel bad?		2 🔲	3	4 🗖				
	made you leef bad!		In the past year how happy have you been with the way your body looks?						
B19.	·	have you b	been with the	way your	body looks	•			
B19.	·	•	peen with the		·				
B19.	In the past year how happy	·		ppy 2 <b>[</b>	·				
	In the past year how happy  Very unhappy 1 □	·	A little unha <sub>l</sub> Very happy	ppy 2 □ 4 □	]				
B19.	In the past year how happy  Very unhappy 1   Quite happy 3   In the past year, how much	has your w	A little unha <sub>l</sub> Very happy	ppy 2 □ 4 □ difference	]				

# PAGE 14 OF THE GIRLS' QUESTIONNAIRE

321.	(as little as one kilo)?	ou worried about gaining a little weight
	Not at all ¹□	A little <sup>2</sup> □
	A lot ₃ □	All the time ₄ □
322.	a) In the past year, how much have or women you see on television,	ve you tried to look like some of the girls in movies, or in magazines?
	Not at all ¹ □ → Go to	B23 below
	A little 2 □	Sometimes ₃ □
	Frequently 4	A lot 5
	b) To look like them I have change (You <u>can</u> mark <u>more</u> than one	
	(i) hair colour ¹□	(vi) muscle definition ¹□
	(ii) hair style ¹□	(vii) tan/skin colour 1 □
	(iii) makeup 1 □	(viii) weight (trying to gain) 1
	(iv) clothing 1 □	(ix) weight (trying to lose) 1
	(v) body shape 1 □	(x) other (please cross box 1 ☐ then describe below)
323.	Do you try to eat less at mealtimes th	nan you would like to eat?
	Yes, usually ¹□ Yes, so	ometimes 2 No 3 No
324.	How often do you refuse food or drin about your weight?	ak offered because you are concerned
	Never ¹□ C	Occasionally 2
	Sometimes 3  F	Frequently 4 \(\simega\) 14734

# PAGE 15 OF THE GIRLS' QUESTIONNAIRE

		Yes, usually want to eat more	Sometimes want to eat more	No, not at all
a)	when you are irritated or cross?	1 🔲	2 🔲	3 🔲
b)	when you have nothing to do?	1 🔲	2 🔲	3 🔲
c)	when you are depressed or discouraged?	1 🗖	2 🗖	3 🔲
d)	when you are feeling lonely?	1 🔲	2 🗖	3 🗖
e)	when somebody lets you down?	1 🔲	2 🔲	3 🔲
f)	when you are happy?	1 🔲	2 🔲	3 🔲
g)	when something unpleasant is due to happen?	1 🔲	2 🔲	3 🔲
h)	when you are anxious, worried or tense?	1 🗖	2 🗖	3 🔲
i)	when things have gone wrong?	1 🔲	2 🗖	3 🔲
j)	when you are frightened?	1 🔲	2 🔲	3 🔲
k)	when you are disappointed?	1 🔲	2 🔲	3 🔲
1)	when you are emotionally upset?	1 🔲	2 🔲	3 🔲
m	) when you are bored or restless?	1 🔲	2 🔲	3 🔲
n)	when you are excited?	1 🔲	2 🗖	³ <b>□</b> 734

# PAGE 16 OF THE GIRLS' QUESTIONNAIRE

Never ¹□	Occasionally 2	Sometimes <sup>3</sup> □	Always 4 □
B27. If food smells and	looks good do you eat m	ore than usual?	
Never ¹□	Occasionally 2	Sometimes 3 □	Always 4 □
B28. If you see or smel	I something delicious do	you have the desire to	eat it?
Never 1 □	Occasionally 2	Sometimes ₃ □	Always 4 □
B29. If you see others e	ating do you also have th	e desire to eat?	
Never 1	Occasionally 2	Sometimes ₃ □	Always 4
B30. Can you resist eat	ing delicious foods?		
Never ¹□	Occasionally 2	Sometimes ₃ □	Always ₄ □
B31. Do you eat more t	han usual when you see o	others eating?	
Never ¹□	Occasionally 2	Sometimes <sup>3</sup> □	Always 4 □
B32. When preparing a preparing it?	meal are you inclined to	eat something while	you are
Never ¹ □	Occasionally 2	Sometimes ₃ □	Always 4 □
Never prepare a	a meal 5		

ccq200 B1a: Thin men are more good-looking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	58	.4	2.3	2.3
	Agree	659	4.3	25.8	28.1
	Can't decide	1114	7.3	43.6	71.7
	Disagree	580	3.8	22.7	94.4
	Strongly disagree	143	.9	5.6	100.0
	Total	2554	16.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	210	1.4		
	Total	12641	83.2		
Total		15195	100.0		

ccq201 B1b: Men who are in shape are better looking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	296	1.9	11.6	11.6
	Agree	1524	10.0	59.8	71.4
	Can't decide	563	3.7	22.1	93.5
	Disagree	106	.7	4.2	97.7
	Strongly disagree	59	.4	2.3	100.0
	Total	2548	16.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	216	1.4		
	Total	12647	83.2		
Total		15195	100.0		

ccq202 B1c: Men with toned (lean) bodies are more good-looking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	263	1.7	10.3	10.3
	Agree	1147	7.5	45.0	55.4
	Can't decide	901	5.9	35.4	90.7
	Disagree	170	1.1	6.7	97.4
	Strongly disagree	66	.4	2.6	100.0
	Total	2547	16.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	217	1.4		
	Total	12648	83.2		
Total		15195	100.0		

ccq203 B1d: Men with large pronounced muscles are better looking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	141	.9	5.5	5.5
	Agree	760	5.0	29.8	35.4
	Can't decide	1039	6.8	40.8	76.2
	Disagree	504	3.3	19.8	96.0
	Strongly disagree	103	.7	4.0	100.0
	Total	2547	16.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	217	1.4		
	Total	12648	83.2		
Total		15195	100.0		

ccq204 B1e: Tall men are more good-looking than men of normal height

		Fraguenay	Percent	Valid Percent	Cumulative Percent
	-	Frequency			
Valid	Strongly agree	45	.3	1.8	1.8
	Agree	231	1.5	9.1	10.8
	Can't decide	1240	8.2	48.6	59.5
	Disagree	852	5.6	33.4	92.9
	Strongly disagree	181	1.2	7.1	100.0
	Total	2549	16.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	215	1.4		
	Total	12646	83.2		
Total		15195	100.0		

ccq205 B1f: Body builders, such as Arnold Schwarzenegger are better looking

-		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	59	.4	2.3	2.3
	Agree	233	1.5	9.2	11.5
	Can't decide	944	6.2	37.1	48.6
	Disagree	850	5.6	33.4	82.0
	Strongly disagree	458	3.0	18.0	100.0
	Total	2544	16.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	220	1.4		
	Total	12651	83.3		
Total		15195	100.0		

ccq210 B1a: Very thin women are not attractive

-		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	519	3.4	15.3	15.3
	Agree	1294	8.5	38.0	53.3
	Can't decide	707	4.7	20.8	74.1
	Disagree	736	4.8	21.6	95.7
	Strongly disagree	147	1.0	4.3	100.0
	Total	3403	22.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	46	.3		
	Total	11792	77.6		
Total		15195	100.0		

ccq211 B1b: Women with long legs are more attractive than those with normal length legs

		F	D	Valid Dansont	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	83	.5	2.4	2.4
	Agree	653	4.3	19.2	21.7
	Can't decide	1121	7.4	33.0	54.7
	Disagree	1353	8.9	39.8	94.5
	Strongly disagree	186	1.2	5.5	100.0
	Total	3396	22.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	53	.3		
	Total	11799	77.7		
Total		15195	100.0		

ccq212 B1c: Women with toned (lean) bodies are more attactive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	347	2.3	10.2	10.2
	Agree	1624	10.7	47.9	58.2
	Can't decide	824	5.4	24.3	82.5
	Disagree	512	3.4	15.1	97.6
	Strongly disagree	80	.5	2.4	100.0
	Total	3387	22.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	62	.4		
	Total	11808	77.7		
Total		15195	100.0		

ccq213 B1d: Tall women are more attractive than women of normal height

		1		V 515	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	35	.2	1.0	1.0
	Agree	216	1.4	6.4	7.4
	Can't decide	1043	6.9	30.7	38.1
	Disagree	1803	11.9	53.1	91.3
	Strongly disagree	296	1.9	8.7	100.0
	Total	3393	22.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	56	.4		
	Total	11802	77.7		
Total		15195	100.0		

ccq214 B1e: Shapely women are attractive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	314	2.1	9.3	9.3
	Agree	1771	11.7	52.4	61.7
	Can't decide	980	6.4	29.0	90.7
	Disagree	272	1.8	8.0	98.8
	Strongly disagree	42	.3	1.2	100.0
	Total	3379	22.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	70	.5		
	Total	11816	77.8		
Total		15195	100.0		

ccq215 B1f: Women are more attractive if they are short (petite)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	44	.3	1.3	1.3
	Agree	228	1.5	6.7	8.0
	Can't decide	1476	9.7	43.5	51.5
	Disagree	1457	9.6	42.9	94.5
	Strongly disagree	188	1.2	5.5	100.0
	Total	3393	22.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	56	.4		
	Total	11802	77.7		
Total		15195	100.0		

ccq220 B2a: Degree to which respondent is satisfied with their weight at the moment

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Extremely satisified	1132	7.4	18.5	18.5
	Moderately satisified	2654	17.5	43.4	62.0
	Can't decide	495	3.3	8.1	70.1
	Moderately dissatisified	1188	7.8	19.4	89.5
	Extremely dissatisified	325	2.1	5.3	94.8
	Not an issue	316	2.1	5.2	100.0
	Total	6110	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	103	.7		
	Total	9085	59.8		
Total		15195	100.0		

ccq221 B2b: Degree to which respondent is satisfied with their figure at the moment

	-	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	908	6.0	14.9	14.9
	Moderately satisified	2888	19.0	47.3	62.2
	Can't decide	697	4.6	11.4	73.6
	Moderately dissatisified	1072	7.1	17.6	91.1
	Extremely dissatisified	274	1.8	4.5	95.6
	Not an issue	267	1.8	4.4	100.0
	Total	6106	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	107	.7		
	Total	9089	59.8		
Total		15195	100.0		

ccq222 B2c: Degree to which respondent is satisfied with their body build at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	401	2.6	14.9	14.9
Valla	Moderately satisified	1242	8.2	46.1	61.0
	Can't decide	440	2.9	16.3	77.4
	Moderately dissatisified	400	2.6	14.9	92.2
	Extremely dissatisified	45	.3	1.7	93.9
	Not an issue	164	1.1	6.1	100.0
	Total	2692	17.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	72	.5		
	Total	12503	82.3		
Total		15195	100.0		

ccq223 B2c: Degree to which respondent is satisfied with their breasts at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	383	2.5	11.2	11.2
	Moderately satisified	1545	10.2	45.3	56.6
	Can't decide	550	3.6	16.1	72.7
	Moderately dissatisified	532	3.5	15.6	88.3
	Extremely dissatisified	203	1.3	6.0	94.3
	Not an issue	196	1.3	5.7	100.0
	Total	3409	22.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	40	.3		
	Total	11786	77.6		
Total		15195	100.0		

ccq224 B2d: Degree to which respondent is satisfied with their stomach at the moment

	szu. Degree to which respon				Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Extremely satisified	983	6.5	16.1	16.1
	Moderately satisified	2381	15.7	39.0	55.1
	Can't decide	734	4.8	12.0	67.1
	Moderately dissatisified	1281	8.4	21.0	88.1
	Extremely dissatisified	452	3.0	7.4	95.5
	Not an issue	276	1.8	4.5	100.0
	Total	6107	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	106	.7		
	Total	9088	59.8		
Total		15195	100.0		

ccq225 B2e: Degree to which respondent is satisfied with their waist at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	1026	6.8	16.8	16.8
	Moderately satisified	2698	17.8	44.2	61.0
	Can't decide	838	5.5	13.7	74.8
	Moderately dissatisified	931	6.1	15.3	90.0
	Extremely dissatisified	273	1.8	4.5	94.5
	Not an issue	336	2.2	5.5	100.0
	Total	6102	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	111	.7		
	Total	9093	59.8		
Total		15195	100.0		

ccq226 B2f: Degree to which respondent is satisfied with their thighs at the moment

=					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Extremely satisified	834	5.5	13.7	13.7
	Moderately satisified	2259	14.9	37.1	50.8
	Can't decide	864	5.7	14.2	65.0
	Moderately dissatisified	1275	8.4	20.9	86.0
	Extremely dissatisified	516	3.4	8.5	94.4
	Not an issue	338	2.2	5.6	100.0
	Total	6086	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	127	.8		
	Total	9109	59.9		
Total		15195	100.0		

ccq227 B2g: Degree to which respondent is satisfied with their buttocks at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	926	6.1	15.2	15.2
	Moderately satisified	2477	16.3	40.6	55.8
	Can't decide	1227	8.1	20.1	75.9
	Moderately dissatisified	698	4.6	11.4	87.4
	Extremely dissatisified	261	1.7	4.3	91.7
	Not an issue	508	3.3	8.3	100.0
	Total	6097	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	116	.8		
	Total	9098	59.9		
Total		15195	100.0		

ccq228 B2h: Degree to which respondent is satisfied with their hips at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	868	5.7	14.3	14.3
	Moderately satisified	2752	18.1	45.2	59.4
	Can't decide	1053	6.9	17.3	76.7
	Moderately dissatisified	705	4.6	11.6	88.3
	Extremely dissatisified	243	1.6	4.0	92.3
	Not an issue	469	3.1	7.7	100.0
	Total	6090	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	123	.8		
	Total	9105	59.9		
Total		15195	100.0		

ccq229 B2i: Degree to which respondent is satisfied with their legs at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	1138	7.5	18.7	18.7
	Moderately satisified	2671	17.6	43.8	62.5
	Can't decide	814	5.4	13.4	75.9
	Moderately dissatisified	856	5.6	14.0	89.9
	Extremely dissatisified	282	1.9	4.6	94.5
	Not an issue	333	2.2	5.5	100.0
	Total	6094	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	119	.8		
	Total	9101	59.9		
Total		15195	100.0		

ccq230 B2j: Degree to which respondent is satisfied with their face at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	834	5.5	13.7	13.7
	Moderately satisified	2925	19.2	48.0	61.7
	Can't decide	1039	6.8	17.0	78.7
	Moderately dissatisified	760	5.0	12.5	91.2
	Extremely dissatisified	267	1.8	4.4	95.6
	Not an issue	269	1.8	4.4	100.0
	Total	6094	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	119	.8		
	Total	9101	59.9		
Total		15195	100.0		

ccq231 B2k: Degree to which respondent is satisfied with their hair at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely satisified	1670	11.0	27.4	27.4
	Moderately satisified	2827	18.6	46.3	73.7
	Can't decide	712	4.7	11.7	85.4
	Moderately dissatisified	475	3.1	7.8	93.2
	Extremely dissatisified	160	1.1	2.6	95.8
	Not an issue	257	1.7	4.2	100.0
	Total	6101	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	112	.7		
	Total	9094	59.8		
Total		15195	100.0		

ccq240 B3a1: Respondent felt pressure to lose weight from friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all		31.9	79.2	
valid	Not at all	4853	31.9	79.2	79.2
	Yes, a little	1067	7.0	17.4	96.7
	Yes, quite a lot	161	1.1	2.6	99.3
	Yes, a lot	43	.3	.7	100.0
	Total	6124	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	89	.6		
	Total	9071	59.7		
Total		15195	100.0		

ccq241 B3a2: Respondent felt pressure to lose weight from family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	4842	31.9	79.1	79.1
	Yes, a little	950	6.3	15.5	94.7
	Yes, quite a lot	246	1.6	4.0	98.7
	Yes, a lot	81	.5	1.3	100.0
	Total	6119	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	94	.6		
	Total	9076	59.7		
Total		15195	100.0		

ccq242 B3a3: Respondent felt pressure to lose weight from girls/boys they've gone out with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5356	35.2	87.6	87.6
	Yes, a little	553	3.6	9.0	96.7
	Yes, quite a lot	144	.9	2.4	99.0
	Yes, a lot	59	.4	1.0	100.0
	Total	6112	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	101	.7		
	Total	9083	59.8		
Total		15195	100.0		

ccq243 B3a4: Respondent felt pressure to lose weight from the media

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	4227	27.8	69.1	69.1
	Yes, a little	1202	7.9	19.7	88.8
	Yes, quite a lot	464	3.1	7.6	96.4
	Yes, a lot	221	1.5	3.6	100.0
	Total	6114	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	99	.7		
	Total	9081	59.8		
Total		15195	100.0		

ccq250 B3b1: Respondent felt pressure to gain weight from friends

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	5376	35.4	87.9	87.9
	Yes, a little	612	4.0	10.0	97.9
	Yes, quite a lot	96	.6	1.6	99.4
	Yes, a lot	34	.2	.6	100.0
	Total	6118	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	95	.6		
	Total	9077	59.7		
Total		15195	100.0		

ccq251 B3b2: Respondent felt pressure to gain weight from family

ccq231 B3b2. Respondent left pressure to gain weight from family						
		Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	Not at all	5368	35.3	88.0	88.0	
	Yes, a little	583	3.8	9.6	97.5	
	Yes, quite a lot	122	.8	2.0	99.5	
	Yes, a lot	29	.2	.5	100.0	
	Total	6102	40.2	100.0		
Missing	Triplet / quadruplet	5	.0			
	Not completed	8977	59.1			
	No response	111	.7			
	Total	9093	59.8			
Total		15195	100.0			

ccq252 B3b3: Respondent felt pressure to gain weight from girls/boys they've gone out with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5867	38.6	96.2	96.2
	Yes, a little	190	1.3	3.1	99.3
	Yes, quite a lot	34	.2	.6	99.8
	Yes, a lot	10	.1	.2	100.0
	Total	6101	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	112	.7		
	Total	9094	59.8		
Total		15195	100.0		

ccq253 B3b4: Respondent felt pressure to gain weight from the media

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5875	38.7	96.3	96.3
	Yes, a little	183	1.2	3.0	99.3
	Yes, quite a lot	31	.2	.5	99.8
	Yes, a lot	10	.1	.2	100.0
	Total	6099	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	114	.8		
	Total	9096	59.9		
Total		15195	100.0		

ccq260 B3c1: Respondent felt pressure to increase size of their muscles from friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1852	12.2	68.3	68.3
	Yes, a little	687	4.5	25.4	93.7
	Yes, quite a lot	125	.8	4.6	98.3
	Yes, a lot	46	.3	1.7	100.0
	Total	2710	17.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	54	.4		
	Total	12485	82.2		
Total		15195	100.0		

ccq261 B3c2: Respondent felt pressure to increase size of their muscles from family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2216	14.6	82.2	82.2
	Yes, a little	394	2.6	14.6	96.8
	Yes, quite a lot	65	.4	2.4	99.3
	Yes, a lot	20	.1	.7	100.0
	Total	2695	17.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	69	.5		
	Total	12500	82.3		
Total		15195	100.0		

ccq262 B3c3: Respondent felt pressure to increase size of their muscles from girls they went out with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2258	14.9	84.0	84.0
	Yes, a little	297	2.0	11.0	95.0
	Yes, quite a lot	92	.6	3.4	98.4
	Yes, a lot	42	.3	1.6	100.0
	Total	2689	17.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	75	.5		
	Total	12506	82.3		
Total		15195	100.0		

ccq263 B3c4: Respondent felt pressure to increase size of their muscles from the media

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2161	14.2	80.6	80.6
	Yes, a little	368	2.4	13.7	94.4
	Yes, quite a lot	124	.8	4.6	99.0
	Yes, a lot	27	.2	1.0	100.0
	Total	2680	17.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	84	.6		
	Total	12515	82.4		
Total		15195	100.0		

ccq265 B3d/B3c: Family members tease respondent about weight or body shape

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	4737	31.2	77.3	77.3
	Yes, a little	1138	7.5	18.6	95.9
	Yes, quite a lot	157	1.0	2.6	98.5
	Yes, a lot	94	.6	1.5	100.0
	Total	6126	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	87	.6		
	Total	9069	59.7		
Total		15195	100.0		

ccq266 B3e/B3d: People at school tease respondent about weight or body shape

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	4715	31.0	77.1	77.1
	Yes, a little	1144	7.5	18.7	95.8
	Yes, quite a lot	177	1.2	2.9	98.7
	Yes, a lot	82	.5	1.3	100.0
	Total	6118	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	95	.6		
	Total	9077	59.7		
Total		15195	100.0		

ccq270 B4: Respondent has tried doing something to increase muscle size

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1617	10.6	60.2	60.2
	No	1069	7.0	39.8	100.0
	Total	2686	17.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	78	.5		
	Total	12509	82.3		
Total		15195	100.0		

ccq271 B4a: Respondent has exercised in the gym to increase muscle size

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	766	5.0	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	1998	13.1		
	Total	14429	95.0		
Total		15195	100.0		

ccq272 B4b: Respondent has exercised at home to increase muscle size

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1405	9.2	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	1359	8.9		
	Total	13790	90.8		
Total		15195	100.0		

ccq273 B4c: Respondent has exercised elsewhere to increase muscle size

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	548	3.6	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	2216	14.6		
	Total	14647	96.4		
Total		15195	100.0		

ccq274 B4d: Respondent has taken drugs or medication to increase muscle size

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	.0	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	2757	18.1		
	Total	15188	100.0		
Total		15195	100.0		

ccq276 B4e: Respondent has tried something else to increase muscle size

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	107	.7	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Female version	3449	22.7		
	No response	2657	17.5		
	Total	15088	99.3		
Total		15195	100.0		

ccq280 B5/B4: Respondent's description of their weight

=					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Very underweight	60	.4	1.0	1.0
	Slightly underweight	821	5.4	13.4	14.4
	About the right weight	3589	23.6	58.5	72.9
	Slightly overweight	1466	9.6	23.9	96.8
	Very overweight	199	1.3	3.2	100.0
	Total	6135	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	78	.5		
	Total	9060	59.6		
Total		15195	100.0		

ccq290 B6/B5: Respondent's current goal with their weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not trying to do anything	2283	15.0	37.1	37.1
	Stay the same	1677	11.0	27.3	64.4
	Gain weight	304	2.0	4.9	69.4
	Lose weight	1882	12.4	30.6	100.0
	Total	6146	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	67	.4		
	Total	9049	59.6		
Total		15195	100.0		

ccq300 B7a/B6a: Frequency respondent went on a diet to lose weight or keep from gaining weight during the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Always on a diet	98	.6	1.6	1.6
	Often	203	1.3	3.3	4.9
	Several times	297	2.0	4.8	9.8
	A couple of times	1079	7.1	17.6	27.3
	Never	4456	29.3	72.7	100.0
	Total	6133	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	80	.5		
	Total	9062	59.6		
Total		15195	100.0		

ccq301 B7b/B6b: Length of the diet(s) in the past year

		1		V 515	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Less than a week	530	3.5	32.1	32.1
	1-3 weeks	733	4.8	44.4	76.5
	1-3 months	217	1.4	13.2	89.7
	3 or more months	170	1.1	10.3	100.0
	Total	1650	10.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	4563	30.0		
	Total	13545	89.1		
Total		15195	100.0		

ccq302 B7c1/B6c1: Respondent used a low calorie diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	549	3.6	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5664	37.3		
	Total	14646	96.4		
Total		15195	100.0		

ccq303 B7c2/B6c2: Respondent used a high protein diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	79	.5	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6134	40.4		
	Total	15116	99.5		
Total		15195	100.0		

ccq304 B7c3/B6c3: Respondent dieted by skipping meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	494	3.3	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5719	37.6		
	Total	14701	96.7		
Total		15195	100.0		

ccq305 B7c4/B6c4: Respondent used a weight loss shakes diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	57	.4	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6156	40.5		
	Total	15138	99.6		
Total		15195	100.0		

ccq306 B7c5/B6c5: Respondent used a low carbohydrate diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	128	.8	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6085	40.0		
	Total	15067	99.2		
Total		15195	100.0		

ccq307 B7c6/B6c6: Respondent used a high carbohydrate diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	35	.2	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6178	40.7		
	Total	15160	99.8		
Total		15195	100.0		

ccq308 B7c7/B6c7: Respondent dieted by having smaller portion sizes

CCQ500 E	ccq500 Brc7/Boc7. Respondent dieted by having smaller portion sizes							
		Frequency	Percent	Valid Percent	Cumulative Percent			
Valid	Yes	725	4.8	100.0	100.0			
Missing	Triplet / quadruplet	5	.0					
	Not completed	8977	59.1					
	No response	5488	36.1					
	Total	14470	95.2					
Total		15195	100.0					

ccq309 B7c8/B6c8: Respondent used Weight Watchers or other programme

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	147	1.0	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6066	39.9		
	Total	15048	99.0		
Total		15195	100.0		

ccq310 B7c9/B6c9: Respondent used a low fat diet

	77 C3/B0C3. Responden		•		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Yes	703	4.6	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5510	36.3		
	Total	14492	95.4		
Total		15195	100.0		

ccq311 B7c10/B6c10: Respondent dieted by not eating snacks or desserts

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1161	7.6	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5052	33.2		
	Total	14034	92.4		
Total		15195	100.0		

ccq312 B7c11/B6c11: Respondent used other dietting method

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	301	2.0	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5912	38.9		
	Total	14894	98.0		
Total		15195	100.0		

ccq314 B7d/B6d: Respondent lost weight on the diet(s)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, >5 kg	136	.9	8.2	8.2
	Yes, 3-5kgs	201	1.3	12.1	20.2
	Yes, 0.5-2.5kgs	758	5.0	45.4	65.6
	No	573	3.8	34.4	100.0
	Total	1668	11.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	4545	29.9		
	Total	13527	89.0		
Total		15195	100.0		

ccq315 B7e/B6e: Respondent gained back any of the weight lost on the diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	221	1.5	19.8	19.8
	Yes, a little	566	3.7	50.8	70.6
	Yes, most	171	1.1	15.4	86.0
	Yes, all	87	.6	7.8	93.8
	Yes, more than was lost	69	.5	6.2	100.0
	Total	1114	7.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5099	33.6		
	Total	14081	92.7		
Total		15195	100.0		

ccq320 B8a/B7a: Frequency respondent did any exercise during the past year

-			_		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	5+ times a week	2245	14.8	36.7	36.7
	1-4 times a week	3202	21.1	52.4	89.1
	1-3 times a month	422	2.8	6.9	96.0
	<once a="" month<="" td=""><td>106</td><td>.7</td><td>1.7</td><td>97.7</td></once>	106	.7	1.7	97.7
	Never	140	.9	2.3	100.0
	Total	6115	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	98	.6		
	Total	9080	59.8		
Total		15195	100.0		

ccq321 B8b/B7b: It was difficult for respondent to do work or school work due to amount

of time exercising

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, sometimes	626	4.1	10.5	10.5
	Yes, frequently	157	1.0	2.6	13.2
	No	5165	34.0	86.8	100.0
	Total	5948	39.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	265	1.7		
	Total	9247	60.9		
Total		15195	100.0		

ccq322 B8c/B7c: Respondent exercised to lose or avoid gaining weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, sometimes	1609	10.6	27.2	27.2
	Yes, frequently	458	3.0	7.8	35.0
	No	3840	25.3	65.0	100.0
	Total	5907	38.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	306	2.0		
	Total	9288	61.1		
Total		15195	100.0		

ccq323 B8d/B7d: Respondent continued exercise even when sick or injured

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	1022	6.7	44.5	44.5
	Yes	338	2.2	14.7	59.2
	Was not sick or injured	936	6.2	40.8	100.0
	Total	2296	15.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	3917	25.8		
	Total	12899	84.9		
Total		15195	100.0		

ccq330 B9/B8: Frequency respondent fasted to lose or avoid gaining weight during the

past year

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	5657	37.2	93.2	93.2
	< once a month	240	1.6	4.0	97.1
	1-3 times a month	69	.5	1.1	98.2
	Once a week	47	.3	.8	99.0
	2-6 times a week	60	.4	1.0	100.0
	Total	6073	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	140	.9		
	Total	9122	60.0		
Total		15195	100.0		

ccq340 B10/B9: Frequency respondent made themselves throw up to lose or avoid

gaining weight during the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6015	39.6	98.6	98.6
	< once a month	51	.3	.8	99.5
	1-3 times a month	10	.1	.2	99.6
	Once a week	17	.1	.3	99.9
	2-6 times a week	4	.0	.1	100.0
	Every day	2	.0	.0	100.0
	Total	6099	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	114	.8		
	Total	9096	59.9		
Total		15195	100.0		

ccq350 B11/B10: Frequency respondent took laxatives to lose or avoid gaining weight during the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6070	39.9	99.6	99.6
	< once a month	15	.1	.2	99.8
	1-3 times a month	1	.0	.0	99.9
	Once a week	6	.0	.1	100.0
	2-6 times a week	1	.0	.0	100.0
	Every day	2	.0	.0	100.0
	Total	6095	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	118	.8		
	Total	9100	59.9		
Total		15195	100.0		

ccq360 B12/B11: Frequency respondent went on an eating binge during the past year

-		Frequency	Percent	Valid Percent	Cumulative Percent
	_	<u> </u>			
Valid	Never	5115	33.7	83.6	83.6
	< Once a month	688	4.5	11.2	94.8
	1-3 times a month	177	1.2	2.9	97.7
	Once a week	91	.6	1.5	99.2
	<once a="" td="" week<=""><td>49</td><td>.3</td><td>.8</td><td>100.0</td></once>	49	.3	.8	100.0
	Total	6120	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	93	.6		
	Total	9075	59.7		
Total		15195	100.0		

ccq370 B13a/B12a: Respondent felt out of control when on a binge

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	75	.5	6.9	6.9
	Yes, sometimes	296	1.9	27.1	33.9
	No	723	4.8	66.1	100.0
	Total	1094	7.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5119	33.7		
	Total	14101	92.8		
Total		15195	100.0		

ccq371 B13b/B12b: Respondent ate very fast or faster than normal when on a binge

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	85	.6	7.9	7.9
	Yes, sometimes	356	2.3	33.0	40.9
	No	638	4.2	59.1	100.0
	Total	1079	7.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5134	33.8		
	Total	14116	92.9		
Total		15195	100.0		

ccq372 B13c/B12c: Respondent ate until their stomach hurt or they felt sick when on a binge

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	66	.4	6.2	6.2
	Yes, sometimes	249	1.6	23.5	29.7
	No	745	4.9	70.3	100.0
	Total	1060	7.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5153	33.9		
	Total	14135	93.0		
Total		15195	100.0		

ccq373 B13d/B12d: Respondent ate really large amounts of food when not hungry when

on a binge

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	118	.8	11.2	11.2
	Yes, sometimes	458	3.0	43.3	54.4
	No	482	3.2	45.6	100.0
	Total	1058	7.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5155	33.9		
	Total	14137	93.0		
Total		15195	100.0		

ccq374 B13e/B12e: Respondent ate by themselves to hide amount eaten when on a binge

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	86	.6	8.1	8.1
	Yes, sometimes	195	1.3	18.4	26.5
	No	779	5.1	73.5	100.0
	Total	1060	7.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5153	33.9		
	Total	14135	93.0		
Total		15195	100.0		

ccq375 B13f/B12f: Respondent felt really bad / guilty after eating a lot of food when on a

binge

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	286	1.9	26.9	26.9
	Yes, sometimes	285	1.9	26.8	53.7
	No	493	3.2	46.3	100.0
	Total	1064	7.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5149	33.9		
	Total	14131	93.0		
Total		15195	100.0		

ccq380 B14a/B13a: Length of period of time when respondent went on eating binges at least once a week in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 month	147	1.0	14.0	14.0
	2 months	30	.2	2.9	16.9
	3+ months	53	.3	5.1	21.9
	Didn't binge at least once a week	818	5.4	78.1	100.0
	Total	1048	6.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5165	34.0		
	Total	14147	93.1		
Total		15195	100.0		

ccq381 B14b1/B13b1: Respondent exercised a lot to burn off the calories during the

period of frequent binges

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	128	.8	47.1	47.1
	No	144	.9	52.9	100.0
	Total	272	1.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5941	39.1		
	Total	14923	98.2		
Total		15195	100.0		

ccq382 B14b2/B13b2: Respondent used laxatives to keep from gaining weight during the

period of frequent binges

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.0	1.5	1.5
	No	328	2.2	98.5	100.0
	Total	333	2.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5880	38.7		
	Total	14862	97.8		
Total		15195	100.0		

ccq383 B14b3/B13b3: Respondent made themself throw up to keep from gaining weight

during the period of frequent binges

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, monthly	6	.0	1.9	1.9
	Yes, weekly	2	.0	.6	2.5
	Yes, 2+ times a week	3	.0	.9	3.4
	No	310	2.0	96.6	100.0
	Total	321	2.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5892	38.8		
	Total	14874	97.9		
Total		15195	100.0		

ccq390 B15a/B14a: No one has informed the respondent that they thought they had an eating disorder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5686	37.4	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	527	3.5		
	Total	9509	62.6		
Total		15195	100.0		

ccq391 B15b/B14b: A friend has informed the respondent that they thought they had an eating disorder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	391	2.6	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5822	38.3		
	Total	14804	97.4		
Total		15195	100.0		

ccq392 B15c/B14c: A parent has informed the respondent that they thought they had an eating disorder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	122	.8	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6091	40.1		
	Total	15073	99.2		
Total		15195	100.0		

ccq393 B15d/B14d: A health care professional has informed the respondent that they thought they had an eating disorder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	33	.2	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6180	40.7		
	Total	15162	99.8		
Total		15195	100.0		

ccq400 B16/B15: Respondent has been treated for an eating disorder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	6058	39.9	99.4	99.4
	Yes, in the past	28	.2	.5	99.9
	Yes, being treated now	8	.1	.1	100.0
	Total	6094	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	119	.8		
	Total	9101	59.9		
Total		15195	100.0		

ccq410 B17/B16: Frequency respondent thought about wanting to have toned or defined

muscles in the past year

			Downset	Valid Dansont	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	1909	12.6	31.3	31.3
	Sometimes	2697	17.7	44.2	75.4
	Often	1095	7.2	17.9	93.4
	Always	406	2.7	6.6	100.0
	Total	6107	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	106	.7		
	Total	9088	59.8		
Total		15195	100.0		

ccq420 B18/B17: Frequency respondent's mother tried to lose weight in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1532	10.1	25.1	25.1
	Sometimes	2073	13.6	34.0	59.1
	Often	1296	8.5	21.2	80.3
	Always	548	3.6	9.0	89.3
	Don't know	654	4.3	10.7	100.0
	Total	6103	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	110	.7		
	Total	9092	59.8		
Total		15195	100.0		

ccq430 B19/B18: Frequency respondent's mother or father made a negative comment about respondent's weight or the amount they were eating in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4583	30.2	75.1	75.1
	Sometimes	1198	7.9	19.6	94.8
	Often	230	1.5	3.8	98.5
	Always	89	.6	1.5	100.0
	Total	6100	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	113	.7		
	Total	9095	59.9		
Total		15195	100.0		

ccq440 B20/B19: Degree to which respondent has been happy with the way their body

looks in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very unhappy	513	3.4	8.4	8.4
	A little unhappy	1491	9.8	24.5	32.9
	Quite happy	2929	19.3	48.1	81.1
	Very happy	1152	7.6	18.9	100.0
	Total	6085	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	128	.8		
	Total	9110	60.0		
Total		15195	100.0		

ccq450 B21/B20: Degree to which respondent's weight made a difference to how they felt

about themself in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	3068	20.2	50.5	50.5
	A little	2042	13.4	33.6	84.0
	Quite a lot	652	4.3	10.7	94.8
	A lot	319	2.1	5.2	100.0
	Total	6081	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	132	.9		
	Total	9114	60.0		
Total		15195	100.0		

ccq460 B22/B21: Degree to which respondent has worried about gaining a little weight in

the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	4044	26.6	66.7	66.7
	A little	1550	10.2	25.5	92.2
	A lot	333	2.2	5.5	97.7
	All the time	140	.9	2.3	100.0
	Total	6067	39.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	146	1.0		
	Total	9128	60.1		
Total		15195	100.0		

ccq470 B23a/B22a: Degree to which respondent has tried to look like males/females in the

media in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	3917	25.8	64.5	64.5
	A little	1504	9.9	24.8	89.3
	Sometimes	418	2.8	6.9	96.1
	Frequently	130	.9	2.1	98.3
	A lot	104	.7	1.7	100.0
	Total	6073	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	140	.9		
	Total	9122	60.0		
Total		15195	100.0		

ccq471 B23b1/B22b1: Respondent has changed / is trying to change their hair colour to

match media images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	418	2.8	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5795	38.1		
	Total	14777	97.2		
Total		15195	100.0		

ccq472 B23b2/B22b2: Respondent has changed / is trying to change their hair style to match media images

materi media images						
		Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	Yes	1193	7.9	100.0	100.0	
Missing	Triplet / quadruplet	5	.0			
	Not completed	8977	59.1			
	No response	5020	33.0			
	Total	14002	92.1			
Total		15195	100.0			

ccq473 B22b3: Respondent has changed / is trying to change their makeup to match media images

r r				r	0 1 1
		Fraguenav	Doroont	Valid Dargant	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Yes	971	6.4	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Male version	2764	18.2		
	No response	2478	16.3		
	Total	14224	93.6		
Total		15195	100.0		

ccq474 B23b3/B22b4: Respondent has changed / is trying to change their clothing to

match media images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1176	7.7	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5037	33.1		
	Total	14019	92.3		
Total		15195	100.0		

ccq475 B23b4/B22b5: Respondent has changed / is trying to change their body shape to

match media images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	853	5.6	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5360	35.3		
	Total	14342	94.4		
Total		15195	100.0		

ccq476 B23b5/B22b6: Respondent has canged / is trying to change their muscle definition

to match media images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	661	4.4	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5552	36.5		
	Total	14534	95.6		
Total		15195	100.0		

ccq477 B23b6/B22b7: Respondent has changed / is trying to change their tan/skin colour

to match media images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	516	3.4	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5697	37.5		
	Total	14679	96.6		
Total		15195	100.0		

ccq478 B23b7/B22b8: Respondent has gained / is trying to gain weight to match media images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	119	.8	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6094	40.1		
	Total	15076	99.2		
Total		15195	100.0		

ccq479 B23b8/B22b9: Respondent has lost / is trying to lose weight to match media

images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	932	6.1	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5281	34.8		
	Total	14263	93.9		
Total		15195	100.0		

ccq480 B23b9/B22b10: Respondent has changed / is trying to change something else to match media images

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	81	.5	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6132	40.4		
	Total	15114	99.5		
Total		15195	100.0		

ccq490 B24/B23: Respondent eats less than they would like to at mealtimes

-	324/B23: Respondent el	1			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Usually	218	1.4	3.6	3.6
	Sometimes	949	6.2	15.7	19.3
	No	4865	32.0	80.7	100.0
	Total	6032	39.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	181	1.2		
	Total	9163	60.3		
Total		15195	100.0		

ccq500 B25/B24: Frequency respondent refuses food or drink as they are concerned about weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4321	28.4	71.1	71.1
	Occasionally	794	5.2	13.1	84.1
	Sometimes	853	5.6	14.0	98.1
	Frequently	113	.7	1.9	100.0
	Total	6081	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	132	.9		
	Total	9114	60.0		
Total		15195	100.0		

ccq510 B26a/B25a: Respondent feels that they want to eat more than usual when they are irritated or cross

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	434	2.9	7.1	7.1
	Yes, sometimes	1415	9.3	23.2	30.4
	No, not at all	4242	27.9	69.6	100.0
	Total	6091	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	122	.8		
	Total	9104	59.9		
Total		15195	100.0		

ccq511 B26b/B25b: Respondent feels that they want to eat more than usual when they have nothing to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	1227	8.1	20.1	20.1
	Yes, sometimes	2799	18.4	45.9	66.1
	No, not at all	2068	13.6	33.9	100.0
	Total	6094	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	119	.8		
	Total	9101	59.9		
Total		15195	100.0		

ccq512 B26c/B25c: Respondent feels that they want to eat more than usual when they are depressed or discouraged

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	639	4.2	10.5	10.5
	Yes, sometimes	1538	10.1	25.3	35.8
	No, not at all	3905	25.7	64.2	100.0
	Total	6082	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	131	.9		
	Total	9113	60.0		
Total		15195	100.0		

ccq513 B26d/B25d: Respondent feels that they want to eat more than usual when they are feeling lonely

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	475	3.1	7.8	7.8
	Yes, sometimes	1504	9.9	24.7	32.5
	No, not at all	4107	27.0	67.5	100.0
	Total	6086	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	127	.8		
	Total	9109	59.9		
Total		15195	100.0		

ccq514 B26e/B25e: Respondent feels that they want to eat more than usual when they

have been let down by someone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	332	2.2	5.5	5.5
	Yes, sometimes	1060	7.0	17.4	22.9
	No, not at all	4690	30.9	77.1	100.0
	Total	6082	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	131	.9		
	Total	9113	60.0		
Total		15195	100.0		

ccq515 B26f/B25f: Respondent feels that they want to eat more than usual when they are

feeling happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	170	1.1	2.8	2.8
	Yes, sometimes	1170	7.7	19.2	22.0
	No, not at all	4738	31.2	78.0	100.0
	Total	6078	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	135	.9		
	Total	9117	60.0		
Total		15195	100.0		

ccq516 B26g/B25g: Respondent feels that they want to eat more than usual when

something unpleasant is due to happen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	298	2.0	4.9	4.9
	Yes, sometimes	1112	7.3	18.2	23.1
	No, not at all	4684	30.8	76.9	100.0
	Total	6094	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	119	.8		
	Total	9101	59.9		
Total		15195	100.0		

ccq517 B26h/B25h: Respondent feels that they want to eat more than usual when they are anxious/worried/tense

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	380	2.5	6.3	6.3
	Yes, sometimes	1269	8.4	20.9	27.1
	No, not at all	4427	29.1	72.9	100.0
	Total	6076	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	137	.9		
	Total	9119	60.0		
Total		15195	100.0		

ccq518 B26i/B25i: Respondent feels that they want to eat more than usual when

something has gone wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	407	2.7	6.7	6.7
	Yes, sometimes	1204	7.9	19.8	26.5
	No, not at all	4462	29.4	73.5	100.0
	Total	6073	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	140	.9		
	Total	9122	60.0		
Total		15195	100.0		

ccq519 B26j/B25j: Respondent feels that they want to eat more than usual when they are

frightened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	143	.9	2.4	2.4
	Yes, sometimes	587	3.9	9.7	12.0
	No, not at all	5342	35.2	88.0	100.0
	Total	6072	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	141	.9		
	Total	9123	60.0		
Total		15195	100.0		

ccq520 B26k/B25k: Respondent feels that they want to eat more than usual when they are

disappointed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	240	1.6	4.0	4.0
	Yes, sometimes	973	6.4	16.0	20.0
	No, not at all	4854	31.9	80.0	100.0
	Total	6067	39.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	146	1.0		
	Total	9128	60.1		
Total		15195	100.0		

# ccq521 B26l/B25l: Respondent feels that they want to eat more than usual when they are

emotionally upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	505	3.3	8.3	8.3
	Yes, sometimes	1271	8.4	21.0	29.3
	No, not at all	4279	28.2	70.7	100.0
	Total	6055	39.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	158	1.0		
	Total	9140	60.2		
Total		15195	100.0		

ccq522 B26m/B25m: Respondent feels that they want to eat more than usual when they are bored or restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	1067	7.0	17.6	17.6
	Yes, sometimes	2376	15.6	39.2	56.7
	No, not at all	2625	17.3	43.3	100.0
	Total	6068	39.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	145	1.0		
	Total	9127	60.1		
Total		15195	100.0		

ccq523 B26n/B25n: Respondent feels that they want to eat more than usual when they are excited

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	126	.8	2.1	2.1
	Yes, sometimes	816	5.4	13.5	15.6
	No, not at all	5105	33.6	84.4	100.0
	Total	6047	39.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	166	1.1		
	Total	9148	60.2		
Total		15195	100.0		

ccq530 B27/B26: Frequency respondent eats more food than usual if it tastes good

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	515	3.4	8.4	8.4
	Occasionally	2642	17.4	43.2	51.6
	Sometimes	2477	16.3	40.5	92.1
	Always	480	3.2	7.9	100.0
	Total	6114	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	99	.7		
	Total	9081	59.8		
Total		15195	100.0		

ccq540 B28/B27: Frequency respondent eats more food than usual if it smells and looks good

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1346	8.9	22.1	22.1
	Occasionally	2560	16.8	42.0	64.1
	Sometimes	1968	13.0	32.3	96.3
	Always	224	1.5	3.7	100.0
	Total	6098	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	115	.8		
	Total	9097	59.9		
Total		15195	100.0		

ccq550 B29/B28: Frequency respondent has the desire to eat something delicious that they see or smell  $\,$ 

		Frequency	Percent	Valid Percent	Cumulative Percent
\	Name	<u> </u>			
Valid	Never	716	4.7	11.7	11.7
	Occasionally	2580	17.0	42.3	54.1
	Sometimes	2058	13.5	33.8	87.8
	Always	743	4.9	12.2	100.0
	Total	6097	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	116	.8		
	Total	9098	59.9		
Total		15195	100.0		

ccq560 B30/B29: Frequency respondent has the desire to eat if they see others eating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2242	14.8	36.8	36.8
	Occasionally	2374	15.6	39.0	75.8
	Sometimes	1306	8.6	21.4	97.2
	Always	170	1.1	2.8	100.0
	Total	6092	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	121	.8		
	Total	9103	59.9		
Total		15195	100.0		

ccq570 B31/B30: Frequency respondent can resist eating delicious foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	544	3.6	8.9	8.9
	Occasionally	1681	11.1	27.6	36.5
	Sometimes	2488	16.4	40.8	77.3
	Always	1385	9.1	22.7	100.0
	Total	6098	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	115	.8		
	Total	9097	59.9		
Total		15195	100.0		

ccq580 B32/B31: Frequency respondent eats more than usual when they see others eating

-					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	4152	27.3	68.1	68.1
	Occasionally	1286	8.5	21.1	89.2
	Sometimes	609	4.0	10.0	99.2
	Always	48	.3	.8	100.0
	Total	6095	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	118	.8		
	Total	9100	59.9		
Total		15195	100.0		

ccq590 B33/B32: Frequency respondent is inclined to eat something while preparing a meal

i '	oor Boz. 1 requestey reapol				Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	1476	9.7	24.2	24.2
	Occasionally	2169	14.3	35.6	59.8
	Sometimes	1230	8.1	20.2	80.0
	Always	538	3.5	8.8	88.9
	Never prepare a meal	679	4.5	11.1	100.0
	Total	6092	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	121	.8		
	Total	9103	59.9		
Total		15195	100.0		

# PAGE 17 OF THE QUESTIONNAIRE

C1. How often in the last year have you done any of the following:							
Have you:	Not at all	Just once	2-5 times	6 or more times			
a) skipped or bunked off school	1 🔲	2 🔲	3 🔲	4			
b) broken into a car or van with intention of stealing something out of it	1 🗖	2 🗖	3 🗖	4 🔲			
c) hit, kicked or punched someon on purpose	e 1 🗖	2 🗖	3 🗖	4 🔲			
d) deliberately set fire or tried to set fire to somebody's property or a building	1 🔲	2 🗖	3 🗖	4 🔲			
e) taken money or something else that did not belong to you from home without permission		2 🗖	3 🗖	4 🔲			
f) used force, threats or a weapon to get money or something else from somebody		2 🗖	3 🗖	4 🔲			
g) written things or sprayed paint on property that did not belong to you		2 🗖	3 🗖	4 🔲			
h) gone into or broken into a hous or building with the aim of stealing something	se 1 🗌	2 🔲	3 🔲	4 🗖			
<ul> <li>i) deliberately damaged or destroyed property that did not belong to you</li> </ul>	1 🔲	2 🗖	3 🗖	4 🗖			

# PAGE 18 OF THE QUESTIONNAIRE

Ha	ve you <u>in the last year</u> :	Not at all	Just once	2-5 times	6 or more times
j)	carried a knife or weapon with you for protection or in case it was needed in a fight	1 🔲	2 🗖	3 🗖	4 🔲
k)	taken money or something else that did not belong to you from school	1 🗆	2 🔲	3 🗖	4 🔲
1)	stolen or ridden in a stolen car or van or on a stolen motorbike	1 🔲	2 🔲	3 🔲	4
m)	been rowdy or rude in a public place so that people complained or you got into trouble	1 🗆	2 🗖	3 🔲	4 🔲
n)	taken something from a shop without paying for it	1 🗆	2 🔲	3 🗖	4 🔲
0)	not paid the correct fare or not paid at all on a bus or train	1 🗖	2 🗖	3 🗖	4 🗖

ccq650 C1a: Frequency respondent has skipped or bunked off school in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5348	35.2	87.3	87.3
	Just once	412	2.7	6.7	94.0
	3-5 times	252	1.7	4.1	98.1
	6+ times	116	.8	1.9	100.0
	Total	6128	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	85	.6		
	Total	9067	59.7		
Total		15195	100.0		

ccq651 C1b: Frequency respondent has broken into a car or van with intention of stealing something out of it in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	6107	40.2	99.8	99.8
	Just once	9	.1	.1	100.0
	3-5 times	3	.0	.0	100.0
	Total	6119	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	94	.6		
	Total	9076	59.7		
Total		15195	100.0		

ccq652 C1c: Frequency respondent has hit kicked or punched someone on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	3719	24.5	60.6	60.6
	Just once	991	6.5	16.2	76.8
	3-5 times	948	6.2	15.5	92.3
	6+ times	475	3.1	7.7	100.0
	Total	6133	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	80	.5		
	Total	9062	59.6		
Total		15195	100.0		

ccq653 C1d: Frequency respondent has deliberately set fire or tried to set fire to

somebody's property or a building in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	6030	39.7	98.6	98.6
	Just once	55	.4	.9	99.5
	3-5 times	22	.1	.4	99.9
	6+ times	8	.1	.1	100.0
	Total	6115	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	98	.6		
	Total	9080	59.8		
Total		15195	100.0		

ccq654 C1e: Frequency respondent has taken money or something else that did not

belong to them from home without permission in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5315	35.0	86.9	86.9
	Just once	458	3.0	7.5	94.4
	3-5 times	254	1.7	4.2	98.6
	6+ times	86	.6	1.4	100.0
	Total	6113	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	100	.7		
	Total	9082	59.8		
Total		15195	100.0		

ccq655 C1f: Frequency respondent has used force, threats or a weapon to get money or

something else from somebody in the last year

-	<u> </u>	_		V 515	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	6042	39.8	98.9	98.9
	Just once	41	.3	.7	99.5
	3-5 times	22	.1	.4	99.9
	6+ times	6	.0	.1	100.0
	Total	6111	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	102	.7		
	Total	9084	59.8		
Total		15195	100.0		

ccq656 C1g: Frequency respondent has written things or sprayed paint on a property that

did not belong to them in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5524	36.4	90.4	90.4
	Just once	271	1.8	4.4	94.9
	3-5 times	228	1.5	3.7	98.6
	6+ times	86	.6	1.4	100.0
	Total	6109	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	104	.7		
	Total	9086	59.8		
Total		15195	100.0		

ccq657 C1h: Frequency respondent has gone into or broken into a house or building with the aim of stealing something in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	6072	40.0	99.6	99.6
	Just once	12	.1	.2	99.8
	3-5 times	8	.1	.1	99.9
	6+ times	6	.0	.1	100.0
	Total	6098	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	115	.8		
	Total	9097	59.9		
Total		15195	100.0		

ccq658 C1i: Frequency respondent has deliberately damaged or destroyed property that did not belong to them in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5730	37.7	93.9	93.9
	Just once	229	1.5	3.8	97.7
	3-5 times	119	.8	2.0	99.6
	6+ times	23	.2	.4	100.0
	Total	6101	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	112	.7		
	Total	9094	59.8		
Total		15195	100.0		

ccq659 C1j: Frequency respondent has carried a knife or weapon with them for protection

or in case it was needed in a fight in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5846	38.5	95.1	95.1
	Just once	167	1.1	2.7	97.8
	3-5 times	77	.5	1.3	99.1
	6+ times	57	.4	.9	100.0
	Total	6147	40.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	66	.4		
	Total	9048	59.5		
Total		15195	100.0		

ccq660 C1k: Frequency respondent has taken money or something else that did not belong to them from school in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5783	38.1	94.4	94.4
	Just once	186	1.2	3.0	97.5
	3-5 times	124	.8	2.0	99.5
	6+ times	31	.2	.5	100.0
	Total	6124	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	89	.6		
	Total	9071	59.7		
Total		15195	100.0		

ccq661 C1I: Frequency respondent has stolen or ridden in a stolen car/van/motorbike in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	6085	40.0	99.2	99.2
	Just once	28	.2	.5	99.7
	3-5 times	17	.1	.3	100.0
	6+ times	1	.0	.0	100.0
	Total	6131	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	82	.5		
	Total	9064	59.7		
Total		15195	100.0		

ccq662 C1m: Frequency respondent has been rowdy or rude in a public place in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5398	35.5	88.2	88.2
	Just once	413	2.7	6.7	94.9
	3-5 times	245	1.6	4.0	98.9
	6+ times	66	.4	1.1	100.0
	Total	6122	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	91	.6		
	Total	9073	59.7		
Total		15195	100.0		

ccq663 C1n: Frequency respondent has taken something from a shop without paying for it in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5647	37.2	92.4	92.4
	Just once	266	1.8	4.4	96.7
	3-5 times	130	.9	2.1	98.9
	6+ times	69	.5	1.1	100.0
	Total	6112	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	101	.7		
	Total	9083	59.8		
Total		15195	100.0		

ccq664 C1o: Frequency respondent has not paid the correct fare or not paid on a bus or train in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5493	36.2	89.7	89.7
	Just once	365	2.4	6.0	95.7
	3-5 times	188	1.2	3.1	98.7
	6+ times	77	.5	1.3	100.0
	Total	6123	40.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	90	.6		
	Total	9072	59.7		
Total		15195	100.0		

# PAGE 19 OF THE QUESTIONNAIRE

V	ر امار ا	No T		If man	loogo	4	ation E	on no.	~a 21
ĭ	es 1 🗌	NO 2		► If <u>no</u> , p	iease ;	go to se	cuon E	on pag	ge 21
	ing about the lateral section in a section about the lateral section and section are sections.	last accident yo	ou had, l	now were	you tr	avelling	<b>;</b> ?		
Ir	n a car or van		1 🔲						
W	Valking in or a	cross a road	2 🔲						
C	ycling		3 🔲						
	omething else blease cross bo	e.g. bus x then describ	<sup>4</sup> □ e below	)					
a)	On my own		1 🔲	ent? ( <b>You</b>	can n	nark <u>m</u>	ore tha	n one l	oox)
	On my own	1		ent? ( <b>You</b>	can n	ıark <u>m</u>	ore tha	n one l	box)
a) b)	On my own Parent or of Brother(s)	ther adult or sister(s)	1	ent? ( <b>You</b>	can n	nark <u>m</u>	ore tha	n one l	box)
a) b)	On my own Parent or of Brother(s)	ther adult or sister(s)	1 🔲	ent? ( <b>You</b>	<u>can</u> n	ıark <u>m</u>	ore tha	n one l	box)
a) b) c) d)	On my own Parent or of Brother(s) of With friend	ther adult or sister(s)	1					n one l	oox)
a) b) c) d) D4. What	On my own Parent or of Brother(s) of With friend	ther adult or sister(s) ds g at the time of	1					n one l	box)
a) b) c) d) D4. What	On my own Parent or of Brother(s) of With friend were you doin	ther adult or sister(s) ds g at the time of	1	cident? (M				n one l	box)
a) b) c) d) D4. What G	On my own Parent or or Brother(s) or With friend were you doin doing to or fror laying or hang	ther adult or sister(s) ds g at the time of	1	eident? (N  1				n one l	box)
a) b) c) d) D4. What  G P: G e. O	On my own Parent or of Brother(s) of With friend were you doin doing to or from laying or hang foing to or from g. club, disco, other journey e	ther adult or sister(s)  Is  g at the time of m school ging out in the s m a particular p sports field, ch	1	eident? (N  1				n one l	box)

# PAGE 20 OF THE QUESTIONNAIRE

	Before school	1 🗖			
	After school	2 🔲			
	At the weekend	3 🔲			
	During school holidays	4 🔲			
			Yes	No	
D6.	Were you hurt?		1 🔲	2 🔲	
D7.	Did you see a family doc	etor?	1 🔲	2 🔲	
D8.	Did you go to the casual department at hospital?	ty ("A & E")	1 🗖	2 🗖	
D9.	If you went to the casual did you stay overnight in		t, 1 🗖	2 🔲	
D10.	Space for you to tell wha	at happened a	nd what your in	juries were:	

ccq700 D1: Respondent has been involved in a road accident in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	334	2.2	5.5	5.5
	No	5756	37.9	94.5	100.0
	Total	6090	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	123	.8		
	Total	9105	59.9		
Total		15195	100.0		

ccq710 D2: Respondent's mode of transport when road accident happened in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	In car or van	209	1.4	56.6	56.6
	Walking in or crossing road	42	.3	11.4	68.0
	Cycling	73	.5	19.8	87.8
	Something else	45	.3	12.2	100.0
	Total	369	2.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5844	38.5		
	Total	14826	97.6		
Total		15195	100.0		

ccq720 D3a: Respondent was on their own when the road accident happened in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	50	.3	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6163	40.6		
	Total	15145	99.7		
Total		15195	100.0		

ccq721 D3b: Respondent was with a parent or another adult when the road accident happened in the last year

Cumulative Valid Percent Frequency Percent Percent Valid 208 100.0 100.0 Yes 1.4 Missing Triplet / quadruplet 5 .0 Not completed 8977 59.1 No response 6005 39.5 Total 14987 98.6 Total 15195 100.0

ccq722 D3c: Respondent was with brother(s) or sister(s) when the road accident

happened in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	112	.7	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6101	40.2		
	Total	15083	99.3		
Total		15195	100.0		

ccq723 D3d: Respondent was with friends when the road accident happened in the last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	140	.9	100.0	100.0
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	6073	40.0		
	Total	15055	99.1		
Total		15195	100.0		

ccq730 D4: What the respondent was doing when the road accident happened in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Going to or from school	98	.6	28.3	28.3
	Playing or hanging out in the street	35	.2	10.1	38.4
	Going to or from a place	125	.8	36.1	74.6
	Other journey	88	.6	25.4	100.0
	Total	346	2.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5867	38.6		
	Total	14849	97.7		
Total		15195	100.0		

ccq740 D5: When did the road accident happen in the last year

004740 1	55. When did the road accid	он наррон н	the last yea	•	0 1 1
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before school	53	.3	14.6	14.6
	After school	102	.7	28.0	42.6
	At the weekend	107	.7	29.4	72.0
	During school holidays	102	.7	28.0	100.0
	Total	364	2.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5849	38.5		
	Total	14831	97.6		
Total		15195	100.0		

ccq750 D6: Respondent was hurt during the road accident happened in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	117	.8	31.8	31.8
	No	251	1.7	68.2	100.0
	Total	368	2.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5845	38.5		
	Total	14827	97.6		
Total		15195	100.0		

 ${\tt ccq760\ \ D7: Respondent\ saw\ a\ family\ doctor\ during\ the\ road\ accident\ happened\ in\ the\ last}$ 

year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	29	.2	8.2	8.2
	No	325	2.1	91.8	100.0
	Total	354	2.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5859	38.6		
	Total	14841	97.7		
Total		15195	100.0		

ccq770 D8: Respondent went to casualty after the road accident happened in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	54	.4	15.2	15.2
	No	301	2.0	84.8	100.0
	Total	355	2.3	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5858	38.6		
	Total	14840	97.7		
Total		15195	100.0		

ccq780 D9: Respondent stayed overnight in hospital after the road accident happened in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	10	.1	3.0	3.0
	No	319	2.1	97.0	100.0
	Total	329	2.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	5884	38.7		
	Total	14866	97.8		
Total		15195	100.0		

# PAGE 21 OF THE QUESTIONNAIRE

	Section E: Feelings and experiences
E1.	Do you enjoy many different kinds of games and activity?
	Yes 1 ☐ No 2 ☐
E2.	Do your thoughts sometimes seem as real as actual events?
	Yes 1 ☐ No 2 ☐
E3.	Has dancing or the idea of it always seemed dull to you?
	Yes ¹□ No ²□
E4.	Does nearly every thought you have immediately suggest a lot of ideas?
	Yes 1 ☐ No 2 ☐
E5.	Is trying new foods something you have always enjoyed?
	Yes ¹□ No 2□
E6.	Do you sometimes feel that your accidents are caused by mysterious forces?
	Yes 1 ☐ No 2 ☐
E7.	Are there only very few things that you have ever really enjoyed doing?
	Yes, very few I enjoyed ¹ ☐ No, have enjoyed lots of things ² ☐
E8.	Does your voice ever seem distant or far away?
	Yes 1 ☐ No 2 ☐
	21

# PAGE 22 OF THE QUESTIONNAIRE

E9. Are you too independent to get involved with other people?  Yes 1			
E10. Have you sometimes had the feeling of gaining or losing energy when certain people look at you or touch you?  Yes 1 No 2    E11. Do you think having close friends is important?  Yes, 1 No 2    E12. Does a passing thought ever seem so real it frightens you?  Yes 1 No 2    E13. Are you rather lively?  Yes 1 No 2    E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2    E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2    E16. Are people usually better off if they stay away from emotional involvements?			
E10. Have you sometimes had the feeling of gaining or losing energy when certain people look at you or touch you?  Yes 1 No 2   E11. Do you think having close friends is important?  Yes, 1 No 2   E12. Does a passing thought ever seem so real it frightens you?  Yes 1 No 2   E13. Are you rather lively?  Yes 1 No 2   E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2   E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2   19095	E9.	Are you too independent to get	involved with other people?
People look at you or touch you?  Yes 1   No 2    E11. Do you think having close friends is important?  Yes, 1   No 2    E12. Does a passing thought ever seem so real it frightens you?  Yes 1   No 2    E13. Are you rather lively?  Yes 1   No 2    E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1   No 2    E15. Are people usually better off if they stay away from emotional involvements?  Yes 1   No 2		Yes 1	No 2
E11. Do you think having close friends is important?  Yes, 1 No 2    E12. Does a passing thought ever seem so real it frightens you?  Yes 1 No 2    E13. Are you rather lively?  Yes 1 No 2    E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2    E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2	E10.		
Yes, 1 No 2    E12. Does a passing thought ever seem so real it frightens you?  Yes 1 No 2    E13. Are you rather lively?  Yes 1 No 2    E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2    E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2		Yes ¹□	No 2
E12. Does a passing thought ever seem so real it frightens you?  Yes 1 No 2   E13. Are you rather lively?  Yes 1 No 2   E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2   E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2   19095	E11.	Do you think having close frier	nds is important?
Yes 1 No 2    E13. Are you rather lively?  Yes 1 No 2    E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2    E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2    19095		Yes, ¹□	No 2
E13. Are you rather lively?  Yes 1 No 2   E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2   E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2   No 2   19095	E12.	Does a passing thought ever se	eem so real it frightens you?
Yes 1 No 2 E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2 No 2 E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2 No 2 19095		Yes ¹□	No <sup>2</sup>
E14. When you look into the mirror does your face sometimes seem quite different from usual?  Yes 1 No 2 Section No 2 No	E13.	Are you rather lively?	
from usual?  Yes 1 No 2 No 2 Section No 2 No		Yes 1	No 2
E15. Are people usually better off if they stay away from emotional involvements?  Yes 1 No 2 No 2 19095	E14.	•	does your face sometimes seem quite different
Yes 1 No 2 19095		Yes 1	No 2
19095	E15.	Are people usually better off if	they stay away from emotional involvements?
		Yes 1	No 2 🗆

ccq800 E1: Respondent enjoys many different kinds of games and activity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5819	38.3	94.9	94.9
	No	314	2.1	5.1	100.0
	Total	6133	40.4	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	80	.5		
	Total	9062	59.6		
Total		15195	100.0		

ccq801 E2: Respondent's thoughts sometimes seem as real as actual events

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3695	24.3	60.8	60.8
	No	2379	15.7	39.2	100.0
	Total	6074	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	139	.9		
	Total	9121	60.0		
Total		15195	100.0		

ccq802 E3: Dancing or the idea of it has always seemed dull to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1826	12.0	29.9	29.9
	No	4281	28.2	70.1	100.0
	Total	6107	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	106	.7		
	Total	9088	59.8		
Total		15195	100.0		

ccq803 E4: Nearly every thought respondent has immediately suggests a lot of ideas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3045	20.0	50.3	50.3
	No	3006	19.8	49.7	100.0
	Total	6051	39.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	162	1.1		
	Total	9144	60.2		
Total		15195	100.0		

ccq804 E5: Respondent has always enjoyed trying new foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3339	22.0	54.7	54.7
	No	2767	18.2	45.3	100.0
	Total	6106	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	107	.7		
	Total	9089	59.8		
Total		15195	100.0		

ccq805 E6: Respondent sometimes feels that their accidents are caused by mysterious forces

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	721	4.7	11.8	11.8
	No	5368	35.3	88.2	100.0
	Total	6089	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	124	.8		
	Total	9106	59.9		
Total		15195	100.0		

ccq806 E7: There are only very few things that respondent has ever really enjoyed doing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	630	4.1	10.3	10.3
	No	5471	36.0	89.7	100.0
	Total	6101	40.2	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	112	.7		
	Total	9094	59.8		
Total		15195	100.0		

ccq807 E8: Respondent's voice sometimes seems distant or far away

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	868	5.7	14.3	14.3
	No	5223	34.4	85.7	100.0
	Total	6091	40.1	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	122	.8		
	Total	9104	59.9		
Total		15195	100.0		

ccq808 E9: Respondent is too independent to get involved with other people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	506	3.3	8.4	8.4
	No	5536	36.4	91.6	100.0
	Total	6042	39.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	171	1.1		
	Total	9153	60.2		
Total		15195	100.0		

ccq809 E10: Respondent has sometimes had the feeling of gaining or losing energy when certain people look at or touch them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	948	6.2	15.7	15.7
	No	5073	33.4	84.3	100.0
	Total	6021	39.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	192	1.3		
	Total	9174	60.4		
Total		15195	100.0		

ccq810 E11: Respondent thinks having close friends is important

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5808	38.2	95.8	95.8
	No	254	1.7	4.2	100.0
	Total	6062	39.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	151	1.0		
	Total	9133	60.1		
Total		15195	100.0		

ccq811 E12: A passing thought sometimes seems so real it frightens respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1610	10.6	26.7	26.7
	No	4416	29.1	73.3	100.0
	Total	6026	39.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	187	1.2		
	Total	9169	60.3		
Total		15195	100.0		

ccq812 E13: Respondent is rather lively

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5139	33.8	85.4	85.4
	No	880	5.8	14.6	100.0
	Total	6019	39.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	194	1.3		
	Total	9176	60.4		
Total		15195	100.0		

ccq813 E14: When respondent looks in the mirror their face sometimes seems quite different from usual

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1475	9.7	24.4	24.4
	No	4566	30.0	75.6	100.0
	Total	6041	39.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	172	1.1		
	Total	9154	60.2		
Total		15195	100.0		

ccq814 E15: Respondent thinks that people are usually better off if they stay away from emotional involvements

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1592	10.5	27.1	27.1
	No	4272	28.1	72.9	100.0
	Total	5864	38.6	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	349	2.3		
	Total	9331	61.4		
Total		15195	100.0		

<b>\</b>	Very harmful	Harmful	No effect	Helpful	Very helpful
F1. Regularly smoking <b>cigarettes</b> on someone's physical health	1 🔲	2	3 🔲	4 🔲	5 🔲
F2. Regularly smoking <b>cigarettes</b> on someone's mental or emotional health	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲
F3. Binge drinking <b>alcohol</b> on someone's physical health [By "binge" drinking we mean a large amount in a session]	1 🔲	2 🔲	3 🗖	4 🔲	5 🔲
F4. Binge drinking <b>alcohol</b> on someone's mental or emotional health	1 🗖	2 🔲	3 🗖	4 🔲	5 🔲
F5. Regularly (every day) drinking a lot of <b>alcohol</b> on someone's physical health	1 🗖	2 🔲	3 🔲	4 🔲	5 🔲
F6. Regularly (every day) drinking a lot of <b>alcohol</b> on someone's mental or emotional health	1 🗖	2 🔲	3 🔲	4 🔲	5 🔲
F7. Regularly using or taking <b>cannabis</b> on someone's physical health	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲
F8. Regularly using or taking <b>cannabis</b> on someone's mental or emotional health	1 🗖	2 🔲	3 🗖	4 🔲	5 🗖

ccq850 F1: Effect that respondent thinks regularly smoking cigarettes has on someone's

physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very harmful	4561	30.0	75.1	75.1
	Harmful	1441	9.5	23.7	98.8
	No effect	53	.3	.9	99.7
	Helpful	9	.1	.1	99.9
	Very helpful	8	.1	.1	100.0
	Total	6072	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	141	.9		
	Total	9123	60.0		
Total		15195	100.0		

ccq851 F2: Effect that respondent thinks regularly smoking cigarettes has on someone's mental or emotional health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very harmful	2452	16.1	40.5	40.5
	Harmful	2543	16.7	42.0	82.5
	No effect	832	5.5	13.7	96.3
	Helpful	208	1.4	3.4	99.7
	Very helpful	16	.1	.3	100.0
	Total	6051	39.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	162	1.1		
	Total	9144	60.2		
Total		15195	100.0		

ccq852 F3: Effect that respondent thinks binge drinking alcohol has on someone's physical health

		_	_		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Very harmful	3686	24.3	60.9	60.9
	Harmful	2153	14.2	35.6	96.4
	No effect	185	1.2	3.1	99.5
	Helpful	18	.1	.3	99.8
	Very helpful	14	.1	.2	100.0
	Total	6056	39.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	157	1.0		
	Total	9139	60.1		
Total		15195	100.0		

ccq853 F4: Effect that respondent thinks binge drinking alcohol has on someone's mental or emotional health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very harmful	2863	18.8	47.4	47.4
	Harmful	2652	17.5	43.9	91.4
	No effect	379	2.5	6.3	97.6
	Helpful	123	.8	2.0	99.7
	Very helpful	20	.1	.3	100.0
	Total	6037	39.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	176	1.2		
	Total	9158	60.3		
Total		15195	100.0		

ccq854 F5: Effect that respondent thinks regularly drinking a lot of alcohol has on someone's physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very harmful	4360	28.7	72.2	72.2
	Harmful	1549	10.2	25.6	97.8
	No effect	120	.8	2.0	99.8
	Helpful	9	.1	.1	99.9
	Very helpful	4	.0	.1	100.0
	Total	6042	39.8	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	171	1.1		
	Total	9153	60.2		
Total		15195	100.0		

ccq855 F6: Effect that respondent thinks regularly drinking a lot of alcohol has on someone's mental or emotional health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very harmful	3511	23.1	58.2	58.2
	Harmful	2179	14.3	36.1	94.3
	No effect	275	1.8	4.6	98.9
	Helpful	57	.4	.9	99.9
	Very helpful	9	.1	.1	100.0
	Total	6031	39.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	182	1.2		
	Total	9164	60.3		
Total		15195	100.0		

ccq856 F7: Effect that respondent thinks regularly using or taking cannabis has on someone's physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very harmful	4299	28.3	71.2	71.2
	Harmful	1373	9.0	22.8	94.0
	No effect	292	1.9	4.8	98.8
	Helpful	60	.4	1.0	99.8
	Very helpful	10	.1	.2	100.0
	Total	6034	39.7	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	179	1.2		
	Total	9161	60.3		
Total		15195	100.0		

ccq857 F8: Effect that respondent thinks regularly using or taking cannabis has on someone's mental or emotional health

		Frequency	Percent	Valid Percent	Cumulative Percent
	<del>-</del>				
Valid	Very harmful	4242	27.9	70.7	70.7
	Harmful	1392	9.2	23.2	93.8
	No effect	178	1.2	3.0	96.8
	Helpful	156	1.0	2.6	99.4
	Very helpful	36	.2	.6	100.0
	Total	6004	39.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	No response	209	1.4		
	Total	9191	60.5		
Total		15195	100.0		

#### PAGE 24 OF THE QUESTIONNAIRE

Section G:	
G1. Did you have any help to fill this in?	
No 1 🗆	
Yes 2 □	
If <u>yes</u> , please say who helped you:	
a) A parent helped ¹□	
b) Someone else helped ¹□	

[Editing: If all three parts of question G1 were omitted then variables CCQ980 to CCQ982 were all set to -5. If either of the variables for parts a & b had value 1 then the initial indicator variable (CCQ980) was set to 2 and values of -1 in CCQ981 & CCQ982 recoded to 2 'No'.]

ccq980 G1: Respondent had help to fill in questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	5405	35.6	87.8	87.8
	Yes	754	5.0	12.2	100.0
	Total	6159	40.5	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Question G1 omitted	54	.4		
	Total	9036	59.5		
Total		15195	100.0		

ccg981 G1a: A parent helped respondent fill in questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	595	3.9	9.8	9.8
	No	5478	36.1	90.2	100.0
	Total	6073	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Question G1 omitted	54	.4		
	Not stated	86	.6		
	Total	9122	60.0		
Total		15195	100.0		


CCQ File - Section G

ccq982 G1b: Someone else helped respondent fill in questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	89	.6	1.5	1.5
	No	5984	39.4	98.5	100.0
	Total	6073	40.0	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Question G1 omitted	54	.4		
	Not stated	86	.6		
	Total	9122	60.0		
Total		15195	100.0		

	Day		Moı	nth			Yea	ır	
G2. What is your date of birth?		/			/	1	9	9	

[Editing: Note that this reported date of birth is not used.]



[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31<sup>st</sup> November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable CCQ990c. The month and year of completion were retained on the built file, but the day was dropped.]

ccq990a G3: Date of completion of questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	January	537	3.5	8.6	8.6
	February	365	2.4	5.9	14.5
	March	384	2.5	6.2	20.7
	April	315	2.1	5.1	25.8
	May	306	2.0	4.9	30.7
	June	336	2.2	5.4	36.1
	July	283	1.9	4.6	40.7
	August	297	2.0	4.8	45.4
	September	618	4.1	9.9	55.4
	October	1806	11.9	29.1	84.5
	November	657	4.3	10.6	95.0
	December	309	2.0	5.0	100.0
	Total	6213	40.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Total	8982	59.1		
Total		15195	100.0		

ccq990b G3: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2005	2391	15.7	38.5	38.5
	2006	3642	24.0	58.6	97.1
	2007	180	1.2	2.9	100.0
	Total	6213	40.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Total	8982	59.1		
Total		15195	100.0		

ccq990c DV: Date of completion replaced with date of receipt

		_			Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Yes, incomplete d.o.c.	68	.4	1.1	1.1
	Yes, illegal d.o.c.	1	.0	.0	1.1
	Yes, d.o.c. < d.o.s.	131	.9	2.1	3.2
	Yes, d.o.c. > d.o.r.	51	.3	.8	4.0
	No	5962	39.2	96.0	100.0
	Total	6213	40.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Total	8982	59.1		
Total		15195	100.0		


# **Derived Variables - Age at Completion**

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

DV: Age of respondent at completion (months)

-		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	167	2983	19.6	48.0	48.0
valid	168	1292	8.5	20.8	68.8
	169	545	3.6	8.8	77.6
	170	379	2.5	6.1	83.7
	171	337	2.2	5.4	89.1
	172	254	1.7	4.1	93.2
	173	242	1.6	3.9	97.1
	174	83	.5	1.3	98.4
	175	35	.2	.6	99.0
	176	15	.1	.2	99.2
	177	12	.1	.2	99.4
	178	2	.0	.0	99.5
	179	8	.1	.1	99.6
	180	3	.0	.0	99.6
	181	1	.0	.0	99.6
	182	3	.0	.0	99.7
	183	2	.0	.0	99.7
	184	2	.0	.0	99.8
	185	4	.0	.1	99.8
	186	1	.0	.0	99.8
	187	3	.0	.0	99.9
	188	1	.0	.0	99.9
	189	1	.0	.0	99.9
	190	2	.0	.0	100.0
	191	1	.0	.0	100.0
	192	1	.0	.0	100.0
	193	1	.0	.0	100.0
	Total	6213	40.9	100.0	
Missing	Triplet / quadruplet	5	.0		
	Not completed	8977	59.1		
	Total	8982	59.1		
Total		15195	100.0		

ccq991b DV: Age of respondent at completion (weeks)



plus the following outliers >785:

DV: Age of respondent at completion (weeks)

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	789	1	4.3	4.3	4.3
	792	1	4.3	4.3	8.7
	793	1	4.3	4.3	13.0
	794	1	4.3	4.3	17.4
	797	1	4.3	4.3	21.7
	798	1	4.3	4.3	26.1
	800	1	4.3	4.3	30.4
	802	1	4.3	4.3	34.8
	805	3	13.0	13.0	47.8
	807	1	4.3	4.3	52.2
	811	1	4.3	4.3	56.5
	813	1	4.3	4.3	60.9
	816	1	4.3	4.3	65.2
	817	1	4.3	4.3	69.6
	818	1	4.3	4.3	73.9
	822	1	4.3	4.3	78.3
	828	2	8.7	8.7	87.0
	831	1	4.3	4.3	91.3
	834	1	4.3	4.3	95.7
	842	1	4.3	4.3	100.0
	Total	23	100.0	100.0	

Thank you VERY much for your help		
When completed, please send this back to:		
	Professor Jean Golding Children of the Nineties - ALSPA 24 Tyndall Avenue Bristol BS8 1BR	AC
coder	Office use only   http://www.alspac.bris.ac.uk/Discov	© University of Bristol very 19095
	24	

## **Appendix A**

This appendix contains the general coding instructions for scanned questionnaires that are referred to whenever any questionnaire is being coded. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

General coding instructions for *electronically scanned* ALSPAC questionnaires – first version, 5th December 2005.

These points are taken and adapted where necessary from the "General coding instructions for ALSPAC questionnaires – 3rd revision" document. They are to be used in conjunction with the specific instructions for each questionnaire.

#### **General guidelines:**

Check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given.

Logical editing will be taken care of by the data preparation team.

#### Dates:

- a) If the <u>year is stated</u> but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- b) In contrast, if the <u>year is blank or stated as not known</u>, but other elements of the date have been written, leave the unknown year *blank* so that there is no ambiguity with 1999.
- c) If the whole date is left totally blank, leave all blank.

#### **Coding instructions:**

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

- 7 If more than one box is crossed, record the one with the lowest number in the specific range
- 8 If more than one box is crossed, record the one with the highest number in the specific range
- I If 'Yes' <u>and</u> 'no' are crossed in a <u>stand-alone</u> question, then leave the question blank. However, if the Yes/No have both been marked in a lead question with 'If Yes...' or 'If No...' after it, then the answer should be obvious from the information given after the 'If Yes/No'.

#### II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length. For this occurrence with <u>dates</u> see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

### "Other, please describe" questions

Where information is written in an "other, please describe" box, check various points:

- 1. The information given there should not fit into one of the <u>other categories</u> in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other".
- 2. If there is information written in the box, it should have the corresponding box marked. If it is not possible to assign an answer to a corresponding box, (which happens often in qualitative answers) then assign the code "zero" indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

# **Appendix B**

This appendix contains the coding instructions specific to this questionnaire.

# Coding instructions for first version "Boys' Experiences, Thoughts and Behaviour" (02/08/05) and "Girls Experiences, Thoughts and Behaviour" (01/08/05)

These questionnaires have all been electronically scanned.

### Coding the "Experiences, Thoughts and Behaviour" replies

For data preparation follow the general rules outlined in the "General Coding Instructions For Electronically Scanned ALSPAC Questionnaires – First Version, 5th December 2005".

In addition, run through the whole questionnaire to make sure that any names or other identifiers of the respondent are deleted. These are not always in the text answers.

Page 4 and 5 Section A		
A1a (i), (ii), (iii)	8	Except: if multiple crosses include code 1 "Not at all", then code 1 overrides.
A1b, c (i), (ii), (iii)	7	
A1d (i), (ii), (iii)	8	Except: if multiple crosses include code 1 "Not at all", then code 1 overrides.
A1e-k (i), (ii), (iii)	7	
A1 l-n (i), (ii), (iii)	8	Except: if multiple crosses include code 1 "Not at all", then code 1 overrides.
		SECTION B: Separate instructions for Boys and Girls
Page 6 Section B GIRLS ONLY		
B1a	8	Except: if multiple crosses include code 3 ("can't decide"), then code for the other response(s).
B1b-d	7	Except: if multiple crosses include code 3 ("can't decide"), then code for the other response(s).
B1e,f	8	Except: if multiple crosses include code 3 ("can't decide"), then code for the other response(s).
Page 7		
B2a-k	8	Except: if multiple crosses include code 3 <b>or</b> 6, then code for the other response(s).  If codes 3 <b>and</b> 6 are answered, code as 3.
Page 8		
B3a-d B4	8 8	

B5			
B6a	Page 9		
B6a			
B6b   8	B5	8	
B6b   8	D.C.		10(01 22 1 ( 1.5); 1 4 1 1 1 1 1 1 1 1 1
Boc (i) (x)   There should either be a cross or a blank here.			If "Never" only (code 5) is crossed, ensure there is a skip to B/a.
Ensure that any relevant text is accompanied by a cross here.		0	There should either be a cross or a blank here
Page 10			
B6d	200 ()		Zhoure that any rote valle teners a decompanies by a gross nerv
B66	Page 10		
B66			
B7a	B6d		If "No" only (code 4) is answered, ensure there is a skip to B7a.
B76	B6e	8	
B76	D70	0	If "Navar" (and 5) is answered ensure there is a skin to D9
B7c			11 Never (code 3) is answered, ensure there is a skip to Bo.
Code as zero if neither code 1 nor 2 is answered but there is an answer in the next question.   Brade   Except: if both "No" and "Yes" only are answered, code as blank.   Page 11			If "No" only (code 3) is answered, ensure there is a skin to B8
### B7d	<i>D</i> / C		Code as <b>zero</b> if neither code 1 nor 2 is answered but there is an answer in the next
Ba	B7d	8	
B8			, , , , , , , , , , , , , , , , , , ,
B9 8 B10 8 B11 8 If "Never" only (code 1) is answered, ensure there is a skip to B14.  Page 12 B12a-f 7 B13a 8 If code 4 only ("Didn't do this at least once a week") is answered, ensure there is a skip to B14.  B13b(i), (ii) I If "Yes" and "No" are both answered, code as blank.  B13b(ii) 8  Page 13 B14a-d There should either be a cross or a blank here. N.B. If part a) is crossed then code b) – d) as blank.  B15 8 B16-B18 8 B19 7 B20 8 Page 14 B21 8 B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	Page 11		
B9 8 B10 8 B11 8 If "Never" only (code 1) is answered, ensure there is a skip to B14.  Page 12 B12a-f 7 B13a 8 If code 4 only ("Didn't do this at least once a week") is answered, ensure there is a skip to B14.  B13b(i), (ii) I If "Yes" and "No" are both answered, code as blank.  B13b(ii) 8  Page 13 B14a-d There should either be a cross or a blank here. N.B. If part a) is crossed then code b) – d) as blank.  B15 8 B16-B18 8 B19 7 B20 8 Page 14 B21 8 B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.			
B10			
B11			
Page 12         B12a-f         7           B13a         8         If code 4 only ("Didn't do this at least once a week") is answered, ensure there is a skip to B14.           B13b(i), (ii)         I         If "Yes" and "No" are both answered, code as blank.           B13b(iii)         8           Page 13         If there should either be a cross or a blank here.           N.B. If part a) is crossed then code b) - d) as blank.           B15         8           B16-B18         8           B20         8           Page 14         If "No" only (code 1) is crossed, ensure there is a skip to B23.			If "Navar" only (anda 1) is answered, ensure there is a skin to R14
B12a-f   7	БП	0	11 Never only (code 1) is answered, ensure there is a skip to B14.
B13a 8 If code 4 only ("Didn't do this at least once a week") is answered, ensure there is a skip to B14.  B13b(i), (ii) I If "Yes" and "No" are both answered, code as blank.  B13b(iii) 8 Page 13  B14a-d There should either be a cross or a blank here.  N.B. If part a) is crossed then code b) – d) as blank.  B15 8  B16-B18 8  B19 7 B20 8  Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	Page 12		
B13a 8 If code 4 only ("Didn't do this at least once a week") is answered, ensure there is a skip to B14.  B13b(i), (ii) I If "Yes" and "No" are both answered, code as blank.  B13b(iii) 8 Page 13  B14a-d There should either be a cross or a blank here.  N.B. If part a) is crossed then code b) – d) as blank.  B15 8  B16-B18 8  B19 7 B20 8  Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	R12a-f	7	
Skip to B14.	B12u 1	/	
B13b(iii)   8	B13a	8	
B13b(iii)   8	R13b(i) (ii)	T	If "Ves" and "No" are both answered, code as blank
Page 13         There should either be a cross or a blank here.           N.B. If part a) is crossed then code b) – d) as blank.           B15         8           B16-B18         8           B20         8           B21         8           B22a         8           If "No" only (code 1) is crossed, ensure there is a skip to B23.			11 Tes and two are both answered, code as brank.
B14a-d			
N.B. If part a) is crossed then code b) – d) as blank.   B15	Page 13		
B16-B18 8  B19 7  B20 8  Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	B14a-d		
B16-B18 8  B19 7  B20 8  Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	R15	8	
B19 7 B20 8  Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	עום	0	
B19 7 B20 8  Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	B16-B18	8	
B20 8  Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.			
Page 14  B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	B19		
B21 8  B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	B20	8	
B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	Page 14		
B22a 8 If "No" only (code 1) is crossed, ensure there is a skip to B23.	R21	Q	
	עבו	0	
	B22a	8	If "No" only (code 1) is crossed, ensure there is a skip to B23.
B22b(i) – (ix) There should either be a cross or a blank here.			
	B22b(i) - (ix)		There should either be a cross or a blank here.

B22b(x)		Ensure that any relevant text is accompanied by a cross here.
B23	7	
B24	8	
<b>D</b> 24	0	
Page 15		
B25a-n	7	
Page 16		
B26 – B29	8	
D20	7	
B30	7	
B31- B32	8	
Page 6		
Section B BOYS ONLY		
BOTS ONLT		
B1a-f	7	Except: if multiple crosses include code 3 ("can't decide"), then code for the other responses.
Page 7		
B2a-k	8	Except: if multiple crosses include code 3 <b>or</b> 6, then code for the other response(s).  If codes 3 <b>and</b> 6 are answered, code as <b>3</b> .
Page 8		
1 age o		
В3а-е	8	
Page 9		
B4	I	If "no" is answered, ensure there is a skip to B5.  If both "Yes" and "No" are answered, code as blank.
В4а-с		There should either be a cross or a blank here.
B4d, e		Ensure that any relevant text is accompanied by a cross here.
B5	8	
B6	8	
B7a	7	If "Never" only (code 5) is crossed, ensure there is a skip to B8a.
D/α	,	11 INCVCI OHLY (COUR 3) IS CHOSSEU, ELISUIE HIELE IS A SKIP to Doa.
Page 10		
B7b	8	
B7c (i)-(x)		There should either be a cross or a blank here.
B7c (xi)		Ensure that any relevant text is accompanied by a cross here.
B7d	7	If "No" only (code 4) is answered, ensure there is a skip to B8a.
B7e	8	22 1.0 oilly (code 1) to allowered, enough there is a skip to Bou.
D 11		
Page 11		

B8a	8	If "Never" (code 5) is answered, ensure there is a skip to B9.
B8b	8	11 TVEVET (COUCES) is answered, ensure there is a skip to by.
B8c	8	If "No" only (code 3) is answered, ensure there is a skip to B9.  Code as <b>zero</b> if neither code 1 nor 2 is answered but there is an answer in the next question.
B8d	8	Except: if both "No" and "Yes" are answered, code as blank.
B9	8	
B10	8	
B11	8	
Page 12		
B12	8	If "Never" only (code 1) is answered, ensure there is a skip to B15.
B13a-f	7	
B14a	8	If code 4 only ("Didn't do this at least once a week") is answered, ensure there is a skip to B15.
B14b(i)	Ι	If both "Yes" and "No" are answered, code as blank.
Page 13		
B14b(ii)	I	If both "Yes" and "No" are answered, code as blank.
B14b(iii)	8	17 00 m 1 00 m 1 1 0 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m
B15a-d		There should either be a cross or a blank here.  N.B. If part a) is crossed then code b) - d) as blank.
B16	8	
B17-B19	8	
Page 14		
B20	7	
B21	8	
B22	8	
B23a	8	If "No" only (code 1) is crossed, ensure there is a skip to B24.
B23b(i) – (viii)		There should either be a cross or a blank here.
B23b(ix)		Ensure that any relevant text is accompanied by a cross here.
B24	7	
Page 15		
B25	8	
B26a-n	7	
Page 16		

B27 - B30	8	
B31	7	
B32 – B33	8	
Page 17 Section C		
C1a-i	8	
Page 18		
C1j-o	8	
Page 19 Section D		
D1	I	If "No" is answered, ensure there is a skip to Section E.  If both "Yes" and "No" are answered, sort out the problem by checking whether there are relevant answers about an accident in D2 onwards.
		If there are multiple answers in D2 to D10, it is possible that the child is answering for more than one accident. In this case, there may be clues in the text boxes as to which was the LAST accident, and the data can be sorted out accordingly. If there are no clues, code as below.
D2	I	If there are multiple answers here, code as blank. If there is relevant text in the text box ensure that the accompanying box is crossed.
D3a-d		There should either be a cross or a blank here. If D3a is crossed then D3b-d should be blank.
D4	I	If there are multiple answers here, code as blank. If there is relevant text in the text box ensure that the accompanying box is crossed.
Page 20		
D5	I	If there are multiple answers here, code as blank.
DJ	1	•
D6-D9	I	If both "Yes" and "No" are answered, code as blank.
D10		This is not being coded at this stage.
Page 21 Section E		
E1-E8	I	If both "Yes" and "No" are answered, code as blank.
Page 22		
E9-E15	I	If both "Yes" and "No" are answered, code as blank.
Page 23 Section F		
F1-F8	8	

Page 24 Section G		
G1	I	If both "Yes" and "No" are answered, code as blank unless an answer has been given in a) or b) in which case code as 2.
G1a,b		There should be either a cross or a blank here.
G2	IV	
G3	IV	If this question is blank, copy the date of receipt from the front cover. Watch out for dates at the turn of the year as the stated year is sometimes incorrect!

### END OF QUESTIONNAIRE

Boys' (02/08/05) and Girls' (01/08/05) Experiences, Thoughts and Behaviour

Sheila Preece 14/12/05 coding specifications\nc05\chExpThou&Behav B&G

## **Appendix C: Questionnaire Methodology**

#### Administration

Questionnaires were identified by a 9 digit check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. These numbers, together with bar codes, were printed on sticky labels that were then applied to the front pages of the questionnaires prior to being mailed out. If a response was not received after 3 weeks a reminder letter was sent.

The receipt of questionnaires was logged by the Questionnaire Administration Department using a bar code scanning system, which recorded the date of receipt. If returned blank by the respondent (but not, for example, if returned as "not known at this address") this was flagged. The questionnaires were examined and if badly completed (e.g. marks not in boxes) or if text was written outside of supplied boxes then the office use box on the back page was marked in order to flag that detailed checking was required at the verification stage (see below). Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20, separately for the male and female versions.

### **Data handling**

The questionnaires were designed using the Teleform data capture software. They were the first questionnaires completed by the study children to be designed in this way, although the Teleform system had previously been used for the carer and partner adult learning questionnaires and for staff completed forms from the Focus clinics. The questionnaires were booklets with A5 pages, stapled in the folded spine. The expected responses to the questions fall into four categories: self-coding tick boxes, numeric, free text and occasionally constrained print (text entered one letter to a box).

Completed questionnaires had the spine guillotined off and were then fed into a document scanner. The data were captured from the resulting images by the Teleform software. Any anomalies, such as multiple ticks or numeric / constrained print responses that the system could not interpret were flagged by the software and corrected by an operator at the verification stage. During verification the captured free text was also checked for accuracy. The rules for correcting multiple ticks and other anomalies were set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B). The numeric, tick box and any constrained print data were then exported to an SPSS data file and the free text exported to a database. The images of the forms were exported to the ADOS image storage system for archiving.

The SPSS data files then had appropriate variable and value labels applied. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifiers ALN & QLET. At the end of this process the data were classified as clean; they are deemed to accurately represent what the respondent actually entered on the questionnaire, except that the text responses have not been processed. The free text is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a

questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letters "ccq" which are followed by three digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation.

At some point in the future the data may be reissued as a "built" file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.