

THE ALSPAC STUDY

PA FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

You and Your Environment

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 4a of the built file (partial update only).

November 2018

© University of Bristol

CONTENTS**Part 1:**

The ALSPAC Study

Study eligibility criteria

Enrolment

Questionnaire administration during pregnancy

Time of administration

Contents of questionnaire

Part 2:

Format of the variable descriptors

Administration of questionnaires

The variables

References

Index to variables

PART 1

THE ALSPAC STUDY

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

Enrolment

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her, and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The

mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

Questionnaire Administration during Pregnancy

Approximately 7 days after the brochure had been sent out and provided we had not heard from the mother that she did not want to take part in the study, the first questionnaire was posted to her. The nature of the questionnaire depended on her gestation at enrolment. The scheme for sending the questionnaires is illustrated in Figure 1. In brief, there were 4 questionnaires administered to the mother during pregnancy, and these were designed so that two were to be sent out at a fixed time point - 'Having a Baby' at 18 weeks' gestation and 'Your Pregnancy' at 32 weeks' gestation. Provided she enrolled before 14 weeks' gestation, the questionnaire 'Your Environment' was sent to her immediately after enrolment. This questionnaire was designed in particular to identify those features of the early environment that might be responsible for effects on the fetus. The fourth questionnaire 'About Yourself' was mainly concerned with features that referred to the mother's past medical, social and environmental history, and consequently the time during pregnancy at which this was administered was relatively unimportant. If necessary, therefore, this questionnaire was sent out after the baby had been born.

For questionnaires sent during pregnancy the reminder and follow-up phase was fairly intensive. If a response had not been received within 7 days, a reminder letter was sent. If the questionnaire had still not been received after a further 10 days, a second reminder letter was sent. Finally, if no response had been received after 1 month, a member of the study team either rang the mother or visited the home, and encouraged, or helped, the mother to complete the questionnaire.

The Partner

Questionnaires were also designed for the partner. We did not, however, have the name of the mother's partner and indeed we did not want to involve the partner without the mother's permission.

We therefore invoked the following procedure. Questionnaires for partners were timed to coincide with a questionnaire for the mother. The pair was sent together to the mother, accompanied by a letter which explained that we were enclosing a questionnaire for her partner: if she would like him to be involved, then we would like her to hand it to him, but if she did not want him to be involved that was fine. The decision was hers. We did not stipulate a particular definition of partner (i.e. male or female), and left it to the mother to make such a decision. Nevertheless, information obtained from the partner identifies whether he is (or thinks he is) the biological father of the child and indeed whether he is living with the mother of the child. A letter was enclosed with each partner's questionnaire and also a pre-paid envelope, so that his responses could remain confidential if he so wished. If a woman wrote and informed us that she had no partner, or that he was not interested, then we did not include questionnaires for him from then on.

Later, in the postnatal phase, the mother was informed that although the words he/him were used throughout, we welcomed response by all partners.

Time of administration

During pregnancy, two questionnaires for partners were sent - one accompanied the 18-week 'Having a Baby' questionnaire and the one described here accompanied 'About Yourself' (and in some circumstances were sent postnatally).

The questionnaire AY was administered according to the gestation at which the mother enrolled (see below). For mothers enrolling after 30 weeks the questionnaire was administered 4 months after delivery. For further details of the methodology used, refer to the ALSPAC protocol.

<u>Gestation at enrolment</u>	<u>Env</u>	<u>AY</u>	<u>HAB</u>	<u>YP</u>	<u>YHL</u>
<6	<6	14	18	32	-
6	6	14	18	32	-
7	7	14	18	32	-
8	8	14	18	32	-
9	9	14	18	32	-
10	10	14	18	32	-
11	11	23	18	32	-
12	12	23	18	32	-
13	13	23	18	32	-
14	14	23	18	32	-
15	22	26	18	32	-
16	22	26	18	32	-
17	22	26	18	32	-
18	22	26	18	32	-
19	24	28	19	32	-
20	24	28	20	32	-
21	24	28	21	32	-
22	28	36	22	32	-
23	28	36	23	32	-
24	-	33	-	29	24
25	-	34	-	30	25
26	-	35	-	31	26
27	-	36	-	32	27
28	-	36	-	32	28
29	-	36	-	32	29
30	-	37	-	33	30

ENV = Your Environment; AY= About Yourself; HAB= Having a Baby; YP= Your Pregnancy; YHL= Your Home and Lifestyle; **AY was accompanied by 'You and Your Environment'**, HAB or YHL by 'Partner's Questionnaire'.

CONTENTS OF QUESTIONNAIRE

You and Your Environment (Partners) (YYE)

This questionnaire went to the partner at the same time as the 'About Yourself' questionnaire was sent to the mother. It basically contained similar information to questions either in 'Your Environment' or 'About Yourself'.

Section A. Your Home Environment

This included information from Sections A and E of 'Your Environment'.

Section B. Chemicals in Your Environment

This was a combination of the exposures in Sections B and D from 'Your Environment', and also included the list of all occupations since the age of 16 with details of the job, the materials and machines or chemicals used, the date started and the date stopped.

Section C. Your Household

Asked the length of time the partner had lived with the mother of the child and whether the partner was the father of the unborn child. It sought the partner's assessment of the mother's physical health, current marital status with date of most recent marriage, the number of children living with the partner, and whether the partner was or was not their natural father.

Section D. Your Medical History

This included information on weight, waist, hips, inside leg and height. It requested details of infections the partner had ever had, the operations, the list of accidents and injuries, and a variety of other problems similar to those completed by the mother in Section A of 'About Yourself'. As with the mother, this included details of birthweight, gestation, and any congenital abnormalities, hearing and eyesight, visits to physiotherapists, child psychiatrist, speech therapist, and whether there was a history of enuresis. Partners who had ever been blood donors were also identified, and a full x-ray history taken.

Section E. Your Partner

The 9 questions were similar to those asked in Section B of 'About Yourself'.

Section F. You & Your Parents

This section was identical to Section C in 'About Yourself', with the exception of the diary page.

Section G. Your Outlook on Life

This was the locus of control scale identical to Section E in 'About Yourself'.

Coding

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number that then can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

PART 2

Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist).
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

Administration

The number of pregnancies concerned in the data base for which Your and Your Environment was returned completed was 8645. This was 69% of the number of the mothers who returned their About Yourself questionnaire which had been administered at the same time.

Form no.

There were 3 full versions of this questionnaire. The first two were dated 24.8.90 and 4.3.91. The third version was designed to be administered postnatally. It was dated 29.1.92. Partner's who had been included in a previous pregnancy were sent a shorter questionnaire dated 11.11.91.

PA001

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
240890	1	1241	14.4	14.4	14.4
40391	2	6622	76.6	76.6	91.0
111191	3	80	.9	.9	91.9
290192	4	702	8.1	8.1	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

All questions omitted from the shortened questionnaire are indicated by the symbol † and the answers to the questions on the first questionnaire they answered have been edited in.

UPDATE SUMMARY

Built version 3b – December 2008

- 20 records identified as belonging to ineligible pregnancies were removed. Due to extension of direct access to ALSPAC data to non-ALSPAC staff and in order to comply with guidance issued in 1996 by the ALSPAC Law & Ethics Committee regarding the confidentiality of multiple pregnancies 3 records for triplet and quadruplet pregnancies were removed. The sample size therefore dropped from 8,644 to 8,621.
- The redundant variables yyecomp, edd &, ins were removed.
- Note that the frequency tables in this documentation have not been updated, so they will not exactly match those generated from the current version of the built file.

Built version 3c – January 2009

The measurement variables previously held on the separate PAW file have been added to the main PA file. The PAW variables were all set to –1 for 3 cases that were on the PA file but not the PAW file. The PAW variables are from questions D1, D2, D10a & D10b. The documentation has been inserted at the relevant points in this documentation file but since the variables start “PAW” rather than “PA” the variables have been placed at the end of the data file.

It was noted that variables PA725 & PA728 (scores derived from question F16 as it appears in version 2 and the postnatal version of the questionnaire, with modes imputed for missing items) included respondents who did not respond to any of the items, who therefore had scores of 23 & 2 respectively. Most of these cases received version 1 or the short version of the questionnaire and had therefore not even been asked the questions from which the scores were derived. All relevant variables (PA700 to PA729) have therefore been set to –7 for respondents who received version 1 or the short version of the questionnaire. In addition, PA725 & PA728 have been set to –5 if more than half the components were omitted.

Although not mentioned in this documentation, variables for question F16 from version 1 of the questionnaire (which had more items than F16 from version 2 and the postnatal version, ordered differently and with different response categories) were presented on the data file as PA800 to PA821. However, within the sequence of these variables were variables called F16xg, F16xh & F16xs. These are the parts of F16 from version 1 that were omitted in later versions and were possibly intended to be omitted. Even if omitted there would not be any variable by variable consistency between PA700 to PA721 and PA800 to PA821 due to the reordering of items. A decision has therefore been taken to present the variables from F16 of version 1 of the questionnaire completely as PA850 to PA874.

Version 4a – November 2018

The previous version of the file with the following data added:

- Paternal reason for visiting speech therapist as a child [*pa2820*]
- Month [*pa902*] and year [*pa903*] of completion
- The variable *pa999* (INT) has been removed due to low power (one valid respondent)

SECTION A: YOUR HOME ENVIRONMENT †*A1.† How long have you lived in or near Avon?**less than 1 year**1 - 4 years**5 - 9 years**10 years or more**all my life*

PA002 Time lived in Avon

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	1	279	3.2	3.3	3.3
1-4 YRS	2	1152	13.3	13.5	16.8
5-9 YRS	3	1011	11.7	11.9	28.7
10 YRS or more	4	1730	20.0	20.3	49.1
All partner's life	5	4330	50.1	50.9	100.0
	-1	143	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8502	Missing cases	143		

A2. a) *When did you move to your present address?/...../19....*

[Coders were instructed if partner has lived at present address all his life, code his date of birth (see end of questionnaire)]

PA003 Years since last move

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1631	18.9	20.9	20.9
	1.00	1294	15.0	16.6	37.5
	2.00	1099	12.7	14.1	51.6
	3.00	1118	12.9	14.3	66.0
	4.00	834	9.6	10.7	76.7
	5.00	598	6.9	7.7	84.4
	6.00	389	4.5	5.0	89.4
	7.00	231	2.7	3.0	92.3
	8.00	141	1.6	1.8	94.1
	9.00	101	1.2	1.3	95.4
	10.00	59	.7	.8	96.2
	11.00	61	.7	.8	97.0
	12.00	32	.4	.4	97.4
	13.00	25	.3	.3	97.7
	14.00	19	.2	.2	97.9
	15.00	14	.2	.2	98.1
	16.00	16	.2	.2	98.3
	17.00	15	.2	.2	98.5
	18.00	11	.1	.1	98.7
	19.00	10	.1	.1	98.8
	20.00	6	.1	.1	98.9
	21.00	15	.2	.2	99.1
	22.00	8	.1	.1	99.2
	23.00	13	.2	.2	99.3
	24.00	8	.1	.1	99.4
	25.00	6	.1	.1	99.5
	26.00	4	.0	.1	99.6
	27.00	4	.0	.1	99.6
	28.00	8	.1	.1	99.7
	29.00	3	.0	.0	99.8
	30.00	3	.0	.0	99.8
	31.00	3	.0	.0	99.8
	32.00	4	.0	.1	99.9
	33.00	1	.0	.0	99.9
	34.00	2	.0	.0	99.9
	35.00	2	.0	.0	99.9
	42.00	1	.0	.0	100.0
	47.00	1	.0	.0	100.0
	48.00	1	.0	.0	100.0
	52.00	1	.0	.0	100.0
	-1.00	853	9.9	Missing	
Total		8645	100.0	100.0	
Valid cases	7792	Missing cases	853		

PA004 Weeks since last move

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	23	.3	1.4	1.4
	1.00	22	.3	1.3	2.8
	2.00	45	.5	2.8	5.5
	3.00	26	.3	1.6	7.1
	4.00	29	.3	1.8	8.9
	5.00	34	.4	2.1	11.0
	6.00	20	.2	1.2	12.2
	7.00	33	.4	2.0	14.2
	8.00	31	.4	1.9	16.1
	9.00	33	.4	2.0	18.1
	10.00	42	.5	2.6	20.7
	11.00	31	.4	1.9	22.6
	12.00	40	.5	2.5	25.1
	13.00	52	.6	3.2	28.3
	14.00	32	.4	2.0	30.2
	15.00	38	.4	2.3	32.6
	16.00	35	.4	2.1	34.7
	17.00	33	.4	2.0	36.7
	18.00	37	.4	2.3	39.0
	19.00	32	.4	2.0	41.0
	20.00	29	.3	1.8	42.7
	21.00	36	.4	2.2	44.9
	22.00	30	.3	1.8	46.8
	23.00	32	.4	2.0	48.7
	24.00	35	.4	2.1	50.9
	25.00	30	.3	1.8	52.7
	26.00	36	.4	2.2	54.9
	27.00	34	.4	2.1	57.0
	28.00	37	.4	2.3	59.3
	29.00	34	.4	2.1	61.4
	30.00	34	.4	2.1	63.5
	31.00	31	.4	1.9	65.4
	32.00	30	.3	1.8	67.2
	33.00	15	.2	.9	68.1
	34.00	27	.3	1.7	69.8
	35.00	34	.4	2.1	71.9
	36.00	29	.3	1.8	73.6
	37.00	30	.3	1.8	75.5
	38.00	28	.3	1.7	77.2
	39.00	38	.4	2.3	79.5
	40.00	22	.3	1.3	80.9
	41.00	29	.3	1.8	82.6
	42.00	24	.3	1.5	84.1
	43.00	31	.4	1.9	86.0
	44.00	25	.3	1.5	87.6
	45.00	36	.4	2.2	89.8
	46.00	28	.3	1.7	91.5
	47.00	25	.3	1.5	93.0
	48.00	23	.3	1.4	94.4
	49.00	29	.3	1.8	96.2
	50.00	28	.3	1.7	97.9
	51.00	27	.3	1.7	99.6
	52.00	7	.1	.4	100.0
	-1.00	7014	81.1	Missing	
	Total	8645	100.0	100.0	
Valid cases	1631	Missing cases	7014		

A2. b) *How many times have you moved home in the last 5 years?*

[Coders were told if they have replied not applicable, or struck out boxes, code as zero]

the

PA005 NO of moves in past 5 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2129	24.6	25.4	25.4
	1	2555	29.6	30.5	56.0
	2	1763	20.4	21.1	77.0
	3	1040	12.0	12.4	89.5
	4	374	4.3	4.5	93.9
	5	214	2.5	2.6	96.5
	6	130	1.5	1.6	98.1
	7	64	.7	.8	98.8
	8	37	.4	.4	99.3
	9	16	.2	.2	99.5
	10	22	.3	.3	99.7
	11	5	.1	.1	99.8
	12	6	.1	.1	99.8
	13	2	.0	.0	99.9
	14	3	.0	.0	99.9
	15	2	.0	.0	99.9
	16	1	.0	.0	99.9
	18	1	.0	.0	100.0
	20	3	.0	.0	100.0
	25	1	.0	.0	100.0
	-1	277	3.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8368 Missing cases 277

A3.† *In the coldest time of year, describe the temperature in your:*

Very Warm About Cold Very
warm right cold cold

a) *living rooms*

b) *bedrooms*

[When more than 1 box ticked, the one with the lower code was taken]

PA006 Winter TEMP of living rooms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V warm	1	823	9.5	9.7	9.7
Warm	2	3031	35.1	35.8	45.6
About right	3	4145	47.9	49.0	94.6
Cold	4	393	4.5	4.6	99.2
V cold	5	65	.8	.8	100.0
	-1	188	2.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8457 Missing cases 188

PA007 Winter TEMP of bedrooms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V warm	1	399	4.6	4.7	4.7
Warm	2	1910	22.1	22.6	27.4
About right	3	4682	54.2	55.5	82.8
Cold	4	1203	13.9	14.3	97.1
V cold	5	245	2.8	2.9	100.0
	-1	206	2.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8439	Missing cases	206		

A4. Which of the following best describes your feelings about your home?

*satisfied**fairly satisfied**dissatisfied**very dissatisfied*

[When more than 1 box ticked, the one with the higher code was taken]

PA008 Feelings about home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Satisfied	1	4440	51.4	52.2	52.2
Fairly satisfied	2	3383	39.1	39.8	92.0
Dissatisfied	3	510	5.9	6.0	98.0
V dissatisfied	4	170	2.0	2.0	100.0
	-1	142	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8503	Missing cases	142		

A5. a)† What do you think of your neighbourhood as a place to live?

*a very good place to live**a fairly good place to live**not a very good place to live**not at all a good place to live*

[When more than 1 box ticked, the one with the higher code was taken]

PA009 Dad's opinion of neighbourhood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V good area	1	3106	35.9	36.5	36.5
Fairly good area	2	4743	54.9	55.8	92.4
Not v good area	3	522	6.0	6.1	98.5
Bad area	4	128	1.5	1.5	100.0
	-1	146	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

A5. b)† Do the other people in your neighbourhood:

No, never Rarely Sometimes Often Always

- i) visit your home*
- ii) argue with you*
- iii) look after your children*
- iv) keep to themselves*

[When more than 1 box ticked, the one with the lower code was taken]

PA010 Neighbourhood people visiting home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	1627	18.8	19.3	19.3
Rarely	2	2451	28.4	29.0	48.3
Sometimes	3	3179	36.8	37.7	86.0
Often	4	1037	12.0	12.3	98.3
Always	5	145	1.7	1.7	100.0
	-1	206	2.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8439	Missing cases	206		

PA011 Neighbourhood people argue with dad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	6239	72.2	74.3	74.3
Rarely	2	1674	19.4	19.9	94.2
Sometimes	3	428	5.0	5.1	99.3
Often	4	42	.5	.5	99.8
Always	5	19	.2	.2	100.0
	-1	243	2.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8402	Missing cases	243		

PA012 Neighbourhood people look after dads CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	5814	67.3	68.4	68.4
Rarely	2	872	10.1	10.3	78.7
Sometimes	3	1522	17.6	17.9	96.6
Often	4	275	3.2	3.2	99.8
Always	5	15	.2	.2	100.0
	-1	147	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8498	Missing cases	147		

PA013 Neighbourhood people keep to themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	368	4.3	4.4	4.4
Rarely	2	723	8.4	8.6	13.0
Sometimes	3	2701	31.2	32.2	45.2
Often	4	3264	37.8	38.9	84.1
Always	5	1339	15.5	15.9	100.0
	-1	250	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8395	Missing cases	250		

A5. c)† Do you:

No, never Rarely Sometimes Often Always

i) *visit the home of your neighbours*ii) *argue with your neighbours*iii) *look after your neighbours children*
*yourself*iv) *keep to*

[When more than 1 box ticked, the one with the lower code was taken]

PA014 Dad visits neighbours home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	2392	27.7	28.3	28.3
Rarely	2	2791	32.3	33.0	61.3
Sometimes	3	2683	31.0	31.7	93.0
Often	4	536	6.2	6.3	99.4
Always	5	53	.6	.6	100.0
	-1	190	2.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8455	Missing cases	190		

PA015 Dad argues with neighbours

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	6500	75.2	77.2	77.2
Rarely	2	1498	17.3	17.8	95.0
Sometimes	3	368	4.3	4.4	99.4
Often	4	38	.4	.5	99.8
Always	5	13	.2	.2	100.0
	-1	228	2.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8417	Missing cases	228		

PA016 Dad looks after neighbours CH

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never		1	6001	69.4	72.5	72.5
Rarely		2	962	11.1	11.6	84.2
Sometimes		3	1161	13.4	14.0	98.2
Often		4	142	1.6	1.7	99.9
Always		5	8	.1	.1	100.0
		-1	371	4.3	Missing	
		Total	8645	100.0	100.0	
Valid cases	8274	Missing cases	371			

PA017	Dad keeps to himself					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never		1	484	5.6	5.8	5.8
Rarely		2	670	7.8	8.0	13.7
Sometimes		3	2789	32.3	33.2	46.9
Often		4	2907	33.6	34.6	81.4
Always		5	1561	18.1	18.6	100.0
		-1	234	2.7	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8411	Missing cases	234			

A6.† *How worried are you that in your neighbourhood:*

<i>Very worried</i>	<i>Fairly worried</i>	<i>Not very worried</i>	<i>Not at all worried</i>	<i>Don't know</i>
-------------------------	---------------------------	-----------------------------	-----------------------------------	-----------------------

- a) *you might have your home broken into and something stolen*
 b) *you might be mugged or robbed*
 c) *you might be sexually assaulted or pestered*
 d) *you might have your home or property damaged by vandals*
 [When more than 1 box ticked, the one with the lower code was taken]

PA020	POSS burglary worries dad					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V worried		1	466	5.4	5.6	5.6
Fairly worried		2	2425	28.1	28.9	34.4
Not v worried		3	4220	48.8	50.3	84.7
Not worried		4	1285	14.9	15.3	100.0
		-1	249	2.9	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8396	Missing cases	249			

PA021 POSS mugging & robbery worries dad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V worried	1	119	1.4	1.4	1.4
Fairly worried	2	524	6.1	6.3	7.7
Not v worried	3	3468	40.1	41.5	49.2
Not worried	4	4250	49.2	50.8	100.0
	-1	284	3.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8361	Missing cases	284		

PA022 POSS sex assault & pestering worries dad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V worried	1	76	.9	.9	.9
Fairly worried	2	191	2.2	2.3	3.2
Not v worried	3	1646	19.0	19.8	23.0
Not worried	4	6409	74.1	77.0	100.0
	-1	323	3.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8322	Missing cases	323		

PA023 POSS vandalism to home worries dad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V worried	1	323	3.7	3.9	3.9
Fairly worried	2	1708	19.8	20.4	24.2
Not v worried	3	3979	46.0	47.5	71.7
Not worried	4	2373	27.4	28.3	100.0
	-1	262	3.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8383	Missing cases	262		

A7.† *Is your neighbourhood:*

Yes usually *Yes sometimes* *No not at all*

[The 1st version of the questionnaire was yes/no]

- i) *lively*
[When more than 1 box ticked, the one with the higher code was taken]
- ii) *friendly*
[When more than 1 box ticked, the one with the higher code was taken]
- iii) *noisy*
[When more than 1 box ticked, the one with the lower code was taken]
- iv) *clean*
[When more than 1 box ticked, the one with the higher code was taken]
- v) *attractive*
[When more than 1 box ticked, the one with the higher code was taken]
- vi) *polluted/dirty*
[When more than 1 box ticked, the one with the lower code was taken]

2nd version

A024 Lively neighbourhood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	813	9.4	11.1	11.1
Sometimes	2	3271	37.8	44.8	56.0
Never	3	3213	37.2	44.0	100.0
	-1	1348	15.6	Missing	
		-----	-----		
	Total	8645	100.0	100.0	
Valid cases	7297	Missing cases	1348		

PA025 Friendly neighbourhood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	3778	43.7	51.8	51.8
Sometimes	2	3154	36.5	43.2	95.0
Never	3	365	4.2	5.0	100.0
	-1	1348	15.6	Missing	
		-----	-----		
	Total	8645	100.0	100.0	
Valid cases	7297	Missing cases	1348		

PA026 Noisy neighbourhood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	747	8.6	10.2	10.2
Sometimes	2	3421	39.6	46.9	57.1
Never	3	3129	36.2	42.9	100.0
	-1	1348	15.6	Missing	
		-----	-----		
	Total	8645	100.0	100.0	
Valid cases	7297	Missing cases	1348		

PA027 Clean neighbourhood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	4774	55.2	65.4	65.4
Sometimes	2	2001	23.1	27.4	92.8
Never	3	522	6.0	7.2	100.0
	-1	1348	15.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 7297 Missing cases 1348

PA028 Attractive neighbourhood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	3767	43.6	51.6	51.6
Sometimes	2	2400	27.8	32.9	84.5
Never	3	1130	13.1	15.5	100.0
	-1	1348	15.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 7297 Missing cases 1348

PA029 Polluted or dirty neighbourhood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1	364	4.2	5.0	5.0
Sometimes	2	1922	22.2	26.3	31.3
Never	3	5011	58.0	68.7	100.0
	-1	1348	15.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 7297 Missing cases 1348

1st version

PA024A Lively neighbourhood (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	352	4.1	30.1	30.1
No	2	818	9.5	69.9	100.0
	-1	7475	86.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 1170 Missing cases 7475

PA025A Friendly neighbourhood (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1017	11.8	86.8	86.8
No	2	155	1.8	13.2	100.0
	-1	7473	86.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 1172 Missing cases 7473

PA026A Noisy neighbourhood (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	281	3.3	23.9	23.9
No	2	897	10.4	76.1	100.0
	-1	7467	86.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 1178 Missing cases 7467

PA027A Clean neighbourhood (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	990	11.5	84.3	84.3
No	2	184	2.1	15.7	100.0
	-1	7471	86.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 1174 Missing cases 7471

PA028A Attractive neighbourhood (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	846	9.8	72.9	72.9
No	2	314	3.6	27.1	100.0
	-1	7485	86.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 1160 Missing cases 7485

PA029A Polluted or dirty neighbourhood (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	125	1.4	10.7	10.7
No	2	1040	12.0	89.3	100.0
	-1	7480	86.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 1165 Missing cases 7480

[The two versions of the responses were not mutually compatible!]

SECTION B: CHEMICALS IN YOUR ENVIRONMENT

Just before your partner became pregnant, how often did you use the following (whether at home or at work):

[For 2nd pregnancies in this study, the words ‘this time’ were included after pregnant]

<i>Every day</i>	<i>Most days</i>	<i>About once a a week</i>	<i>Less than once a week</i>	<i>Not at all</i>
----------------------	----------------------	------------------------------------	--------------------------------------	-----------------------

[In 1st version the 4th option was misprinted as ‘less than once a month’]

B1.a) disinfectant

[When more than 1 box ticked, the one with the lower code was taken]

PA030		Disinfectant use before PREG				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily		1	372	4.3	4.4	4.4
Most days		2	945	10.9	11.1	15.5
1 PWK		3	2650	30.7	31.1	46.6
<1 PWK		4	2483	28.7	29.2	75.7
Never		5	2068	23.9	24.3	100.0
		-1	127	1.5	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8518	Missing cases	127			

B1.b) bleach

[When more than 1 box ticked, the one with the lower code was taken]

PA031		Bleach use before PREG				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily		1	215	2.5	2.5	2.5
Most days		2	619	7.2	7.3	9.8
1 PWK		3	2500	28.9	29.3	39.1
<1 PWK		4	2545	29.4	29.9	69.0
Never		5	2644	30.6	31.0	100.0
		-1	122	1.4	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8523	Missing cases	122			

B1.c) window cleaner

[When more than 1 box ticked, the one with the lower code was taken]

PA032 Window cleaner use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	65	.8	.8	.8
Most days	2	97	1.1	1.1	1.9
1 PWK	3	943	10.9	11.1	13.0
<1 PWK	4	4132	47.8	48.5	61.5
Never	5	3285	38.0	38.5	100.0
	-1	123	1.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8522	Missing cases	123		

B1.d) carpet cleaner

[When more than 1 box ticked, the one with the lower code was taken]

PA033 Carpet cleaner use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	30	.3	.4	.4
Most days	2	85	1.0	1.0	1.4
1 PWK	3	355	4.1	4.2	5.5
<1 PWK	4	3228	37.3	37.9	43.4
Never	5	4820	55.8	56.6	100.0
	-1	127	1.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8518	Missing cases	127		

B1.e) oven/drain cleaner

[When more than 1 box ticked, the one with the lower code was taken]

PA034 Oven or drain cleaner use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	52	.6	.6	.6
Most days	2	91	1.1	1.1	1.7
1 PWK	3	526	6.1	6.2	7.9
<1 PWK	4	3088	35.7	36.3	44.1
Never	5	4753	55.0	55.9	100.0
	-1	135	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8510	Missing cases	135		

B1.f) dry cleaning fluid

[When more than 1 box ticked, the one with the lower code was taken]

PA035 Dry cleaning fluid use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	21	.2	.2	.2
Most days	2	52	.6	.6	.9
1 PWK	3	133	1.5	1.6	2.4
<1 PWK	4	849	9.8	10.0	12.4
Never	5	7432	86.0	87.6	100.0
	-1	158	1.8	Missing	
	Total	8645	100.0	100.0	

Valid cases 8487 Missing cases 158

B1.g) turpentine/white spirit

[When more than 1 box ticked, the one with the lower code was taken]

PA036 Turps or White Spirit use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	124	1.4	1.5	1.5
Most days	2	238	2.8	2.8	4.3
1 PWK	3	900	10.4	10.6	14.8
<1 PWK	4	5033	58.2	59.1	73.9
Never	5	2221	25.7	26.1	100.0
	-1	129	1.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 8516 Missing cases 129

B1.h) paint stripper

[When more than 1 box ticked, the one with the lower code was taken]

PA037 Paint stripper use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	32	.4	.4	.4
Most days	2	45	.5	.5	.9
1 PWK	3	167	1.9	2.0	2.9
<1 PWK	4	2738	31.7	32.2	35.1
Never	5	5525	63.9	64.9	100.0
	-1	138	1.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8507 Missing cases 138

B1.i) household paint or varnish

[When more than 1 box ticked, the one with the lower code was taken]

PA038 House paint or varnish use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	79	.9	.9	.9
Most days	2	156	1.8	1.8	2.8
1 PWK	3	683	7.9	8.0	10.8
<1 PWK	4	5362	62.0	63.0	73.8
Never	5	2235	25.9	26.2	100.0
	-1	130	1.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8515	Missing cases	130		

B1.j) weed killers

[When more than 1 box ticked, the one with the lower code was taken]

PA039 Weed killer use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	6	.1	.1	.1
Most days	2	7	.1	.1	.2
1 PWK	3	97	1.1	1.1	1.3
<1 PWK	4	2465	28.5	29.0	30.2
Never	5	5939	68.7	69.8	100.0
	-1	131	1.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8514	Missing cases	131		

B1.k) pesticides/insect killers

[When more than 1 box ticked, the one with the lower code was taken]

PA040 Pesticide use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	9	.1	.1	.1
Most days	2	33	.4	.4	.5
1 PWK	3	194	2.2	2.3	2.8
<1 PWK	4	2679	31.0	31.5	34.3
Never	5	5580	64.5	65.7	100.0
	-1	150	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8495	Missing cases	150		

B1.l) aerosols or sprays including hair spray

[When more than 1 box ticked, the one with the lower code was taken]

PA041 Aerosol or spray use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	2005	23.2	23.6	23.6
Most days	2	1883	21.8	22.1	45.7
1 PWK	3	1186	13.7	13.9	59.6
<1 PWK	4	1428	16.5	16.8	76.4
Never	5	2006	23.2	23.6	100.0
	-1	137	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8508	Missing cases	137		

B1.m) hair dye/bleach

[When more than 1 box ticked, the one with the lower code was taken]

PA042 Hair dye or bleach use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	25	.3	.3	.3
Most days	2	25	.3	.3	.6
1 PWK	3	42	.5	.5	1.1
<1 PWK	4	418	4.8	4.9	6.0
Never	5	7976	92.3	94.0	100.0
	-1	159	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8486	Missing cases	159		

B1.n) deodorants

[When more than 1 box ticked, the one with the lower code was taken]

PA043 Deodorant use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	5114	59.2	60.0	60.0
Most days	2	1913	22.1	22.4	82.4
1 PWK	3	392	4.5	4.6	87.0
<1 PWK	4	282	3.3	3.3	90.3
Never	5	824	9.5	9.7	100.0
	-1	120	1.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8525	Missing cases	120		

B1.o) air fresheners (spray, stick or aerosol)

[When more than 1 box ticked, the one with the lower code was taken]

PA044 Air freshener use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	931	10.8	10.9	10.9
Most days	2	1336	15.5	15.7	26.7
1 PWK	3	1645	19.0	19.3	46.0
<1 PWK	4	1704	19.7	20.0	66.0
Never	5	2889	33.4	34.0	100.0
	-1	140	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8505	Missing cases	140		

B1.p) dental amalgam

[When more than 1 box ticked, the one with the lower code was taken]

PA045 Dental amalgam use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	371	4.3	4.6	4.6
Most days	2	171	2.0	2.1	6.7
1 PWK	3	134	1.6	1.7	8.4
<1 PWK	4	492	5.7	6.1	14.5
Never	5	6914	80.0	85.5	100.0
	-1	563	6.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8082	Missing cases	563		

B1.q) ceramics/enamels

[When more than 1 box ticked, the one with the lower code was taken]

PA046 Ceramic or enamel use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	111	1.3	1.3	1.3
Most days	2	107	1.2	1.3	2.6
1 PWK	3	109	1.3	1.3	3.9
<1 PWK	4	489	5.7	5.8	9.7
Never	5	7618	88.1	90.3	100.0
	-1	211	2.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8434	Missing cases	211		

B1.r) soldering

[When more than 1 box ticked, the one with the lower code was taken]

PA047 Soldering use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	127	1.5	1.5	1.5
Most days	2	169	2.0	2.0	3.5
1 PWK	3	309	3.6	3.6	7.1
<1 PWK	4	1456	16.8	17.2	24.3
Never	5	6426	74.3	75.7	100.0
	-1	158	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8487	Missing cases	158		

B1.s) electroplating

[When more than 1 box ticked, the one with the lower code was taken]

PA048 Electroplating use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	21	.2	.2	.2
Most days	2	13	.2	.2	.4
1 PWK	3	19	.2	.2	.6
<1 PWK	4	77	.9	.9	1.5
Never	5	8322	96.3	98.5	100.0
	-1	193	2.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8452	Missing cases	193		

B1.t) glues

[When more than 1 box ticked, the one with the lower code was taken]

PA049 Glue use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	147	1.7	1.7	1.7
Most days	2	285	3.3	3.4	5.1
1 PWK	3	784	9.1	9.2	14.3
<1 PWK	4	4240	49.0	49.9	64.2
Never	5	3043	35.2	35.8	100.0
	-1	146	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8499	Missing cases	146		

B1.u) leather working

[When more than 1 box ticked, the one with the lower code was taken]

PA050 Leather working use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	31	.4	.4	.4
Most days	2	7	.1	.1	.4
1 PWK	3	16	.2	.2	.6
<1 PWK	4	135	1.6	1.6	2.2
Never	5	8303	96.0	97.8	100.0
	-1	153	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8492	Missing cases	153		

B1.v) fabric/textiles

[When more than 1 box ticked, the one with the lower code was taken]

PA051 Fabric & Textile use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	151	1.7	1.8	1.8
Most days	2	76	.9	.9	2.7
1 PWK	3	77	.9	.9	3.6
<1 PWK	4	498	5.8	5.9	9.5
Never	5	7667	88.7	90.5	100.0
	-1	176	2.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8469	Missing cases	176		

B1.w) dyes

[When more than 1 box ticked, the one with the lower code was taken]

PA052 Dye use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	35	.4	.4	.4
Most days	2	20	.2	.2	.6
1 PWK	3	32	.4	.4	1.0
<1 PWK	4	177	2.0	2.1	3.1
Never	5	8234	95.2	96.9	100.0
	-1	147	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8498	Missing cases	147		

B1.x) radiation (x-ray or other)

[When more than 1 box ticked, the one with the lower code was taken]

PA053 Radiation before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	60	.7	.7	.7
Most days	2	65	.8	.8	1.5
1 PWK	3	71	.8	.8	2.3
<1 PWK	4	309	3.6	3.6	5.9
Never	5	7993	92.5	94.1	100.0
	-1	147	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8498	Missing cases	147		

B1.y) plastics

[When more than 1 box ticked, the one with the lower code was taken]

PA054 Plastics use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	423	4.9	5.0	5.0
Most days	2	336	3.9	4.0	9.0
1 PWK	3	247	2.9	2.9	11.9
<1 PWK	4	687	7.9	8.2	20.1
Never	5	6733	77.9	79.9	100.0
	-1	219	2.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8426	Missing cases	219		

B1.z) metal cleaners/degreasers, polishers

[When more than 1 box ticked, the one with the lower code was taken]

PA055 Metal cleaner use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	317	3.7	3.8	3.8
Most days	2	360	4.2	4.3	8.0
1 PWK	3	612	7.1	7.2	15.3
<1 PWK	4	2071	24.0	24.5	39.8
Never	5	5087	58.8	60.2	100.0
	-1	198	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8447	Missing cases	198		

B1.za) petrol

[zi in 1st questionnaire]

[When more than 1 box ticked, the one with the lower code was taken]

PA056 Petrol use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	1017	11.8	12.0	12.0
Most days	2	1370	15.8	16.1	28.1
1 PWK	3	3113	36.0	36.7	64.8
<1 PWK	4	913	10.6	10.8	75.6
Never	5	2071	24.0	24.4	100.0
	-1	161	1.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8484 Missing cases 161

B1.zb) machining

[zii in 1st questionnaire]

[When more than 1 box ticked, the one with the lower code was taken]

PA057 Machining before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	406	4.7	4.8	4.8
Most days	2	376	4.3	4.5	9.3
1 PWK	3	290	3.4	3.4	12.7
<1 PWK	4	498	5.8	5.9	18.6
Never	5	6855	79.3	81.4	100.0
	-1	220	2.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 8425 Missing cases 220

B1.zc) photographic chemicals/other chemicals

[ziii in 1st questionnaire]

[When more than 1 box ticked, the one with the lower code was taken]

PA058 Photochemical use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	188	2.2	2.2	2.2
Most days	2	172	2.0	2.0	4.3
1 PWK	3	131	1.5	1.5	5.8
<1 PWK	4	425	4.9	5.0	10.8
Never	5	7551	87.3	89.2	100.0
	-1	178	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8467 Missing cases 178

B1.zd) electrical wiring

[ziv in 1st questionnaire]

[When more than 1 box ticked, the one with the lower code was taken]

PA059 ELEC wiring use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	437	5.1	5.2	5.2
Most days	2	345	4.0	4.1	9.2
1 PWK	3	464	5.4	5.5	14.7
<1 PWK	4	2338	27.0	27.6	42.3
Never	5	4898	56.7	57.7	100.0
	-1	163	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8482 Missing cases 163

B1.ze) other chemical (please describe)

[zv in 1st questionnaire]

[When more than 1 box ticked, the one with the lower code was taken]

PA060 Other chemical use before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	325	3.8	4.4	4.4
Most days	2	232	2.7	3.2	7.6
1 PWK	3	111	1.3	1.5	9.1
<1 PWK	4	134	1.6	1.8	11.0
Never	5	6522	75.4	89.0	100.0
	-1	1321	15.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7324 Missing cases 1321

B2. What jobs have you had since the age of 16? Include part-time and voluntary work.
If you have not worked write 'None'.

Job	Materials/machines or chemicals used	Date started (month-year)	Date stopped (month-year)
1)
2)

[10 lines were allowed in questionnaire 24.8.90 but 16 thereafter]

If there is not enough space please continue on the back cover.

[Coders were instructed to count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they write 'none', code as zero]

PA061 No of jobs & voluntary work since 16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	46	.5	.6	.6
	1	1447	16.7	20.0	20.6
	2	1378	15.9	19.0	39.7
	3	1336	15.5	18.5	58.1
	4	1026	11.9	14.2	72.3
	5	738	8.5	10.2	82.5
	6	440	5.1	6.1	88.6
	7	302	3.5	4.2	92.7
	8	195	2.3	2.7	95.4
	9	113	1.3	1.6	97.0
	10	83	1.0	1.1	98.1
	11	45	.5	.6	98.8
	12	34	.4	.5	99.2
	13	16	.2	.2	99.5
	14	9	.1	.1	99.6
	15	12	.1	.2	99.8
	16	9	.1	.1	99.9
	17	4	.0	.1	99.9
	18	1	.0	.0	99.9
	22	1	.0	.0	100.0
	24	1	.0	.0	100.0
	25	1	.0	.0	100.0
	27	1	.0	.0	100.0
	-1	1407	16.3	Missing	
	Total	8645	100.0	100.0	
Valid cases	7238	Missing cases	1407		

SECTION C: YOUR HOUSEHOLD

C1. a) How long have you lived together with your partner?

years months

[Coders were asked to convert months into years and months if necessary. If months not stated, leave blank]

PA062YY YRS PTNR & mum lived together

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	273	3.2	3.4	3.4
	1	703	8.1	8.8	12.2
	2	852	9.9	10.6	22.8
	3	1065	12.3	13.3	36.1
	4	991	11.5	12.4	48.5
	5	984	11.4	12.3	60.8
	6	782	9.0	9.8	70.5
	7	605	7.0	7.6	78.1
	8	451	5.2	5.6	83.7
	9	341	3.9	4.3	88.0
	10	307	3.6	3.8	91.8
	11	191	2.2	2.4	94.2
	12	163	1.9	2.0	96.2
	13	84	1.0	1.0	97.3
	14	69	.8	.9	98.1
	15	44	.5	.5	98.7
	16	29	.3	.4	99.0
	17	25	.3	.3	99.3
	18	23	.3	.3	99.6
	19	10	.1	.1	99.8
	20	9	.1	.1	99.9
	21	5	.1	.1	99.9
	22	3	.0	.0	100.0
	26	1	.0	.0	100.0
	27	2	.0	.0	100.0
	-1	633	7.3	Missing	
	Total	8645	100.0	100.0	
Valid cases	8012	Missing cases	633		

PA062MM MTHS PTNR & mum lived together

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	863	10.0	13.4	13.4
	1	469	5.4	7.3	20.7
	2	554	6.4	8.6	29.3
	3	549	6.4	8.5	37.9
	4	471	5.4	7.3	45.2
	5	378	4.4	5.9	51.1
	6	1121	13.0	17.4	68.5
	7	351	4.1	5.5	74.0
	8	421	4.9	6.6	80.6
	9	490	5.7	7.6	88.2
	10	478	5.5	7.4	95.6
	11	281	3.3	4.4	100.0
	-1	2219	25.7	Missing	
	Total	8645	100.0	100.0	

Valid cases 6426 Missing cases 2219

C1. b) *Are you the father of your partner's unborn child?*

[For postnatal version the word 'study' was used instead of 'unborn']

Yes No Not sure

PA063 Dad of PTNRS unborn CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8429	97.5	99.3	99.3
No	2	43	.5	.5	99.8
Not sure	3	18	.2	.2	100.0
	-1	155	1.8	Missing	
	Total	8645	100.0	100.0	

Valid cases 8490 Missing cases 155

C2. How would you assess your partner's physical health

always fit and well
usually fit and well
sometimes unwell
often unwell
always unwell

[Coders were told where a communal/polygamous situation exists - in general, if there is more than one partner - if possible, code this for the most unwell person in the group excluding the respondent]

PA064 PTNRS physical health

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always well	1	1815	21.0	21.3	21.3
Usually well	2	5179	59.9	60.8	82.1
Sometimes unwell	3	1290	14.9	15.1	97.3
Often unwell	4	211	2.4	2.5	99.7
Always unwell	5	22	.3	.3	100.0
	-1	128	1.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	8517	Missing cases	128		

C3. a) What is your present marital status?

never married
widowed
divorced
separated
married (once only)
married for second or third time

[When more than 1 box ticked, the one with the lower code was taken]

PA065 PRES marital status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never married	1	1178	13.6	13.8	13.8
Widowed	2	6	.1	.1	13.9
Divorced	3	281	3.3	3.3	17.2
Separated	4	84	1.0	1.0	18.2
1st marriage	5	6222	72.0	73.1	91.3
Marriage 2 or 3	6	743	8.6	8.7	100.0
	-1	131	1.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	8514	Missing cases	131		

C3. b) *If married, what was the date of the most recent marriage?*

..../...../19....

[The date was subtracted from date of completion of questionnaire]

[If never married - this was left blank]

PA066 Years since last marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	813	9.4	12.5	12.5
	1.00	775	9.0	11.9	24.3
	2.00	819	9.5	12.5	36.9
	3.00	839	9.7	12.9	49.7
	4.00	725	8.4	11.1	60.8
	5.00	610	7.1	9.3	70.2
	6.00	514	5.9	7.9	78.0
	7.00	383	4.4	5.9	83.9
	8.00	247	2.9	3.8	87.7
	9.00	222	2.6	3.4	91.1
	10.00	153	1.8	2.3	93.4
	11.00	145	1.7	2.2	95.7
	12.00	95	1.1	1.5	97.1
	13.00	56	.6	.9	98.0
	14.00	34	.4	.5	98.5
	15.00	29	.3	.4	98.9
	16.00	30	.3	.5	99.4
	17.00	10	.1	.2	99.5
	18.00	11	.1	.2	99.7
	19.00	7	.1	.1	99.8
	20.00	7	.1	.1	99.9
	22.00	1	.0	.0	99.9
	24.00	1	.0	.0	100.0
	25.00	1	.0	.0	100.0
	30.00	1	.0	.0	100.0
	37.00	1	.0	.0	100.0
	-1.00	2116	24.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	6529	Missing cases	2116		

PA067 Marriage within past year (no. weeks ago)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9	.1	1.1	1.1
	1.00	18	.2	2.2	3.3
	2.00	10	.1	1.2	4.6
	3.00	15	.2	1.8	6.4
	4.00	10	.1	1.2	7.6
	5.00	18	.2	2.2	9.8
	6.00	9	.1	1.1	10.9
	7.00	13	.2	1.6	12.5
	8.00	17	.2	2.1	14.6
	9.00	25	.3	3.1	17.7
	10.00	21	.2	2.6	20.3
	11.00	20	.2	2.5	22.8
	12.00	18	.2	2.2	25.0
	13.00	18	.2	2.2	27.2
	14.00	16	.2	2.0	29.2
	15.00	22	.3	2.7	31.9
	16.00	20	.2	2.5	34.3
	17.00	13	.2	1.6	35.9
	18.00	15	.2	1.8	37.8
	19.00	14	.2	1.7	39.5
	20.00	14	.2	1.7	41.2
	21.00	13	.2	1.6	42.8
	22.00	12	.1	1.5	44.3
	23.00	12	.1	1.5	45.8
	24.00	10	.1	1.2	47.0
	25.00	16	.2	2.0	49.0
	26.00	20	.2	2.5	51.4
	27.00	18	.2	2.2	53.6
	28.00	9	.1	1.1	54.7
	29.00	10	.1	1.2	56.0
	30.00	9	.1	1.1	57.1
	31.00	14	.2	1.7	58.8
	32.00	15	.2	1.8	60.6
	33.00	15	.2	1.8	62.5
	34.00	12	.1	1.5	64.0
	35.00	20	.2	2.5	66.4
	36.00	12	.1	1.5	67.9
	37.00	12	.1	1.5	69.4
	38.00	20	.2	2.5	71.8
	39.00	12	.1	1.5	73.3
	40.00	15	.2	1.8	75.2
	41.00	22	.3	2.7	77.9
	42.00	19	.2	2.3	80.2
	43.00	15	.2	1.8	82.0
	44.00	17	.2	2.1	84.1
	45.00	23	.3	2.8	87.0
	46.00	19	.2	2.3	89.3
	47.00	21	.2	2.6	91.9
	48.00	12	.1	1.5	93.4
	49.00	13	.2	1.6	95.0
	50.00	21	.2	2.6	97.5
	51.00	14	.2	1.7	99.3
	52.00	6	.1	.7	100.0
	-1.00	7832	90.6	Missing	
	Total	8645	100.0	100.0	
Valid cases	813	Missing cases	7832		

C3. c) How many other marriages/live-in partners have you had?

PA068 NO of other marriage/livein PTNRS					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
None		0	5619	65.0	74.8
		1	1392	16.1	18.5
		2	341	3.9	4.5
		3	98	1.1	1.3
		4	35	.4	.5
		5	14	.2	.2
		6	9	.1	.1
		7	1	.0	.0
		8	2	.0	.0
		9	1	.0	.0
		10	2	.0	.0
		22	1	.0	.0
		-1	1130	13.1	Missing

		Total	8645	100.0	100.0
Valid cases	7515	Missing cases	1130		

C4. Please indicate how many of the children (aged 18 or under) living with you have:

[The words ‘(aged 18 or under)’ were not in 1st version; the postnatal version inserted ‘apart from the study child’ after children.]

Number of children:

- a) you and your partner as their natural parents
 - b) you as their natural father (but their natural mother is not present)
 - c) your partner as the natural mother (but you are not their natural father)
 - d) neither you nor your partner as natural parents (please describe whether you have adopted, fostered etc.)
- [If boxes left blank we assumed 0 such children]

PA070 Dad & PTNR NP of CH at home					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
None		0	4534	52.4	52.4
		1	2880	33.3	33.3
		2	958	11.1	11.1
		3	218	2.5	2.5
		4	42	.5	.5
		5	10	.1	.1
		6	2	.0	.0
		14	1	.0	.0

		Total	8645	100.0	100.0
Valid cases	8645	Missing cases	0		

PA071 Only dad NP of CH at home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	8508	98.4	98.4	98.4
	1	85	1.0	1.0	99.4
	2	37	.4	.4	99.8
	3	10	.1	.1	99.9
	4	3	.0	.0	100.0
	5	1	.0	.0	100.0
	10	1	.0	.0	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA072 Only PTNR NP of CH at home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	8062	93.3	93.3	93.3
	1	325	3.8	3.8	97.0
	2	183	2.1	2.1	99.1
	3	58	.7	.7	99.8
	4	14	.2	.2	100.0
	5	1	.0	.0	100.0
	6	1	.0	.0	100.0
	11	1	.0	.0	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA073 Neither dad or PTNR NP of CH at home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	8605	99.5	99.5	99.5
	1	29	.3	.3	99.9
	2	8	.1	.1	100.0
	3	1	.0	.0	100.0
	6	1	.0	.0	100.0
	11	1	.0	.0	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

C5. Are there other children of yourself or your partner who do not live with you?

Yes No

a) children of my partner

b) children of myself

c) children of partner & self

PA074 CH of PTNR not at home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	133	1.5	1.5	1.5
No	2	8512	98.5	98.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA075 CH of dad not at home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	704	8.1	8.1	8.1
No	2	7941	91.9	91.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA076 CH of dad & PTNR not at home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	69	.8	.8	.8
No	2	8576	99.2	99.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

SECTION D: YOUR MEDICAL HISTORY

D1. a) What is your weight? (Please state whether stones, pounds or kilos)

[The instruction in parentheses not included in 1st version]

[The coding instructions were as follows: 'This is tricky. Most people seem to be replying in stones and pounds. Code stones into the first two boxes, pounds into the third and fourth. Thus 8 stone 5 lbs. would be recorded as 0805. If they respond in kilograms, write the weight as a three digit number, followed by a 'K'. Round parts of a kilo to the nearest whole number. Round exact halves up to the nearest whole number. Similarly if they reply in pounds, a three digit number followed by a 'P' will do - no need to convert between measuring systems. If weight varies, code higher value given. If no answer is given, leave the boxes blank. For not known, code 9999.] (9999 was recoded to -2)


Values for this question which did not conform to the coding schedule were only used where a reasonable guess could be made for that value. If guess work was used this information is contained in the variable PAW003, which describes the dodginess of the weight variable. The weight can be used in imperial units (pounds, PAW001) and metric units (kilograms, PAW002).

PAW001 partners weight in lbs.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	91.00	1	.0	.0	.0
	92.40	1	.0	.0	.0
	98.00	4	.0	.0	.1
	104.00	1	.0	.0	.1
	105.00	6	.1	.1	.2
	110.00	3	.0	.0	.2
	112.00	17	.2	.2	.4
	113.00	5	.1	.1	.5
	114.00	1	.0	.0	.5
	116.00	2	.0	.0	.5
	116.60	1	.0	.0	.5
	117.00	2	.0	.0	.5
	118.00	1	.0	.0	.5
	119.00	17	.2	.2	.7
	120.00	3	.0	.0	.8
	121.00	2	.0	.0	.8
	122.00	1	.0	.0	.8
	.				
	.				
	.				
	266.00	15	.2	.2	99.8
	267.00	1	.0	.0	99.8
	272.00	1	.0	.0	99.8
	273.00	3	.0	.0	99.9
	280.00	5	.1	.1	99.9
	289.00	1	.0	.0	99.9
	294.00	1	.0	.0	100.0
	301.00	1	.0	.0	100.0
	315.00	1	.0	.0	100.0
	331.00	1	.0	.0	100.0
	364.00	1	.0	.0	100.0
unreasonable or ille	-3.00	4	.0	Missing	
not known	-2.00	33	.4	Missing	
missing	-1.00	181	2.1	Missing	
	Total	8641	100.0	100.0	

Histogram of partners weight in lbs.

Count Midpoint One symbol equals approximately 80.00 occurrences



Histogram frequency

Statistics for partner's weight in lbs.

Mean	171.536	Std err	.279	Median	168.000
Mode	154.000	Std dev	25.600	Variance	655.369
Kurtosis	1.540	S E Kurt	.053	Skewness	.781
S E Skew	.027	Range	273.000	Minimum	91.000
Maximum	364.000	Sum	1444844.00		

Centiles for partner's weight in lbs.


Percentile	Value	Percentile	Value	Percentile	Value
10.00	141.000	20.00	152.000	30.00	155.000
40.00	161.000	50.00	168.000	60.00	175.000
70.00	182.000	80.00	189.000	90.00	203.000

Valid cases 8423 Missing cases 218

PAW002 partners weight in kg

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
41.36			1	.0	.0	.0
42.00			1	.0	.0	.0
44.55			4	.0	.0	.1
47.27			1	.0	.0	.1
47.73			6	.1	.1	.2
50.00			3	.0	.0	.2
50.91			17	.2	.2	.4
51.36			5	.1	.1	.5
51.82			1	.0	.0	.5
52.73			2	.0	.0	.5
53.00			1	.0	.0	.5
53.18			2	.0	.0	.5
53.64			1	.0	.0	.5
54.09			17	.2	.2	.7
54.55			3	.0	.0	.8
55.00			2	.0	.0	.8
55.45			1	.0	.0	.8
.						
.						
.						
120.91			15	.2	.2	99.8
121.36			1	.0	.0	99.8
123.64			1	.0	.0	99.8
124.09			3	.0	.0	99.9
127.27			5	.1	.1	99.9
131.36			1	.0	.0	99.9
133.64			1	.0	.0	100.0
136.82			1	.0	.0	100.0
143.18			1	.0	.0	100.0
150.45			1	.0	.0	100.0
165.45			1	.0	.0	100.0
unreasonable or ille		-3.00	4	.0	Missing	
not known		-2.00	33	.4	Missing	
missing		-1.00	181	2.1	Missing	
Total			8641	100.0	100.0	

Histogram of partners weight in kg.



Statistics for partners weight in Kg.

Mean	77.971	Std err	.127	Median	76.364
Mode	70.000	Std dev	11.636	Variance	135.407
Kurtosis	1.540	S E Kurt	.053	Skewness	.781
S E Skew	.027	Range	124.091	Minimum	41.364
Maximum	165.455	Sum	656747.273		

Centiles for partners weight in Kg.

Percentile	Value	Percentile	Value	Percentile	Value
10.00	64.091	20.00	69.091	30.00	70.455
40.00	73.182	50.00	76.364	60.00	79.545
70.00	82.727	80.00	85.909	90.00	92.273
Valid cases	8423	Missing	218		

DI. b) Are you certain of this?

Yes *No*

PAW003 Certainty about weight

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	7292	84.4	86.5	86.5
no	2	1141	13.2	13.5	100.0
missing	-1	208	2.4	Missing	
	Total	8641	100.0	100.0	

D1. c)† What is your size in:

- i) hipsins
 - ii) waistins
 - iii) chestins
 - iv) collarins
 - v) inside legins
- (if you don't know write NK)


[Coders were told: these questions are specifically asked in inches, so if the answer is given in cms, convert (2.54cm = 1 inch. Round part inches up, to the next whole number. Code NK as 99.]

PAW004 hip size (inches)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	24.00	2	.0	.1	.1
	26.00	2	.0	.1	.2
	28.00	10	.1	.4	.6
	29.00	2	.0	.1	.6
	30.00	56	.6	2.2	2.9
	31.00	25	.3	1.0	3.9
	32.00	218	2.5	8.8	12.7
	33.00	66	.8	2.7	15.3
	34.00	382	4.4	15.3	30.7
	35.00	103	1.2	4.1	34.8
	36.00	460	5.3	18.5	53.3
	37.00	143	1.7	5.7	59.0
	38.00	413	4.8	16.6	75.6
	39.00	135	1.6	5.4	81.0
	40.00	238	2.8	9.6	90.6
	41.00	76	.9	3.1	93.7
	42.00	85	1.0	3.4	97.1
	43.00	27	.3	1.1	98.2
	44.00	25	.3	1.0	99.2
	45.00	4	.0	.2	99.3
	46.00	10	.1	.4	99.7
	47.00	1	.0	.0	99.8
	48.00	1	.0	.0	99.8
	49.00	1	.0	.0	99.8
	50.00	3	.0	.1	100.0
	52.00	1	.0	.0	100.0
unreasonable or ille	-3.00	8	.1	Missing	
not known	-2.00	4850	56.1	Missing	
missing	-1.00	1294	15.0	Missing	
Total		8641	100.0	100.0	

Histogram of hip size (inches)

Count Midpoint One symbol equals approximately 16.00 occurrences

**Statistics for hip size (inches)**

Mean	36.522	Std err	.065	Median	36.000
Mode	36.000	Std dev	3.245	Variance	10.533
Kurtosis	.486	S E Kurt	.098	Skewness	.188
S E Skew	.049	Range	28.000	Minimum	24.000
Maximum	52.000	Sum	90903.000		

Centiles for hip size (inches)


Percentile	Value	Percentile	Value	Percentile	Value
10.00	32.000	20.00	34.000	30.00	34.000
40.00	36.000	50.00	36.000	60.00	38.000
70.00	38.000	80.00	39.000	90.00	40.000
Valid cases	2489	Missing	6152		

PAW005 waist size (inches)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	24.00	8	.1	.1	.1
	26.00	8	.1	.1	.2
	27.00	1	.0	.0	.2
	28.00	106	1.2	1.4	1.6
	29.00	76	.9	1.0	2.6
	30.00	802	9.3	10.5	13.1
	31.00	317	3.7	4.1	17.2
	32.00	2087	24.2	27.3	44.5
	33.00	478	5.5	6.3	50.8
	34.00	1963	22.7	25.7	76.5
	35.00	203	2.3	2.7	79.1
	36.00	957	11.1	12.5	91.6
	37.00	65	.8	.9	92.5
	38.00	374	4.3	4.9	97.4
	39.00	16	.2	.2	97.6
	40.00	103	1.2	1.3	98.9
	41.00	5	.1	.1	99.0
	42.00	41	.5	.5	99.5
	43.00	2	.0	.0	99.6
	44.00	19	.2	.2	99.8
	46.00	8	.1	.1	99.9
	48.00	3	.0	.0	100.0
	50.00	1	.0	.0	100.0
	54.00	1	.0	.0	100.0
	58.00	1	.0	.0	100.0
unreasonable or ille	-3.00	14	.2	Missing	
not known	-2.00	549	6.4	Missing	
missing	-1.00	433	5.0	Missing	
		-----	-----	-----	
Total		8641	100.0	100.0	

Histogram of waist size (inches)

Count Midpoint One symbol equals approximately 80.00 occurrences



Statistics for waist size (inches)

Mean	33.385	Std err	.030	Median	33.000
Mode	32.000	Std dev	2.591	Variance	6.712
Kurtosis	3.488	S E Kurt	.056	Skewness	.929
S E Skew	.028	Range	34.000	Minimum	24.000
Maximum	58.000	Sum	255227.000		


Centiles for waist size (inches)

Percentile	Value	Percentile	Value	Percentile	Value
10.00	30.000	20.00	32.000	30.00	32.000
40.00	32.000	50.00	33.000	60.00	34.000
70.00	34.000	80.00	36.000	90.00	36.000
Valid cases	7645	Missing	996		

PAW006 chest size (inches)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		28.00	7	.1	.1	.1
		30.00	15	.2	.2	.3
		31.00	3	.0	.0	.4
		32.00	23	.3	.3	.7
		33.00	12	.1	.2	.9
		34.00	94	1.1	1.3	2.2
		35.00	40	.5	.6	2.8
		36.00	433	5.0	6.2	8.9
		36.80	1	.0	.0	8.9
		37.00	151	1.7	2.1	11.1
		38.00	1544	17.9	21.9	33.0
		39.00	232	2.7	3.3	36.3
		40.00	1819	21.1	25.8	62.2
		41.00	131	1.5	1.9	64.0
		42.00	1424	16.5	20.2	84.3
		43.00	83	1.0	1.2	85.4
		44.00	690	8.0	9.8	95.2
		45.00	28	.3	.4	95.6
		46.00	179	2.1	2.5	98.2
		47.00	11	.1	.2	98.3
		48.00	80	.9	1.1	99.5
		49.00	5	.1	.1	99.5
		50.00	12	.1	.2	99.7
		52.00	6	.1	.1	99.8
		54.00	6	.1	.1	99.9
		55.00	1	.0	.0	99.9
		56.00	5	.1	.1	100.0
		60.00	2	.0	.0	100.0
unreasonable or ille		-3.00	11	.1	Missing	
not known		-2.00	1029	11.9	Missing	
missing		-1.00	564	6.5	Missing	
		Total	8641	100.0	100.0	

Histogram of chest size (inches)



Statistics for chest size (inches)

Mean	40.224	Std err	.035	Median	40.000
Mode	40.000	Std dev	2.918	Variance	8.516
Kurtosis	2.229	S E Kurt	.058	Skewness	.412
S E Skew	.029	Range	32.000	Minimum	28.000
Maximum	60.000	Sum	283053.800		


Centiles for chest size (inches)

Percentile	Value	Percentile	Value	Percentile	Value
10.00	37.000	20.00	38.000	30.00	38.000
40.00	40.000	50.00	40.000	60.00	40.000
70.00	42.000	80.00	42.000	90.00	44.000
Valid cases	7037	Missing	1604		

PAW007 collar size (inches) [Only 2 digits were allowed - consequently ½ inches were omitted. In retrospect this was a gross error]

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	12.00	6	.1	.1	.1
	13.00	16	.2	.2	.3
	14.00	132	1.5	1.8	2.2
	15.00	1459	16.9	20.4	22.6
	16.00	3750	43.4	52.5	75.1
	17.00	1403	16.2	19.6	94.7
	18.00	316	3.7	4.4	99.1
	19.00	56	.6	.8	99.9
	20.00	3	.0	.0	100.0
	21.00	3	.0	.0	100.0
unreasonable or ille	-3.00	11	.1	Missing	
not known	-2.00	993	11.5	Missing	
missing	-1.00	493	5.7	Missing	
		-----	-----	-----	
	Total	8641	100.0	100.0	

Histogram collar size (inches)



Statistics for collar size (inches)

Mean	16.061	Std err	.010	Median	16.000
Mode	16.000	Std dev	.877	Variance	.769
Kurtosis	1.619	S E Kurt	.058	Skewness	.347
S E Skew	.029	Range	9.000	Minimum	12.000
Maximum	21.000	Sum	114739.000		

Centiles for collar size (inches)

Percentile	Value	Percentile	Value	Percentile	Value
10.00	15.000	20.00	15.000	30.00	16.000
40.00	16.000	50.00	16.000	60.00	16.000
70.00	16.000	80.00	17.000	90.00	17.000


Valid cases 7144 Missing cases 1497

PAW008 inside leg measurement (inches) (please use with extreme caution)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	21.00	4	.0	.1	.1
	21.60	2	.0	.0	.1
	22.00	4	.0	.1	.2
	23.00	5	.1	.1	.2
	24.00	12	.1	.2	.4
	25.00	3	.0	.0	.5
	26.00	9	.1	.1	.6
	27.00	45	.5	.7	1.4
	28.00	141	1.6	2.3	3.7
	29.00	792	9.2	13.0	16.7
	30.00	878	10.2	14.5	31.2
	31.00	1250	14.5	20.6	51.8
	32.00	1455	16.8	24.0	75.7
	33.00	751	8.7	12.4	88.1
	34.00	516	6.0	8.5	96.6
	35.00	65	.8	1.1	97.7
	36.00	101	1.2	1.7	99.3
	36.40	1	.0	.0	99.4
	36.80	1	.0	.0	99.4
	37.00	17	.2	.3	99.7
	38.00	13	.2	.2	99.9
	39.00	6	.1	.1	100.0
	39.20	1	.0	.0	100.0
	40.00	1	.0	.0	100.0
unreasonable or ille	-3.00	21	.2	Missing	
not known	-2.00	1945	22.5	Missing	
missing	-1.00	602	7.0	Missing	
Total		8641	100.0	100.0	

Histogram of inside leg measurement (inches)

Count Midpoint One symbol equals approximately 30.00 occurrences



Statistics for inside leg (inches)

Mean	31.361	Std err	.024	Median	31.000
Mode	32.000	Std dev	1.899	Variance	3.606
Kurtosis	1.961	S E Kurt	.063	Skewness	-.094
S E Skew	.031	Range	19.000	Minimum	21.000
Maximum	40.000	Sum	190455.600		

Centiles for inside leg (inches)

Percentile	Value	Percentile	Value	Percentile	Value
10.00	29.000	20.00	30.000	30.00	30.000
40.00	31.000	50.00	31.000	60.00	32.000
70.00	32.000	80.00	33.000	90.00	34.000
Valid cases	6073	Missing	2568		

D2.† a) *How tall are you ? (Please state whether feet, inches or metres)*

[The instruction in parentheses not included in 1st version]

[Coders were asked to code either cms, (i.e. a number probably in the range 145 to 190) or in feet and inches (i.e. a number probably in the range 410 to 602). Imperial heights are coded with feet as the first digit, inches as the second and third. Thus 5 foot 9 is coded as 509, 4 foot 11 is 411 and so on. Round part inches or centimetres up to the next whole number.] (The heights given were then converted to a cm. file and an inch file).

PAW009 partners height (inches)


Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	57.00	1	.0	.0	.0
	58.00	4	.0	.0	.1
	59.00	1	.0	.0	.1
	60.00	13	.2	.2	.2
	60.80	1	.0	.0	.2
	61.00	6	.1	.1	.3
	62.00	32	.4	.4	.7
	62.40	1	.0	.0	.7
	63.00	47	.5	.6	1.3
	63.20	1	.0	.0	1.3
	64.00	103	1.2	1.2	2.5
	64.80	1	.0	.0	2.5
	65.00	117	1.4	1.4	3.9
	65.60	1	.0	.0	3.9
	66.00	381	4.4	4.5	8.4
	66.40	3	.0	.0	8.4
	66.80	1	.0	.0	8.5
	67.00	463	5.4	5.5	13.9
	67.20	6	.1	.1	14.0
	67.60	2	.0	.0	14.0
	68.00	969	11.2	11.5	25.5
	68.40	4	.0	.0	25.6
	68.80	8	.1	.1	25.7
	69.00	708	8.2	8.4	34.1
	69.20	8	.1	.1	34.2
	69.60	6	.1	.1	34.2
	70.00	1340	15.5	15.9	50.1
	70.40	5	.1	.1	50.2
	70.80	5	.1	.1	50.2
	71.00	1218	14.1	14.4	64.7
	71.20	8	.1	.1	64.8
	71.60	6	.1	.1	64.8
	72.00	1266	14.7	15.0	79.8
	72.40	4	.0	.0	79.9
	72.80	8	.1	.1	80.0
	73.00	598	6.9	7.1	87.1
	73.20	9	.1	.1	87.2
	73.60	3	.0	.0	87.2
	74.00	585	6.8	6.9	94.1
	74.40	2	.0	.0	94.2
	74.80	1	.0	.0	94.2
	75.00	234	2.7	2.8	96.9
	75.20	7	.1	.1	97.0
	75.60	2	.0	.0	97.0
	76.00	138	1.6	1.6	98.7
	77.00	60	.7	.7	99.4
	77.20	3	.0	.0	99.4
	77.60	1	.0	.0	99.4

PAW009 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	78.00	20	.2	.2	99.7
	78.40	1	.0	.0	99.7
	78.80	1	.0	.0	99.7
	79.00	10	.1	.1	99.8
	79.60	1	.0	.0	99.8
	80.00	6	.1	.1	99.9
	82.00	3	.0	.0	99.9
	83.00	4	.0	.0	100.0
	84.00	1	.0	.0	100.0
unreasonable or ille	-3.00	6	.1	Missing	
not known	-2.00	29	.3	Missing	
missing	-1.00	168	1.9	Missing	
	Total	8641	100.0	100.0	

Histogram Partners height (inches)

Count Midpoint One symbol equals approximately 80.00 occurrences

**Statistics of partner's height (inches)**

Mean	70.383	Std err	.031	Median	70.000
Mode	70.000	Std dev	2.827	Variance	7.989
Kurtosis	.815	S E Kurt	.053	Skewness	-.167
S E Skew	.027	Range	27.000	Minimum	57.000
Maximum	84.000	Sum	593891.400		

Centiles for partner's height (inches)


Percentile	Value	Percentile	Value	Percentile	Value
10.00	67.000	20.00	68.000	30.00	69.000
40.00	70.000	50.00	70.000	60.00	71.000
70.00	72.000	80.00	73.000	90.00	74.000
Valid cases	8438	Missing	203		

PAW010 partners height (cm)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	142.50	1	.0	.0	.0
	145.00	4	.0	.0	.1
	147.50	1	.0	.0	.1
	150.00	13	.2	.2	.2
	152.00	1	.0	.0	.2
	152.50	6	.1	.1	.3
	155.00	32	.4	.4	.7
	156.00	1	.0	.0	.7
	157.50	47	.5	.6	1.3
	158.00	1	.0	.0	1.3
	160.00	103	1.2	1.2	2.5
	162.00	1	.0	.0	2.5
	162.50	117	1.4	1.4	3.9
	164.00	1	.0	.0	3.9
	165.00	381	4.4	4.5	8.4
	166.00	3	.0	.0	8.4
	167.00	1	.0	.0	8.5
	167.50	463	5.4	5.5	13.9
	168.00	6	.1	.1	14.0
	169.00	2	.0	.0	14.0
	170.00	969	11.2	11.5	25.5
	171.00	4	.0	.0	25.6
	172.00	8	.1	.1	25.7
	172.50	708	8.2	8.4	34.1
	173.00	8	.1	.1	34.2
	174.00	6	.1	.1	34.2
	175.00	1340	15.5	15.9	50.1
	176.00	5	.1	.1	50.2
	177.00	5	.1	.1	50.2
	177.50	1218	14.1	14.4	64.7
	178.00	8	.1	.1	64.8
	179.00	6	.1	.1	64.8
	180.00	1266	14.7	15.0	79.8
	181.00	4	.0	.0	79.9
	182.00	8	.1	.1	80.0
	182.50	598	6.9	7.1	87.1
	183.00	9	.1	.1	87.2
	184.00	3	.0	.0	87.2
	185.00	585	6.8	6.9	94.1
	186.00	2	.0	.0	94.2
	187.00	1	.0	.0	94.2
	187.50	234	2.7	2.8	96.9
	188.00	7	.1	.1	97.0
	189.00	2	.0	.0	97.0
	190.00	138	1.6	1.6	98.7
	192.50	60	.7	.7	99.4
	193.00	3	.0	.0	99.4
	194.00	1	.0	.0	99.4
	195.00	20	.2	.2	99.7
	196.00	1	.0	.0	99.7
	197.00	1	.0	.0	99.7
	197.50	10	.1	.1	99.8
	199.00	1	.0	.0	99.8
	200.00	6	.1	.1	99.9
	205.00	3	.0	.0	99.9
	207.50	4	.0	.0	100.0
	210.00	1	.0	.0	100.0
unreasonable or ille	-3.00	6	.1	Missing	
not known	-2.00	29	.3	Missing	
missing	-1.00	168	1.9	Missing	
Total		8641	100.0	100.0	

Histogram partners height (cm)

Count Midpoint One symbol equals approximately 80.00 occurrences

**Statistics of partner's height (cm)**

Mean	175.957	Std err	.077	Median	175.000
Mode	175.000	Std dev	7.066	Variance	49.934
Kurtosis	.815	S E Kurt	.053	Skewness	-.167
S E Skew	.027	Range	67.500	Minimum	142.500
Maximum	210.000	Sum	1484728.50		

Centiles of partner's height (cm)

Percentile	Value	Percentile	Value	Percentile	Value
10.00	167.500	20.00	170.000	30.00	172.500
40.00	175.000	50.00	175.000	60.00	177.500
70.00	180.000	80.00	182.500	90.00	185.000

Valid cases 8438 Missing cases 203

D2. b) Are you certain of this?

Yes No

PAW011 Certainty about height

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	7856	90.9	93.0	93.0
no	2	595	6.9	7.0	100.0
missing	-1	190	2.2	Missing	
Total		8641	100.0	100.0	

D3.† *Have you ever had any of the following infections:*

Yes *No never* *Don't know*

D3.a)measles

PA080 Had measles

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	6123	70.8	72.5	72.5
No		2	2321	26.8	27.5	100.0
		-1	201	2.3	Missing	
			-----	-----	-----	
			Total	8645	100.0	100.0
Valid cases	8444	Missing cases	201			

D3.b)mumps

PA081 Had mumps

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	4391	50.8	52.0	52.0
No		2	4053	46.9	48.0	100.0
		-1	201	2.3	Missing	
			-----	-----	-----	
			Total	8645	100.0	100.0
Valid cases	8444	Missing cases	201			

D3.c) chicken pox

PA082 Had chicken pox

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	6835	79.1	80.9	80.9
No		2	1609	18.6	19.1	100.0
		-1	201	2.3	Missing	
			-----	-----	-----	
			Total	8645	100.0	100.0
Valid cases	8444	Missing cases	201			

D3.d)whooping cough

PA083 Had whooping cough

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	885	10.2	10.5	10.5
No		2	7559	87.4	89.5	100.0
		-1	201	2.3	Missing	
			-----	-----	-----	
			Total	8645	100.0	100.0
Valid cases	8444	Missing cases	201			

D3.e) cold sores

PA084 Had cold sores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3573	41.3	42.3	42.3
No	2	4871	56.3	57.7	100.0
	-1	201	2.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

D3.f) meningitis

PA085 Had meningitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	111	1.3	1.3	1.3
No	2	8333	96.4	98.7	100.0
	-1	201	2.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

D3.g)genital herpes

PA086 Had genital herpes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	94	1.1	1.1	1.1
No	2	8350	96.6	98.9	100.0
	-1	201	2.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

D3.h)syphilis

PA087 Had syphilis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	16	.2	.2	.2
No	2	8428	97.5	99.8	100.0
	-1	201	2.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

D3.i) gonorrhoea

PA088 Had gonorrhea

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	152	1.8	1.8	1.8
No	2	8292	95.9	98.2	100.0
	-1	201	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

D3.j) urinary infection, cystitis, pyelitis

PA089 Had urinary infection

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	917	10.6	10.9	10.9
No	2	7527	87.1	89.1	100.0
	-1	201	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

PA089A No. of infections

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	458	5.3	5.4	5.4
	1.00	995	11.5	11.8	17.2
	2.00	1811	20.9	21.4	38.7
	3.00	2878	33.3	34.1	72.7
	4.00	1746	20.2	20.7	93.4
	5.00	484	5.6	5.7	99.1
	6.00	62	.7	.7	99.9
	7.00	10	.1	.1	100.0
	-1.00	201	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

*D4.† Have you ever had any of the following operations:**Yes**No**D4.a)tonsils out*

PA090 Had tonsils out

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1766	20.4	20.9	20.9
No	2	6680	77.3	79.1	100.0
	-1	199	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8446 Missing cases 199

D4.b)adenoids out

PA091 had adenoids out

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	904	10.5	10.7	10.7
No	2	7521	87.0	89.3	100.0
	-1	220	2.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	8425	Missing cases	220		

D4.c) hernia repair

PA092 Had hernia repair OP

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	390	4.5	4.6	4.6
No	2	8055	93.2	95.4	100.0
	-1	200	2.3	Missing	
	Total	8645	100.0	100.0	
Valid cases	8445	Missing cases	200		

D4.d)appendix out

PA093 Had appendix out

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	674	7.8	8.0	8.0
No	2	7767	89.8	92.0	100.0
	-1	204	2.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	8441	Missing cases	204		

D4.e) gall bladder out

PA094 Had gall bladder out

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	15	.2	.2	.2
No	2	8426	97.5	99.8	100.0
	-1	204	2.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	8441	Missing cases	204		

D4.f) circumcision

PA095 Was circumcised

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	998	11.5	11.8	11.8
No	2	7442	86.1	88.2	100.0
	-1	205	2.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 8440 Missing cases 205

D4.g)pyloric stenosis operation

PA096 Had pyloric stenosis OP

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	20	.2	.2	.2
No	2	8360	96.7	99.8	100.0
	-1	265	3.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8380 Missing cases 265

D4.h)squint repaired

PA097 Had squint repaired

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	166	1.9	2.0	2.0
No	2	8273	95.7	98.0	100.0
	-1	206	2.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 8439 Missing cases 206

D4.i) plastic surgery

PA098 Had plastic surgery

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	131	1.5	1.6	1.6
No	2	8313	96.2	98.4	100.0
	-1	201	2.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8444 Missing cases 201

D4.j) grommets in your ears

PA099 Had ear grommets

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	134	1.6	1.6	1.6
No	2	8288	95.9	98.4	100.0
	-1	223	2.6	Missing	
	Total	8645	100.0	100.0	
Valid cases	8422	Missing cases	223		

D4.k) other type of operation (please tick and describe)

[Coders were instructed to ensure that any writing in the 'please describe' area is matched by a 'yes' tick on D4k]

PA100 Had other type of OP

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2067	23.9	24.4	24.4
No	2	6410	74.1	75.6	100.0
	-1	168	1.9	Missing	
	Total	8645	100.0	100.0	
Valid cases	8477	Missing cases	168		

*D5.† Have any of the following ever happened?**(Tick one in each row, and add age if you had such an incident)*

<i>Yes and stayed in hospital</i>	<i>Yes saw doctor, did not</i>	<i>Yes treated at home stay in hospital</i>	<i>No never happened only</i>	<i>Age this first happened</i>
-----------------------------------	--------------------------------	---	-------------------------------	--------------------------------

a) You were badly burnt

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA110 Badly burnt

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	125	1.4	1.5	1.5
Y saw Dr	2	342	4.0	4.1	5.5
Y home treatment	3	216	2.5	2.6	8.1
N never	4	7739	89.5	91.9	100.0
	-1	223	2.6	Missing	
	Total	8645	100.0	100.0	
Valid cases	8422	Missing cases	223		

PA111 Badly burnt, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	683	7.9	8.1	8.1
No	2.00	7739	89.5	91.9	100.0
	-1.00	223	2.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8422 Missing cases 223

PA112 Age badly burnt

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	.4	.4
	1	18	.2	3.3	3.7
	2	24	.3	4.4	8.1
	3	26	.3	4.8	12.8
	4	26	.3	4.8	17.6
	5	28	.3	5.1	22.8
	6	19	.2	3.5	26.2
	7	23	.3	4.2	30.5
	8	33	.4	6.1	36.5
	9	15	.2	2.8	39.3
	10	32	.4	5.9	45.1
	11	13	.2	2.4	47.5
	12	24	.3	4.4	51.9
	13	16	.2	2.9	54.9
	14	21	.2	3.9	58.7
	15	10	.1	1.8	60.6
	16	30	.3	5.5	66.1
	17	24	.3	4.4	70.5
	18	22	.3	4.0	74.5
	19	12	.1	2.2	76.7
	20	11	.1	2.0	78.7
	21	12	.1	2.2	80.9
	22	12	.1	2.2	83.1
	23	21	.2	3.9	87.0
	24	8	.1	1.5	88.4
	25	10	.1	1.8	90.3
	26	8	.1	1.5	91.7
	27	13	.2	2.4	94.1
	28	7	.1	1.3	95.4
	29	7	.1	1.3	96.7
	30	6	.1	1.1	97.8
	31	2	.0	.4	98.2
	32	1	.0	.2	98.3
	33	4	.0	.7	99.1
	34	1	.0	.2	99.3
	35	1	.0	.2	99.4
	36	2	.0	.4	99.8
	38	1	.0	.2	100.0
	-2	7739	89.5	Missing	
	-1	361	4.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 545 Missing cases 8100

D5.b) You were badly scalded

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA113 Badly scalded

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	94	1.1	1.1	1.1
Y saw Dr	2	257	3.0	3.1	4.2
Y home treatment	3	220	2.5	2.6	6.8
N never	4	7854	90.9	93.2	100.0
	-1	220	2.5	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8425	Missing cases	220		

PA114 Badly scalded, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	571	6.6	6.8	6.8
No	2.00	7854	90.9	93.2	100.0
	-1.00	220	2.5	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8425	Missing cases	220		

PA115 Age badly scalded

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	.4	.4
	1	24	.3	5.3	5.8
	2	40	.5	8.8	14.6
	3	32	.4	7.1	21.7
	4	27	.3	6.0	27.7
	5	36	.4	8.0	35.6
	6	24	.3	5.3	40.9
	7	23	.3	5.1	46.0
	8	34	.4	7.5	53.5
	9	17	.2	3.8	57.3
	10	23	.3	5.1	62.4
	11	11	.1	2.4	64.8
	12	10	.1	2.2	67.0
	13	11	.1	2.4	69.5
	14	16	.2	3.5	73.0
	15	11	.1	2.4	75.4
	16	10	.1	2.2	77.7
	17	13	.2	2.9	80.5
	18	10	.1	2.2	82.7
	19	8	.1	1.8	84.5
	20	8	.1	1.8	86.3
	21	15	.2	3.3	89.6
	22	4	.0	.9	90.5
	23	8	.1	1.8	92.3
	24	4	.0	.9	93.1
	25	5	.1	1.1	94.2
	26	7	.1	1.5	95.8
	27	6	.1	1.3	97.1
	28	1	.0	.2	97.3
	29	3	.0	.7	98.0
	30	1	.0	.2	98.2
	31	1	.0	.2	98.5
	32	3	.0	.7	99.1
	34	1	.0	.2	99.3
	35	1	.0	.2	99.6
	38	1	.0	.2	99.8
	42	1	.0	.2	100.0
	-2	7854	90.9	Missing	
	-1	339	3.9	Missing	
	Total	8645	100.0	100.0	
Valid cases	452	Missing cases	8193		

D5.c) You took a lot of pills or medicine

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA116 Took a lot of pills

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	177	2.0	2.1	2.1
Y saw Dr	2	87	1.0	1.0	3.1
Y home treatment	3	82	.9	1.0	4.1
N never	4	8069	93.3	95.9	100.0
	-1	230	2.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8415	Missing cases	230		

PA117 Took a lot of pills/medicine, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	346	4.0	4.1	4.1
No	2.00	8069	93.3	95.9	100.0
	-1.00	230	2.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8415	Missing cases	230		

PA118 Age took a lot of pills/medicine

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.4	.4
	1	9	.1	3.4	3.8
	2	21	.2	8.0	11.8
	3	27	.3	10.3	22.1
	4	15	.2	5.7	27.8
	5	9	.1	3.4	31.2
	6	10	.1	3.8	35.0
	7	6	.1	2.3	37.3
	8	4	.0	1.5	38.8
	9	3	.0	1.1	39.9
	10	3	.0	1.1	41.1
	11	3	.0	1.1	42.2
	12	2	.0	.8	43.0
	13	2	.0	.8	43.7
	14	6	.1	2.3	46.0
	15	10	.1	3.8	49.8
	16	6	.1	2.3	52.1
	17	13	.2	4.9	57.0
	18	12	.1	4.6	61.6
	19	9	.1	3.4	65.0
	20	9	.1	3.4	68.4
	21	11	.1	4.2	72.6
	22	9	.1	3.4	76.0
	23	5	.1	1.9	77.9
	24	9	.1	3.4	81.4
	25	8	.1	3.0	84.4
	26	5	.1	1.9	86.3
	27	1	.0	.4	86.7
	28	6	.1	2.3	89.0
	29	3	.0	1.1	90.1
	30	9	.1	3.4	93.5
	31	3	.0	1.1	94.7
	32	1	.0	.4	95.1
	33	3	.0	1.1	96.2
	34	2	.0	.8	97.0
	35	2	.0	.8	97.7
	36	2	.0	.8	98.5
	39	1	.0	.4	98.9
	40	1	.0	.4	99.2
	43	1	.0	.4	99.6
	50	1	.0	.4	100.0
	-2	8069	93.3	Missing	
	-1	313	3.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	263				
	Missing cases	8382			

D5.d)You broke an arm or hand

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA119 Broke arm or hand

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	472	5.5	5.6	5.6
Y saw Dr	2	1664	19.2	19.8	25.4
Y home treatment	3	46	.5	.5	26.0
N never	4	6224	72.0	74.0	100.0
	-1	239	2.8	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8406	Missing cases	239		

PA120 Broke arm/hand, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2182	25.2	26.0	26.0
No	2.00	6224	72.0	74.0	100.0
	-1.00	239	2.8	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8406	Missing cases	239		

PA121 Age broke arm/hand

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	3	.0	.2	.2
	1	2	.0	.1	.3
	2	15	.2	.9	1.2
	3	12	.1	.7	1.8
	4	25	.3	1.4	3.3
	5	34	.4	2.0	5.2
	6	55	.6	3.2	8.4
	7	66	.8	3.8	12.2
	8	79	.9	4.6	16.8
	9	62	.7	3.6	20.3
	10	125	1.4	7.2	27.5
	11	86	1.0	5.0	32.5
	12	123	1.4	7.1	39.6
	13	108	1.2	6.2	45.8
	14	155	1.8	8.9	54.7
	15	79	.9	4.6	59.3
	16	78	.9	4.5	63.8
	17	79	.9	4.6	68.3
	18	69	.8	4.0	72.3
	19	53	.6	3.1	75.3
	20	62	.7	3.6	78.9
	21	41	.5	2.4	81.3
	22	53	.6	3.1	84.3
	23	36	.4	2.1	86.4
	24	35	.4	2.0	88.4
	25	32	.4	1.8	90.3
	26	30	.3	1.7	92.0
	27	30	.3	1.7	93.7
	28	29	.3	1.7	95.4
	29	14	.2	.8	96.2
	30	10	.1	.6	96.8
	31	12	.1	.7	97.5
	32	10	.1	.6	98.0
	33	5	.1	.3	98.3
	34	4	.0	.2	98.6
	35	5	.1	.3	98.8
	36	5	.1	.3	99.1
	37	7	.1	.4	99.5
	38	2	.0	.1	99.7
	39	1	.0	.1	99.7
	40	1	.0	.1	99.8
	41	2	.0	.1	99.9
	43	1	.0	.1	99.9
	45	1	.0	.1	100.0
	-2	6224	72.0	Missing	
	-1	685	7.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	1736	Missing cases	6909		

D5.e) You broke a leg or foot

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA122 Broke leg or foot

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	534	6.2	6.4	6.4
Y saw Dr	2	857	9.9	10.2	16.5
Y home treatment	3	33	.4	.4	16.9
N never	4	6983	80.8	83.1	100.0
	-1	238	2.8	Missing	
		-----	-----	-----	
Valid cases	8407	Total	8645	100.0	100.0
		Missing cases	238		

PA123 Broke leg/foot, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1424	16.5	16.9	16.9
No	2.00	6983	80.8	83.1	100.0
	-1.00	238	2.8	Missing	
		-----	-----	-----	
Valid cases	8407	Total	8645	100.0	100.0
		Missing cases	238		

PA124 Age broke leg/foot

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	7	.1	.6	.6
	2	15	.2	1.3	2.0
	3	19	.2	1.7	3.6
	4	15	.2	1.3	5.0
	5	15	.2	1.3	6.3
	6	25	.3	2.2	8.5
	7	20	.2	1.8	10.3
	8	25	.3	2.2	12.5
	9	19	.2	1.7	14.2
	10	33	.4	2.9	17.1
	11	30	.3	2.7	19.8
	12	34	.4	3.0	22.8
	13	48	.6	4.3	27.1
	14	66	.8	5.9	32.9
	15	53	.6	4.7	37.6
	16	86	1.0	7.6	45.3
	17	87	1.0	7.7	53.0
	18	82	.9	7.3	60.2
	19	47	.5	4.2	64.4
	20	59	.7	5.2	69.7
	21	42	.5	3.7	73.4
	22	40	.5	3.5	76.9
	23	38	.4	3.4	80.3
	24	36	.4	3.2	83.5
	25	32	.4	2.8	86.3
	26	32	.4	2.8	89.2
	27	28	.3	2.5	91.7
	28	23	.3	2.0	93.7
	29	5	.1	.4	94.1
	30	22	.3	2.0	96.1
	31	9	.1	.8	96.9
	32	12	.1	1.1	98.0
	33	6	.1	.5	98.5
	34	2	.0	.2	98.7
	35	4	.0	.4	99.0
	36	4	.0	.4	99.4
	37	2	.0	.2	99.6
	38	3	.0	.3	99.8
	39	1	.0	.1	99.9
	47	1	.0	.1	100.0
	-2	6983	80.8	Missing	
	-1	535	6.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	1127				
	Missing cases	7518			

D5.f) You nearly drowned

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA125 Nearly drowned

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	13	.2	.2	.2
Y saw Dr	2	57	.7	.7	.8
Y home treatment	3	425	4.9	5.1	5.9
N never	4	7912	91.5	94.1	100.0
	-1	238	2.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8407 Missing cases 238

PA126 Nearly drowned, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	495	5.7	5.9	5.9
No	2.00	7912	91.5	94.1	100.0
	-1.00	238	2.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8407 Missing cases 238

PA127 Age nearly drowned

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.2	.2
	1	4	.0	1.0	1.2
	2	13	.2	3.1	4.4
	3	15	.2	3.6	8.0
	4	26	.3	6.3	14.3
	5	35	.4	8.5	22.8
	6	29	.3	7.0	29.8
	7	30	.3	7.3	37.0
	8	29	.3	7.0	44.1
	9	26	.3	6.3	50.4
	10	34	.4	8.2	58.6
	11	18	.2	4.4	63.0
	12	21	.2	5.1	68.0
	13	19	.2	4.6	72.6
	14	22	.3	5.3	78.0
	15	6	.1	1.5	79.4
	16	13	.2	3.1	82.6
	17	10	.1	2.4	85.0
	18	10	.1	2.4	87.4
	19	5	.1	1.2	88.6
	20	12	.1	2.9	91.5
	21	4	.0	1.0	92.5
	22	3	.0	.7	93.2
	23	8	.1	1.9	95.2
	24	2	.0	.5	95.6
	25	4	.0	1.0	96.6
	26	3	.0	.7	97.3
	27	3	.0	.7	98.1
	28	2	.0	.5	98.5
	29	1	.0	.2	98.8
	30	2	.0	.5	99.3
	32	1	.0	.2	99.5
	34	1	.0	.2	99.8
	40	1	.0	.2	100.0
	-2	7912	91.5	Missing	
	-1	320	3.7	Missing	
	Total	8645	100.0	100.0	
Valid cases	413	Missing cases	8232		

D5.g) You were in a road traffic accident

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA128 Road traffic accident					Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
Y	hospitalised	1	808	9.3	9.6	9.6
Y	saw Dr	2	1235	14.3	14.7	24.3
Y	home treatment	3	1029	11.9	12.3	36.6
N	never	4	5321	61.6	63.4	100.0
		-1	252	2.9	Missing	
		Total	8645	100.0	100.0	
Valid cases	8393	Missing cases	252			

PA129 Road traffic accident, Y/N					Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	3072	35.5	36.6	36.6
No		2.00	5321	61.6	63.4	100.0
		-1.00	252	2.9	Missing	
		Total	8645	100.0	100.0	
Valid cases	8393	Missing cases	252			

PA130 Age in road traffic accident

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	9	.1	.4	.4
	2	5	.1	.2	.6
	3	18	.2	.7	1.3
	4	19	.2	.8	2.1
	5	26	.3	1.1	3.2
	6	35	.4	1.5	4.7
	7	44	.5	1.8	6.5
	8	48	.6	2.0	8.5
	9	33	.4	1.4	9.9
	10	56	.6	2.3	12.2
	11	31	.4	1.3	13.5
	12	58	.7	2.4	15.9
	13	39	.5	1.6	17.5
	14	59	.7	2.5	20.0
	15	48	.6	2.0	22.0
	16	182	2.1	7.6	29.6
	17	303	3.5	12.6	42.2
	18	312	3.6	13.0	55.2
	19	169	2.0	7.0	62.2
	20	154	1.8	6.4	68.6
	21	147	1.7	6.1	74.8
	22	97	1.1	4.0	78.8
	23	73	.8	3.0	81.8
	24	77	.9	3.2	85.0
	25	64	.7	2.7	87.7
	26	52	.6	2.2	89.9
	27	38	.4	1.6	91.5
	28	44	.5	1.8	93.3
	29	29	.3	1.2	94.5
	30	29	.3	1.2	95.7
	31	16	.2	.7	96.4
	32	23	.3	1.0	97.3
	33	8	.1	.3	97.7
	34	16	.2	.7	98.3
	35	13	.2	.5	98.9
	36	6	.1	.2	99.1
	37	3	.0	.1	99.3
	38	6	.1	.2	99.5
	39	1	.0	.0	99.5
	40	4	.0	.2	99.7
	41	2	.0	.1	99.8
	42	1	.0	.0	99.8
	45	2	.0	.1	99.9
	46	1	.0	.0	100.0
	47	1	.0	.0	100.0
	-2	5321	61.6	Missing	
	-1	923	10.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	2401	Missing cases	6244		

D5.h)You were sexually assaulted

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA131 Sexually assaulted

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	3	.0	.0	.0
Y saw Dr	2	10	.1	.1	.2
Y home treatment	3	66	.8	.8	.9
N never	4	8318	96.2	99.1	100.0
	-1	248	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8397 Missing cases 248

PA132 Sexually assaulted, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	79	.9	.9	.9
No	2.00	8318	96.2	99.1	100.0
	-1.00	248	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8397 Missing cases 248

PA133 Age sexually assaulted

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.0	1.4	1.4
	3	2	.0	2.8	4.2
	4	2	.0	2.8	7.0
	5	1	.0	1.4	8.5
	6	3	.0	4.2	12.7
	7	5	.1	7.0	19.7
	8	12	.1	16.9	36.6
	9	10	.1	14.1	50.7
	10	12	.1	16.9	67.6
	11	6	.1	8.5	76.1
	12	3	.0	4.2	80.3
	13	2	.0	2.8	83.1
	14	3	.0	4.2	87.3
	15	1	.0	1.4	88.7
	16	2	.0	2.8	91.5
	17	1	.0	1.4	93.0
	18	2	.0	2.8	95.8
	19	1	.0	1.4	97.2
	22	1	.0	1.4	98.6
	33	1	.0	1.4	100.0
	-2	8318	96.2	Missing	
	-1	256	3.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 71 Missing cases 8574

D5.i) You were injured playing sports or games

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA134	Injured playing sport				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
Y	hospitalised	1	591	6.8	7.0	7.0
Y	saw Dr	2	2516	29.1	30.0	37.0
Y	home treatment	3	1020	11.8	12.1	49.1
N	never	4	4270	49.4	50.9	100.0
		-1	248	2.9	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8397	Missing cases	248			

PA135	Injured playing sport, Y/N				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	4127	47.7	49.1	49.1
No		2.00	4270	49.4	50.9	100.0
		-1.00	248	2.9	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8397	Missing cases	248			

PA136 Age injured playing sport

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2	1	.0	.0	.0
	3	1	.0	.0	.1
	4	6	.1	.2	.3
	5	16	.2	.6	.8
	6	22	.3	.8	1.6
	7	33	.4	1.1	2.7
	8	49	.6	1.7	4.4
	9	50	.6	1.7	6.1
	10	111	1.3	3.8	9.9
	11	118	1.4	4.1	14.0
	12	186	2.2	6.4	20.4
	13	181	2.1	6.2	26.6
	14	304	3.5	10.5	37.1
	15	282	3.3	9.7	46.8
	16	227	2.6	7.8	54.6
	17	137	1.6	4.7	59.3
	18	152	1.8	5.2	64.5
	19	93	1.1	3.2	67.7
	20	126	1.5	4.3	72.1
	21	95	1.1	3.3	75.3
	22	102	1.2	3.5	78.8
	23	78	.9	2.7	81.5
	24	94	1.1	3.2	84.8
	25	94	1.1	3.2	88.0
	26	75	.9	2.6	90.6
	27	60	.7	2.1	92.6
	28	72	.8	2.5	95.1
	29	29	.3	1.0	96.1
	30	45	.5	1.5	97.7
	31	18	.2	.6	98.3
	32	15	.2	.5	98.8
	33	8	.1	.3	99.1
	34	11	.1	.4	99.4
	35	5	.1	.2	99.6
	36	3	.0	.1	99.7
	38	1	.0	.0	99.8
	39	2	.0	.1	99.8
	40	1	.0	.0	99.9
	41	1	.0	.0	99.9
	42	1	.0	.0	99.9
	43	1	.0	.0	100.0
	49	1	.0	.0	100.0
	-2	4270	49.4	Missing	
	-1	1468	17.0	Missing	
		-----	-----	-----	
Valid cases	2907	Total	8645	100.0	100.0
		Missing cases	5738		

D5.j) You had an accident while on a bicycle

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA137 Accident while on a bicycle

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	273	3.2	3.2	3.2
Y saw Dr	2	1055	12.2	12.5	15.8
Y home treatment	3	2379	27.5	28.3	44.1
N never	4	4701	54.4	55.9	100.0
	-1	237	2.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8408	Missing cases	237		

PA138 Accident while on bicycle, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3707	42.9	44.1	44.1
No	2.00	4701	54.4	55.9	100.0
	-1.00	237	2.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8408	Missing cases	237		

PA139 Age in accident on bicycle

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2	1	.0	.0	.0
	3	13	.2	.5	.6
	4	40	.5	1.6	2.2
	5	90	1.0	3.6	5.8
	6	82	.9	3.3	9.1
	7	143	1.7	5.8	14.9
	8	160	1.9	6.5	21.4
	9	120	1.4	4.9	26.2
	10	287	3.3	11.6	37.8
	11	145	1.7	5.9	43.7
	12	247	2.9	10.0	53.7
	13	184	2.1	7.4	61.1
	14	252	2.9	10.2	71.3
	15	186	2.2	7.5	78.9
	16	164	1.9	6.6	85.5
	17	84	1.0	3.4	88.9
	18	44	.5	1.8	90.7
	19	23	.3	.9	91.6
	20	43	.5	1.7	93.3
	21	17	.2	.7	94.0
	22	22	.3	.9	94.9
	23	10	.1	.4	95.3
	24	16	.2	.6	96.0
	25	12	.1	.5	96.4
	26	10	.1	.4	96.8
	27	9	.1	.4	97.2
	28	15	.2	.6	97.8
	29	12	.1	.5	98.3
	30	7	.1	.3	98.6
	31	10	.1	.4	99.0
	32	6	.1	.2	99.2
	33	1	.0	.0	99.3
	34	3	.0	.1	99.4
	35	2	.0	.1	99.5
	36	2	.0	.1	99.6
	37	2	.0	.1	99.6
	38	1	.0	.0	99.7
	40	4	.0	.2	99.8
	41	1	.0	.0	99.9
	42	1	.0	.0	99.9
	45	2	.0	.1	100.0
	-2	4701	54.4	Missing	
	-1	1471	17.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	2473				
	Missing cases	6172			

D5.k) You were injured in a fight

[1st version did not have the word 'injured']

[When more than 1 box ticked, the one with the lower code was taken;
age rounded down to nearest whole year]

PA140 Injured in a fight

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	184	2.1	2.2	2.2
Y saw Dr	2	775	9.0	9.2	11.4
Y home treatment	3	1446	16.7	17.2	28.7
N never	4	5978	69.1	71.3	100.0
	-1	262	3.0	Missing	
		-----	-----	-----	
Valid cases	8383	Total	8645	100.0	100.0
		Missing cases	262		

PA141 Injured in fight, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2405	27.8	28.7	28.7
No	2.00	5978	69.1	71.3	100.0
	-1.00	262	3.0	Missing	
		-----	-----	-----	
Valid cases	8383	Total	8645	100.0	100.0
		Missing cases	262		

PA142 Age injured in fight

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		3	1	.0	.1	.1
		4	4	.0	.3	.3
		5	10	.1	.7	1.0
		6	19	.2	1.3	2.3
		7	28	.3	1.9	4.2
		8	44	.5	3.0	7.1
		9	38	.4	2.6	9.7
		10	76	.9	5.1	14.8
		11	54	.6	3.6	18.4
		12	80	.9	5.4	23.8
		13	84	1.0	5.6	29.4
		14	108	1.2	7.3	36.7
		15	103	1.2	6.9	43.6
		16	120	1.4	8.1	51.6
		17	120	1.4	8.1	59.7
		18	145	1.7	9.7	69.4
		19	84	1.0	5.6	75.1
		20	81	.9	5.4	80.5
		21	58	.7	3.9	84.4
		22	46	.5	3.1	87.5
		23	44	.5	3.0	90.5
		24	39	.5	2.6	93.1
		25	22	.3	1.5	94.6
		26	19	.2	1.3	95.8
		27	9	.1	.6	96.4
		28	13	.2	.9	97.3
		29	9	.1	.6	97.9
		30	11	.1	.7	98.7
		31	4	.0	.3	98.9
		32	4	.0	.3	99.2
		33	1	.0	.1	99.3
		34	1	.0	.1	99.3
		35	3	.0	.2	99.5
		36	2	.0	.1	99.7
		37	3	.0	.2	99.9
		40	1	.0	.1	99.9
		41	1	.0	.1	100.0
		-2	5978	69.1	Missing	
		-1	1178	13.6	Missing	
		Total	8645	100.0	100.0	
Valid cases	1489	Missing cases	7156			

D5.l) Your parents hurt you

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA143 Hurt by parents

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	8	.1	.1	.1
Y saw Dr	2	11	.1	.1	.2
Y home treatment	3	215	2.5	2.6	2.8
N never	4	8160	94.4	97.2	100.0
	-1	251	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8394 Missing cases 251

PA144 Hurt by parents, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	234	2.7	2.8	2.8
No	2.00	8160	94.4	97.2	100.0
	-1.00	251	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8394 Missing cases 251

PA145 Age hurt by parents

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2	2	.0	1.6	1.6
	3	4	.0	3.2	4.8
	4	11	.1	8.8	13.6
	5	10	.1	8.0	21.6
	6	6	.1	4.8	26.4
	7	6	.1	4.8	31.2
	8	10	.1	8.0	39.2
	9	9	.1	7.2	46.4
	10	20	.2	16.0	62.4
	11	14	.2	11.2	73.6
	12	8	.1	6.4	80.0
	13	6	.1	4.8	84.8
	14	7	.1	5.6	90.4
	15	4	.0	3.2	93.6
	16	3	.0	2.4	96.0
	17	3	.0	2.4	98.4
	18	1	.0	.8	99.2
	20	1	.0	.8	100.0
	-2	8160	94.4	Missing	
	-1	360	4.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 125 Missing cases 8520

D5.m) You were hurt by someone else

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA146 Hurt by others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	109	1.3	1.3	1.3
Y saw Dr	2	303	3.5	3.6	4.9
Y home treatment	3	659	7.6	7.9	12.8
N never	4	7288	84.3	87.2	100.0
	-1	286	3.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8359	Missing cases	286		

PA147 Hurt by others, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1071	12.4	12.8	12.8
No	2.00	7288	84.3	87.2	100.0
	-1.00	286	3.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8359	Missing cases	286		

PA148 Age hurt by others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.0	.2	.2
	4	3	.0	.5	.7
	5	15	.2	2.5	3.2
	6	21	.2	3.5	6.7
	7	11	.1	1.8	8.5
	8	25	.3	4.2	12.7
	9	18	.2	3.0	15.7
	10	37	.4	6.2	21.9
	11	27	.3	4.5	26.4
	12	25	.3	4.2	30.6
	13	28	.3	4.7	35.3
	14	45	.5	7.5	42.8
	15	38	.4	6.4	49.2
	16	41	.5	6.9	56.0
	17	40	.5	6.7	62.7
	18	51	.6	8.5	71.2
	19	29	.3	4.8	76.1
	20	22	.3	3.7	79.8
	21	21	.2	3.5	83.3
	22	26	.3	4.3	87.6
	23	12	.1	2.0	89.6
	24	9	.1	1.5	91.1
	25	10	.1	1.7	92.8
	26	11	.1	1.8	94.6
	27	2	.0	.3	95.0
	28	4	.0	.7	95.7
	29	6	.1	1.0	96.7
	30	3	.0	.5	97.2
	31	1	.0	.2	97.3
	32	1	.0	.2	97.5
	33	2	.0	.3	97.8
	34	1	.0	.2	98.0
	35	3	.0	.5	98.5
	36	1	.0	.2	98.7
	37	3	.0	.5	99.2
	38	1	.0	.2	99.3
	40	1	.0	.2	99.5
	41	1	.0	.2	99.7
	45	1	.0	.2	99.8
	46	1	.0	.2	100.0
	-2	7288	84.3	Missing	
	-1	759	8.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	598	Missing cases	8047		

D5.n)Your head was hit

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA149 Head hurt

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	554	6.4	6.6	6.6
Y saw Dr	2	1454	16.8	17.4	24.0
Y home treatment	3	1136	13.1	13.6	37.6
N never	4	5210	60.3	62.4	100.0
	-1	291	3.4	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8354	Missing cases	291		

PA150 Head hit, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3144	36.4	37.6	37.6
No	2.00	5210	60.3	62.4	100.0
	-1.00	291	3.4	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8354	Missing cases	291		

PA151 Age head was hit

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
	1	12	.1	.6	.6
	2	21	.2	1.0	1.6
	3	25	.3	1.2	2.8
	4	50	.6	2.4	5.2
	5	74	.9	3.5	8.8
	6	79	.9	3.8	12.6
	7	98	1.1	4.7	17.2
	8	134	1.6	6.4	23.7
	9	102	1.2	4.9	28.6
	10	176	2.0	8.4	37.0
	11	75	.9	3.6	40.6
	12	123	1.4	5.9	46.5
	13	87	1.0	4.2	50.6
	14	142	1.6	6.8	57.5
	15	96	1.1	4.6	62.1
	16	95	1.1	4.6	66.6
	17	98	1.1	4.7	71.3
	18	112	1.3	5.4	76.7
	19	50	.6	2.4	79.1
	20	64	.7	3.1	82.1
	21	48	.6	2.3	84.4
	22	45	.5	2.2	86.6
	23	46	.5	2.2	88.8
	24	39	.5	1.9	90.7
	25	35	.4	1.7	92.3
	26	23	.3	1.1	93.4
	27	19	.2	.9	94.3
	28	23	.3	1.1	95.4
	29	15	.2	.7	96.2
	30	17	.2	.8	97.0
	31	13	.2	.6	97.6
	32	9	.1	.4	98.0
	33	5	.1	.2	98.3
	34	10	.1	.5	98.8
	35	7	.1	.3	99.1
	36	4	.0	.2	99.3
	37	5	.1	.2	99.5
	38	2	.0	.1	99.6
	39	3	.0	.1	99.8
	40	1	.0	.0	99.8
	44	1	.0	.0	99.9
	45	2	.0	.1	100.0
	46	1	.0	.0	100.0
	-2	5210	60.3	Missing	
	-1	1348	15.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	2087	Missing cases	6558		

D5.o)You were badly cut

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA152 Badly cut

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	400	4.6	4.8	4.8
Y saw Dr	2	2367	27.4	28.3	33.1
Y home treatment	3	759	8.8	9.1	42.2
N never	4	4839	56.0	57.8	100.0
	-1	280	3.2	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8365	Missing cases	280		

PA153 Badly cut, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3526	40.8	42.2	42.2
No	2.00	4839	56.0	57.8	100.0
	-1.00	280	3.2	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8365	Missing cases	280		

PA154 Age badly cut

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
	1	5	.1	.2	.3
	2	22	.3	.9	1.2
	3	37	.4	1.6	2.8
	4	48	.6	2.1	4.8
	5	86	1.0	3.7	8.5
	6	74	.9	3.2	11.7
	7	109	1.3	4.7	16.4
	8	148	1.7	6.3	22.7
	9	103	1.2	4.4	27.1
	10	174	2.0	7.4	34.5
	11	97	1.1	4.2	38.7
	12	134	1.6	5.7	44.4
	13	107	1.2	4.6	49.0
	14	126	1.5	5.4	54.4
	15	106	1.2	4.5	58.9
	16	110	1.3	4.7	63.7
	17	110	1.3	4.7	68.4
	18	125	1.4	5.4	73.7
	19	86	1.0	3.7	77.4
	20	79	.9	3.4	80.8
	21	53	.6	2.3	83.0
	22	63	.7	2.7	85.7
	23	60	.7	2.6	88.3
	24	46	.5	2.0	90.3
	25	41	.5	1.8	92.0
	26	38	.4	1.6	93.7
	27	30	.3	1.3	94.9
	28	24	.3	1.0	96.0
	29	20	.2	.9	96.8
	30	14	.2	.6	97.4
	31	14	.2	.6	98.0
	32	8	.1	.3	98.4
	33	8	.1	.3	98.7
	34	8	.1	.3	99.1
	35	8	.1	.3	99.4
	36	4	.0	.2	99.6
	37	3	.0	.1	99.7
	38	1	.0	.0	99.7
	39	2	.0	.1	99.8
	40	2	.0	.1	99.9
	44	2	.0	.1	100.0
	-2	4839	56.0	Missing	
	-1	1470	17.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	2336				
Missing cases		6309			

D5.p)You had a bad fall

[When more than 1 box ticked, the one with the lower code was taken;
age rounded down to nearest whole year]

PA155 Bad fall

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	268	3.1	3.2	3.2
Y saw Dr	2	705	8.2	8.4	11.7
Y home treatment	3	625	7.2	7.5	19.1
N never	4	6751	78.1	80.9	100.0
	-1	296	3.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8349	Missing cases	296		

PA156 Bad fall, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1598	18.5	19.1	19.1
No	2.00	6751	78.1	80.9	100.0
	-1.00	296	3.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8349	Missing cases	296		

Valid cases 981

D5.q)You attempted suicide

[When more than 1 box ticked, the one with the lower code was taken; age rounded down to nearest whole year]

PA158 Attempted suicide

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y hospitalised	1	95	1.1	1.1	1.1
Y saw Dr	2	38	.4	.5	1.6
Y home treatment	3	54	.6	.6	2.2
N never	4	8197	94.8	97.8	100.0
	-1	261	3.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 8384 Missing cases 261

PA159 Attempted suicide, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	187	2.2	2.2	2.2
No	2.00	8197	94.8	97.8	100.0
	-1.00	261	3.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 8384 Missing cases 261

PA160 Age attempted suicide

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	6	1	.0	.7	.7
	11	2	.0	1.5	2.2
	12	2	.0	1.5	3.6
	14	5	.1	3.6	7.3
	15	2	.0	1.5	8.8
	16	8	.1	5.8	14.6
	17	8	.1	5.8	20.4
	18	15	.2	10.9	31.4
	19	8	.1	5.8	37.2
	20	14	.2	10.2	47.4
	21	10	.1	7.3	54.7
	22	9	.1	6.6	61.3
	23	10	.1	7.3	68.6
	24	5	.1	3.6	72.3
	25	6	.1	4.4	76.6
	26	2	.0	1.5	78.1
	27	2	.0	1.5	79.6
	28	3	.0	2.2	81.8
	29	4	.0	2.9	84.7
	30	5	.1	3.6	88.3
	31	3	.0	2.2	90.5
	33	3	.0	2.2	92.7
	34	2	.0	1.5	94.2
	35	2	.0	1.5	95.6
	36	3	.0	2.2	97.8
	39	2	.0	1.5	99.3
	40	1	.0	.7	100.0
	-2	8197	94.8	Missing	
	-1	311	3.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	137	Missing cases	8508		

D5.r) You had another type of accident or injury (please describe)

[Coders were asked to ensure that any writing in the 'please describe' area is matched by a 'yes' tick on D5r. If it is not, please code a zero on that line to indicate information in the 'please describe' section]

PA161 Other type of accident or injury				Valid	Cum
Value Label	Value	Frequency	Percent	Percent	Percent
Yes, nos	0	144	1.7	1.7	1.7
Y hospitalised	1	204	2.4	2.4	4.1
Y saw Dr	2	385	4.5	4.5	8.6
Y home treatment	3	83	1.0	1.0	9.6
N never	4	7673	88.8	90.4	100.0
	-1	156	1.8	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8489	Missing cases	156		

PA162 Other accident/injury, Y/N				Valid	Cum
Value Label	Value	Frequency	Percent	Percent	Percent
Yes	1.00	816	9.4	9.6	9.6
No	2.00	7673	88.8	90.4	100.0
	-1.00	156	1.8	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8489	Missing cases	156		

PA163 Age had other accident/injury				Valid		Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
1			3	.0	.8	.8
2			8	.1	2.0	2.8
3			6	.1	1.5	4.3
4			9	.1	2.3	6.5
5			8	.1	2.0	8.5
6			10	.1	2.5	11.1
7			9	.1	2.3	13.3
8			11	.1	2.8	16.1
9			5	.1	1.3	17.3
10			12	.1	3.0	20.4
11			11	.1	2.8	23.1
12			12	.1	3.0	26.1
13			16	.2	4.0	30.2
14			19	.2	4.8	34.9
15			12	.1	3.0	37.9
16			25	.3	6.3	44.2
17			16	.2	4.0	48.2
18			18	.2	4.5	52.8
19			18	.2	4.5	57.3
20			23	.3	5.8	63.1
21			16	.2	4.0	67.1
22			13	.2	3.3	70.4
23			18	.2	4.5	74.9
24			15	.2	3.8	78.6
25			14	.2	3.5	82.2
26			11	.1	2.8	84.9
27			10	.1	2.5	87.4
28			5	.1	1.3	88.7
29			6	.1	1.5	90.2
30			8	.1	2.0	92.2
31			3	.0	.8	93.0
32			4	.0	1.0	94.0
33			7	.1	1.8	95.7
34			2	.0	.5	96.2
35			4	.0	1.0	97.2
36			1	.0	.3	97.5
37			1	.0	.3	97.7
38			1	.0	.3	98.0
40			1	.0	.3	98.2
41			2	.0	.5	98.7
42			1	.0	.3	99.0
43			1	.0	.3	99.2
44			2	.0	.5	99.7
49			1	.0	.3	100.0
-2			7673	88.8	Missing	
-1			574	6.6	Missing	
		Total	8645	100.0	100.0	
Valid cases		398	Missing cases	8247		
PA164 Any accident						
		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	7651	88.5	88.5	88.5
No		2.00	994	11.5	11.5	100.0
		Total	8645	100.0	100.0	
Valid cases		8645	Missing cases	0		

PA165 Hospitalised for accident

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2536	29.3	29.3	29.3
No	2.00	6109	70.7	70.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

D6. Have you ever had any of the following problems:

Yes had it recently *Yes in past, not now* *No never* *Don't know*

a) hay fever

[If yes stated but no time period given, code 4 was used]

PA170 Had hay fever

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	1729	20.0	20.7	20.7
Y in past	2	829	9.6	9.9	30.7
N never	3	5779	66.8	69.3	100.0
	-1	308	3.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8337 Missing cases 308

PA170A Had hay fever, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2558	29.6	30.7	30.7
No	2.00	5779	66.8	69.3	100.0
	-1.00	308	3.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8337 Missing cases 308

D6.b) indigestion

[If yes stated but no time period given, code 4 was used]

PA171 Had indigestion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	2233	25.8	26.6	26.6
Y in past	2	3094	35.8	36.9	63.5
N never	3	3068	35.5	36.5	100.0
	-1	250	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8395	Missing cases	250		

PA171A Had indigestion, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	5327	61.6	63.5	63.5
No	2.00	3068	35.5	36.5	100.0
	-1.00	250	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8395	Missing cases	250		

D6.c) bulimia

[If yes stated but no time period given, code 4 was used]

PA172 Had bulimia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	7	.1	.1	.1
Y in past	2	29	.3	.4	.5
N never	3	7781	90.0	99.5	100.0
	-1	828	9.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	7817	Missing cases	828		

PA172A Had bulimia, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	36	.4	.5	.5
No	2.00	7781	90.0	99.5	100.0
	-1.00	828	9.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	7817	Missing cases	828		

D6.d) asthma

[If yes stated but no time period given, code 4 was used]

PA173 Had asthma

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	530	6.1	6.3	6.3
Y in past	2	555	6.4	6.5	12.8
N never	3	7393	85.5	87.2	100.0
	-1	167	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8478	Missing cases	167		
PA173A	Had asthma, Y/N				

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1085	12.6	12.8	12.8
No	2.00	7393	85.5	87.2	100.0
	-1.00	167	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8478	Missing cases	167		

D6.e) eczema

[If yes stated but no time period given, code 4 was used]

PA174 Had eczema

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	545	6.3	6.5	6.5
Y in past	2	585	6.8	7.0	13.5
N never	3	7262	84.0	86.5	100.0
	-1	253	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8392	Missing cases	253		

PA174A Had eczema, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1130	13.1	13.5	13.5
No	2.00	7262	84.0	86.5	100.0
	-1.00	253	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8392	Missing cases	253		

D6.f) *epilepsy***[If yes stated but no time period given, code 4 was used]**

PA175 Had epilepsy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	21	.2	.2	.2
Y in past	2	64	.7	.8	1.0
N never	3	8405	97.2	99.0	100.0
	-1	155	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8490 Missing cases 155

PA175A Had epilepsy, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	85	1.0	1.0	1.0
No	2.00	8405	97.2	99.0	100.0
	-1.00	155	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8490 Missing cases 155

D6.g) *convulsions with a fever***[If yes stated but no time period given, code 4 was used]**

PA176 Had convulsions with fever

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	9	.1	.1	.1
Y in past	2	168	1.9	2.0	2.1
N never	3	8256	95.5	97.9	100.0
	-1	212	2.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8433 Missing cases 212

PA176A Had convulsions + fever, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	177	2.0	2.1	2.1
No	2.00	8256	95.5	97.9	100.0
	-1.00	212	2.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8433 Missing cases 212

D6.h) migraine**[If yes stated but no time period given, code 4 was used]**

PA177 Had migraine

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	772	8.9	9.2	9.2
Y in past	2	1618	18.7	19.3	28.4
N never	3	6012	69.5	71.6	100.0
	-1	243	2.8	Missing	
	Total	8645	100.0	100.0	

Valid cases 8402 Missing cases 243

PA177A Had migraine, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2390	27.6	28.4	28.4
No	2.00	6012	69.5	71.6	100.0
	-1.00	243	2.8	Missing	
	Total	8645	100.0	100.0	

Valid cases 8402 Missing cases 243

D6.i) back pain/slipped disc**[If yes stated but no time period given, code 4 was used]**

Back pain or slipped disc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	1576	18.2	18.5	18.5
Y in past	2	2406	27.8	28.3	46.8
N never	3	4519	52.3	53.2	100.0
	-1	144	1.7	Missing	
	Total	8645	100.0	100.0	

Valid cases 8501 Missing cases 144

PA178A Had back pain/slipped disc, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3982	46.1	46.8	46.8
No	2.00	4519	52.3	53.2	100.0
	-1.00	144	1.7	Missing	
	Total	8645	100.0	100.0	

Valid cases 8501 Missing cases 144

D6.j) kidney disease**[If yes stated but no time period given, code 4 was used]**

PA179 Had kidney disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	25	.3	.3	.3
Y in past	2	154	1.8	1.8	2.1
N never	3	8313	96.2	97.9	100.0
	-1	153	1.8	Missing	
	Total	8645	100.0	100.0	

Valid cases 8492 Missing cases 153

PA179A Had kidney disease, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	179	2.1	2.1	2.1
No	2.00	8313	96.2	97.9	100.0
	-1.00	153	1.8	Missing	
	Total	8645	100.0	100.0	

Valid cases 8492 Missing cases 153

D6.k) varicose veins**[If yes stated but no time period given, code 4 was used]**

PA180 Had varicose veins

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	179	2.1	2.1	2.1
Y in past	2	60	.7	.7	2.8
N never	3	8264	95.6	97.2	100.0
	-1	142	1.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8503 Missing cases 142

PA180A Had varicose veins, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	239	2.8	2.8	2.8
No	2.00	8264	95.6	97.2	100.0
	-1.00	142	1.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8503 Missing cases 142

D6.l) haemorrhoids/piles

[If yes stated but no time period given, code 4 was used]

PA181 Had hemorrhoids or piles

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	589	6.8	7.0	7.0
Y in past	2	1146	13.3	13.5	20.5
N never	3	6723	77.8	79.5	100.0
	-1	187	2.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8458 Missing cases 187

PA181A Had haemorrhoids/piles, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1735	20.1	20.5	20.5
No	2.00	6723	77.8	79.5	100.0
	-1.00	187	2.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8458 Missing cases 187

D6.m) rheumatism

[If yes stated but no time period given, code 4 was used]

PA182 Had rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	165	1.9	2.0	2.0
Y in past	2	183	2.1	2.2	4.1
N never	3	8050	93.1	95.9	100.0
	-1	247	2.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8398 Missing cases 247

PA182A Had rheumatism, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	348	4.0	4.1	4.1
No	2.00	8050	93.1	95.9	100.0
	-1.00	247	2.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8398 Missing cases 247

D6.n) arthritis**[If yes stated but no time period given, code 4 was used]**

PA183 Had arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	240	2.8	2.9	2.9
Y in past	2	133	1.5	1.6	4.5
N never	3	8009	92.6	95.5	100.0
	-1	263	3.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8382	Missing cases	263		

PA183A Had arthritis, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	373	4.3	4.5	4.5
No	2.00	8009	92.6	95.5	100.0
	-1.00	263	3.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8382	Missing cases	263		

D6.o) psoriasis**[If yes stated but no time period given, code 4 was used]**

PA184 Had psoriasis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	181	2.1	2.2	2.2
Y in past	2	76	.9	.9	3.1
N never	3	8020	92.8	96.9	100.0
	-1	368	4.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8277	Missing cases	368		

PA184A Had psoriasis, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	257	3.0	3.1	3.1
No	2.00	8020	92.8	96.9	100.0
	-1.00	368	4.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8277	Missing cases	368		

D6.p) stomach ulcer

[If yes stated but no time period given, code 4 was used]

PA185 Had stomach ulcer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	71	.8	.8	.8
Y in past	2	211	2.4	2.5	3.4
N never	3	8113	93.8	96.6	100.0
	-1	250	2.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8395 Missing cases 250

PA185A Had stomach ulcer, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	282	3.3	3.4	3.4
No	2.00	8113	93.8	96.6	100.0
	-1.00	250	2.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8395 Missing cases 250

D6.q) other repeated pains in your stomach

[If yes stated but no time period given, code 4 was used]

PA186 Had other pains in stomach

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	293	3.4	3.5	3.5
Y in past	2	741	8.6	8.7	12.2
N never	3	7448	86.2	87.8	100.0
	-1	163	1.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8482 Missing cases 163

PA186A Had PID, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1034	12.0	12.2	12.2
No	2.00	7448	86.2	87.8	100.0
	-1.00	163	1.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8482 Missing cases 163

D6.r) drug addiction

[If yes stated but no time period given, code 4 was used]

PA187 Had drug addiction

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	32	.4	.4	.4
Y in past	2	72	.8	.8	1.2
N never	3	8387	97.0	98.8	100.0
	-1	154	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8491 Missing cases 154

PA187A Had drug addiction, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	104	1.2	1.2	1.2
No	2.00	8387	97.0	98.8	100.0
	-1.00	154	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8491 Missing cases 154

D6.s) alcoholism

[If yes stated but no time period given, code 4 was used]

PA188 Had alcoholism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	35	.4	.4	.4
Y in past	2	208	2.4	2.5	2.9
N never	3	8186	94.7	97.1	100.0
	-1	216	2.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8429 Missing cases 216

PA188A Had alcoholism, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	243	2.8	2.9	2.9
No	2.00	8186	94.7	97.1	100.0
	-1.00	216	2.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8429 Missing cases 216

D6.t) *schizophrenia***[If yes stated but no time period given, code 4 was used]**

PA189 Had schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	5	.1	.1	.1
Y in past	2	9	.1	.1	.2
N never	3	8436	97.6	99.8	100.0
	-1	195	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8450	Missing cases	195		

PA189A Had schizophrenia, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	14	.2	.2	.2
No	2.00	8436	97.6	99.8	100.0
	-1.00	195	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8450	Missing cases	195		

D6.u) *anorexia nervosa***[If yes stated but no time period given, code 4 was used]**

PA190 Had anorexia nervosa

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	1	.0	.0	.0
Y in past	2	8	.1	.1	.1
N never	3	8468	98.0	99.9	100.0
	-1	168	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8477	Missing cases	168		

PA190A Had anorexia nervosa, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	9	.1	.1	.1
No	2.00	8468	98.0	99.9	100.0
	-1.00	168	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8477	Missing cases	168		

D6.v) *severe depression***[If yes stated but no time period given, code 4 was used]**

PA191 Had severe depression

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	64	.7	.8	.8
Y in past	2	451	5.2	5.4	6.1
N never	3	7913	91.5	93.9	100.0
	-1	217	2.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	8428	Missing cases	217		

PA191A Had severe depression, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	515	6.0	6.1	6.1
No	2.00	7913	91.5	93.9	100.0
	-1.00	217	2.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	8428	Missing cases	217		

D6.w) *other psychiatric problem***[If yes stated but no time period given, code 4 was used]**

PA192 Had other psychiatric PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y recently	1	21	.2	.2	.2
Y in past	2	114	1.3	1.4	1.6
N never	3	8300	96.0	98.4	100.0
	-1	210	2.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	8435	Missing cases	210		

PA192A Had other psychiatric problem, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	135	1.6	1.6	1.6
No	2.00	8300	96.0	98.4	100.0
	-1.00	210	2.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	8435	Missing cases	210		

D6.x) other problem (please tick & describe)

[If yes stated but no time period given, code 4 was used]

[Coders were asked to ensure that any writing in the 'please describe' area is matched by a 'yes' tick on D6x. If it is not, please code a zero on that line to indicate information in the 'please describe' section]

PA193 Had other PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, nos	0	43	.5	.5	.5
Y recently	1	207	2.4	2.4	2.9
Y in past	2	179	2.1	2.1	5.0
N never	3	8142	94.2	95.0	100.0
	-1	74	.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8571 Missing cases 74

PA193A Had other problem, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	429	5.0	5.0	5.0
No	2.00	8142	94.2	95.0	100.0
	-1.00	74	.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8571 Missing cases 74

D7. a) Are there any problems for which you have regular treatment or medicine?

Yes No

D7. b) If yes, please describe the problem and regular treatment or medicine:

[Coders were asked to ensure that any writing in the 'please describe' area is matched by a 'yes' tick in D7a]

Problem Treatment or medicine

[These have been keyed as text but not yet coded]

PA200 PROBS requiring REG treatment

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1148	13.3	13.6	13.6
No	2	7285	84.3	86.4	100.0
	-1	212	2.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 8433 Missing cases 212

D8. a) *Would you say that you were allergic to anything?*

<i>Yes</i>		<i>No</i>				
PA210	Any allergies					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	2954	34.2	35.1	35.1
No		2	5465	63.2	64.9	100.0
		-1	226	2.6	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases		8419	Missing cases		226	

D8. b) *If yes, is it to:*

- Yes* *No* *Don't know*
 i) *cat*
 ii) *pollen*
 iii) *dust*
 iv) *insect bites or stings*
 v) *something else (please describe)*

[Coders ensured that any entry in the 'please describe' area is matched by a yes' tick in D8bv]

PA211		Cat allergy					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes		1	662	7.7	7.8	7.8	
No		2	7812	90.4	92.2	100.0	
		-1	171	2.0	Missing		
		Total		8645	100.0	100.0	
Valid cases		8474	Missing cases		171		

PA212		Pollen allergy					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes		1	1434	16.6	16.9	16.9	
No		2	7040	81.4	83.1	100.0	
		-1	171	2.0	Missing		
		Total		8645	100.0	100.0	
Valid cases		8474	Missing cases		171		

PA213 Dust allergy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1165	13.5	13.7	13.7
No	2	7309	84.5	86.3	100.0
	-1	171	2.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8474 Missing cases 171

PA214 Insect bite or sting allergy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	267	3.1	3.2	3.2
No	2	8207	94.9	96.8	100.0
	-1	171	2.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8474 Missing cases 171

PA215 Other allergy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1166	13.5	13.8	13.8
No	2	7308	84.5	86.2	100.0
	-1	171	2.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8474 Missing cases 171

D9. Have you had any of the following in the past two years:

Yes, often *Yes, sometimes* *No, not at all*

a) attacks of wheezing with whistling on the chest

[When more than 1 box ticked, the one with the lower code was taken]

PA220 Whistly chest wheeze in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	315	3.6	3.7	3.7
Y sometimes	2	1250	14.5	14.7	18.4
N never	3	6928	80.1	81.6	100.0
	-1	152	1.8	Missing	
	Total	8645	100.0	100.0	
Valid cases	8493	Missing cases	152		

PA220A Whistly chest wheeze in past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1565	18.1	18.4	18.4
No	2.00	6928	80.1	81.6	100.0
	-1.00	152	1.8	Missing	
	Total	8645	100.0	100.0	
Valid cases	8493	Missing cases	152		

D9.b) a dry itchy rash

[When more than 1 box ticked, the one with the lower code was taken]

PA221 Dry itchy rash in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	322	3.7	3.8	3.8
Y sometimes	2	1296	15.0	15.3	19.1
N never	3	6874	79.5	80.9	100.0
	-1	153	1.8	Missing	
	Total	8645	100.0	100.0	
Valid cases	8492	Missing cases	153		

PA221A Dry itchy rash in past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1618	18.7	19.1	19.1
No	2.00	6874	79.5	80.9	100.0
	-1.00	153	1.8	Missing	
	Total	8645	100.0	100.0	
Valid cases	8492	Missing cases	153		

D9.c) a blotchy blistery rash (hives)**[When more than 1 box ticked, the one with the lower code was taken]**

PA222 Hives in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	43	.5	.5	.5
Y sometimes	2	233	2.7	2.8	3.3
N never	3	8189	94.7	96.7	100.0
	-1	180	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8465	Missing cases	180		

PA222A Hives in past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	276	3.2	3.3	3.3
No	2.00	8189	94.7	96.7	100.0
	-1.00	180	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8465	Missing cases	180		

D9.d) sneezing attacks**[When more than 1 box ticked, the one with the lower code was taken]**

PA223 Sneezing attack in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	536	6.2	6.3	6.3
Y sometimes	2	1952	22.6	23.0	29.3
N never	3	6002	69.4	70.7	100.0
	-1	155	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8490	Missing cases	155		

PA223A Sneezing attack in past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2488	28.8	29.3	29.3
No	2.00	6002	69.4	70.7	100.0
	-1.00	155	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8490	Missing cases	155		

D9.e) runny nose**[When more than 1 box ticked, the one with the lower code was taken]**

PA224 Runny nose in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	575	6.7	6.8	6.8
Y sometimes	2	4738	54.8	55.7	62.5
N never	3	3193	36.9	37.5	100.0
	-1	139	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8506 Missing cases 139

PA224A Runny nose in past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	5313	61.5	62.5	62.5
No	2.00	3193	36.9	37.5	100.0
	-1.00	139	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8506 Missing cases 139

D9.f) watery eyes**[When more than 1 box ticked, the one with the lower code was taken]**

PA225 Watery eyes in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	414	4.8	4.9	4.9
Y sometimes	2	2790	32.3	32.9	37.8
N never	3	5274	61.0	62.2	100.0
	-1	167	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8478 Missing cases 167

PA225A Watery eyes in past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3204	37.1	37.8	37.8
No	2.00	5274	61.0	62.2	100.0
	-1.00	167	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8478 Missing cases 167

D9.g) attacks of breathlessness**[When more than 1 box ticked, the one with the lower code was taken]**

PA226 Attacks of breathlessness in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	182	2.1	2.1	2.1
Y sometimes	2	922	10.7	10.9	13.0
N never	3	7373	85.3	87.0	100.0
	-1	168	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8477	Missing cases	168		

PA226A Attacks of breathlessness/past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1104	12.8	13.0	13.0
No	2.00	7373	85.3	87.0	100.0
	-1.00	168	1.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8477	Missing cases	168		

D9.h) cough often during the night**[When more than 1 box ticked, the one with the lower code was taken]**

PA227 Night coughing in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	151	1.7	1.8	1.8
Y sometimes	2	1827	21.1	21.5	23.3
N never	3	6513	75.3	76.7	100.0
	-1	154	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8491	Missing cases	154		

PA227A Night coughing in past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1978	22.9	23.3	23.3
No	2.00	6513	75.3	76.7	100.0
	-1.00	154	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8491	Missing cases	154		

D9.i) cough often when you wake in the morning
 [When more than 1 box ticked, the one with the lower code was taken]

PA228 Coughing on waking in past 2 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	272	3.1	3.2	3.2
Y sometimes	2	1498	17.3	17.7	20.9
N never	3	6717	77.7	79.1	100.0
	-1	158	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8487	Missing cases	158		

PA228A Cough/waking in morning/past 2 yrs, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1770	20.5	20.9	20.9
No	2.00	6717	77.7	79.1	100.0
	-1.00	158	1.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8487	Missing cases	158		

D10.a)† Do you know how much you weighed when you were born?

Yes No

PAW012 Dads birthweight known


Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	2983	34.5	36.5	36.5
no	2	5183	60.0	63.5	100.0
missing	-1	475	5.5	Missing	
Total		8641	100.0	100.0	

aa) If yes, give weight:

[Coding instructions were: 'We assume all weights are given in lb and oz. Code lbs into the first two Office Use Boxes, ozs into the last two. If a metric weight is given, please convert into lbs and oz (454 grams = 1lb, 16oz = 1lb). If you can't do the sum, put a note on the front of the questionnaire. If a range is given, take the lower end of the range'] (The birthweights were recoded into oz (PAW013) and converted into gm. (PAW014))

PAW013 partners birthweight (oz)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	27.00	1	.0	.0	.0
	32.00	11	.1	.3	.4
	34.00	2	.0	.1	.4
	35.00	1	.0	.0	.5
	37.00	2	.0	.1	.5
	40.00	2	.0	.1	.6
	41.00	1	.0	.0	.6
	48.00	15	.2	.5	1.1
	50.00	3	.0	.1	1.2
	.				
	.				
	.				
	186.00	2	.0	.1	99.2
	188.00	1	.0	.0	99.3
	192.00	8	.1	.3	99.5
	194.00	1	.0	.0	99.6
	196.00	2	.0	.1	99.6
	198.00	2	.0	.1	99.7
	204.00	3	.0	.1	99.8
	209.00	1	.0	.0	99.8
	216.00	1	.0	.0	99.8
	223.00	1	.0	.0	99.9
	224.00	1	.0	.0	99.9
	226.00	2	.0	.1	100.0
	231.00	1	.0	.0	100.0
unreasonable or ille	-3.00	11	.1	Missing	
not known	-2.00	32	.4	Missing	
missing	-1.00	5430	62.8	Missing	
Total		8641	100.0	100.0	


Histogram of birthweight (oz)**Statistics of birthweight (oz)**

Mean	123.053	Std err	.464	Median	124.000
Mode	128.000	Std dev	26.121	Variance	682.331
Kurtosis	1.135	S E Kurt	.087	Skewness	-.274
S E Skew	.043	Range	204.000	Minimum	27.000
Maximum	231.000	Sum	389832.450		

Centiles of birthweight (oz)

Percentile	Value	Percentile	Value	Percentile	Value
10.00	94.900	20.00	104.000	30.00	112.000
40.00	118.000	50.00	124.000	60.00	128.000
70.00	135.000	80.00	144.000	90.00	156.000
Valid cases	3168	Missing cases	5473		

Histogram of birthweight (gramms)



Statistics of birthweight (grammes)

Mean	3495.829	Std err	13.184	Median	3522.727
Mode	3636.364	Std dev	742.087	Variance	550692.920
Kurtosis	1.135	S E Kurt	.087	Skewness	-.274
S E Skew	.043	Range	5795.455	Minimum	767.045
Maximum	6562.500	Sum	11074785.5		

Centiles of birthweight (grammes)

Percentile	Value	Percentile	Value	Percentile	Value
10.00	2696.023	20.00	2954.545	30.00	3181.818
40.00	3352.273	50.00	3522.727	60.00	3636.364
70.00	3835.227	80.00	4090.909	90.00	4431.818
Valid cases	3168	Missing cases	5473		

D10.b)† Were you born:

more than 3 weeks before your expected date
at around the date expected
more than 3 weeks late
don't know

PAW015 Timing of birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<37 weeks gest	1	450	5.2	5.4	5.4
full term	2	4616	53.4	55.2	60.6
43+ weeks gest	3	178	2.1	2.1	62.7
NK	9	3115	36.0	37.3	100.0
missing	-1	282	3.3	Missing	
		-----	-----	-----	
Total		8641	100.0	100.0	

D10.c) † Were you born with any of the following:

Yes	No	
i)	hare lip	
ii)	birthmark	
iii)	cleft palate	
iv)	heart disease	
v)	malformed feet	
vi)	unusual shaped head	vii)
<i>spina bifida</i>		
viii)	extra finger	
ix)	extra toe	
x)	funny shaped fingers or hands	
xi)	missing part of body	xii)
<i>other (please describe all such problems below)</i>		

[Coders ensured that any writing in the 'please describe' area was matched by a 'yes' tick in D10cxii]

PA230 Born with hare lip

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	6	.1	.1	.1
No		2	8434	97.6	99.9	100.0
		-1	205	2.4	Missing	
Total			8645	100.0	100.0	
Valid cases	8440	Missing cases	205			

PA231 Born with birthmark

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	1773	20.5	21.1	21.1
No		2	6647	76.9	78.9	100.0
		-1	225	2.6	Missing	
Total			8645	100.0	100.0	
Valid cases	8420	Missing cases	225			

PA232 Born with cleft palate

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	4	.0	.0	.0
No		2	8441	97.6	100.0	100.0
		-1	200	2.3	Missing	
Total			8645	100.0	100.0	
Valid cases	8445	Missing cases	200			

PA233 Born with heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	34	.4	.4	.4
No	2	8412	97.3	99.6	100.0
	-1	199	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8446 Missing cases 199

PA234 Born with malformed feet

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	91	1.1	1.1	1.1
No	2	8357	96.7	98.9	100.0
	-1	197	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8448 Missing cases 197

PA235 Born with unusual shaped head

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	76	.9	.9	.9
No	2	8367	96.8	99.1	100.0
	-1	202	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8443 Missing cases 202

PA236 Born with spina bifida

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7	.1	.1	.1
No	2	8441	97.6	99.9	100.0
	-1	197	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8448 Missing cases 197

PA237 Born with extra finger

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10	.1	.1	.1
No	2	8437	97.6	99.9	100.0
	-1	198	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8447 Missing cases 198

PA238 Born with extra toe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5	.1	.1	.1
No	2	8440	97.6	99.9	100.0
	-1	200	2.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8445 Missing cases 200

PA239 Born with odd shaped fingers or hands

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	49	.6	.6	.6
No	2	8391	97.1	99.4	100.0
	-1	205	2.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8440 Missing cases 205

PA240 Born with missing part of body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	18	.2	.2	.2
No	2	8419	97.4	99.8	100.0
	-1	208	2.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8437 Missing cases 208

PA241 Born with other condition

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	338	3.9	4.0	4.0
No	2	8130	94.0	96.0	100.0
	-1	177	2.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8468 Missing cases 177

PA242 Structural defect

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1976	22.9	23.3	23.3
No	2.00	6490	75.1	76.7	100.0
	-1.00	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

D10.d)† i) Were you born in a hospital?

Yes No Don't know

PA250 Born in hospital

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	6091	70.5	75.0	75.0
No		2	2035	23.5	25.0	100.0
		-1	519	6.0	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8126	Missing cases	519			

D10.d) ii) If yes, please give:

Name of hospital:

[1st version also included Town, County, Country]

D10. e) *Where were your parents living at the time you were born?*

Town:

County:

Country:

[This question not included in 1st version]

[From D10dii and D10e, place of birth was coded at the county level only
for England and Wales, and to the country or larger levels for the rest of the world]

PA255 Location of parents home at dads birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Avon	1	4008	46.4	51.7	51.7
Bedfordshire	2	20	.2	.3	52.0
Berkshire	3	60	.7	.8	52.8
Buckinghamshire	4	34	.4	.4	53.2
Cambridgeshire	5	30	.3	.4	53.6
Cheshire	6	49	.6	.6	54.2
Cleveland	7	10	.1	.1	54.4
Cornwall	8	50	.6	.6	55.0
Cumbria	9	14	.2	.2	55.2
Derbyshire	10	24	.3	.3	55.5
Devon	11	159	1.8	2.1	57.5
Dorset	12	48	.6	.6	58.2
Durham	13	32	.4	.4	58.6
East Sussex	14	16	.2	.2	58.8
Essex	15	102	1.2	1.3	60.1
Gloucestershire	16	188	2.2	2.4	62.5
Hampshire & The Isle of Wight	17	126	1.5	1.6	64.2
Herefordshire	18	16	.2	.2	64.4
Hertfordshire	19	63	.7	.8	65.2
Kent	20	111	1.3	1.4	66.6
Lancashire	21	104	1.2	1.3	67.9
Leicestershire	22	33	.4	.4	68.4
Lincolnshire	23	36	.4	.5	68.8
London	24	287	3.3	3.7	72.5
Manchester	25	33	.4	.4	73.0
Merseyside	26	68	.8	.9	73.8
Middlesex	27	76	.9	1.0	74.8
Norfolk	28	28	.3	.4	75.2
Northamptonshire	29	14	.2	.2	75.4
Northumbria	30	14	.2	.2	75.6
Northumberland	31	14	.2	.2	75.7
North Yorkshire	32	27	.3	.3	76.1
Nottinghamshire	33	34	.4	.4	76.5
Oxfordshire	34	44	.5	.6	77.1
Salop Shropshire	35	17	.2	.2	77.3
Somerset	36	280	3.2	3.6	80.9
South Humberside	37	5	.1	.1	81.0
South Yorkshire	38	49	.6	.6	81.6
Staffordshire	39	55	.6	.7	82.3
Suffolk	40	13	.2	.2	82.5
Surrey	41	132	1.5	1.7	84.2
Tyne & Wear	42	22	.3	.3	84.5
Warwickshire	43	56	.6	.7	85.2
West Midlands	44	124	1.4	1.6	86.8
West Sussex	45	31	.4	.4	87.2
West Yorkshire	46	52	.6	.7	87.9
Wiltshire	47	102	1.2	1.3	89.2
Worcestershire	48	39	.5	.5	89.7
Sussex NOS	61	6	.1	.1	89.8
Yorkshire NOS	62	24	.3	.3	90.1

PA255 cont.	Value	Frequency	Percent	Valid Percent	Cum Percent
England NOS	69	3	.0	.0	90.1
The Channel Isles	90	8	.1	.1	90.2
Isle of Man	91	2	.0	.0	90.3
Clwyd	101	8	.1	.1	90.4
Dyfed	102	23	.3	.3	90.7
Gwent	103	51	.6	.7	91.3
Gwynedd	104	7	.1	.1	91.4
Mid Glamorgan	105	35	.4	.5	91.9
Powys	106	11	.1	.1	92.0
West Glamorgan	107	18	.2	.2	92.2
South Glamorgan	108	66	.8	.9	93.1
Wales NOS	149	10	.1	.1	93.2
Scotland	160	136	1.6	1.8	95.0
North Ireland	161	33	.4	.4	95.4
Eire	162	32	.4	.4	95.8
?	165	1	.0	.0	95.8
UK or GB NOS	169	1	.0	.0	95.8
Europe	200	99	1.1	1.3	97.1
Middle East	250	13	.2	.2	97.3
Africa	300	84	1.0	1.1	98.4
?	306	2	.0	.0	98.4
North America	400	16	.2	.2	98.6
The Caribbean	450	17	.2	.2	98.8
Central America	500	1	.0	.0	98.8
South America	550	3	.0	.0	98.9
Asia	600	57	.7	.7	99.6
	601	2	.0	.0	99.6
Australasia	700	29	.3	.4	100.0
	-1	898	10.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	7747	Missing cases	898		

*D11† Your hearing**How would you rate your hearing in each ear?**(i) Left ear**(ii) Right ear**always very good**occasional problems (eg. infections or glue ear)**there are some**sounds I can not hear**never very good**I cannot hear much at all**[When more than 1 box ticked, the one with the higher code was taken]*

PA260 Hearing in left ear

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always V good	1	7022	81.2	84.0	84.0
Occasional PROBS	2	686	7.9	8.2	92.2
Limited hearing	3	482	5.6	5.8	98.0
Never V good	4	126	1.5	1.5	99.5
Almost deaf	5	40	.5	.5	100.0
	-1	289	3.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8356 Missing cases 289

PA261 Hearing in right ear

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always V good	1	7043	81.5	84.4	84.4
Occasional PROBS	2	679	7.9	8.1	92.5
Limited hearing	3	486	5.6	5.8	98.3
Never V good	4	107	1.2	1.3	99.6
Almost deaf	5	32	.4	.4	100.0
	-1	298	3.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 8347 Missing cases 298

Derived variables**Hearing loss defined as codes 2-5 in variables PA260, PA261**

PA262 Laterality of any hearing loss

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Bilateral	1.00	1109	12.8	13.2	13.2
Unilateral	2.00	420	4.9	5.0	18.2
None	3.00	6869	79.5	81.8	100.0
	-1.00	247	2.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8398 Missing cases 247

Any known hearing loss derived from PA262

PA263 Any hearing loss

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1529	17.7	17.7	17.7
No	2.00	7116	82.3	82.3	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

Persistent hearing loss defined as codes 3-5 in variables PA260, PA261

PA264 Persistent hearing loss

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Bilateral	1.00	514	5.9	6.1	6.1
Unilateral	2.00	245	2.8	2.9	9.0
None	3.00	7639	88.4	91.0	100.0
	-1.00	247	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8398 Missing cases 247

Serious hearing loss**Derived from variables PA260, PA261 using codes 4-5**

PA265 Serious hearing loss

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Bilateral	1.00	88	1.0	1.0	1.0
Unilateral	2.00	129	1.5	1.5	2.6
None	3.00	8181	94.6	97.4	100.0
	-1.00	247	2.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8398 Missing cases 247

Bilateral deafness**Defined as codes 5 on both PA260, PA261**

PA266 Bilateral deafness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	10	.1	.1	.1
No	2.00	8635	99.9	99.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

D12† Your eyesighta) *How would you rate your sight without glasses ?*(i) *Left eye*(ii) *Right eye**always very good**I can't see clearly at a distance**I can't see clearly close up**I can't see much at all***[When more than 1 box ticked, the one with the higher code was taken]**

PA270 Sight without glasses in left eye

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always V good	1	5431	62.8	65.0	65.0
Short sighted	2	2107	24.4	25.2	90.2
Long sighted	3	379	4.4	4.5	94.7
Poor sighted	4	442	5.1	5.3	100.0
	-1	286	3.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8359 Missing cases 286

PA271 Sight without glasses in right eye

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always V good	1	5473	63.3	65.6	65.6
Short sighted	2	2101	24.3	25.2	90.8
Long sighted	3	372	4.3	4.5	95.2
Poor sighted	4	398	4.6	4.8	100.0
	-1	301	3.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 8344 Missing cases 301

Derived variables**Summary sight problem**

If PA271=1 and PA270=1, PA272=2

If PA271=-1 and PA270=-1, PA272=-1; else PA272=1

PA272 Summary: sight problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3125	36.1	37.6	37.6
No	2.00	5177	59.9	62.4	100.0
	-1.00	343	4.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 8302 Missing cases 343

Poor vision

If PA271 = 4 and PA270 = 4, PA273 = 1

Else PA273 = 2

PA273 Poor vision

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	332	3.8	3.8	3.8
No	2.00	8313	96.2	96.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

D12† Are you colour blind?

Yes

No

Don't know

PA279 Colour blindness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	539	6.2	6.5	6.5
No	2	7795	90.2	93.5	100.0
	-1	311	3.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8334	Missing cases	311		

D13† When you were a child did you ever go to any of the following?

Yes No Not known

a) physiotherapist

If yes, what for:

[Coders were asked to ensure that anything written was matched by a tick in the Yes box]

PA280 Saw physiotherapist as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	538	6.2	6.5	6.5
No	2	7708	89.2	93.5	100.0
	-1	399	4.6	Missing	
	Total	8645	100.0	100.0	
Valid cases	8246	Missing cases	399		

PA280A Known to have seen physiotherapist as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	538	6.2	6.2	6.2
No	2.00	8107	93.8	93.8	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

D13b) child guidance or child psychiatrist

If yes, what for:

[Coders were asked to ensure that anything written was matched by a tick in the Yes box]

PA281 CH guidance or psychiatry as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	292	3.4	3.5	3.5
No	2	7980	92.3	96.5	100.0
	-1	373	4.3	Missing	
	Total	8645	100.0	100.0	
Valid cases	8272	Missing cases	373		

PA281A Known to have had CH guidance etc. as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	292	3.4	3.4	3.4
No	2.00	8353	96.6	96.6	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	

Valid cases 8645 Missing cases 0

*D13c) speech therapist**If yes, what for:*

[Coders were asked to ensure that anything written was matched by a tick in the Yes box]

PA282 Saw speech tharapist as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	291	3.4	3.5	3.5
No	2	8003	92.6	96.5	100.0
	-1	351	4.1	Missing	
		-----	-----	-----	
Total		8645	100.0	100.0	

Valid cases 8294 Missing cases 351

PA282A Known to have seen speechtherapist as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	291	3.4	3.4	3.4
No	2.00	8354	96.6	96.6	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	

Valid cases 8645 Missing cases 0

pa2820 D13c: Paternal reason for visiting speech therapist as a child: PA file

		Frequency	Percent	Valid %	Cum %
Valid	1 Stutter/Stammer	55	.6	23.3	23.3
	2 Particular speech sounds (itemised)	51	.6	21.6	44.9
	3 Associated with cleft lip/palate	2	.0	.8	45.8
	4 Voice related	2	.0	.8	46.6
	5 Hearing related	9	.1	3.8	50.4
	6 Elocution	7	.1	3.0	53.4
	7 General speech sounds, pronunciation	86	1.0	36.4	89.8
	8 General difficulties with language learning	13	.2	5.5	95.3
	9 related to literacy	2	.0	.8	96.2
	10 SL related - other	9	.1	3.8	100.0
	Total	236	2.7	100.0	
Missing	-2 Not known to visit speech therapist	8334	96.7		
	-1 Missing	51	.6		
	Total	8385	97.3		
Total		8621	100.0		

*D13d) special schooling**If yes, what for:*

[Coders were asked to ensure that anything written was matched by a tick in the Yes box]

PA283 Special schooling as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	246	2.8	2.9	2.9
No	2	8127	94.0	97.1	100.0
	-1	272	3.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8373 Missing cases 272

PA283A Known to have attended special sch.as CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	246	2.8	2.8	2.8
No	2.00	8399	97.2	97.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

D14† Did you or any of your family have a problem of bedwetting or daytime wetting (when older than 5 years) ?

Yes, bed-wetting *Yes, daytime wetting* *No not at all* *Don't know*

- a) *you*
- b) *brother or sister*
- c) *mother*
- d) *father*

[If both bed and daytime wetting, 3 was coded;
no such person was coded as 7]

PA284 Bladder control PROB when >5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Bed wetting	1	755	8.7	9.6	9.6
Daytime wetting	2	26	.3	.3	9.9
Bed & daytime	3	14	.2	.2	10.1
None	4	7102	82.2	89.9	100.0
	-1	748	8.7	Missing	
	Total	8645	100.0	100.0	

Valid cases 7897 Missing cases 748

Derived variables

PA284A Bedwetting

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	769	8.9	8.9	8.9
No	2.00	7876	91.1	91.1	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA284B Day wetting

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	40	.5	.5	.5
No	2.00	8605	99.5	99.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA285 Siblings bladder control PROB when >5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Bed wetting	1	688	8.0	9.9	9.9
Daytime wetting	2	15	.2	.2	10.1
Bed & daytime	3	12	.1	.2	10.3
None	4	6226	72.0	89.7	100.0
	-1	1704	19.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	6941	Missing cases	1704		

PA286 Mothers bladder control PROB when >5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Bed wetting	1	20	.2	.3	.3
Daytime wetting	2	4	.0	.1	.4
None	4	5835	67.5	99.6	100.0
	-1	2786	32.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	5859	Missing cases	2786		

PA287 Fathers bladder control PROB when >5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Bed wetting	1	30	.3	.5	.5
Daytime wetting	2	3	.0	.1	.6
None	4	5787	66.9	99.4	100.0
	-1	2825	32.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	5820	Missing cases	2825		

D15a)† Have you had a wetting accident yourself in the past year, either during the night or day?

Yes No

PA288 Loss of bladder control in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	183	2.1	2.2	2.2
No	2	8277	95.7	97.8	100.0
	-1	185	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8460 Missing cases 185

If yes, b) Could you please indicate how many nights or days this has occurred within the past month:

i) during the night:

ii) during the day:

[If a range was given, the upper end was coded]

PA289 Night wetting in past MTH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	73	.8	50.0	50.0
	1	47	.5	32.2	82.2
	2	17	.2	11.6	93.8
	3	5	.1	3.4	97.3
	4	1	.0	.7	97.9
	5	1	.0	.7	98.6
	10	1	.0	.7	99.3
	15	1	.0	.7	100.0
	-2	8277	95.7	Missing	
	-1	222	2.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 146 Missing cases 8499

PA290 Day wetting within past MTH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	93	1.1	87.7	87.7
	1	10	.1	9.4	97.2
	2	2	.0	1.9	99.1
	10	1	.0	.9	100.0
	-2	8277	95.7	Missing	
	-1	262	3.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 106 Missing cases 8539

*D16† Have you ever been a blood donor?**Yes**No*

PA300 Ever donated blood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2870	33.2	34.1	34.1
No	2	5556	64.3	65.9	100.0
	-1	219	2.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	8426	Missing cases	219		

D17. Many people have X-rays, barium meals and other procedures. Please indicate whether you have ever had any of the following types of X-ray.

(i)
During this pregnancy

(ii)
In the year before this pregnancy

(iii) †
Any other time during your life

*Yes No**Yes No**Yes No**X-ray to:*

- a) arm or hand*
- b) chest*
- c) leg or foot*
- d) dental*
- e) head or neck*
- f) back*
- g) barium meal*
- h) barium enema*
- i) IVP (intravenous pyelogram)*
- j) hips or pelvis*
- k) stomach or abdomen*
- l) any other (please describe)*

[Many respondents only ticked the x-rays they had had. All without 'yes' ticked have been coded to 'no']

PA310 Arm or hand xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	158	1.8	1.8	1.8
No	2	8487	98.2	98.2	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA311 Arm or hand xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	342	4.0	4.0	4.0
No	2	8303	96.0	96.0	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA312 Arm or hand xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3671	42.5	42.5	42.5
No	2	4974	57.5	57.5	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA313 Ever had arm/hand X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3906	45.2	45.2	45.2
No	2.00	4739	54.8	54.8	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA314 Chest xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	137	1.6	1.6	1.6
No	2	8508	98.4	98.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA315 Chest xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	351	4.1	4.1	4.1
No	2	8294	95.9	95.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA316 Chest xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3355	38.8	38.8	38.8
No	2	5290	61.2	61.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA317 Ever had chest X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3593	41.6	41.6	41.6
No	2.00	5052	58.4	58.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA318 Leg or foot xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	158	1.8	1.8	1.8
No	2	8487	98.2	98.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA319 Leg or foot xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	366	4.2	4.2	4.2
No	2	8279	95.8	95.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA320 Leg or foot xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3540	40.9	40.9	40.9
No	2	5105	59.1	59.1	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA321 Ever had leg/foot X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3789	43.8	43.8	43.8
No	2.00	4856	56.2	56.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA322 Dental xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1053	12.2	12.2	12.2
No	2	7592	87.8	87.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA323 Dental xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1883	21.8	21.8	21.8
No	2	6762	78.2	78.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA324 Dental xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5707	66.0	66.0	66.0
No	2	2938	34.0	34.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA325 Ever had dental X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6506	75.3	75.3	75.3
No	2.00	2139	24.7	24.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA326 Head or neck xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	112	1.3	1.3	1.3
No	2	8533	98.7	98.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA327 Head or neck xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	212	2.5	2.5	2.5
No	2	8433	97.5	97.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA328 Head or neck xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2044	23.6	23.6	23.6
No	2	6601	76.4	76.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA329 Ever had head/neck X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2223	25.7	25.7	25.7
No	2.00	6422	74.3	74.3	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA330 Back xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	101	1.2	1.2	1.2
No	2	8544	98.8	98.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA331 Back xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	200	2.3	2.3	2.3
No	2	8445	97.7	97.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA332 Back xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1124	13.0	13.0	13.0
No	2	7521	87.0	87.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA333 Ever had back X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1296	15.0	15.0	15.0
No	2.00	7349	85.0	85.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA334 Barium meal in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	28	.3	.3	.3
No	2	8617	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA335 Barium meal in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	67	.8	.8	.8
No	2	8578	99.2	99.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA336 Barium meal in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	553	6.4	6.4	6.4
No	2	8092	93.6	93.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA337 Ever had barium meal - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	628	7.3	7.3	7.3
No	2.00	8017	92.7	92.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA338 Barium enema in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	11	.1	.1	.1
No	2	8634	99.9	99.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA339 Barium enema in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	19	.2	.2	.2
No	2	8626	99.8	99.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA340 Barium enema in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	147	1.7	1.7	1.7
No	2	8498	98.3	98.3	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA341 Ever had barium enema - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	172	2.0	2.0	2.0
No	2.00	8473	98.0	98.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA342 IVP in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	12	.1	.1	.1
No	2	8633	99.9	99.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA343 IVP in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	15	.2	.2	.2
No	2	8630	99.8	99.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA344 IVP in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	128	1.5	1.5	1.5
No	2	8517	98.5	98.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA345 Ever had IVP - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	147	1.7	1.7	1.7
No	2.00	8498	98.3	98.3	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA346 Hip or pelvis xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	35	.4	.4	.4
No	2	8610	99.6	99.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA347 Hip or pelvis xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	49	.6	.6	.6
No	2	8596	99.4	99.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA348 Hip or pelvis xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	435	5.0	5.0	5.0
No	2	8210	95.0	95.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA349 Ever had hip/pelvis X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	485	5.6	5.6	5.6
No	2.00	8160	94.4	94.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA350 Abdomen xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	62	.7	.7	.7
No	2	8583	99.3	99.3	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA351 Abdomen xray in YR before PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	81	.9	.9	.9
No	2	8564	99.1	99.1	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA352 Abdomen xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	726	8.4	8.4	8.4
No	2	7919	91.6	91.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA353 Ever had abdomen X-ray - derived variable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	825	9.5	9.5	9.5
No	2.00	7820	90.5	90.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA354 Other xray in this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	34	.4	.4	.4
No	2	8611	99.6	99.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA355 Other xray in YR before Preg

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	40	.5	.5	.5
No	2	8605	99.5	99.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA356 Other xray in life

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	201	2.3	2.3	2.3
No	2	8444	97.7	97.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases			

Derived variable

PA357 Ever had other X-ray

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	252	2.9	2.9	2.9
No	2.00	8393	97.1	97.1	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

SECTION E: YOUR PARTNER

The following questions are about how you and your partner behave towards each other.

Please indicate how often you and your partner behave in the ways listed.

Almost always Often Some-times Rarely Never

[1st version included a category 'not applicable']

E1. Is your partner affectionate toward you?

[When more than 1 box ticked, the one with the lower code was taken]

PA360 Affection from PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	3335	38.6	39.2	39.2
Often	2	2931	33.9	34.5	73.7
Sometimes	3	1830	21.2	21.5	95.2
Barely	4	358	4.1	4.2	99.4
Never	5	47	.5	.6	100.0
	-1	144	1.7	Missing	
	Total	8645	100.0	100.0	

Valid cases 8501 Missing cases 144

E2. Does your partner get angry with you?

[When more than 1 box ticked, the one with the lower code was taken]

PA361 Anger from PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	145	1.7	1.7	1.7
Often	2	1223	14.1	14.4	16.1
Sometimes	3	4735	54.8	55.6	71.7
Barely	4	2200	25.4	25.8	97.5
Never	5	210	2.4	2.5	100.0
	-1	132	1.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 8513 Missing cases 132

E3. Does your partner listen to you when you want to talk about your feelings?

[When more than 1 box ticked, the one with the lower code was taken]

PA362 PTNR listens to dads feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	4118	47.6	48.7	48.7
Often	2	2109	24.4	24.9	73.6
Sometimes	3	1785	20.6	21.1	94.7
Barely	4	344	4.0	4.1	98.7
Never	5	108	1.2	1.3	100.0
	-1	181	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8464 Missing cases 181

E4. Do you have arguments with your partner?

[When more than 1 box ticked, the one with the lower code was taken]

PA363 Arguments with PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	110	1.3	1.3	1.3
Often	2	670	7.8	7.9	9.2
Sometimes	3	4260	49.3	50.1	59.3
Barely	4	2995	34.6	35.2	94.5
Never	5	470	5.4	5.5	100.0
	-1	140	1.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8505 Missing cases 140

E5. Does your partner talk to you about her problems and feelings?

[When more than 1 box ticked, the one with the lower code was taken]

PA364 PTNR discusses her feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	2780	32.2	32.7	32.7
Often	2	2630	30.4	30.9	63.6
Sometimes	3	2422	28.0	28.5	92.0
Barely	4	559	6.5	6.6	98.6
Never	5	119	1.4	1.4	100.0
	-1	135	1.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 8510 Missing cases 135

E6. Do you get angry with your partner?

[When more than 1 box ticked, the one with the lower code was taken]

PA365 Anger towards PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	60	.7	.7	.7
Often	2	567	6.6	6.7	7.4
Sometimes	3	4605	53.3	54.1	61.5
Barely	4	2877	33.3	33.8	95.3
Never	5	398	4.6	4.7	100.0
	-1	138	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8507	Missing cases	138		

E7. Do you enjoy the company of your partner?

[When more than 1 box ticked, the one with the lower code was taken]

PA366 Enjoys PTNRS company

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	6454	74.7	75.9	75.9
Often	2	1624	18.8	19.1	95.0
Sometimes	3	395	4.6	4.6	99.6
Barely	4	26	.3	.3	99.9
Never	5	7	.1	.1	100.0
	-1	139	1.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8506	Missing cases	139		

E8. Does your partner show her approval of you?

[When more than 1 box ticked, the one with the lower code was taken]

PA367 PTNR shows approval of dad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	3531	40.8	41.6	41.6
Often	2	2663	30.8	31.3	72.9
Sometimes	3	1864	21.6	21.9	94.9
Barely	4	374	4.3	4.4	99.3
Never	5	63	.7	.7	100.0
	-1	150	1.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8495	Missing cases	150		

E9. Do you behave affectionately toward your partner?

[When more than 1 box ticked, the one with the lower code was taken]

PA368 Dad affectionate towards PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	3341	38.6	39.3	39.3
Often	2	3155	36.5	37.1	76.4
Sometimes	3	1803	20.9	21.2	97.6
Barely	4	178	2.1	2.1	99.7
Never	5	26	.3	.3	100.0
	-1	142	1.6	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8503	Missing cases	142		

Derived variables**Affection score**

PA369 = PA360 + PA362 + PA364 + PA366 + PA367 + PA368

If any of these component variables had a missing value, PA369 was put to missing. PA370 is the same as PA369, but if any of the values of the component variables was missing, it was put to the mode for that variable. PA371 counts the number of missing values put to the mode.

PA369 Affection score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	6.00	1271	14.7	15.1	15.1
	7.00	699	8.1	8.3	23.4
	8.00	779	9.0	9.3	32.7
	9.00	718	8.3	8.5	41.3
	10.00	742	8.6	8.8	50.1
	11.00	718	8.3	8.5	58.6
	12.00	722	8.4	8.6	67.2
	13.00	632	7.3	7.5	74.8
	14.00	550	6.4	6.5	81.3
	15.00	390	4.5	4.6	85.9
	16.00	360	4.2	4.3	90.2
	17.00	276	3.2	3.3	93.5
	18.00	199	2.3	2.4	95.9
	19.00	132	1.5	1.6	97.5
	20.00	93	1.1	1.1	98.6
	21.00	43	.5	.5	99.1
	22.00	36	.4	.4	99.5
	23.00	19	.2	.2	99.7
	24.00	9	.1	.1	99.8
	25.00	6	.1	.1	99.9
	26.00	1	.0	.0	99.9
	27.00	1	.0	.0	99.9
	28.00	1	.0	.0	99.9
	29.00	1	.0	.0	100.0
	30.00	4	.0	.0	100.0
	-1.00	243	2.8	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8402	Missing cases	243		

PA370 Affection score : modes/missing data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	6.00	1408	16.3	16.3	16.3
	7.00	707	8.2	8.2	24.5
	8.00	790	9.1	9.1	33.6
	9.00	725	8.4	8.4	42.0
	10.00	757	8.8	8.8	50.7
	11.00	725	8.4	8.4	59.1
	12.00	737	8.5	8.5	67.7
	13.00	642	7.4	7.4	75.1
	14.00	560	6.5	6.5	81.6
	15.00	399	4.6	4.6	86.2
	16.00	365	4.2	4.2	90.4
	17.00	279	3.2	3.2	93.6
	18.00	202	2.3	2.3	96.0
	19.00	133	1.5	1.5	97.5
	20.00	94	1.1	1.1	98.6
	21.00	44	.5	.5	99.1
	22.00	36	.4	.4	99.5
	23.00	19	.2	.2	99.7
	24.00	9	.1	.1	99.8
	25.00	6	.1	.1	99.9
	26.00	1	.0	.0	99.9
	27.00	1	.0	.0	99.9
	28.00	1	.0	.0	99.9
	29.00	1	.0	.0	100.0
	30.00	4	.0	.0	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA371 Affection score: no. missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8402	97.2	97.2	97.2
	1.00	103	1.2	1.2	98.4
	2.00	11	.1	.1	98.5
	3.00	1	.0	.0	98.5
	4.00	2	.0	.0	98.5
	5.00	1	.0	.0	98.6
	6.00	125	1.4	1.4	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

Aggression score

PA372 = PA361 + PA363 + PA365; if any of the components had a missing value, the score was put to missing; PA373 is PA372 with missing components put to the mode, unless all were missing, and PA374 is the number of missing components.

PA372 Aggression score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3.00	20	.2	.2	.2
	4.00	37	.4	.4	.7
	5.00	53	.6	.6	1.3
	6.00	259	3.0	3.1	4.3
	7.00	390	4.5	4.6	8.9
	8.00	670	7.8	7.9	16.8
	9.00	2815	32.6	33.2	50.0
	10.00	1285	14.9	15.1	65.1
	11.00	1126	13.0	13.3	78.4
	12.00	1331	15.4	15.7	94.1
	13.00	269	3.1	3.2	97.3
	14.00	129	1.5	1.5	98.8
	15.00	103	1.2	1.2	100.0
	-1.00	158	1.8	Missing	
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8487	Missing cases	158		

PA373 Aggression score: modes/missing data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3.00	20	.2	.2	.2
	4.00	37	.4	.4	.7
	5.00	53	.6	.6	1.3
	6.00	261	3.0	3.1	4.4
	7.00	390	4.5	4.6	8.9
	8.00	675	7.8	7.9	16.9
	9.00	2826	32.7	33.2	50.0
	10.00	1293	15.0	15.2	65.2
	11.00	1131	13.1	13.3	78.5
	12.00	1333	15.4	15.6	94.1
	13.00	269	3.1	3.2	97.3
	14.00	129	1.5	1.5	98.8
	15.00	103	1.2	1.2	100.0
	-1.00	125	1.4	Missing	
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8520	Missing cases	125		

PA374 Aggression score: no. missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8487	98.2	98.2	98.2
	1.00	31	.4	.4	98.5
	2.00	2	.0	.0	98.6
	3.00	125	1.4	1.4	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

SECTION F: YOU AND YOUR PARENTS†*Fl.† a) Were you legally adopted?**Yes**No*

PA380 Legally adopted

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	235	2.7	2.8	2.8
No	2	8174	94.6	97.2	100.0
	-1	236	2.7	Missing	
	Total	8645	100.0	100.0	

Valid cases 8409 Missing cases 236

If yes, b) what age were you?

[Coders were told, if fractions given, round ages down to completed years]

PA381 Age at adoption

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	98	1.1	47.3	47.3
	1	18	.2	8.7	56.0
	2	9	.1	4.3	60.4
	3	14	.2	6.8	67.1
	4	9	.1	4.3	71.5
	5	5	.1	2.4	73.9
	6	6	.1	2.9	76.8
	7	8	.1	3.9	80.7
	8	4	.0	1.9	82.6
	9	1	.0	.5	83.1
	10	5	.1	2.4	85.5
	11	5	.1	2.4	87.9
	12	7	.1	3.4	91.3
	13	3	.0	1.4	92.8
	14	3	.0	1.4	94.2
	15	2	.0	1.0	95.2
	16	2	.0	1.0	96.1
	18	1	.0	.5	96.6
	21	1	.0	.5	97.1
	22	1	.0	.5	97.6
	24	1	.0	.5	98.1
	31	1	.0	.5	98.6
	33	2	.0	1.0	99.5
	40	1	.0	.5	100.0
	-1	8438	97.6	Missing	
	Total	8645	100.0	100.0	

Valid cases 207 Missing cases 8438

F2.† Were you ever 'in care' of either a local authority or voluntary agency Barnados?

e.g.

	<i>Yes</i>	<i>No</i>	<i>Unsure</i>			
PA385	In local authority care					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	177	2.0	2.2	2.2	
No	2	7947	91.9	97.1	99.3	
Unsure	3	60	.7	.7	100.0	
	-1	461	5.3	Missing		
		-----	-----	-----		
	Total	8645	100.0	100.0		
Valid cases	8184	Missing cases	461			

F3.† a) Did your parents divorce or separate before your 18th birthday?

	<i>Yes</i>	<i>No</i>			
PA387	Parents divorced or separated				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1314	15.2	15.7	15.7
No	2	7039	81.4	84.3	100.0
	-1	292	3.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8353	Missing cases	292		

If yes, b) what age were you?

[Coders rounded ages down. If parents divorced or separated before birth, code age as '95']

PA388	Age when parents divorced or separated					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
<1 YR	0	41	.5	3.4	3.4	
	1	42	.5	3.5	6.8	
	2	54	.6	4.4	11.3	
	3	56	.6	4.6	15.9	
	4	67	.8	5.5	21.4	
	5	83	1.0	6.8	28.2	
	6	52	.6	4.3	32.5	
	7	87	1.0	7.2	39.7	
	8	63	.7	5.2	44.9	
	9	45	.5	3.7	48.6	
	10	85	1.0	7.0	55.6	
	11	78	.9	6.4	62.0	
	12	81	.9	6.7	68.6	
	13	68	.8	5.6	74.2	
	14	70	.8	5.8	80.0	
	15	69	.8	5.7	85.7	
	16	76	.9	6.3	91.9	
	17	84	1.0	6.9	98.8	
	95	14	.2	1.2	100.0	
	-1	7430	85.9	Missing		
		-----	-----	-----		
	Total	8645	100.0	100.0		
Valid cases	1215	Missing cases	7430			

F3. c) *who did you mainly live with after this?*

mother

father

sometimes mother, sometimes father

someone else (please say who)

PA389 After divorce or separation lived with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Mother	1	895	10.4	69.3	69.3
Father	2	214	2.5	16.6	85.8
SMT mum, SMT dad	3	58	.7	4.5	90.3
Someone else	4	125	1.4	9.7	100.0
	-1	7353	85.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 1292 Missing cases 7353

F4.† *Did you ever live away from home with any of the following (other than for holidays/or short visits) before you were 18 years old?*

Yes No

i) grandparents

ii) other relatives

iii) friends

iv) foster parents

v) other (please describe)

[Coders ensured that any entry in the 'please describe' area was matched by a 'yes' tick in F4v]

PA392 Ever lived in grandparents home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	483	5.6	5.8	5.8
No	2	7886	91.2	94.2	100.0
	-1	276	3.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8369 Missing cases 276

PA393 Ever lived in other relatives home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	342	4.0	4.1	4.1
No	2	8027	92.9	95.9	100.0
	-1	276	3.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8369 Missing cases 276

PA394 Ever lived in friends home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	304	3.5	3.6	3.6
No	2	8065	93.3	96.4	100.0
	-1	276	3.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8369 Missing cases 276

PA395 Ever lived in foster parents home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	71	.8	.8	.8
No	2	8298	96.0	99.2	100.0
	-1	276	3.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8369 Missing cases 276

PA396 Ever lived in other

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	518	6.0	6.2	6.2
No	2	7851	90.8	93.8	100.0
	-1	276	3.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 8369 Missing cases 276

F5.† Did you ever stay away from home in any of the following places before you were 18 years old?

No Yes for Yes for Yes for Yes
less than 1 week - 1 - 6 over 6
a week 1 month months months

- i) hospital
- ii) boarding school
- iii) children's home
- iv) hostel
- v) in custody (detention centre, remand home, borstal etc)
- vi) other (please describe)

[Coders were asked to note that 'hostel' is not a youth hostel in the YHA sense. Not being coded here. Please ensure that any writing in the 'please describe' area is matched by a 'yes' tick on F5vi. If it is not, please code a zero on that line to indicate information in the 'please describe' section]

PA400 Ever stayed in hospital

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	4438	51.3	53.5	53.5
Yes <1 WK	2	2110	24.4	25.4	79.0
Yes 1 WK-1 MTH	3	1404	16.2	16.9	95.9
Yes 1-6 MTHS	4	273	3.2	3.3	99.2
Yes >6 MTHS	5	66	.8	.8	100.0
	-1	354	4.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8291 Missing cases 354

PA400A Stayed in hospital, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1.00	4438	51.3	53.5	53.5
Yes	2.00	3853	44.6	46.5	100.0
	-1.00	354	4.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8291 Missing cases 354

PA401 Ever stayed in boarding school

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	7731	89.4	93.6	93.6
Yes <1 WK	2	5	.1	.1	93.6
Yes 1 WK-1 MTH	3	23	.3	.3	93.9
Yes 1-6 MTHS	4	65	.8	.8	94.7
Yes >6 MTHS	5	437	5.1	5.3	100.0
	-1	384	4.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 8261 Missing cases 384

PA401A Stayed in boarding school, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1.00	7731	89.4	93.6	93.6
Yes	2.00	530	6.1	6.4	100.0
	-1.00	384	4.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8261	Missing cases	384		

PA402 Ever stayed in childrens home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	8101	93.7	98.4	98.4
Yes <1 WK	2	2	.0	.0	98.4
Yes 1 WK-1 MTH	3	22	.3	.3	98.7
Yes 1-6 MTHS	4	19	.2	.2	98.9
Yes >6 MTHS	5	90	1.0	1.1	100.0
	-1	411	4.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8234	Missing cases	411		

PA402A Stayed in children's home, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1.00	8101	93.7	98.4	98.4
Yes	2.00	133	1.5	1.6	100.0
	-1.00	411	4.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8234	Missing cases	411		

PA403 Ever stayed in hostel

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	7949	91.9	96.8	96.8
Yes <1 WK	2	96	1.1	1.2	98.0
Yes 1 WK-1 MTH	3	122	1.4	1.5	99.5
Yes 1-6 MTHS	4	11	.1	.1	99.6
Yes >6 MTHS	5	30	.3	.4	100.0
	-1	437	5.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8208	Missing cases	437		

PA403A Stayed in hostel, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1.00	7949	91.9	96.8	96.8
Yes	2.00	259	3.0	3.2	100.0
	-1.00	437	5.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8208	Missing cases	437		

PA404 Ever stayed in custody

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	8006	92.6	97.6	97.6
Yes <1 WK	2	45	.5	.5	98.1
Yes 1 WK-1 MTH	3	31	.4	.4	98.5
Yes 1-6 MTHS	4	58	.7	.7	99.2
Yes >6 MTHS	5	67	.8	.8	100.0
	-1	438	5.1	Missing	
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8207	Missing cases	438		

PA404A Stayed in custody, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1.00	8006	92.6	97.6	97.6
Yes	2.00	201	2.3	2.4	100.0
	-1.00	438	5.1	Missing	
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8207	Missing cases	438		

PA405 Stayed in other

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes NK how long	0	41	.5	.5	.5
No	1	7737	89.5	91.7	92.2
Yes <1 WK	2	65	.8	.8	93.0
Yes 1 WK-1 MTH	3	263	3.0	3.1	96.1
Yes 1-6 MTHS	4	83	1.0	1.0	97.1
Yes >6 MTHS	5	245	2.8	2.9	100.0
	-1	211	2.4	Missing	
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8434	Missing cases	211		

PA405A Stayed in other, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1.00	7737	89.5	91.7	91.7
Yes	2.00	697	8.1	8.3	100.0
	-1.00	211	2.4	Missing	
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8434	Missing cases	211		

F6. † a) Did you leave home before your 18th birthday?

<i>Yes</i>		<i>No</i>				
PA410	Left home before 18YRS old					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	1564	18.1	18.8	18.8
No		2	6759	78.2	81.2	100.0
		-1	322	3.7	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8323	Missing cases	322			

If yes, b) At that time where did you first live?

college residence
 hostel
 bedsit
 shared flat or house
 other (please describe)

PA411	On leaving home lived at					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
College ACCOM		1	262	3.0	17.5	17.5
Hostel		2	37	.4	2.5	19.9
Bedsit		3	233	2.7	15.5	35.4
Shared ACCOM		4	406	4.7	27.0	62.5
Other		5	563	6.5	37.5	100.0
		-1	7144	82.6	Missing	
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	1501	Missing cases	7144			

F7. At each of the time periods given, during your childhood, who of the following lived in your home (other than for holidays or short visits)?
[The part in parenthesis not in 1st version]

When I was aged:

(i)	(ii)	(iii)
0-5	6-11	12-16
years	years	years

- a) mother
- b) father
- c) brother(s)
- d) sister(s)
- e) step-mother
- f) step-father
- g) step-brother(s)
- h) step-sister(s)
- i) mother's partner
- j) father's partner
- k) grandmother
- l) grandfather
- m) family friend
- n) other (please describe)

[Coders ensured that any entry in the 'please describe' area was matched by a 'yes' tick in

F7n]

[N.B. Edit to remove all instances where no-one was ticked as living in the home has not yet been carried out]

PA420 Mother in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8075	93.4	93.4	93.4
No	2	570	6.6	6.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA421 Mother in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7902	91.4	91.4	91.4
No	2	743	8.6	8.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA422 Mother in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7919	91.6	91.6	91.6
No	2	726	8.4	8.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA423 Father in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7879	91.1	91.1	91.1
No	2	766	8.9	8.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA424 Father in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7431	86.0	86.0	86.0
No	2	1214	14.0	14.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA425 Father in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7179	83.0	83.0	83.0
No	2	1466	17.0	17.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA426 Brother in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5134	59.4	59.4	59.4
No	2	3511	40.6	40.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA427 Brother in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5314	61.5	61.5	61.5
No	2	3331	38.5	38.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA428 Brother in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5100	59.0	59.0	59.0
No	2	3545	41.0	41.0	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA429 Sister in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4831	55.9	55.9	55.9
No	2	3814	44.1	44.1	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA430 Sister in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5044	58.3	58.3	58.3
No	2	3601	41.7	41.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA431 Sister in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4794	55.5	55.5	55.5
No	2	3851	44.5	44.5	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA432 Stepmother in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	32	.4	.4	.4
No	2	8613	99.6	99.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA433 Stepmother in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	71	.8	.8	.8
No	2	8574	99.2	99.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA434 Stepmother in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	137	1.6	1.6	1.6
No	2	8508	98.4	98.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA435 Stepfather in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	76	.9	.9	.9
No	2	8569	99.1	99.1	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA436 Stepfather in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	239	2.8	2.8	2.8
No	2	8406	97.2	97.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA437 Stepfather in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	361	4.2	4.2	4.2
No	2	8284	95.8	95.8	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA438 Stepbrother in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	65	.8	.8	.8
No	2	8580	99.2	99.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA439 Stepbrother in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	99	1.1	1.1	1.1
No	2	8546	98.9	98.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA440 Stepbrother in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	148	1.7	1.7	1.7
No	2	8497	98.3	98.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA441 Stepsister in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	61	.7	.7	.7
No	2	8584	99.3	99.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA442 Stepsister in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	96	1.1	1.1	1.1
No	2	8549	98.9	98.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA443 Stepsister in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	126	1.5	1.5	1.5
No	2	8519	98.5	98.5	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA444 Mothers PTNR in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	34	.4	.4	.4
No	2	8611	99.6	99.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA445 Mothers PTNR in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	73	.8	.8	.8
No	2	8572	99.2	99.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA446 Mothers PTNR in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	122	1.4	1.4	1.4
No	2	8523	98.6	98.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA447 Fathers PTNR in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	21	.2	.2	.2
No	2	8624	99.8	99.8	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA448 Fathers PTNR in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	18	.2	.2	.2
No	2	8627	99.8	99.8	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA449 Fathers PTNR in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	38	.4	.4	.4
No	2	8607	99.6	99.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA450 Grandmother in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	612	7.1	7.1	7.1
No	2	8033	92.9	92.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA451 Grandmother in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	605	7.0	7.0	7.0
No	2	8040	93.0	93.0	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA452 Grandmother in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	551	6.4	6.4	6.4
No	2	8094	93.6	93.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA453 Grandfather in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	389	4.5	4.5	4.5
No	2	8256	95.5	95.5	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA454 Grandfather in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	317	3.7	3.7	3.7
No	2	8328	96.3	96.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA455 Grandfather in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	228	2.6	2.6	2.6
No	2	8417	97.4	97.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA456 Family friend in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	96	1.1	1.1	1.1
No	2	8549	98.9	98.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA457 Family friend in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	110	1.3	1.3	1.3
No	2	8535	98.7	98.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA458 Family friend in household while 12-16YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	119	1.4	1.4	1.4
No	2	8526	98.6	98.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA459 Other in household while 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	224	2.6	2.6	2.6
No	2	8421	97.4	97.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA460 Other in household while 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	223	2.6	2.6	2.6
No	2	8422	97.4	97.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA461 Other in household while 12-16YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	224	2.6	2.6	2.6
No	2	8421	97.4	97.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

Derived variables

PA470 Mother in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	7691	89.0	89.0	89.0
Partly	2.00	599	6.9	6.9	95.9
Not at all	3.00	355	4.1	4.1	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA471 Father in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	6937	80.2	80.2	80.2
Partly	2.00	1171	13.5	13.5	93.8
Not at all	3.00	537	6.2	6.2	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA472 Brother in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	4605	53.3	53.3	53.3
Partly	2.00	1046	12.1	12.1	65.4
Not at all	3.00	2994	34.6	34.6	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA473 Sister in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	4279	49.5	49.5	49.5
Partly	2.00	1086	12.6	12.6	62.1
Not at all	3.00	3280	37.9	37.9	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA474 Stepmother in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	12	.1	.1	.1
Partly	2.00	159	1.8	1.8	2.0
Not at all	3.00	8474	98.0	98.0	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA475 Stepfather in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	50	.6	.6	.6
Partly	2.00	361	4.2	4.2	4.8
Not at all	3.00	8234	95.2	95.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA476 Stepbrother in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	25	.3	.3	.3
Partly	2.00	179	2.1	2.1	2.4
Not at all	3.00	8441	97.6	97.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA477 Stepsister in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	24	.3	.3	.3
Partly	2.00	158	1.8	1.8	2.1
Not at all	3.00	8463	97.9	97.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA478 Mother's partner in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	16	.2	.2	.2
Partly	2.00	145	1.7	1.7	1.9
Not at all	3.00	8484	98.1	98.1	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA479 Father's partner in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	8	.1	.1	.1
Partly	2.00	47	.5	.5	.6
Not at all	3.00	8590	99.4	99.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA480 Grandmother in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	199	2.3	2.3	2.3
Partly	2.00	901	10.4	10.4	12.7
Not at all	3.00	7545	87.3	87.3	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA481 Grandfather in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	83	1.0	1.0	1.0
Partly	2.00	543	6.3	6.3	7.2
Not at all	3.00	8019	92.8	92.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA482 Family friend in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	17	.2	.2	.2
Partly	2.00	235	2.7	2.7	2.9
Not at all	3.00	8393	97.1	97.1	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA483 Other in household

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Throughout	1.00	61	.7	.7	.7
Partly	2.00	385	4.5	4.5	5.2
Not at all	3.00	8199	94.8	94.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F8.† Who would you say brought you up?

- | | <i>Yes</i> | <i>No</i> | <i>Did not
have</i> |
|-----------------------------------|------------|-----------|-------------------------|
| a) <i>mother</i> | | | |
| b) <i>father</i> | | | |
| c) <i>brother(s)</i> | | | |
| d) <i>sister(s)</i> | | | |
| e) <i>step-mother</i> | | | |
| f) <i>step-father</i> | | | |
| g) <i>step-brother(s)</i> | | | |
| h) <i>step-sister(s)</i> | | | |
| i) <i>mother's partner</i> | | | |
| j) <i>father's partner</i> | | | |
| k) <i>grandmother</i> | | | |
| l) <i>grandfather</i> | | | |
| m) <i>adoptive mother</i> | | | |
| n) <i>adoptive father</i> | | | |
| o) <i>foster mother</i> | | | |
| p) <i>foster father</i> | | | |
| q) <i>family friend</i> | | | |
| r) <i>other (please describe)</i> | | | |

[Coders ensured that any entry in the 'please describe' area was matched by a 'yes' tick in F8r]

PA490 Brought up by mother						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Yes	1	8122	94.0	95.9	95.9
2	No	2	304	3.5	3.6	99.5
3	Did not have	3	40	.5	.5	100.0
-1		-1	179	2.1	Missing	
Total			8645	100.0	100.0	
Valid cases		8466	Missing cases		179	

PA491 Brought up by father						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Yes	1	7118	82.3	84.1	84.1
2	No	2	1348	15.6	15.9	100.0
-1		-1	179	2.1	Missing	
Total			8645	100.0	100.0	
Valid cases		8466	Missing cases		179	

PA492 Brought up by brother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	597	6.9	7.1	7.1
No	2	7869	91.0	92.9	100.0
	-1	179	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA493 Brought up by sister

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	682	7.9	8.1	8.1
No	2	7784	90.0	91.9	100.0
	-1	179	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA494 Brought up by stepmother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	74	.9	.9	.9
No	2	8392	97.1	99.1	100.0
	-1	179	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA495 Brought up by stepfather

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	252	2.9	3.0	3.0
No	2	8214	95.0	97.0	100.0
	-1	179	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA496 Brought up by stepbrother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8	.1	.1	.1
No	2	8458	97.8	99.9	100.0
	-1	179	2.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA497 Brought up by stepsister

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8	.1	.1	.1
No	2	8458	97.8	99.9	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA498 Brought up by mothers PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	51	.6	.6	.6
No	2	8415	97.3	99.4	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA499 Brought up by Fathers PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	26	.3	.3	.3
No	2	8440	97.6	99.7	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA500 Brought up by grandmother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	697	8.1	8.2	8.2
No	2	7769	89.9	91.8	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA501 Brought up by grandfather

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	392	4.5	4.6	4.6
No	2	8074	93.4	95.4	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA502 Brought up by adoptive mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	96	1.1	1.1	1.1
No	2	8370	96.8	98.9	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA503 Brought up by adoptive father

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	113	1.3	1.3	1.3
No	2	8353	96.6	98.7	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA504 Brought up by foster mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	29	.3	.3	.3
No	2	8437	97.6	99.7	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA505 Brought up by foster father

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	21	.2	.2	.2
No	2	8445	97.7	99.8	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA506 Brought up by family friend

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	62	.7	.7	.7
No	2	8404	97.2	99.3	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA507 Brought up by other

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	121	1.4	1.4	1.4
No	2	8345	96.5	98.6	100.0
	-1	179	2.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8466 Missing cases 179

PA508 No. persons bringing PTNR up

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	197	2.3	2.3	2.3
	1.00	789	9.1	9.1	11.4
	2.00	6144	71.1	71.1	82.5
	3.00	856	9.9	9.9	92.4
	4.00	520	6.0	6.0	98.4
	5.00	102	1.2	1.2	99.6
	6.00	28	.3	.3	99.9
	7.00	7	.1	.1	100.0
	8.00	1	.0	.0	100.0
	9.00	1	.0	.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.† *Has your natural mother and/or mother figure had any of the following: (If you only had a natural mother, answer only under 'natural mother')*

(i)			(ii)		
Natural mother			Mother figure		
Yes	No	Don't know	Yes	No	Don't know

a) *diabetes treated with insulin*

PA510 NAT mother had diabetes with insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	73	.8	.9	.9
No	2	7877	91.1	95.9	96.8
DK	9	264	3.1	3.2	100.0
	-1	431	5.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8214 Missing cases 431

PA510A NATmother known to have diabetes/insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	73	.8	.8	.8
No	2.00	8572	99.2	99.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA511 Mother FIG had diabetes with insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6	.1	1.8	1.8
No	2	283	3.3	84.2	86.0
DK	9	47	.5	14.0	100.0
	-1	8309	96.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 336 Missing cases 8309

PA511A MotherFIG known to have diabetes/insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6	.1	.1	.1
No	2.00	8639	99.9	99.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.b) other diabetes

PA512 NAT mother had other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	149	1.7	1.8	1.8
No	2	7776	89.9	94.6	96.5
DK	9	291	3.4	3.5	100.0
	-1	429	5.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 8216 Missing cases 429

PA512A NAT mother known to have other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	149	1.7	1.7	1.7
No	2.00	8496	98.3	98.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA513 Mother FIG had other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6	.1	1.8	1.8
No	2	278	3.2	83.7	85.5
DK	9	48	.6	14.5	100.0
	-1	8313	96.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 332 Missing cases 8313

PA513A Mother FIG known to have other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6	.1	.1	.1
No	2.00	8639	99.9	99.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F9.c) coronary heart disease

PA514 NAT mother had coronary heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	305	3.5	3.7	3.7
No	2	7623	88.2	92.7	96.4
DK	9	296	3.4	3.6	100.0
	-1	421	4.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8224	Missing cases	421		

PA514A NAT mother known to have c.heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	305	3.5	3.5	3.5
No	2.00	8340	96.5	96.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA515 Mother FIG had coronary heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	22	.3	6.7	6.7
No	2	268	3.1	81.5	88.1
DK	9	39	.5	11.9	100.0
	-1	8316	96.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	329	Missing cases	8316		

PA515A Mother FIG known to have c.heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	22	.3	.3	.3
No	2.00	8623	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F9.) Rheumatism

PA516 NAT mother had rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1239	14.3	15.1	15.1
No	2	6297	72.8	76.7	91.8
DK	9	673	7.8	8.2	100.0
	-1	436	5.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 8209 Missing cases 436

PA516A Natural mother known to have rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1239	14.3	14.3	14.3
No	2.00	7406	85.7	85.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA517 Mother FIG had rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	54	.6	16.2	16.2
No	2	230	2.7	69.1	85.3
DK	9	49	.6	14.7	100.0
	-1	8312	96.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 333 Missing cases 8312

PA517A Mother figure known to have rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	54	.6	.6	.6
No	2.00	8591	99.4	99.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.e) arthritis

PA518 NAT mother had arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1646	19.0	20.0	20.0
No	2	5898	68.2	71.8	91.8
DK	9	673	7.8	8.2	100.0
	-1	428	5.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 8217 Missing cases 428

PA518A Natural mother known to have arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1646	19.0	19.0	19.0
No	2.00	6999	81.0	81.0	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA519 Mother FIG had arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	63	.7	19.0	19.0
No	2	220	2.5	66.5	85.5
DK	9	48	.6	14.5	100.0
	-1	8314	96.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 331 Missing cases 8314

PA519A Mother figure known to have arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	63	.7	.7	.7
No	2.00	8582	99.3	99.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.f) multiple sclerosis

PA520 NAT mother had MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	35	.4	.4	.4
No	2	7972	92.2	97.0	97.4
DK	9	214	2.5	2.6	100.0
	-1	424	4.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8221	Missing cases	424		
PA520A	Natural mother known to have MS				

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	35	.4	.4	.4
No	2.00	8610	99.6	99.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA521 Mother FIG had MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3	.0	.9	.9
No	2	289	3.3	87.6	88.5
DK	9	38	.4	11.5	100.0
	-1	8315	96.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	330	Missing cases	8315		

PA521A Mother figure known to have MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3	.0	.0	.0
No	2.00	8642	100.0	100.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F9.g) breast cancer

PA522 NAT mother had breast cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	295	3.4	3.6	3.6
No	2	7645	88.4	93.0	96.6
DK	9	281	3.3	3.4	100.0
	-1	424	4.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8221 Missing cases 424

PA522A NAT mother known to have breast cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	295	3.4	3.4	3.4
No	2.00	8350	96.6	96.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA523 Mother FIG had breast cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	12	.1	3.6	3.6
No	2	277	3.2	83.4	87.0
DK	9	43	.5	13.0	100.0
	-1	8313	96.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 332 Missing cases 8313

PA523A Mother FIG known to have breast cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	12	.1	.1	.1
No	2.00	8633	99.9	99.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.h) other cancer

PA524 NAT mother had other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	552	6.4	6.7	6.7
No	2	7367	85.2	89.6	96.3
DK	9	302	3.5	3.7	100.0
	-1	424	4.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8221	Missing cases	424		

PA524A NAT mother known to have other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	552	6.4	6.4	6.4
No	2.00	8093	93.6	93.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA525 Mother FIG had other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	24	.3	7.2	7.2
No	2	265	3.1	79.8	87.0
DK	9	43	.5	13.0	100.0
	-1	8313	96.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	332	Missing cases	8313		

PA525A Mother FIG known to have other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	24	.3	.3	.3
No	2.00	8621	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F9.i) hypertension (high blood pressure)

PA526 NAT mother had hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1460	16.9	17.8	17.8
No	2	5817	67.3	70.7	88.5
DK	9	945	10.9	11.5	100.0
	-1	423	4.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8222	Missing cases	423		

PA526A NAT mother known to have hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1460	16.9	16.9	16.9
No	2.00	7185	83.1	83.1	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA527 Mother FIG had hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	51	.6	15.4	15.4
No	2	225	2.6	67.8	83.1
DK	9	56	.6	16.9	100.0
	-1	8313	96.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	332	Missing cases	8313		

PA527A Mother figure known to have hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	51	.6	.6	.6
No	2.00	8594	99.4	99.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F9.j) an alcohol problem

PA528 NAT mother had an alcohol PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	197	2.3	2.4	2.4
No	2	7804	90.3	95.0	97.3
DK	9	218	2.5	2.7	100.0
	-1	426	4.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 8219 Missing cases 426

PA528A NAT mother known to have alcohol problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	197	2.3	2.3	2.3
No	2.00	8448	97.7	97.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA529 Mother FIG had an alcohol PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6	.1	1.8	1.8
No	2	285	3.3	86.4	88.2
DK	9	39	.5	11.8	100.0
	-1	8315	96.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 330 Missing cases 8315

PA529A Mother FIG known to have alcohol problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6	.1	.1	.1
No	2.00	8639	99.9	99.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.k) schizophrenia

PA530 NAT mother had schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	27	.3	.3	.3
No	2	7925	91.7	96.6	96.9
DK	9	255	2.9	3.1	100.0
	-1	438	5.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8207	Missing cases	438		

PA530A NAT mother known to have schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	27	.3	.3	.3
No	2.00	8618	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA531 Mother FIG had schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1	.0	.3	.3
No	2	288	3.3	87.0	87.3
DK	9	42	.5	12.7	100.0
	-1	8314	96.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	331	Missing cases	8314		

PA531A Mother FIG known to have schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1	.0	.0	.0
No	2.00	8644	100.0	100.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F9.1) chronic bronchitis

PA532 NAT mother had chronic bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	275	3.2	3.3	3.3
No	2	7620	88.1	92.8	96.2
DK	9	315	3.6	3.8	100.0
	-1	435	5.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8210	Missing cases	435		

PA532A NAT mother known to have chr. bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	275	3.2	3.2	3.2
No	2.00	8370	96.8	96.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA533 Mother FIG had chronic bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	15	.2	4.5	4.5
No	2	275	3.2	83.1	87.6
DK	9	41	.5	12.4	100.0
	-1	8314	96.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	331	Missing cases	8314		

PA533A Mother FIG known to have chr. bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	15	.2	.2	.2
No	2.00	8630	99.8	99.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F9.m) a stroke

PA534 NAT mother had a stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	215	2.5	2.6	2.6
No	2	7804	90.3	95.1	97.7
DK	9	191	2.2	2.3	100.0
	-1	435	5.0	Missing	
	Total	8645	100.0	100.0	

Valid cases 8210 Missing cases 435

PA534A Natural mother known to have had stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	215	2.5	2.5	2.5
No	2.00	8430	97.5	97.5	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA535 Mother FIG had a stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	20	.2	6.0	6.0
No	2	272	3.1	82.2	88.2
DK	9	39	.5	11.8	100.0
	-1	8314	96.2	Missing	
	Total	8645	100.0	100.0	

Valid cases 331 Missing cases 8314

PA535A Mother figure known to have had stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	20	.2	.2	.2
No	2.00	8625	99.8	99.8	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.n) depression or 'nerves'

PA536 NAT mother had depression or nerves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1582	18.3	19.2	19.2
No	2	6091	70.5	74.0	93.3
DK	9	553	6.4	6.7	100.0
	-1	419	4.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8226 Missing cases 419

PA536A NAT mother known to have depression etc.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1582	18.3	18.3	18.3
No	2.00	7063	81.7	81.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA537 Mother FIG had depression or nerves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	51	.6	15.5	15.5
No	2	230	2.7	69.9	85.4
DK	9	48	.6	14.6	100.0
	-1	8316	96.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 329 Missing cases 8316

PA537A Mother FIG known to have depression etc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	51	.6	.6	.6
No	2.00	8594	99.4	99.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F9.o) other problem (please describe)

[Coders ensured that is something was written in the 'please describe' section, that (0) is ticked appropriately. If not, to write a zero on that line, to indicate information in the Office Use section - the 0s have been recoded to -1 on these files]

PA538 NAT mother had other PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	971	11.2	11.6	11.6
No	2	6762	78.2	80.5	92.0
DK	9	671	7.8	8.0	100.0
	-1	241	2.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8404	Missing cases	241		

PA538A NAT mother known to have other problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	971	11.2	11.2	11.2
No	2.00	7674	88.8	88.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA539 Mother FIG had other PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	22	.3	7.3	7.3
No	2	225	2.6	74.5	81.8
DK	9	55	.6	18.2	100.0
	-1	8343	96.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	302	Missing cases	8343		

PA539A Mother FIG known to have other problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	22	.3	.3	.3
No	2.00	8623	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F10 a)† Would you say that your mother (or mother figure) was disabled in any way?

Yes No

b) If yes, please describe:

[Not yet coded: keyed as text. Coders ensured that any entry in the 'please describe' area was matched by a 'yes' tick in F10a]

PA550	Disabled mother				
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Yes		1	556	6.4	6.6
No		2	7874	91.1	93.4
		-1	215	2.5	Missing
		Total	8645	100.0	100.0
Valid cases	8430	Missing cases	215		

F11.a)† Would you say that any problems in your mother's (or mother figure's) health affected the way you were brought up?

she had no problems

yes, major effect

yes, minor effect

she had some problems, but they did not affect my upbringing

[The 1st version had only 3 options: yes major effect; yes minor effect; no not at all]

[Coders were instructed: As it is phrased, this question could be misread. We only want to record effects of adverse parental health, not effects of their good health. Please check that the question is being properly answered]

PA555	Effect of mothers health PROBS				
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Major effect		1	185	2.1	2.1
Minor effect		2	351	4.1	4.1
Did not affect		3	1383	16.0	16.0
No problems		4	6726	77.8	77.8
		Total	8645	100.0	100.0
Valid cases	8645	Missing cases	0		

PA555A	Problems present (mother)				
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Yes		1.00	1919	22.2	22.2
No		2.00	6726	77.8	77.8
		Total	8645	100.0	100.0
Valid cases	8645	Missing cases	0		

PA556 Effect of mother's health PROBS (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Major effect	1	26	.3	.3	.3
Minor effect	2	80	.9	.9	1.2
No problems	3	8539	98.8	98.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA556A Problems present (mother) (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	106	1.2	1.2	1.2
No	2.00	8539	98.8	98.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

If yes, b) please describe:

*F12.† Has your natural father and/or father figure had any of the following:
(If you only had a natural father, answer only under 'natural father')*

(i)

Natural father

Yes No Don't know

(ii)

Father figure

Yes No Don't know

a) diabetes treated with insulin

PA560 NAT father had diabetes with insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	129	1.5	1.6	1.6
No	2	7551	87.3	94.2	95.8
DK	9	337	3.9	4.2	100.0
	-1	628	7.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8017 Missing cases 628

PA560A NATfather known to have diabetes/insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	129	1.5	1.5	1.5
No	2.00	8516	98.5	98.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA561 Father FIG had diabetes with insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8	.1	1.6	1.6
No	2	436	5.0	87.7	89.3
DK	9	53	.6	10.7	100.0
	-1	8148	94.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	497	Missing cases	8148		

PA561A FatherFIG known to have diabetes/insulin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8	.1	.1	.1
No	2.00	8637	99.9	99.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F12.b) other diabetes

PA562 NAT father had other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	240	2.8	3.0	3.0
No	2	7417	85.8	92.6	95.6
DK	9	356	4.1	4.4	100.0
	-1	632	7.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8013	Missing cases	632		

PA562A NAT father known to have other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	240	2.8	2.8	2.8
No	2.00	8405	97.2	97.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA563 Father FIG had other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	15	.2	3.0	3.0
No	2	430	5.0	86.7	89.7
DK	9	51	.6	10.3	100.0
	-1	8149	94.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	496	Missing cases	8149		

PA563A Father FIG known to have other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	15	.2	.2	.2
No	2.00	8630	99.8	99.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F12.c) coronary heart disease

PA564 NAT father had coronary heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1003	11.6	12.5	12.5
No	2	6649	76.9	82.8	95.3
DK	9	378	4.4	4.7	100.0
	-1	615	7.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8030	Missing cases	615		

PA564A NAT father known to have c.heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1003	11.6	11.6	11.6
No	2.00	7642	88.4	88.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA565 Father FIG had coronary heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	47	.5	9.4	9.4
No	2	400	4.6	80.3	89.8
DK	9	51	.6	10.2	100.0
	-1	8147	94.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	498	Missing cases	8147		

PA565A Father FIG known to have c.heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	47	.5	.5	.5
No	2.00	8598	99.5	99.5	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F12.d) rheumatism

PA566 NAT father had rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	586	6.8	7.3	7.3
No	2	6835	79.1	85.4	92.7
DK	9	585	6.8	7.3	100.0
	-1	639	7.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8006 Missing cases 639

PA566A Natural father known to have rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	586	6.8	6.8	6.8
No	2.00	8059	93.2	93.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA567 Father FIG had rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	29	.3	5.8	5.8
No	2	405	4.7	81.7	87.5
DK	9	62	.7	12.5	100.0
	-1	8149	94.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 496 Missing cases 8149

PA567A Father figure known to have rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	29	.3	.3	.3
No	2.00	8616	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F12.e) arthritis

PA568 NAT father had arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	791	9.1	9.9	9.9
No	2	6644	76.9	82.9	92.7
DK	9	583	6.7	7.3	100.0
	-1	627	7.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8018	Missing cases	627		

PA568A Natural father known to have arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	791	9.1	9.1	9.1
No	2.00	7854	90.9	90.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA569 Father FIG had arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	49	.6	9.9	9.9
No	2	388	4.5	78.2	88.1
DK	9	59	.7	11.9	100.0
	-1	8149	94.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	496	Missing cases	8149		

PA569A Father figure known to have arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	49	.6	.6	.6
No	2.00	8596	99.4	99.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F12.f) multiple sclerosis

PA570 NAT father had MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	19	.2	.2	.2
No	2	7694	89.0	96.0	96.2
DK	9	303	3.5	3.8	100.0
	-1	629	7.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8016 Missing cases 629

PA570A Natural father known to have MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	19	.2	.2	.2
No	2.00	8626	99.8	99.8	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA571 Father FIG had MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1	.0	.2	.2
No	2	452	5.2	90.9	91.1
DK	9	44	.5	8.9	100.0
	-1	8148	94.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 497 Missing cases 8148

PA571A Father figure known to have MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1	.0	.0	.0
No	2.00	8644	100.0	100.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F12.g) prostate cancer

PA572 NAT father had prostate cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	75	.9	.9	.9
No	2	7546	87.3	94.3	95.3
DK	9	380	4.4	4.7	100.0
	-1	644	7.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 8001 Missing cases 644

PA572A NAT father known to have prostate cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	75	.9	.9	.9
No	2.00	8570	99.1	99.1	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA573 Father FIG had prostate cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8	.1	1.6	1.6
No	2	440	5.1	88.5	90.1
DK	9	49	.6	9.9	100.0
	-1	8148	94.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 497 Missing cases 8148

PA573A Father FIG known to have prostate cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8	.1	.1	.1
No	2.00	8637	99.9	99.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F12.h) other cancer

PA574 NAT father had other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	536	6.2	6.7	6.7
No	2	7126	82.4	88.8	95.5
DK	9	359	4.2	4.5	100.0
	-1	624	7.2	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8021	Missing cases	624		

PA574A NAT father known to have other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	536	6.2	6.2	6.2
No	2.00	8109	93.8	93.8	100.0
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8645	Missing cases	0		

PA575 Father FIG had other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	40	.5	8.0	8.0
No	2	406	4.7	81.5	89.6
DK	9	52	.6	10.4	100.0
	-1	8147	94.2	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	498	Missing cases	8147		

PA575A Father FIG known to have other cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	40	.5	.5	.5
No	2.00	8605	99.5	99.5	100.0
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8645	Missing cases	0		

F12.i) hypertension (high blood pressure)

PA576 NAT father had hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1161	13.4	14.5	14.5
No	2	6133	70.9	76.5	91.0
DK	9	723	8.4	9.0	100.0
	-1	628	7.3	Missing	
	Total	8645	100.0	100.0	
Valid cases	8017	Missing cases	628		

PA576A NAT father known to have hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1161	13.4	13.4	13.4
No	2.00	7484	86.6	86.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA577 Father FIG had hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	62	.7	12.6	12.6
No	2	361	4.2	73.2	85.8
DK	9	70	.8	14.2	100.0
	-1	8152	94.3	Missing	
	Total	8645	100.0	100.0	
Valid cases	493	Missing cases	8152		

PA577A Father FIG known to have hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	62	.7	.7	.7
No	2.00	8583	99.3	99.3	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F12.j) an alcohol problem

PA578 NAT father had an alcohol PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	437	5.1	5.4	5.4
No	2	7220	83.5	89.9	95.4
DK	9	371	4.3	4.6	100.0
	-1	617	7.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8028	Missing cases	617		

PA578A NAT father known to have alcohol problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	437	5.1	5.1	5.1
No	2.00	8208	94.9	94.9	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA579 Father FIG had an alcohol PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	30	.3	6.0	6.0
No	2	417	4.8	83.9	89.9
DK	9	50	.6	10.1	100.0
	-1	8148	94.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	497	Missing cases	8148		

PA579A Father FIG known to have alcohol problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	30	.3	.3	.3
No	2.00	8615	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F12.k) schizophrenia

PA580 NAT father had schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	24	.3	.3	.3
No	2	7654	88.5	95.6	95.9
DK	9	332	3.8	4.1	100.0
	-1	635	7.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8010 Missing cases 635

PA580A NAT father known to have schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	24	.3	.3	.3
No	2.00	8621	99.7	99.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA581 Father FIG had schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3	.0	.6	.6
No	2	446	5.2	89.7	90.3
DK	9	48	.6	9.7	100.0
	-1	8148	94.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 497 Missing cases 8148

PA581A Father FIG known to have schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3	.0	.0	.0
No	2.00	8642	100.0	100.0	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F12.1) chronic bronchitis

PA582 NAT father had chronic bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	332	3.8	4.1	4.1
No	2	7262	84.0	90.7	94.8
DK	9	416	4.8	5.2	100.0
	-1	635	7.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8010 Missing cases 635

PA582A NAT father known to have chr. bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	332	3.8	3.8	3.8
No	2.00	8313	96.2	96.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA583 Father FIG had chronic bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	24	.3	4.8	4.8
No	2	417	4.8	83.9	88.7
DK	9	56	.6	11.3	100.0
	-1	8148	94.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 497 Missing cases 8148

PA583A Father FIG known to have chr. bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	24	.3	.3	.3
No	2.00	8621	99.7	99.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F12.m) a stroke

PA584 NAT father had a stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	465	5.4	5.8	5.8
No	2	7207	83.4	89.9	95.7
DK	9	344	4.0	4.3	100.0
	-1	629	7.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 8016 Missing cases 629

PA584A Natural father known to have had stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	465	5.4	5.4	5.4
No	2.00	8180	94.6	94.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA585 father FIG had a stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	32	.4	6.5	6.5
No	2	418	4.8	84.3	90.7
DK	9	46	.5	9.3	100.0
	-1	8149	94.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 496 Missing cases 8149

PA585A Father figure known to have had stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	32	.4	.4	.4
No	2.00	8613	99.6	99.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F12.n) depression or 'nerves'

PA586 NAT father had depression or nerves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	547	6.3	6.8	6.8
No	2	6981	80.8	87.2	94.0
DK	9	479	5.5	6.0	100.0
	-1	638	7.4	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8007	Missing cases	638		

PA586A NAT father known to have depression etc.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	547	6.3	6.3	6.3
No	2.00	8098	93.7	93.7	100.0
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8645	Missing cases	0		

PA587 Father FIG had depression or nerves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	22	.3	4.4	4.4
No	2	414	4.8	83.5	87.9
DK	9	60	.7	12.1	100.0
	-1	8149	94.3	Missing	
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	496	Missing cases	8149		

PA587A Father FIG known to have depression etc.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	22	.3	.3	.3
No	2.00	8623	99.7	99.7	100.0
		-----	-----	-----	
		Total	8645	100.0	100.0
Valid cases	8645	Missing cases	0		

F12.o) other problem (please describe)

[Coders ensured that any entry in the 'please describe' area was matched by a 'yes' tick in F11a]

PA588 NAT father had other PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1016	11.8	12.2	12.2
No	2	6782	78.4	81.4	93.6
DK	9	535	6.2	6.4	100.0
	-1	312	3.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8333	Missing cases	312		
PA588A	NAT father known to have other problem				

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1016	11.8	11.8	11.8
No	2.00	7629	88.2	88.2	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA589 Father FIG had other PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	33	.4	7.1	7.1
No	2	371	4.3	80.3	87.4
DK	9	58	.7	12.6	100.0
	-1	8183	94.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	462	Missing cases	8183		

PA589A Father FIG known to have other problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	33	.4	.4	.4
No	2.00	8612	99.6	99.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

Derived variables

From the responses to questions F9 and F12, variables have been derived to indicate parental history of each item listed.

PA590A NAT parents known to have i.-d. diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	4	.0	.0	.0
Yes, mother	2.00	69	.8	.8	.8
Yes, father	3.00	125	1.4	1.4	2.3
No, neither	4.00	8447	97.7	97.7	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA590B Parent (FIGS) known to have i-d.diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	209	2.4	2.4	2.4
No	2.00	8436	97.6	97.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA591A NAT parents known to have other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	10	.1	.1	.1
Yes, mother	2.00	139	1.6	1.6	1.7
Yes, father	3.00	230	2.7	2.7	4.4
No, neither	4.00	8266	95.6	95.6	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA591B Parent (FIGS) known to have other diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	396	4.6	4.6	4.6
No	2.00	8249	95.4	95.4	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA592A NATparents known to have c.heart disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	77	.9	.9	.9
Yes, mother	2.00	228	2.6	2.6	3.5
Yes, father	3.00	926	10.7	10.7	14.2
No, neither	4.00	7414	85.8	85.8	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA592B Parent (FIGS) known to have c.heart dis.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1290	14.9	14.9	14.9
No	2.00	7355	85.1	85.1	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA593A Natural parents known to have rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	225	2.6	2.6	2.6
Yes, mother	2.00	1014	11.7	11.7	14.3
Yes, father	3.00	361	4.2	4.2	18.5
No, neither	4.00	7045	81.5	81.5	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA593B Parent (FIGS) known to have rheumatism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1667	19.3	19.3	19.3
No	2.00	6978	80.7	80.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA594A Natural parents known to have arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	276	3.2	3.2	3.2
Yes, mother	2.00	1370	15.8	15.8	19.0
Yes, father	3.00	515	6.0	6.0	25.0
No, neither	4.00	6484	75.0	75.0	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA594B Parent (figures) known to have arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2243	25.9	25.9	25.9
No	2.00	6402	74.1	74.1	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA595A Natural parents known to have MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	1	.0	.0	.0
Yes, mother	2.00	34	.4	.4	.4
Yes, father	3.00	18	.2	.2	.6
No, neither	4.00	8592	99.4	99.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA595B Parent (figures) known to have MS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	57	.7	.7	.7
No	2.00	8588	99.3	99.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA596A Natural parents known to have cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	78	.9	.9	.9
Yes, mother	2.00	670	7.8	7.8	8.7
Yes, father	3.00	505	5.8	5.8	14.5
No, neither	4.00	7392	85.5	85.5	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA596B Parent (figures) known to have cancer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1321	15.3	15.3	15.3
No	2.00	7324	84.7	84.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA597A NAT parents known to have hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	272	3.1	3.1	3.1
Yes, mother	2.00	1188	13.7	13.7	16.9
Yes, father	3.00	889	10.3	10.3	27.2
No, neither	4.00	6296	72.8	72.8	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA597B Parent (FIGS) known to have hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2432	28.1	28.1	28.1
No	2.00	6213	71.9	71.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA598A NAT parents known to have alcohol PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	48	.6	.6	.6
Yes, mother	2.00	149	1.7	1.7	2.3
Yes, father	3.00	389	4.5	4.5	6.8
No, neither	4.00	8059	93.2	93.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA598B Parent (FIGS) known to have alcohol PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	616	7.1	7.1	7.1
No	2.00	8029	92.9	92.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA599A NAT parents known to have schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	1	.0	.0	.0
Yes, mother	2.00	26	.3	.3	.3
Yes, father	3.00	23	.3	.3	.6
No, neither	4.00	8595	99.4	99.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA599B Parent(FIGS) known to have schizophrenia

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	53	.6	.6	.6
No	2.00	8592	99.4	99.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA600A NAT parents known to have chr.bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	26	.3	.3	.3
Yes, mother	2.00	249	2.9	2.9	3.2
Yes, father	3.00	306	3.5	3.5	6.7
No, neither	4.00	8064	93.3	93.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA600B Parent (FIGS) known to have chr.bronchitis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	616	7.1	7.1	7.1
No	2.00	8029	92.9	92.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA601A Natural parents known to have had stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	22	.3	.3	.3
Yes, mother	2.00	193	2.2	2.2	2.5
Yes, father	3.00	443	5.1	5.1	7.6
No, neither	4.00	7987	92.4	92.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA601B Parent (FIGS) known to have had stroke

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	702	8.1	8.1	8.1
No	2.00	7943	91.9	91.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA602A NAT parents known to have depression etc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	170	2.0	2.0	2.0
Yes, mother	2.00	1412	16.3	16.3	18.3
Yes, father	3.00	377	4.4	4.4	22.7
No, neither	4.00	6686	77.3	77.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA602B Parent(FIGS)known to have depression etc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2014	23.3	23.3	23.3
No	2.00	6631	76.7	76.7	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F13.a)† Would you say that your father (or father figure) was disabled in any way?

Yes No No father figure

b) If yes, please describe:

[Coders ensured that any entry in the 'please describe' area was matched by a 'yes' tick in

F13a]

PA610 Disabled father

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	732	8.5	8.8	8.8
No	2	7615	88.1	91.2	100.0
	-1	298	3.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 8347 Missing cases 298

Derived variable

PA612 Parent had disability

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1.00	115	1.3	1.3	1.3
Yes, mother	2.00	441	5.1	5.1	6.4
Yes, father	3.00	617	7.1	7.1	13.6
No, neither	4.00	7472	86.4	86.4	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F14.a)† Would you say that any problems in your father's (or father figure's) health affected the way you were brought up?

he had no problems

yes, major effect

yes, minor effect

he had some problems, but they did not affect my upbringing

no such person

[The 1st version only had 4 options: yes major effect;
yes minor effect; no not at all; no such person]

b) *If yes, please describe:*

[When more than 1 box ticked, the one with the lower code was taken].

[Coders were instructed: as it is phrased, this question could be misread. We only want to record effects of adverse parental health, not effects of their good health. Please check that the question is being properly answered]

PA614 Effect of fathers health PROBS

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Major effect		1	271	3.1	3.1	3.1
Minor effect		2	333	3.9	3.9	7.0
Did not affect		3	1136	13.1	13.1	20.1
No problems		4	6905	79.9	79.9	100.0
		Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA614A Problems present (father)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1740	20.1	20.1	20.1
No		2.00	6905	79.9	79.9	100.0
		Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA615 Effect of father's health PROBS (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Major effect	1	42	.5	.5	.5
Minor effect	2	54	.6	.6	1.1
No problems	3	8549	98.9	98.9	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

PA615A Problems present (father) (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	96	1.1	1.1	1.1
No	2.00	8549	98.9	98.9	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F15.a)† Before you were 17 did a parent or person who cared for you die?

Yes No Don't know

i) mother

ii) father

iii) mother figure

iv) father figure

v) other (please describe)

[Options (iii) - (v) were not included in 1st version]

First version

PA619 <17 when either parent died (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, both	1	1	.0	.1	.1
Yes, mother	2	16	.2	1.3	1.4
Yes, father	3	58	.7	4.8	6.3
No, neither	4	1121	13.0	93.7	100.0
		-----	-----	-----	
Total		8645	100.0	100.0	
Valid cases	1196	Missing cases	7449		

2nd+ versions

PA620		<17 when mother died				
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	116	1.3	1.3	1.3
No		2	8529	98.7	98.7	100.0
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0			

PA621		<17 when father died				
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	283	3.3	3.3	3.3
No		2	8362	96.7	96.7	100.0
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0			

PA622		<17 when mother FIG died				
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	11	.1	.1	.1
No		2	8634	99.9	99.9	100.0
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0			

PA623		<17 when father FIG died				
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	24	.3	.3	.3
No		2	8621	99.7	99.7	100.0
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0			

PA624		<17 when other carer died				
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	390	4.5	4.5	4.5
No		2	8255	95.5	95.5	100.0
			-----	-----	-----	
		Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0			

PA625 Carer died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	789	9.1	9.1	9.1
No	2.00	7856	90.9	90.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

F15.b) If yes, what age were you:

- i) mother died when I was: years old
- ii) father died when I was: years old
- iii) mother figure died when I was: years old
- iv) father figure died when I was: years old
- v) other figure died when I was: years old

[Options (iii) - (v) were not in 1st version]

[Coders were told to round age down, if months or part years given]

[N.B. Editing still needed on this section]

PA630 Age when mother died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	0	36	.4	10.6	10.6
	1	4	.0	1.2	11.8
	2	2	.0	.6	12.4
	3	5	.1	1.5	13.9
	4	2	.0	.6	14.5
	5	6	.1	1.8	16.2
	6	6	.1	1.8	18.0
	7	5	.1	1.5	19.5
	8	5	.1	1.5	20.9
	9	9	.1	2.7	23.6
	10	1	.0	.3	23.9
	11	12	.1	3.5	27.4
	12	11	.1	3.2	30.7
	13	8	.1	2.4	33.0
	14	10	.1	2.9	36.0
	15	13	.2	3.8	39.8
Not <17	16	13	.2	3.8	43.7
	88	191	2.2	56.3	100.0
	-1	8306	96.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 339 Missing cases 8306

PA630A Age when mother died (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	0	3	.0	7.5	7.5
	4	1	.0	2.5	10.0
	5	1	.0	2.5	12.5
	10	1	.0	2.5	15.0
	12	3	.0	7.5	22.5
	13	2	.0	5.0	27.5
	14	1	.0	2.5	30.0
	15	2	.0	5.0	35.0
	16	3	.0	7.5	42.5
	88	23	.3	57.5	100.0
Not <17	-1	8605	99.5	Missing	
Total		8645	100.0	100.0	

Valid cases 40 Missing cases 8605

PA631 Age when father died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	0	39	.5	5.8	5.8
	1	12	.1	1.8	7.5
	2	9	.1	1.3	8.9
	3	12	.1	1.8	10.6
	4	12	.1	1.8	12.4
	5	15	.2	2.2	14.6
	6	7	.1	1.0	15.7
	7	13	.2	1.9	17.6
	8	8	.1	1.2	18.8
	9	16	.2	2.4	21.1
	10	17	.2	2.5	23.6
	11	23	.3	3.4	27.0
	12	15	.2	2.2	29.2
	13	21	.2	3.1	32.3
	14	32	.4	4.7	37.1
	15	24	.3	3.5	40.6
	16	34	.4	5.0	45.6
Not <17	88	368	4.3	54.4	100.0
	-1	7968	92.2	Missing	
Total		8645	100.0	100.0	

Valid cases 677 Missing cases 7968

PA631A Age when father died (240890)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	0	4	.0	4.8	4.8
	1	2	.0	2.4	7.2
	2	4	.0	4.8	12.0
	3	4	.0	4.8	16.9
	4	3	.0	3.6	20.5
	5	3	.0	3.6	24.1
	6	1	.0	1.2	25.3
	7	5	.1	6.0	31.3
	8	2	.0	2.4	33.7
	9	2	.0	2.4	36.1
	10	4	.0	4.8	41.0
	11	2	.0	2.4	43.4
	12	4	.0	4.8	48.2
	13	6	.1	7.2	55.4
	14	4	.0	4.8	60.2
	15	4	.0	4.8	65.1
Not <17	16	3	.0	3.6	68.7
	88	26	.3	31.3	100.0
	-1	8562	99.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 83 Missing cases 8562

PA632 Age when mother FIG died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	0	43	.5	60.6	60.6
	3	1	.0	1.4	62.0
	8	2	.0	2.8	64.8
	10	1	.0	1.4	66.2
	11	3	.0	4.2	70.4
	12	2	.0	2.8	73.2
	13	1	.0	1.4	74.6
	15	2	.0	2.8	77.5
	16	2	.0	2.8	80.3
	43	1	.0	1.4	81.7
	88	13	.2	18.3	100.0
Not <17	-1	8574	99.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 71 Missing cases 8574

PA633 Age when father FIG died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	0	42	.5	47.7	47.7
	4	1	.0	1.1	48.9
	5	1	.0	1.1	50.0
	7	3	.0	3.4	53.4
	9	1	.0	1.1	54.5
	10	2	.0	2.3	56.8
	11	3	.0	3.4	60.2
	12	4	.0	4.5	64.8
	13	2	.0	2.3	67.0
	14	3	.0	3.4	70.5
	15	3	.0	3.4	73.9
	16	3	.0	3.4	77.3
	88	20	.2	22.7	100.0
	-1	8557	99.0	Missing	
	Total	8645	100.0	100.0	
Valid cases	88	Missing cases	8557		

PA634 Age when other carer died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 YR	0	32	.4	8.0	8.0
	1	2	.0	.5	8.5
	2	1	.0	.3	8.8
	3	2	.0	.5	9.3
	4	6	.1	1.5	10.8
	5	6	.1	1.5	12.3
	6	13	.2	3.3	15.5
	7	14	.2	3.5	19.0
	8	16	.2	4.0	23.1
	9	18	.2	4.5	27.6
	10	40	.5	10.0	37.6
	11	18	.2	4.5	42.1
	12	25	.3	6.3	48.4
	13	31	.4	7.8	56.1
	14	52	.6	13.0	69.2
	15	37	.4	9.3	78.4
	16	52	.6	13.0	91.5
Not <17	88	34	.4	8.5	100.0
	-1	8246	95.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	399	Missing cases	8246		

F15. c) If either parent died, who cared for you after their death(s)?

Yes

No

i) other parent

ii) relative

iii) foster parents

iv) adopted parent

v) other (please describe)

PA640 After parent died other parent care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	346	4.0	85.0	85.0
No	2	61	.7	15.0	100.0
	-1	8238	95.3	Missing	
	Total	8645	100.0	100.0	
Valid cases	407	Missing cases	8238		

PA641 After parent died other relative care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	43	.5	19.5	19.5
No	2	178	2.1	80.5	100.0
	-1	8424	97.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	221	Missing cases	8424		

PA642 After parent died foster care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	9	.1	4.4	4.4
No	2	195	2.3	95.6	100.0
	-1	8441	97.6	Missing	
	Total	8645	100.0	100.0	
Valid cases	204	Missing cases	8441		

PA643 After parent died adoptive care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	12	.1	5.9	5.9
No	2	190	2.2	94.1	100.0
	-1	8443	97.7	Missing	
	Total	8645	100.0	100.0	
Valid cases	202	Missing cases	8443		

PA644 After parent died other care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	39	.5	18.3	18.3
No	2	174	2.0	81.7	100.0
	-1	8432	97.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 213 Missing cases 8432

The following section comprised the Parent-Bonding Instrument [1]

The original Parental Bonding Instrument (Parker, Tupling and Brown 1979) had been adapted by Gamsa (1987) to reword the statements that had produced double negatives in the original. During the course of piloting it became obvious that our parents were unhappy with the original options for responses (very like, moderately like, moderately unlike, very unlike) and they have been changed as shown below. In addition, 3 questions were omitted since they were almost identical to other questions in the scale and caused considerable annoyance to participants.

We would like to know how you and your mother got on when you were a child. This will probably have varied over your childhood and in different situations but we would like a general impression. Please tick the box to indicate how you mostly remember your mother in your first 16 years.

[The 1st version however merely said ‘The following questions list various descriptions of mothers. Please tick ...]

Mother (or person that took the place of your mother)

[In the 1st version the word ‘female was used instead of ‘person’]

F16. † Never Sometimes Usually

The options in the 1st version (a) - (y) were: very like my mother; like my mother; unlike my mother; very unlike my mother. These partners have been put to missing, since it proved impossible to create an amalgamated score.

My mother -*F16.a) Spoke to me with a warm and friendly voice*

[When more than 1 box ticked, the one with the lower code was taken]

PA700 Spoken warmly to by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	105	1.2	1.5	1.5
Sometimes	2	1392	16.1	19.7	21.1
Usually	3	5582	64.6	78.9	100.0
	-1	1566	18.1	Missing	
	Total	8645	100.0	100.0	

Valid cases 7079 Missing cases 1566

F16.b) Helped me as much as I needed

[When more than 1 box ticked, the one with the lower code was taken]

PA701 Helped as needed by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	149	1.7	2.1	2.1
Sometimes	2	1213	14.0	17.1	19.2
Usually	3	5735	66.3	80.8	100.0
	-1	1548	17.9	Missing	
	Total	8645	100.0	100.0	

Valid cases 7097 Missing cases 1548

F16.c) Let me do those things I liked doing

[When more than 1 box ticked, the one with the lower code was taken]

PA702 Allowed by mother to do as liked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	68	.8	1.0	1.0
Sometimes	2	2886	33.4	40.5	41.4
Usually	3	4179	48.3	58.6	100.0
	-1	1512	17.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 7133 Missing cases 1512

F16.d) Seemed emotionally cold to me

[When more than 1 box ticked, the one with the higher code was taken]

PA703 Apparent coldness from mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	5797	67.1	81.6	81.6
Sometimes	2	1050	12.1	14.8	96.3
Usually	3	260	3.0	3.7	100.0
	-1	1538	17.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	7107	Missing cases	1538		

F16.e) Appeared to understand my problems and worries

[When more than 1 box ticked, the one with the lower code was taken]

PA704 PROBS seemed understood by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	453	5.2	6.4	6.4
Sometimes	2	3002	34.7	42.2	48.6
Usually	3	3658	42.3	51.4	100.0
	-1	1532	17.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7113 Missing cases 1532

F16.f) Was affectionate to me

[When more than 1 box ticked, the one with the lower code was taken]

PA705 Affection by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	226	2.6	3.2	3.2
Sometimes	2	1829	21.2	25.7	28.8
Usually	3	5070	58.6	71.2	100.0
	-1	1520	17.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7125 Missing cases 1520

F16.g) Tried to control what I did

[Previously (i) 'Tried to control everything I did']

[When more than 1 box ticked, the one with the lower code was taken]

PA706 Control attempted by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	848	9.8	11.9	11.9
Sometimes	2	4229	48.9	59.4	71.3
Usually	3	2040	23.6	28.7	100.0
	-1	1528	17.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7117 Missing cases 1528

F16.h) Invaded my privacy

[Previously (j)]

[When more than 1 box ticked,the one with the higher code was taken]

PA707 Privacy invaded by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	3834	44.3	53.9	53.9
Sometimes	2	2809	32.5	39.5	93.4
Usually	3	473	5.5	6.6	100.0
	-1	1529	17.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7116 Missing cases 1529

F16.i) Let me decide things for myself

[Previously (o)]

[When more than 1 box ticked, the one with the lower code was taken]

PA708 Allowed own decisions by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	222	2.6	3.1	3.1
Sometimes	2	3405	39.4	47.8	50.9
Usually	3	3492	40.4	49.1	100.0
	-1	1526	17.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7119 Missing cases 1526

F16.j) Made me feel I wasn't wanted

[Previously (p)]

[When more than 1 box ticked, the one with the higher code was taken]

PA709 Felt unwanted by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	6260	72.4	87.9	87.9
Sometimes	2	654	7.6	9.2	97.1
Usually	3	205	2.4	2.9	100.0
	-1	1526	17.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7119 Missing cases 1526

F16.k) *Talked things over with me*

[Previously (r) 'Talked to me often']

[When more than 1 box ticked, the one with the lower code was taken]

PA710	Things talked over by mother				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	775	9.0	10.9	10.9
Sometimes	2	3919	45.3	55.1	66.0
Usually	3	2418	28.0	34.0	100.0
	-1	1533	17.7	Missing	
	Total	8645	100.0	100.0	
Valid cases	7112	Missing cases	1533		

F16.l) Gave me the freedom I wanted

[Previously (u) ‘Gave me as much freedom as I wanted’]

[When more than 1 box ticked, the one with the lower code was taken]

PA711		Allowed freedom by mother				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Never	1	264	3.1	3.7	3.7
	Sometimes	2	3497	40.5	49.2	52.9
	Usually	3	3351	38.8	47.1	100.0
		-1	1533	17.7	Missing	
		Total	8645	100.0	100.0	
Valid cases		7112	Missing cases		1533	

F16.m) Praised me

[Previously (x)]

[When more than 1 box ticked, the one with the lower code was taken]

PA712		Praised by mother				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Never	1	368	4.3	5.2	5.2
	Sometimes	2	3335	38.6	46.9	52.1
	Usually	3	3408	39.4	47.9	100.0
		-1	1534	17.7	Missing	
			-----	-----		
		Total	8645	100.0	100.0	
Valid cases	7111	Missing cases	1534			

YES NO

F16.n) Enjoyed talking things over with me
[Previously (k)]

PA713 Mother enjoyed talking things over

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5499	63.6	78.5	78.5
No	2	1505	17.4	21.5	100.0
	-1	1641	19.0	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7004 Missing cases 1641

F16.o) Frequently smiled at me
[previously (l)]

PA714 FREQ smiled at by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6432	74.4	90.9	90.9
No	2	646	7.5	9.1	100.0
	-1	1567	18.1	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7078 Missing cases 1567

F16.p) Tended to baby me
[Previously (m)]

PA715 Babied by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2064	23.9	29.2	29.2
No	2	4993	57.8	70.8	100.0
	-1	1588	18.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7057 Missing cases 1588

F16.q) Seemed to understand what I needed or wanted
[Previously (n)]

PA716 Needs understood by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5696	65.9	81.0	81.0
No	2	1337	15.5	19.0	100.0
	-1	1612	18.6	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 7033 Missing cases 1612

F16.r) Could make me feel better when I was upset
[Previously (q)]

PA717 Upsets comforted by mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6160	71.3	87.5	87.5
No	2	883	10.2	12.5	100.0
	-1	1602	18.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 7043 Missing cases 1602

F16.s) Felt I could not look after myself unless she was around
[Previously (t)]

PA718 Felt helpless without mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1316	15.2	18.6	18.6
No	2	5744	66.4	81.4	100.0
	-1	1585	18.3	Missing	
	Total	8645	100.0	100.0	

Valid cases 7060 Missing cases 1585

F16.t) Let me go out as often as I wanted
[Previously (v)]

PA719 Allowed by mother to go out anytime

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4106	47.5	58.3	58.3
No	2	2941	34.0	41.7	100.0
	-1	1598	18.5	Missing	
	Total	8645	100.0	100.0	

Valid cases 7047 Missing cases 1598

F16.u) Was overprotective of me
[Previously (w)]

PA720 Overprotective mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1467	17.0	20.8	20.8
No	2	5586	64.6	79.2	100.0
	-1	1592	18.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 7053 Missing cases 1592

F16.v) Let me dress in any way I pleased
[Previously (y)]

PA721 Allowed by mother to dress as liked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4212	48.7	59.8	59.8
No	2	2830	32.7	40.2	100.0
	-1	1603	18.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	7042	Missing cases	1603		

Derived variables

From questions F16a-F16v, the following recodes were carried out: F16c, d, i, j, l: (1, 2, 3 = 3, 2, 1);

F16n, o, p, q, r, s, u: (1, 2 = 3, 1); F16t, v, (1, 2 = 1, 3)

Care scale = F16a + b + d + e + f + j + k + m + n + o + q + r -12.

Over -protection scale = F16c + g + h + i + l + p + s + t + u + v -10

PA724 Maternal care score

(scores put to missing if any component was missing)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8	.1	.1	.1
	1.00	18	.2	.3	.4
	2.00	25	.3	.4	.8
	3.00	26	.3	.4	1.1
	4.00	38	.4	.6	1.7
	5.00	45	.5	.7	2.4
	6.00	40	.5	.6	3.0
	7.00	49	.6	.7	3.7
	8.00	51	.6	.8	4.5
	9.00	75	.9	1.1	5.6
	10.00	88	1.0	1.3	6.9
	11.00	93	1.1	1.4	8.3
	12.00	106	1.2	1.6	9.8
	13.00	115	1.3	1.7	11.6
	14.00	128	1.5	1.9	13.5
	15.00	133	1.5	2.0	15.4
	16.00	191	2.2	2.8	18.3
	17.00	211	2.4	3.1	21.4
	18.00	300	3.5	4.5	25.9
	19.00	411	4.8	6.1	32.0
	20.00	502	5.8	7.5	39.5
	21.00	685	7.9	10.2	49.6
	22.00	992	11.5	14.8	64.4
	23.00	1054	12.2	15.7	80.1
	24.00	1340	15.5	19.9	100.0
	-1.00	1921	22.2	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	6724	Missing cases	1921		

Missing components put to modes:

PA725 Maternal care score: modes/missing data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8	.1	.1	.1
	1.00	18	.2	.2	.3
	2.00	25	.3	.3	.6
	3.00	26	.3	.3	.9
	4.00	38	.4	.4	1.3
	5.00	45	.5	.5	1.9
	6.00	44	.5	.5	2.4
	7.00	52	.6	.6	3.0
	8.00	56	.6	.6	3.6
	9.00	80	.9	.9	4.5
	10.00	96	1.1	1.1	5.6
	11.00	98	1.1	1.1	6.8
	12.00	114	1.3	1.3	8.1
	13.00	124	1.4	1.4	9.5
	14.00	139	1.6	1.6	11.1
	15.00	146	1.7	1.7	12.8
	16.00	202	2.3	2.3	15.2
	17.00	233	2.7	2.7	17.9
	18.00	330	3.8	3.8	21.7
	19.00	449	5.2	5.2	26.9
	20.00	550	6.4	6.4	33.2
	21.00	744	8.6	8.6	41.8
	22.00	1049	12.1	12.1	54.0
	23.00	2606	30.1	30.1	84.1
	24.00	1373	15.9	15.9	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA726 Maternal care score: no. missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6724	77.8	77.8	77.8
	1.00	248	2.9	2.9	80.6
	2.00	114	1.3	1.3	82.0
	3.00	30	.3	.3	82.3
	4.00	13	.2	.2	82.5
	5.00	2	.0	.0	82.5
	6.00	5	.1	.1	82.5
	7.00	1	.0	.0	82.6
	8.00	1	.0	.0	82.6
	10.00	17	.2	.2	82.8
	11.00	4	.0	.0	82.8
	12.00	1486	17.2	17.2	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA727 Overprotective score

(scores put to missing if any component missing)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	251	2.9	3.7	3.7
	1.00	564	6.5	8.2	11.9
	2.00	607	7.0	8.9	20.8
	3.00	578	6.7	8.5	29.2
	4.00	633	7.3	9.3	38.5
	5.00	614	7.1	9.0	47.5
	6.00	589	6.8	8.6	56.1
	7.00	605	7.0	8.8	64.9
	8.00	533	6.2	7.8	72.7
	9.00	488	5.6	7.1	79.9
	10.00	359	4.2	5.3	85.1
	11.00	286	3.3	4.2	89.3
	12.00	184	2.1	2.7	92.0
	13.00	166	1.9	2.4	94.4
	14.00	135	1.6	2.0	96.4
	15.00	92	1.1	1.3	97.7
	16.00	72	.8	1.1	98.8
	17.00	37	.4	.5	99.3
	18.00	31	.4	.5	99.8
	19.00	12	.1	.2	100.0
	20.00	2	.0	.0	100.0
	-1.00	1807	20.9	Missing	
Total		8645	100.0	100.0	

Valid cases 6838 Missing cases 1807

PA728 Overprotective score: modes/missing data

(missing components put to modes)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	256	3.0	3.0	3.0
	1.00	586	6.8	6.8	9.7
	2.00	2136	24.7	24.7	34.4
	3.00	614	7.1	7.1	41.6
	4.00	675	7.8	7.8	49.4
	5.00	653	7.6	7.6	56.9
	6.00	617	7.1	7.1	64.0
	7.00	630	7.3	7.3	71.3
	8.00	549	6.4	6.4	77.7
	9.00	508	5.9	5.9	83.6
	10.00	368	4.3	4.3	87.8
	11.00	298	3.4	3.4	91.3
	12.00	191	2.2	2.2	93.5
	13.00	175	2.0	2.0	95.5
	14.00	141	1.6	1.6	97.1
	15.00	94	1.1	1.1	98.2
	16.00	72	.8	.8	99.1
	17.00	37	.4	.4	99.5
	18.00	31	.4	.4	99.8
	19.00	12	.1	.1	100.0
	20.00	2	.0	.0	100.0
Total		8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA729 Overprotective score: no. missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6838	79.1	79.1	79.1
	1.00	199	2.3	2.3	81.4
	2.00	50	.6	.6	82.0
	3.00	21	.2	.2	82.2
	4.00	6	.1	.1	82.3
	5.00	13	.2	.2	82.4
	6.00	2	.0	.0	82.5
	7.00	4	.0	.0	82.5
	8.00	3	.0	.0	82.5
	9.00	11	.1	.1	82.7
	10.00	1498	17.3	17.3	100.0
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

F17† Was your parent's behaviour stable and predictable to you as a child?

- Always* *Mostly* *Rarely* *Never* *Not applicable*
 a) *mother*
 b) *father*
 c) *mother figure*
 d) *father figure*

[When more than 1 box ticked, the one with the higher code was taken]

PA750 Mother stable and predictable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	4731	54.7	57.8	57.8
Mostly	2	3122	36.1	38.1	95.9
Rarely	3	231	2.7	2.8	98.8
Never	4	101	1.2	1.2	100.0
	-1	460	5.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8185	Missing cases	460		

PA751 Father stable and predictable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	4302	49.8	54.9	54.9
Mostly	2	2963	34.3	37.8	92.7
Rarely	3	399	4.6	5.1	97.8
Never	4	169	2.0	2.2	100.0
	-1	812	9.4	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	7833	Missing cases	812		

PA752 Mother FIG stable and predictable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	147	1.7	48.5	48.5
Mostly	2	118	1.4	38.9	87.5
Rarely	3	17	.2	5.6	93.1
Never	4	21	.2	6.9	100.0
	-1	8342	96.5	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	303	Missing cases	8342		

PA753 Father FIG stable and predictable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	209	2.4	46.1	46.1
Mostly	2	173	2.0	38.2	84.3
Rarely	3	38	.4	8.4	92.7
Never	4	33	.4	7.3	100.0
	-1	8192	94.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	453	Missing cases	8192		

Derived variable - Home stability

Variable PA755 was first put to 1; then if any of PA750-PA753 = 2, PA755 = 2. If any of PA750-PA753 = 3, PA755=3; If any of PA750-PA753 = 4, PA755 = 4.
If all of PA750-PA753 = missing, PA755 = -1

PA755 Home stability

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very stable	1.00	3905	45.2	46.9	46.9
Fairly stable	2.00	3618	41.9	43.5	90.4
Unstable	3.00	563	6.5	6.8	97.2
Very unstable	4.00	234	2.7	2.8	100.0
	-1.00	325	3.8	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	
Valid cases	8320	Missing cases	325		

F18† Looking back would you call your childhood happy?

Please indicate for each age range:

Yes very happy Yes moderately happy Not really happy No quite unhappy No very unhappy Can't remember

i) 0-5 years

ii) 6-11 years

iii) 12-15 years

[When more than 1 box ticked, the one with the higher code was taken]

PA760 Memories of 0-5YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V happy	1	5653	65.4	78.5	78.5
Moderately happy	2	1382	16.0	19.2	97.7
Not really happy	3	112	1.3	1.6	99.2
Quite unhappy	4	20	.2	.3	99.5
Very unhappy	5	37	.4	.5	100.0
	-1	1441	16.7	Missing	
Total		8645	100.0	100.0	

Valid cases 7204 Missing cases 1441

PA761 Memories of 6-11YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V happy	1	5165	59.7	62.7	62.7
Moderately happy	2	2524	29.2	30.6	93.3
Not really happy	3	365	4.2	4.4	97.7
Quite unhappy	4	101	1.2	1.2	98.9
Very unhappy	5	87	1.0	1.1	100.0
	-1	403	4.7	Missing	
Total		8645	100.0	100.0	

Valid cases 8242 Missing cases 403

PA762 Memories of 12-15YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V happy	1	4075	47.1	48.9	48.9
Moderately happy	2	3127	36.2	37.5	86.4
Not really happy	3	726	8.4	8.7	95.1
Quite unhappy	4	237	2.7	2.8	98.0
Very unhappy	5	168	1.9	2.0	100.0
	-1	312	3.6	Missing	
Total		8645	100.0	100.0	

Valid cases 8333 Missing cases 312

Derived variable - Childhood happiness

If any of PA760-PA762 = 2, PA763 = 2; If any of PA760-PA762 = 3, PA763 = 3; If any of PA760-PA762 = 4, PA763 = 4; If any of PA760-PA762 = 5, PA763 = 5.

If all of PA760-PA762 = missing, PA763 = -1; else PA763 = 1

PA763 Childhood happiness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V happy throughout	1.00	3697	42.8	44.3	44.3
Moderately happy	2.00	3281	38.0	39.3	83.5
Not really happy	3.00	884	10.2	10.6	94.1
Quite unhappy	4.00	271	3.1	3.2	97.4
Very unhappy	5.00	220	2.5	2.6	100.0
	-1.00	292	3.4	Missing	
	Total	8645	100.0	100.0	

Valid cases 8353 Missing cases 292

F19. Are there any comments you would like to add?
 [1 was coded if any comments written]

PA765 Any comments

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Comment present	1	637	7.4	7.4	7.4
No	2	8008	92.6	92.6	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

SECTION G: YOUR OUTLOOK ON LIFE †

Yes *No*

[If sometimes (or equivalent) written, 3 was coded]

G1. † *Did getting good marks at school mean a great deal to you?*

PA770 Good marks at school were important

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4693	54.3	56.7	56.7
No	2	3579	41.4	43.3	100.0
	-1	373	4.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8272 Missing cases 373

G2. † *Are you often blamed for things that just aren't your fault?*

PA771 Often unfairly blamed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1767	20.4	21.4	21.4
No	2	6506	75.3	78.6	100.0
	-1	372	4.3	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8273 Missing cases 372

G3. † *Do you feel that most of the time it doesn't pay to try hard because things never turn out right anyway?*

PA772 Feel that effort would be in vain

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1036	12.0	12.6	12.6
No	2	7205	83.3	87.4	100.0
	-1	404	4.7	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8241 Missing cases 404

G4. † *Do you feel that if things start out well in the morning that it's going to be a good day no matter what you do?*

PA773 Feel good start will lead to good day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3132	36.2	38.1	38.1
No	2	5088	58.9	61.9	100.0
	-1	425	4.9	Missing	
		-----	-----	-----	
	Total	8645	100.0	100.0	

Valid cases 8220 Missing cases 425

G5.† *Do you believe that whether or not people like you depends on how* *you*
act?

PA774 Believe likeability depends on actions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5804	67.1	70.7	70.7
No	2	2401	27.8	29.3	100.0
	-1	440	5.1	Missing	
	Total	8645	100.0	100.0	
Valid cases	8205	Missing cases	440		

G6. † *Do you believe that when bad things are going to happen they are just* *going*
to happen no matter what you try to do to stop them?

PA775 Believe that bad things are due to fate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3497	40.5	42.8	42.8
No	2	4680	54.1	57.2	100.0
	-1	468	5.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	8177	Missing cases	468		

G7. † *Do you feel that when good things happen they happen because of* *hard*
work?

PA776 Believe good things are due to hard work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4365	50.5	54.4	54.4
No	2	3658	42.3	45.6	100.0
	-1	622	7.2	Missing	
	Total	8645	100.0	100.0	
Valid cases	8023	Missing cases	622		

G8. † *Do you feel that when someone doesn't like you there's little you can* *do*
about it?

PA777 Believe others' dislike is unchangeable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4122	47.7	50.4	50.4
No	2	4056	46.9	49.6	100.0
	-1	467	5.4	Missing	
	Total	8645	100.0	100.0	
Valid cases	8178	Missing cases	467		

G9. † *Did you usually feel that it was almost useless to try in school because other children were cleverer than you?* *most*

PA778 School effort useless as other CH better					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	746	8.6	9.0	9.0
No	2	7498	86.7	91.0	100.0
	-1	401	4.6	Missing	
	Total	8645	100.0	100.0	
Valid cases 8244 Missing cases 401					

G10† *Are you the kind of person who believes that planning ahead makes things turn out better?*

PA779 Planning ahead gives better results					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6051	70.0	74.1	74.1
No	2	2112	24.4	25.9	100.0
	-1	482	5.6	Missing	
	Total	8645	100.0	100.0	
Valid cases 8163 Missing cases 482					

G11† *Most of the time, do you feel that you have little to say about what your family decides to do?*

PA780 Little to say in family decisions					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1460	16.9	17.8	17.8
No	2	6724	77.8	82.2	100.0
	-1	461	5.3	Missing	
	Total	8645	100.0	100.0	
Valid cases 8184 Missing cases 461					

G12† *Do you think it's better to be clever than to be lucky?*

PA781 Feel that cleverness is better than luck					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4798	55.5	61.0	61.0
No	2	3071	35.5	39.0	100.0
	-1	776	9.0	Missing	
	Total	8645	100.0	100.0	
Valid cases 7869 Missing cases 776					

Derived variable

Questions G1-G12 were used to derive the Locus of Control score, as follows.

Recode PA770, PA774, PA776, PA779, PA781 (1 = 0) (2 = 1)

Recode PA771, PA772, PA773, PA775, PA777, PA778, PA780 (1 = 1) (2 = 0); then PA782 = PA770 + ... + PA781.

PA783 is computed as PA782 but using modes to replace missing values. PA784 counts the no. of missing values in the computation of PA783.

PA782 Locus of control score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	353	4.1	4.8	4.8
	1.00	871	10.1	11.8	16.6
	2.00	1184	13.7	16.1	32.7
	3.00	1259	14.6	17.1	49.8
	4.00	1161	13.4	15.8	65.6
	5.00	874	10.1	11.9	77.4
	6.00	678	7.8	9.2	86.6
	7.00	452	5.2	6.1	92.8
	8.00	280	3.2	3.8	96.6
	9.00	155	1.8	2.1	98.7
	10.00	71	.8	1.0	99.6
	11.00	27	.3	.4	100.0
	-1.00	1280	14.8	Missing	
	Total	8645	100.0	100.0	

Valid cases 7365 Missing cases 1280

PA783 Locus/control score: modes/missing data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	416	4.8	4.8	4.8
	1.00	1382	16.0	16.0	20.8
	2.00	1398	16.2	16.2	37.0
	3.00	1420	16.4	16.4	53.4
	4.00	1299	15.0	15.0	68.4
	5.00	949	11.0	11.0	79.4
	6.00	742	8.6	8.6	88.0
	7.00	483	5.6	5.6	93.6
	8.00	294	3.4	3.4	97.0
	9.00	163	1.9	1.9	98.9
	10.00	72	.8	.8	99.7
	11.00	27	.3	.3	100.0
	Total	8645	100.0	100.0	

Valid cases 8645 Missing cases 0

PA784 Locus of control score: no.missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	7365	85.2	85.2	85.2
	1.00	641	7.4	7.4	92.6
	2.00	152	1.8	1.8	94.4
	3.00	69	.8	.8	95.2
	4.00	27	.3	.3	95.5
	5.00	18	.2	.2	95.7
	6.00	4	.0	.0	95.7
	7.00	7	.1	.1	95.8
	8.00	2	.0	.0	95.8
	9.00	10	.1	.1	96.0
	10.00	16	.2	.2	96.1
	11.00	6	.1	.1	96.2
	12.00	328	3.8	3.8	100.0
	Total	8645	100.0	100.0	
Valid cases	8645	Missing cases	0		

SECTION H

H1. Please put the date of completing this questionnaire:

day month year 199

[Coders were told if blank, copy month and year the form was returned from the stamped receipt date on the front cover, and code the days as 99]

pa902 H1: Month of completion of 'You and your Environment' questionnaire: PA files

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1077	12.5	12.6	12.6
	2	685	7.9	8.0	20.6
	3	690	8.0	8.1	28.6
	4	451	5.2	5.3	33.9
	5	741	8.6	8.7	42.6
	6	995	11.5	11.6	54.2
	7	911	10.6	10.6	64.8
	8	708	8.2	8.3	73.1
	9	654	7.6	7.6	80.7
	10	660	7.7	7.7	88.4
	11	654	7.6	7.6	96.1
	12	335	3.9	3.9	100.0
	Total	8561	99.3	100.0	
Missing	-1 Missing	60	.7		
Total		8621	100.0		

pa903 H1: Year of completion of 'You and your Environment' questionnaire: PA files

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	90	155	1.8	1.8	1.8
	91	4709	54.6	55.0	56.8
	92	3257	37.8	38.1	94.9
	93	437	5.1	5.1	100.0
	Total	8558	99.3	100.0	
Missing	-1 Missing	63	.7		
Total		8621	100.0		

From this date and the mother's expected date of delivery the gestation at completion was computed.

PA900 Gestation on completion of questionnaire					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Baby already born	-2.00	916	10.6	11.1	11.1
	2.00	1	.0	.0	11.1
	4.00	1	.0	.0	11.1
	6.00	1	.0	.0	11.1
	7.00	1	.0	.0	11.1
	9.00	3	.0	.0	11.2
	10.00	4	.0	.0	11.2
	11.00	1	.0	.0	11.2
	12.00	3	.0	.0	11.3
	13.00	11	.1	.1	11.4
	14.00	717	8.3	8.7	20.1
	15.00	381	4.4	4.6	24.7
	16.00	250	2.9	3.0	27.7
	17.00	145	1.7	1.8	29.4
	18.00	100	1.2	1.2	30.6
	19.00	75	.9	.9	31.6
	20.00	48	.6	.6	32.1
	21.00	32	.4	.4	32.5
	22.00	30	.3	.4	32.9
	23.00	1108	12.8	13.4	46.3
	24.00	656	7.6	7.9	54.2
	25.00	389	4.5	4.7	58.9
	26.00	229	2.6	2.8	61.7
	27.00	643	7.4	7.8	69.5
	28.00	533	6.2	6.4	75.9
	29.00	580	6.7	7.0	82.9
	30.00	356	4.1	4.3	87.2
	31.00	222	2.6	2.7	89.9
	32.00	145	1.7	1.8	91.6
	33.00	76	.9	.9	92.6
	34.00	46	.5	.6	93.1
	35.00	26	.3	.3	93.4
	36.00	279	3.2	3.4	96.8
	37.00	164	1.9	2.0	98.8
	38.00	57	.7	.7	99.5
	39.00	20	.2	.2	99.7
	40.00	14	.2	.2	99.9
	41.00	7	.1	.1	100.0
	42.00	2	.0	.0	100.0
	-1.00	373	4.3	Missing	
		-----	-----	-----	
Valid cases		Total	8645	100.0	100.0
		Missing cases	373		

H2. Please give your date of birth:

day month year 19

From this, and the date at completion of the questionnaire, the partner's age was derived in completed years.

PA910 Age of partner at completion of ?aire

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	15.00	1	.0	.0	.0
	16.00	6	.1	.1	.1
	17.00	10	.1	.1	.2
	18.00	31	.4	.4	.6
	19.00	51	.6	.6	1.2
	20.00	70	.8	.9	2.1
	21.00	122	1.4	1.5	3.6
	22.00	151	1.7	1.8	5.4
	23.00	207	2.4	2.5	7.9
	24.00	294	3.4	3.6	11.5
	25.00	409	4.7	5.0	16.6
	26.00	479	5.5	5.9	22.4
	27.00	547	6.3	6.7	29.1
	28.00	682	7.9	8.3	37.5
	29.00	638	7.4	7.8	45.3
	30.00	671	7.8	8.2	53.5
	31.00	612	7.1	7.5	61.0
	32.00	523	6.0	6.4	67.4
	33.00	505	5.8	6.2	73.6
	34.00	445	5.1	5.4	79.0
	35.00	343	4.0	4.2	83.2
	36.00	280	3.2	3.4	86.6
	37.00	200	2.3	2.4	89.1
	38.00	176	2.0	2.2	91.2
	39.00	155	1.8	1.9	93.1
	40.00	99	1.1	1.2	94.3
	41.00	90	1.0	1.1	95.4
	42.00	87	1.0	1.1	96.5
	43.00	64	.7	.8	97.3
	44.00	56	.6	.7	98.0
	45.00	40	.5	.5	98.5
	46.00	18	.2	.2	98.7
	47.00	22	.3	.3	99.0
	48.00	24	.3	.3	99.3
	49.00	16	.2	.2	99.4
	50.00	5	.1	.1	99.5
	51.00	9	.1	.1	99.6
	52.00	4	.0	.0	99.7
	53.00	6	.1	.1	99.7
	54.00	5	.1	.1	99.8
	55.00	1	.0	.0	99.8
	56.00	3	.0	.0	99.9
	57.00	5	.1	.1	99.9
	58.00	1	.0	.0	99.9
	59.00	3	.0	.0	100.0
	60.00	1	.0	.0	100.0
	64.00	1	.0	.0	100.0
	65.00	1	.0	.0	100.0
	-1.00	476	5.5	Missing	
	Total	8645	100.0	100.0	
Valid cases	8169	Missing cases	476		

Space for any comments you might like to make:

[Not coded - but keyed as text]