

THE ALSPAC STUDY

F FILES

DATA COLLECTED FROM THE QUESTIONNAIRE

‘Looking After the Baby’

prepared by

Hazel Taylor, Jean Golding

&

Jackie Bishop

Document giving frequencies, background and instructions for use.

February, 1996

CONTENTS

The ALSPAC Study

Study eligibility criteria
Enrolment
Questionnaire administration during pregnancy

Contents of questionnaire

Section A: Your Health
Section B: Looking After a Baby
Section C: Your Feelings
Section D: Recent Events
Section E: Your Home
Section F: Your Household
Section G: Your Partner
Section H: Your Occupation & Lifestyle
Section I: Being a Parent
Section J: Your Social Environment
Section K: Chemicals in Your Environment

Coding

Format of the variable descriptors

Administration of questionnaires

The variables

References

Subject index

The ALSPAC Study

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

Enrolment

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her, and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child

be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

Questionnaire administration

The questionnaire 'Looking After the Baby' was sent to the mother 8 months after the child was born. It was accompanied by a questionnaire for the partner entitled 'The Baby and Me'.

Contents of Questionnaire

Section A: Your Health

This section asked similar questions to those in Me & My Baby, and asked the mother to rate her health from 'always fit and well' to 'hardly ever feel really well'. It also requested information on whether the mother had been in hospital since the birth of the child, for how long and for what reasons, and whether she was allowed to have the baby stay with her. It also asked whether the mother had a variety of problems and whether she consulted her doctor or not (including: anxiety or 'nerves', backache, influenza, etc). The section elicited whether the mother had had nausea, vomiting, diarrhoea, infected nipple(s), varicose veins, increased urinary frequency, incontinence, flashing or spots before her eyes, and aches and pains in the past month, or since the child was born. Information was sought on whether the mother had taken various medication and/or illicit drugs since the birth of the child and the frequency with which these were taken.

There was a question on her menstrual periods, if they had returned to normal and when, and if the mother had become pregnant since the birth of the index child, her last menstrual period (LMP) if known, and the outcome of that pregnancy (termination, miscarriage, still pregnant).

Section B: Looking After a Baby

This section consisted of 11 questions to see how the mother felt about looking after the baby. It gave 4 options from 'this is exactly how I feel' to 'I never feel this way'. The questions were devised by the ELSPAC team and extensively piloted.

Section C: Your Feelings

This asked the CCEI and EPDS questions. It was identical to Section D in 'Me & My Baby'.

Section D: Recent Events

This was the life events section and was identical to Section E in 'Me & My Baby'. In addition it asks about holidays away from home, including where, when and whether the baby came too.

Section E: Your Home

This section requested information on tenure of the home, heating, equipment available to the family, pets and pests, damp and mould, ventilation and new furnishings in the last year and was similar to Section A in 'Your Environment'.

Section F: Your Household

This section was similar to Section E in 'Your Environment' but also asked information on present marital status, and whether anyone living in the household suffered from any illness or condition, and whether these were the same people who had lived in the home since the child's birth.

Section G: Your Partner

This section referred to the mother's relationship with her partner and asked whether he suffered from any disorders which is the same as in Section A3 concerning the mother. It also asked what the ethnic group of the partner is, and how he felt about the baby, whether currently employed and what his occupation was, and whether this involved shiftwork. The mother was then asked to indicate ('very often', 'often', 'sometimes', 'rarely', 'never') how she felt certain statements fitted her partnership, and what her partner's alcohol consumption levels were.

Section H: Your Occupation & Lifestyle

This section asked the mother about her smoking habits, and alcohol consumption, how she felt compared with other mothers of her age, and how much physical effort she put into looking after her home and family. It asked, since the child was born, if she had had paid employment, whether this was at home or outside the home, how many hours, whether it involved working at weekends, evenings or night work and if she took the baby to work with her, the physical effort involved in the work, and her main reasons for working, whether she found the job satisfying, and whether she had the same status as before pregnancy. She was asked whether she wished she could spend more time with the baby and whether she found it difficult to cope with the baby after a day's work. She was also asked who looked after the baby when she was out (e.g. relative or day nursery) and whether she was happy with the day-care received. The mother was asked whether she had problems affording food, clothing, baby things, heating or rent/mortgage and how much help she had had with various household chores and who helped with these.

Section I: Being a Parent

The mother was asked whether she had and used various items of baby equipment and safety equipment (such as baby bath, cot, pram, coiled kettle flex, safety gates, fire guards, dummies, car seats, play pen etc.). She was also asked to rate various statements concerned with how people think a parent should behave with a baby. It also asked how much sleep she was getting and whether she thought it enough.

Section J: Your Social Environment

This section dealt with how well she got on with neighbours and how she rated her neighbourhood in terms of how good a place it was to live and the traffic level. The questions were identical to those asked in 'Your Environment'. The social support scale as in 'About Yourself' was elicited, and a question on level of traffic was included.

Section K: Chemicals in Your Environment

This section was similar to Section B of 'Your Environment' about the type of chemicals in the home (bleach, air fresheners, etc.), and whether she had had contact in the past few months with electroplating, diesel, dyes, photographic chemicals, etc. as in the hobbies Section D of 'Your Environment'. It also asked whether the baby had been exposed to any chemicals or fumes, and these were listed.

Coding

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number then can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist).
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

Administration of questionnaires

The first printing of Looking After the Baby was a version finalised on 3rd February 1992. This, however, was found to have a few errors which were corrected in the 2nd version (10th September 1992).

The numbers of pregnancies concerned in the data base for which the questionnaire was completed and returned was 11213 (out of an estimated 13998 pregnancies resulting in livebirths surviving to 8 months - a response rate of 80.1%). [Mothers were invited to return the questionnaire blank if they had no time or did not want to complete them. These have been omitted from this data set].

F001	Form number					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
030292	1	5182	46.2	46.2	46.2	
100992	2	6031	53.8	53.8	100.0	
	Total	11213	100.0	100.0		
Valid cases	11213	Missing cases	0			

SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

always fit and well
mostly feel well and healthy
often feel unwell
hardly ever feel really well

[If more than one box is ticked the highest number is coded]

F010 PRES health described

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always well	1	3500	31.2	31.3	31.3
Mostly well	2	7075	63.1	63.2	94.5
Often well	3	534	4.8	4.8	99.3
Hardly ever well	4	79	.7	.7	100.0
Missing	-1	25	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11188 Missing cases 25

A2. a) Since having your baby have you had to stay in hospital?

Yes *No*

[If more than one box is ticked and cannot be resolved the coder refers problem to supervisor]

F011 HOSP stay for MUM since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	693	6.2	6.2	6.2
N	2	10438	93.1	93.8	100.0
Missing	-1	82	.7	Missing	
Total		11213	100.0	100.0	

Valid cases 11131 Missing cases 82

b) how many times:

F012 NO stays in HOSP

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10438	93.1	93.8	93.8
	1	599	5.3	5.4	99.2
	2	64	.6	.6	99.8
	3	17	.2	.2	100.0
	4	5	.0	.0	100.0
Missing	-1	90	.8	Missing	
Total		11213	100.0	100.0	

Valid cases 11123 Missing cases 90

- | | | <u><i>1st time</i></u> | <u><i>2nd time</i></u> | <u><i>3rd time</i></u> |
|---|--|-----------------------------|------------------------|------------------------|
| c) | <i>how old was your baby?</i> | <i>mths</i> | <i>mths</i> | <i>mths</i> |
| [Coders were instructed to round down to nearest whole month if part months were given; to assume 4 wk = 1 month; if <4 wk put 0] | | | | |
| d) | <i>what were the reasons for your admission?</i>
<i>(please describe)</i> | [Not coded - keyed as text] | | |
| e) | <i>how long did you stay?</i> | <i>days</i> | <i>days</i> | <i>days</i> |
| f) | <i>did your Children of the Nineties baby stay in hospital with you?</i> | <i>YES NO</i> | <i>YES NO</i> | <i>YES NO</i> |
| g) | <i>If <u>no</u>, who looked after the baby?</i> | [Not coded - keyed as text] | | |

1st admission

F013A Age of CH - 1st hospital stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1MTH	0	81	.7	11.9	11.9
	1	99	.9	14.5	26.4
	2	71	.6	10.4	36.9
	3	79	.7	11.6	48.5
	4	67	.6	9.8	58.3
	5	47	.4	6.9	65.2
	6	73	.7	10.7	75.9
	7	76	.7	11.2	87.1
	8	46	.4	6.8	93.8
	9	19	.2	2.8	96.6
	10	8	.1	1.2	97.8
	11	7	.1	1.0	98.8
	12	5	.0	.7	99.6
	13	1	.0	.1	99.7
	14	1	.0	.1	99.9
	15	1	.0	.1	100.0
NA	-2	10438	93.1	Missing	
Missing	-1	94	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	681	Missing cases	10532		

F014A Length of 1st stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	4	.0	.6	.6
	1	259	2.3	38.1	38.7
	2	157	1.4	23.1	61.9
	3	69	.6	10.2	72.0
	4	44	.4	6.5	78.5
	5	42	.4	6.2	84.7
	6	11	.1	1.6	86.3
	7	26	.2	3.8	90.1
	8	9	.1	1.3	91.5
	9	4	.0	.6	92.0
	10	11	.1	1.6	93.7
	11	2	.0	.3	94.0
	12	3	.0	.4	94.4
	13	2	.0	.3	94.7
	14	14	.1	2.1	96.8
	17	1	.0	.1	96.9
	18	3	.0	.4	97.3
	21	2	.0	.3	97.6
	22	1	.0	.1	97.8
	28	2	.0	.3	98.1
	30	3	.0	.4	98.5
	31	1	.0	.1	98.7
	33	1	.0	.1	98.8
	35	1	.0	.1	99.0
	39	1	.0	.1	99.1
	40	1	.0	.1	99.3
	42	2	.0	.3	99.6
	56	1	.0	.1	99.7
	70	1	.0	.1	99.9
	90	1	.0	.1	100.0
NA	-2	10438	93.1	Missing	
Missing	-1	96	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	679	Missing cases	10534		

F015A CH with MUM in 1st HOSP stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	210	1.9	30.9	30.9
N	2	469	4.2	69.1	100.0
NA	-2	10438	93.1	Missing	
Missing	-1	96	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	679	Missing cases	10534		

2nd admission

F013B Age of CH - 2nd hospital stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1MTH	0	4	.0	4.9	4.9
	1	2	.0	2.4	7.3
	2	7	.1	8.5	15.9
	3	9	.1	11.0	26.8
	4	11	.1	13.4	40.2
	5	9	.1	11.0	51.2
	6	13	.1	15.9	67.1
	7	14	.1	17.1	84.1
	8	4	.0	4.9	89.0
	9	4	.0	4.9	93.9
	10	2	.0	2.4	96.3
	11	1	.0	1.2	97.6
	12	1	.0	1.2	98.8
	13	1	.0	1.2	100.0
NA	-2	11037	98.4	Missing	
Missing	-1	94	.8	Missing	
Total		11213	100.0	100.0	
Valid cases	82	Missing cases	11131		

F014B Length of 2nd stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	24	.2	29.6	29.6
	2	21	.2	25.9	55.6
	3	16	.1	19.8	75.3
	4	6	.1	7.4	82.7
	5	5	.0	6.2	88.9
	6	2	.0	2.5	91.4
	7	2	.0	2.5	93.8
	8	1	.0	1.2	95.1
	9	1	.0	1.2	96.3
	10	1	.0	1.2	97.5
	14	1	.0	1.2	98.8
	84	1	.0	1.2	100.0
NA	-2	11037	98.4	Missing	
Missing	-1	95	.8	Missing	
Total		11213	100.0	100.0	
Valid cases	81	Missing cases	11132		

F015B CH with MUM in 2nd HOSP stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	15	.1	18.8	18.8
N	2	65	.6	81.3	100.0
NA	-2	11037	98.4	Missing	
Missing	-1	96	.9	Missing	
Total		11213	100.0	100.0	
Valid cases	80	Missing cases	11133		

3rd admission

F013C Age of CH - 3rd hospital stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1MTH	0	1	.0	4.5	4.5
	1	1	.0	4.5	9.1
	3	2	.0	9.1	18.2
	4	1	.0	4.5	22.7
	5	2	.0	9.1	31.8
	6	5	.0	22.7	54.5
	7	4	.0	18.2	72.7
	8	2	.0	9.1	81.8
	10	2	.0	9.1	90.9
	11	2	.0	9.1	100.0
NA	-2	11101	99.0	Missing	
Missing	-1	90	.8	Missing	
Total		11213	100.0	100.0	

Valid cases 22 Missing cases 11191

F014C Length of 3rd stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.0	5.6	5.6
	2	3	.0	16.7	22.2
	3	6	.1	33.3	55.6
	5	1	.0	5.6	61.1
	6	3	.0	16.7	77.8
	7	2	.0	11.1	88.9
	10	1	.0	5.6	94.4
	20	1	.0	5.6	100.0
NA	-2	11101	99.0	Missing	
Missing	-1	94	.8	Missing	
Total		11213	100.0	100.0	

Valid cases 18 Missing cases 11195

F015C CH with MUM in 3rd HOSP stay

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6	.1	30.0	30.0
N	2	14	.1	70.0	100.0
NA	-2	11101	99.0	Missing	
Missing	-1	92	.8	Missing	
Total		11213	100.0	100.0	

Valid cases 20 Missing cases 11193

A3. *Have you had any of the following since the baby was born?*

Yes and consulted doctor Yes but did not consult doctor No

a) *anxiety or 'nerves'*

[If more than one box is ticked, the lowest number is coded]

F020 Had anxiety since CH born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR		1	484	4.3	4.3	4.3
Y did not see DR		2	1824	16.3	16.3	20.7
N		3	8853	79.0	79.3	100.0
Missing		-1	52	.5	Missing	
		Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52			

F020A Had anxiety since birth						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	2308	20.6	20.7	20.7
No		2	8853	79.0	79.3	100.0
Missing		-1	52	.5	Missing	
		Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52			

b) *depression*

[If more than one box is ticked, the lowest number is coded]

F021 Had depression since CH born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR		1	885	7.9	7.9	7.9
Y did not see DR		2	2602	23.2	23.3	31.2
N		3	7674	68.4	68.8	100.0
Missing		-1	52	.5	Missing	
		Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52			

F021A Had depression since birth						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	3487	31.1	31.2	31.2
No		2	7674	68.4	68.8	100.0
Missing		-1	52	.5	Missing	
		Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52			

c) *headache or migraine*

[If more than one box is ticked, the lowest number is coded]

F022 Had headache or migraine since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	589	5.3	5.3	5.3
Y did not see DR	2	6780	60.5	60.7	66.0
N	3	3792	33.8	34.0	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F022A Had headache or migraine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7369	65.7	66.0	66.0
No	2	3792	33.8	34.0	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

d) *back ache*

[If more than one box is ticked, the lowest number is coded]

F023 Had backache since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	773	6.9	6.9	6.9
Y did not see DR	2	5881	52.4	52.7	59.6
N	3	4507	40.2	40.4	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F023A Had backache since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6654	59.3	59.6	59.6
No	2	4507	40.2	40.4	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

e) indigestion

[If more than one box is ticked, the lowest number is coded]

F024 Had indigestion since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	99	.9	.9	.9
Y did not see DR	2	1872	16.7	16.8	17.7
N	3	9190	82.0	82.3	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F024A Had indigestion since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1971	17.6	17.7	17.7
No	2	9190	82.0	82.3	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

f) cough or cold

[If more than one box is ticked, the lowest number is coded]

F025 Had cough or cold since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	702	6.3	6.3	6.3
Y did not see DR	2	7569	67.5	67.8	74.1
N	3	2890	25.8	25.9	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F025A Had cough or cold since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8271	73.8	74.1	74.1
No	2	2890	25.8	25.9	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

g) *influenza*

[If more than one box is ticked, the lowest number is coded]

F026 Had influenza since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	332	3.0	3.0	3.0
Y did not see DR	2	984	8.8	8.8	11.8
N	3	9845	87.8	88.2	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F026A Had influenza since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1316	11.7	11.8	11.8
No	2	9845	87.8	88.2	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

h) *haemorrhoids/piles*

[If more than one box is ticked, the lowest number is coded]

F027 Had piles since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	913	8.1	8.2	8.2
Y did not see DR	2	2361	21.1	21.2	29.3
N	3	7887	70.3	70.7	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F027A Had piles since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3274	29.2	29.3	29.3
No	2	7887	70.3	70.7	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

i) wheezing

[If more than one box is ticked, the lowest number is coded]

F028 Had wheezing since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	254	2.3	2.3	2.3
Y did not see DR	2	592	5.3	5.3	7.6
N	3	10315	92.0	92.4	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F028A Had wheezing since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	846	7.5	7.6	7.6
No	2	10315	92.0	92.4	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

j) bronchitis

[If more than one box is ticked, the lowest number is coded]

F029 Had bronchitis since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	141	1.3	1.3	1.3
Y did not see DR	2	68	.6	.6	1.9
N	3	10952	97.7	98.1	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F029A Had bronchitis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	209	1.9	1.9	1.9
No	2	10952	97.7	98.1	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

k) stomach ulcer

[If more than one box is ticked, the lowest number is coded]

F030 Had stomach ulcer since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	20	.2	.2	.2
Y did not see DR	2	9	.1	.1	.3
N	3	11132	99.3	99.7	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F030A Had stomach ulcer since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	29	.3	.3	.3
No	2	11132	99.3	99.7	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

l) eczema

[If more than one box is ticked, the lowest number is coded]

F031 Had eczema since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	463	4.1	4.1	4.1
Y did not see DR	2	844	7.5	7.6	11.7
N	3	9854	87.9	88.3	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F031A Had eczema since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1307	11.7	11.7	11.7
No	2	9854	87.9	88.3	100.0
Missing	-1	52	.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

m) psoriasis

[If more than one box is ticked, the lowest number is coded]

F032 Had psoriasis since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	107	1.0	1.0	1.0
Y did not see DR	2	180	1.6	1.6	2.6
N	3	10874	97.0	97.4	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F032A Had psoriasis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	287	2.6	2.6	2.6
No	2	10874	97.0	97.4	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

n) arthritis

[If more than one box is ticked, the lowest number is coded]

F033 Had arthritis since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	91	.8	.8	.8
Y did not see DR	2	107	1.0	1.0	1.8
N	3	10963	97.8	98.2	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F033A Had arthritis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	198	1.8	1.8	1.8
No	2	10963	97.8	98.2	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

o) rheumatism

[If more than one box is ticked, the lowest number is coded]

F034 Had rheumatism since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	53	.5	.5	.5
Y did not see DR	2	168	1.5	1.5	2.0
N	3	10940	97.6	98.0	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F034A Had rheumatism since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	221	2.0	2.0	2.0
No	2	10940	97.6	98.0	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

p) urinary infection

[If more than one box is ticked, the lowest number is coded]

F035 Had urinary infection since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	653	5.8	5.9	5.9
Y did not see DR	2	189	1.7	1.7	7.5
N	3	10319	92.0	92.5	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F035A Had urinary infection since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	842	7.5	7.5	7.5
No	2	10319	92.0	92.5	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

q) problems with your periods

[If more than one box is ticked, the lowest number is coded]

F036 Had period PROBS since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	1119	10.0	10.0	10.0
Y did not see DR	2	974	8.7	8.7	18.8
N	3	9068	80.9	81.2	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F036A Had period PROBS since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2093	18.7	18.8	18.8
No	2	9068	80.9	81.2	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

r) problems with a pregnancy

[If more than one box is ticked the lowest number is coded]

F037 Had PREG PROBS since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	149	1.3	1.3	1.3
Y did not see DR	2	30	.3	.3	1.6
N	3	10982	97.9	98.4	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

F037A Had PREG PROBS since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	179	1.6	1.6	1.6
No	2	10982	97.9	98.4	100.0
Missing	-1	52	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11161	Missing cases	52		

s) *other problems (please describe)*

[If something is written in "please describe" section coder checks relevant boxes are ticked. If not, coded zero to indicate information given]

F038 Had other PROBS since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes NS if saw DR	0	121	1.1	1.1	1.1
Y saw DR	1	818	7.3	7.3	8.4
Y did not see DR	2	138	1.2	1.2	9.6
N	3	10084	89.9	90.4	100.0
Missing	-1	52	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11161 Missing cases 52

F038A Had other PROBS since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1077	9.6	9.6	9.6
No	2	10084	89.9	90.4	100.0
Missing	-1	52	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11161 Missing cases 52

A4. *Since the baby was born have you had the following:*

<i>Yes but not in past month</i>	<i>Yes have had in past month</i>	<i>Not since the baby was born</i>
--	---	--

Since the baby was born have you had:

a) *nausea*

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F040 Had nausea since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	1134	10.1	10.1	10.1
Y in past MTH	2	1529	13.6	13.7	23.8
Not since birth	3	8524	76.0	76.2	100.0
Missing	-1	26	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F040A Nausea since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2663	23.7	23.8	23.8
No	2	8524	76.0	76.2	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F040B Nausea past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1529	13.6	13.7	13.7
No	2	9658	86.1	86.3	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

b) vomiting

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F041 Had vomiting since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	1089	9.7	9.7	9.7
Y in past MTH	2	887	7.9	7.9	17.7
Not since birth	3	9211	82.1	82.3	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F041A Vomiting since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1976	17.6	17.7	17.7
No	2	9211	82.1	82.3	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F041B Vomiting past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	887	7.9	7.9	7.9
No	2	10300	91.9	92.1	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

c) *diarrhoea*

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F042 Had diarrhoea since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	1807	16.1	16.2	16.2
Y in past MTH	2	1552	13.8	13.9	30.0
Not since birth	3	7828	69.8	70.0	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F042A Diarrhoea since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3359	30.0	30.0	30.0
No	2	7828	69.8	70.0	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F042B Diarrhoea past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1552	13.8	13.9	13.9
No	2	9635	85.9	86.1	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

d) *infected nipple(s)*

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F043 Had infected nipple since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	593	5.3	5.3	5.3
Y in past MTH	2	62	.6	.6	5.9
Not since birth	3	10532	93.9	94.1	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F043A Infected nipple since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	655	5.8	5.9	5.9
No	2	10532	93.9	94.1	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F043B Infected nipple past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	62	.6	.6	.6
No	2	11125	99.2	99.4	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

e) *other breast problem*

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F044 Had other breast PROB since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	1389	12.4	12.4	12.4
Y in past MTH	2	226	2.0	2.0	14.4
Not since birth	3	9572	85.4	85.6	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F044A Other breast PROB since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1615	14.4	14.4	14.4
No	2	9572	85.4	85.6	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F044B Other breast PROB past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	226	2.0	2.0	2.0
No	2	10961	97.8	98.0	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

f) varicose veins

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F045 Had varicose veins since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	238	2.1	2.1	2.1
Y in past MTH	2	506	4.5	4.5	6.7
Not since birth	3	10443	93.1	93.3	100.0
Missing	-1	26	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F045A Varicose veins since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	744	6.6	6.7	6.7
No	2	10443	93.1	93.3	100.0
Missing	-1	26	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F045B Varicose veins past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	506	4.5	4.5	4.5
No	2	10681	95.3	95.5	100.0
Missing	-1	26	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11187 Missing cases 26

g) passing urine very often

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F046 Had frequent urination since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	615	5.5	5.5	5.5
Y in past MTH	2	1196	10.7	10.7	16.2
Not since birth	3	9376	83.6	83.8	100.0
Missing	-1	26	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F046A Frequent urination since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1811	16.2	16.2	16.2
No	2	9376	83.6	83.8	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F046B Frequent urination past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1196	10.7	10.7	10.7
No	2	9991	89.1	89.3	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

h) problem holding urine when you jump, sneeze etc

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F047 Had PROBS holding urine since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	1659	14.8	14.8	14.8
Y in past MTH	2	1636	14.6	14.6	29.5
Not since birth	3	7892	70.4	70.5	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F047A PROBS holding urine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3295	29.4	29.5	29.5
No	2	7892	70.4	70.5	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11187	Missing cases	26		

F047B PROBS holding urine past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1636	14.6	14.6	14.6
No	2	9551	85.2	85.4	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

i) flashing lights/spots before eyes

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F048 Had flashing light spots since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	737	6.6	6.6	6.6
Y in past MTH	2	888	7.9	7.9	14.5
Not since birth	3	9562	85.3	85.5	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F048A Flashing light spots since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1625	14.5	14.5	14.5
No	2	9562	85.3	85.5	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F048B Flashing light spots past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	888	7.9	7.9	7.9
No	2	10299	91.8	92.1	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

j) *shoulder ache*

[If 1 and 2 are ticked it was coded as 2. If 1 and 3 ticked or 2 and 3 the 3 was ignored by coder]

F049 Had shoulder ache since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	1021	9.1	9.1	9.1
Y in past MTH	2	2223	19.8	19.9	29.0
Not since birth	3	7943	70.8	71.0	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F049A Shoulder ache since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3244	28.9	29.0	29.0
No	2	7943	70.8	71.0	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F049B Shoulder ache past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2223	19.8	19.9	19.9
No	2	8964	79.9	80.1	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

k) *neck ache*

[If 1 and 2 are ticked coded as 2. If 1 and 3 are ticked or 2 and 3 the 3 is ignored by coder]

F050 Had neck ache since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not in past MTH	1	1163	10.4	10.4	10.4
Y in past MTH	2	2596	23.2	23.2	33.6
Not since birth	3	7428	66.2	66.4	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F050A Neck ache since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3759	33.5	33.6	33.6
No	2	7428	66.2	66.4	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F050B Neck ache past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2596	23.2	23.2	23.2
No	2	8591	76.6	76.8	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

l) other problem (please describe) [Keyed as text]

[If something is written in "please describe" section coder checks relevant boxes are ticked. If not, coded zero to indicate information given]

F051 Had other PROB since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes NK when	0	126	1.1	1.1	1.1
Y not in past MTH	1	182	1.6	1.6	2.8
Y in past MTH	2	516	4.6	4.6	7.4
Not since birth	3	10363	92.4	92.6	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F051A Other PROB since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	824	7.3	7.4	7.4
No	2	10363	92.4	92.6	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

F051B Other PROB past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	516	4.6	4.6	4.6
No	2	10671	95.2	95.4	100.0
Missing	-1	26	.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 11187 Missing cases 26

A5. *Since the baby was born how often have you used any of the following?*

Every Often Some- Not at
day times all

Since the baby was born:

a) *sleeping pills*

[If more than one box is ticked, the lowest number is coded]

F060 Sleeping pill use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	9	.1	.1	.1
Often	2	12	.1	.1	.2
SMTS	3	158	1.4	1.4	1.6
Not at all	4	11000	98.1	98.4	100.0
Missing	-1	34	.3	Missing	
Total		11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F060A Taken sleeping pill since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	179	1.6	1.6	1.6
No	2	11000	98.1	98.4	100.0
Missing	-1	34	.3	Missing	
Total		11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

b) *cannabis/marihuana*

[If more than one box is ticked, the lowest number is coded]

F061 Cannabis use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	33	.3	.3	.3
Often	2	58	.5	.5	.8
SMTS	3	246	2.2	2.2	3.0
Not at all	4	10842	96.7	97.0	100.0
Missing	-1	34	.3	Missing	
Total		11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F061A Taken cannabis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	337	3.0	3.0	3.0
No	2	10842	96.7	97.0	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

c) *tranquillisers*

[If more than one box is ticked, the lowest number is coded]

F062 Tranquilliser use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	20	.2	.2	.2
Often	2	6	.1	.1	.2
SMTS	3	58	.5	.5	.8
Not at all	4	11095	98.9	99.2	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F062A Taken tranquilliser since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	84	.7	.8	.8
No	2	11095	98.9	99.2	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

d) *pills for depression*

[If more than one box is ticked, the lowest number is coded]

F063 Anti-depressant use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	163	1.5	1.5	1.5
Often	2	67	.6	.6	2.1
SMTS	3	280	2.5	2.5	4.6
Not at all	4	10669	95.1	95.4	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F063A Taken anti-depressant since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	510	4.5	4.6	4.6
No	2	10669	95.1	95.4	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

e) *hormone tablets*

[If more than one box is ticked, the lowest number is coded]

F064 Hormone tablet use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	37	.3	.3	.3
Often	2	14	.1	.1	.5
SMTS	3	76	.7	.7	1.1
Not at all	4	11052	98.6	98.9	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F064A Taken hormone tablet since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	127	1.1	1.1	1.1
No	2	11052	98.6	98.9	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

f) *antibiotics*

[If more than one box is ticked, the lowest number is coded]

F065 Antibiotic use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	22	.2	.2	.2
Often	2	106	.9	.9	1.1
SMTS	3	2852	25.4	25.5	26.7
Not at all	4	8199	73.1	73.3	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F065A Taken antibiotic since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2980	26.6	26.7	26.7
No	2	8199	73.1	73.3	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

g) *painkillers (aspirin, paracetamol, etc)*

[If more than one box is ticked, the lowest number is coded]

F066 Painkiller use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	58	.5	.5	.5
Often	2	766	6.8	6.9	7.4
SMTS	3	8211	73.2	73.5	80.8
Not at all	4	2144	19.1	19.2	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

F066A Taken painkiller since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	9035	80.6	80.8	80.8
No	2	2144	19.1	19.2	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

h) *amphetamines or other stimulants*

[If more than one box is ticked, the lowest number is coded]

F067 Amphetamine use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	14	.1	.1	.1
Often	2	4	.0	.0	.2
SMTS	3	47	.4	.4	.6
Not at all	4	11114	99.1	99.4	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

F067A Taken amphetamine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	65	.6	.6	.6
No	2	11114	99.1	99.4	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

i) *contraceptive pill*

[If more than one box is ticked, the lowest number is coded]

F068 Use of THE PILL since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	4578	40.8	41.0	41.0
Often	2	446	4.0	4.0	44.9
SMTS	3	672	6.0	6.0	51.0
Not at all	4	5483	48.9	49.0	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F068A Taken THE PILL since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5696	50.8	51.0	51.0
No	2	5483	48.9	49.0	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

j) *heroin, methadone, crack, cocaine*

[If more than one box is ticked, the lowest number is coded]

F069 Opiate or cocaine use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	11	.1	.1	.1
Often	2	2	.0	.0	.1
SMTS	3	11	.1	.1	.2
Not at all	4	11155	99.5	99.8	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F069A Taken opiate or cocaine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	24	.2	.2	.2
No	2	11155	99.5	99.8	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

k) anticonvulsants

[If more than one box is ticked, the lowest number is coded]

F070 Anticonvulsant use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	31	.3	.3	.3
SMTS	3	7	.1	.1	.3
Not at all	4	11141	99.4	99.7	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

F070A Taken anticonvulsant since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	38	.3	.3	.3
No	2	11141	99.4	99.7	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

l) steroids

[If more than one box is ticked, the lowest number is coded]

F071 Steroid use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	40	.4	.4	.4
Often	2	27	.2	.2	.6
SMTS	3	109	1.0	1.0	1.6
Not at all	4	11003	98.1	98.4	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

F071A Taken steroid since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	176	1.6	1.6	1.6
No	2	11003	98.1	98.4	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

m) iron

[If more than one box is ticked, the lowest number is coded]

F072 Iron use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	286	2.6	2.6	2.6
Often	2	332	3.0	3.0	5.5
SMTS	3	1670	14.9	14.9	20.5
Not at all	4	8891	79.3	79.5	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F072A Taken iron since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2288	20.4	20.5	20.5
No	2	8891	79.3	79.5	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

n) vitamins

[If more than one box is ticked the lowest number is coded]

F073 Vitamin use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	581	5.2	5.2	5.2
Often	2	497	4.4	4.4	9.6
SMTS	3	1822	16.2	16.3	25.9
Not at all	4	8279	73.8	74.1	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11179	Missing cases	34		

F073A Taken vitamin since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2900	25.9	25.9	25.9
No	2	8279	73.8	74.1	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

o) other pill, medicine or ointment (including herbal and homeopathic remedies - please describe and state how frequently taken)

[If something is written in "please describe" section coder checks relevant boxes are ticked. If not codes zero to indicate information given]

F074 Other substance use since CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Nos	0	427	3.8	3.8	3.8
Daily	1	456	4.1	4.1	7.9
Often	2	287	2.6	2.6	10.5
SMTS	3	759	6.8	6.8	17.3
Not at all	4	9250	82.5	82.7	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

F074A Taken other substance since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1929	17.2	17.3	17.3
No	2	9250	82.5	82.7	100.0
Missing	-1	34	.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 11179 Missing cases 34

[The actual substances were keyed as text]

For mothers only

A6. a) *Since the baby was born, have your monthly periods started?*

Yes No

F080 Periods started since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	9785	87.3	87.6	87.6
N	2	1384	12.3	12.4	100.0
Missing	-1	44	.4	Missing	
	Total	11213	100.0	100.0	

Valid cases 11169 Missing cases 44

If yes, b) how old was the baby when they began? weeks

[Coder rounded down part weeks to nearest whole week; >40 has been coded to 40]

F081 Age of CH when periods began					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
<1WK		0	27	.2	.3 .3
		1	36	.3	.4 .7
		2	69	.6	.7 1.4
		3	160	1.4	1.7 3.1
		4	772	6.9	8.2 11.4
		5	333	3.0	3.6 14.9
		6	1443	12.9	15.4 30.3
		7	324	2.9	3.5 33.8
		8	1210	10.8	12.9 46.7
		9	182	1.6	1.9 48.6
		10	473	4.2	5.1 53.7
		11	66	.6	.7 54.4
		12	838	7.5	8.9 63.3
		13	76	.7	.8 64.2
		14	155	1.4	1.7 65.8
		15	68	.6	.7 66.5
		16	463	4.1	4.9 71.5
		17	46	.4	.5 72.0
		18	103	.9	1.1 73.1
		19	15	.1	.2 73.2
		20	408	3.6	4.4 77.6
		21	34	.3	.4 78.0
		22	99	.9	1.1 79.0
		23	37	.3	.4 79.4
		24	407	3.6	4.3 83.7
		25	75	.7	.8 84.6
		26	220	2.0	2.3 86.9
		27	31	.3	.3 87.2
		28	326	2.9	3.5 90.7
		29	33	.3	.4 91.1
		30	231	2.1	2.5 93.5
		31	31	.3	.3 93.9
		32	178	1.6	1.9 95.8
		33	39	.3	.4 96.2
		34	72	.6	.8 96.9
		35	33	.3	.4 97.3
		36	94	.8	1.0 98.3
		37	9	.1	.1 98.4
		38	23	.2	.2 98.6
		39	10	.1	.1 98.8
		40	117	1.0	1.2 100.0
NA		-2	1364	12.2	Missing
Missing		-1	483	4.3	Missing
		Total	11213	100.0	100.0
Valid cases	9366	Missing cases	1847		

A7. a) *Since the baby was born have you become pregnant?*

Yes No Not applicable

F085 Became PREG since birth of CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	564	5.0	5.1	5.1
N	2	10411	92.8	94.9	100.0
NA	-2	18	.2	Missing	
Missing	-1	220	2.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	10975	Missing cases	238		

If yes, b) what was the date of the last menstrual period before this new pregnancy? (if you do not remember it put 99 99 9):

F086 Month of LMP

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	57	.5	13.9	13.9
	2	45	.4	11.0	24.9
	3	48	.4	11.7	36.7
	4	41	.4	10.0	46.7
	5	30	.3	7.3	54.0
	6	22	.2	5.4	59.4
	7	21	.2	5.1	64.5
	8	24	.2	5.9	70.4
	9	24	.2	5.9	76.3
	10	29	.3	7.1	83.4
	11	31	.3	7.6	91.0
	12	37	.3	9.0	100.0
NA	-1	375	3.3	Missing	
	-2	10429	93.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	409	Missing cases	10804		

[Date was converted to months from date of delivery of study child]

F087 Time to conception in months					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
		1	5	.0	1.3
		2	22	.2	5.7
		3	39	.3	10.2
		4	47	.4	12.2
		5	58	.5	15.1
		6	83	.7	21.6
		7	52	.5	13.5
		8	35	.3	9.1
		9	24	.2	6.3
		10	9	.1	2.3
		11	1	.0	.3
		12	2	.0	.5
		15	2	.0	.5
		16	3	.0	.8
		17	1	.0	.3
		18	1	.0	.3
NA		-2	10429	93.0	Missing
Missing		-1	400	3.6	Missing
		Total	11213	100.0	100.0
Valid cases	384	Missing cases	10829		

c) *what happened:*

miscarriage
abortion/termination
still pregnant
other (please describe)

[If something is written in "please describe" section coder checks relevant boxes are ticked. If not codes zero to indicate information given]

[In version 03/02/92 c) "If your baby is due in 1992 please enrol in study again" is included, in version 10/09/92 it is omitted]

F088 Outcome of PREG					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Miscarriage		1	81	.7	14.9
Abortion		2	44	.4	8.1
Still PREG		3	397	3.5	72.8
Other		4	23	.2	4.2
NA		-2	10429	93.0	Missing
Missing		-1	239	2.1	Missing
		Total	11213	100.0	100.0
Valid cases	545	Missing cases	10668		

SECTION B: LOOKING AFTER A BABY

The following questions are about how you feel about looking after a baby.

<i>This is exactly how I feel</i>	<i>This is often how I feel</i>	<i>This is how I sometimes feel</i>	<i>I never feel this way</i>
---	---	---	--------------------------------------

B1. *I really enjoy my baby*

[If more than one box is ticked the highest number is coded]

F100 Enjoy the baby						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling		1	8050	71.8	72.0	72.0
Often feels		2	2797	24.9	25.0	97.0
SMTS feels		3	320	2.9	2.9	99.9
Never feels		4	11	.1	.1	100.0
Missing		-1	35	.3	Missing	
		Total	11213	100.0	100.0	
Valid cases		11178	Missing cases		35	

B2. *I would have preferred that we had not had this baby when we did*

[If more than one box is ticked the lowest number is coded]

F101 CH considered untimely						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling		1	103	.9	.9	.9
Often feels		2	116	1.0	1.0	2.0
SMTS feels		3	1082	9.6	9.7	11.7
Never feels		4	9864	88.0	88.3	100.0
Missing		-1	48	.4	Missing	
		Total	11213	100.0	100.0	
Valid cases		11165	Missing cases		48	

B3. *I feel confident with my baby*

[If more than one box is ticked the highest number is coded]

F102 Feel confident with CH						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling		1	9205	82.1	82.4	82.4
Often feels		2	1763	15.7	15.8	98.1
SMTS feels		3	142	1.3	1.3	99.4
Never feels		4	67	.6	.6	100.0
Missing		-1	36	.3	Missing	
		Total	11213	100.0	100.0	
Valid cases		11177	Missing cases		36	

B4. *I dislike the mess that surrounds my baby*

[If more than one box is ticked the lowest number is coded]

F103 Dislike mess surrounding CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling	1	134	1.2	1.2	1.2
Often feels	2	335	3.0	3.0	4.2
SMTS feels	3	3432	30.6	30.8	35.0
Never feels	4	7231	64.5	65.0	100.0
Missing	-1	81	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11132	Missing cases	81		

B5. *It is a great pleasure to watch my baby develop*

[If more than one box is ticked the highest number is coded]

F104 Pleasure in CH development

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling	1	10373	92.5	92.8	92.8
Often feels	2	695	6.2	6.2	99.0
SMTS feels	3	85	.8	.8	99.7
Never feels	4	29	.3	.3	100.0
Missing	-1	31	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11182	Missing cases	31		

B6. *I really cannot bear it when the baby cries*

[If more than one box is ticked the lowest number is coded]

F105 Cant bear CH crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling	1	413	3.7	3.7	3.7
Often feels	2	845	7.5	7.6	11.3
SMTS feels	3	6020	53.7	53.9	65.2
Never feels	4	3881	34.6	34.8	100.0
Missing	-1	54	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11159	Missing cases	54		

B7. *I feel constantly unsure if I'm doing the right thing for my baby*

[If more than one box is ticked the lowest number is coded]

F106 Unsure if doing right thing for CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling	1	192	1.7	1.7	1.7
Often feels	2	179	1.6	1.6	3.3
SMTS feels	3	2905	25.9	26.0	29.3
Never feels	4	7887	70.3	70.7	100.0
Missing	-1	50	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11163	Missing cases	50		

B8. *I feel I should be enjoying my baby but am not*

[If more than one box is ticked the lowest number is coded]

F107 Guilty at not enjoying CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling	1	67	.6	.6	.6
Often feels	2	111	1.0	1.0	1.6
SMTS feels	3	1187	10.6	10.6	12.2
Never feels	4	9800	87.4	87.8	100.0
Missing	-1	48	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11165	Missing cases	48		

B9. *I feel I have no time to myself*

[If more than one box is ticked the lowest number is coded]

F108 Feels lack of time for self

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling	1	630	5.6	5.6	5.6
Often feels	2	1551	13.8	13.9	19.5
SMTS feels	3	6806	60.7	60.9	80.5
Never feels	4	2182	19.5	19.5	100.0
Missing	-1	44	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11169	Missing cases	44		

B10. Having a baby has made me feel more fulfilled

[If more than one box is ticked the highest number is coded]

F109 More fulfilled by CH

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling		1	5267	47.0	47.7	47.7
Often feels		2	3313	29.5	30.0	77.7
SMTS feels		3	1788	15.9	16.2	93.9
Never feels		4	679	6.1	6.1	100.0
Missing		-1	166	1.5	Missing	
		Total	11213	100.0	100.0	
Valid cases	11047	Missing cases	166			

B11. Babies are fun

[If more than one box is ticked the highest number is coded]

F110 Babies are fun

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exact feeling		1	7211	64.3	64.6	64.6
Often feels		2	3111	27.7	27.9	92.5
SMTS feels		3	776	6.9	7.0	99.5
Never feels		4	60	.5	.5	100.0
Missing		-1	55	.5	Missing	
		Total	11213	100.0	100.0	
Valid cases	11158	Missing cases	55			

Derived variables

Variables F100 - F109 were recoded as follows:

F100, F102, F104, F109, F110: (1=3) (2=2) (3=1) (4=0)

F101, F103, F105, F106, F107, F108: (1=0) (2=1) (3=2) (4=3) and 3 scores created

Maternal enjoyment score

$$F111 = F100 + F104 + F107 + F109 + F110$$

F111 Maternal enjoyment score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
	2	7	.1	.1	.1
	3	8	.1	.1	.1
	4	22	.2	.2	.3
	5	35	.3	.3	.7
	6	69	.6	.6	1.3
	7	120	1.1	1.1	2.4
	8	148	1.3	1.3	3.7
	9	308	2.7	2.8	6.5
	10	488	4.4	4.4	11.0
	11	833	7.4	7.6	18.5
	12	1243	11.1	11.3	29.9
	13	1466	13.1	13.3	43.2
	14	1868	16.7	17.0	60.2
	15	4378	39.0	39.8	100.0
Missing	-1	219	2.0	Missing	
Total		11213	100.0	100.0	
Valid cases	10994	Missing cases	219		

F112 Maternal enjoyment score with modes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
	2	7	.1	.1	.1
	3	8	.1	.1	.1
	4	22	.2	.2	.3
	5	35	.3	.3	.7
	6	69	.6	.6	1.3
	7	120	1.1	1.1	2.3
	8	149	1.3	1.3	3.7
	9	311	2.8	2.8	6.4
	10	492	4.4	4.4	10.8
	11	843	7.5	7.5	18.4
	12	1260	11.2	11.3	29.6
	13	1499	13.4	13.4	43.0
	14	1907	17.0	17.0	60.1
	15	4472	39.9	39.9	100.0
Missing	-1	18	.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11195	Missing cases	18		

F113 Number of missing values in f111

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10994	98.0	98.0	98.0
	1	174	1.6	1.6	99.6
	2	15	.1	.1	99.7
	3	7	.1	.1	99.8
	4	5	.0	.0	99.8
	5	18	.2	.2	100.0
Total		11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

Maternal confidence score

$$F114 = F101 + F102 + F103 + F105 + F106 + F108$$

F114 Maternal confidence score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2	1	.0	.0	.0
	3	1	.0	.0	.0
	4	4	.0	.0	.1
	5	10	.1	.1	.1
	6	22	.2	.2	.3
	7	17	.2	.2	.5
	8	39	.3	.4	.8
	9	78	.7	.7	1.6
	10	139	1.2	1.3	2.8
	11	296	2.6	2.7	5.5
	12	584	5.2	5.3	10.8
	13	1028	9.2	9.3	20.1
	14	1540	13.7	13.9	34.0
	15	2127	19.0	19.2	53.2
	16	2341	20.9	21.2	74.4
	17	1836	16.4	16.6	91.0
	18	998	8.9	9.0	100.0
Missing	-1	152	1.4	Missing	
Total		11213	100.0	100.0	

Valid cases 11061 Missing cases 152

F115 Maternal confidence score with modes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2	1	.0	.0	.0
	3	1	.0	.0	.0
	4	4	.0	.0	.1
	5	10	.1	.1	.1
	6	22	.2	.2	.3
	7	17	.2	.2	.5
	8	39	.3	.3	.8
	9	79	.7	.7	1.5
	10	139	1.2	1.2	2.8
	11	299	2.7	2.7	5.5
	12	594	5.3	5.3	10.8
	13	1039	9.3	9.3	20.1
	14	1555	13.9	13.9	33.9
	15	2151	19.2	19.2	53.2
	16	2377	21.2	21.2	74.4
	17	1855	16.5	16.6	91.0
	18	1009	9.0	9.0	100.0
Missing	-1	22	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11191 Missing cases 22

F116 Number of missing values in f114

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	11061	98.6	98.6	98.6
	1	109	1.0	1.0	99.6
	2	8	.1	.1	99.7
	3	3	.0	.0	99.7
	4	3	.0	.0	99.7
	5	7	.1	.1	99.8
	6	22	.2	.2	100.0
Total		11213	100.0	100.0	

Valid cases 11213 Missing cases 0

Maternal bonding score

$$F117 = F111 + F114$$

F117 Maternal bonding score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	4	1	.0	.0	.0
	5	1	.0	.0	.0
	7	2	.0	.0	.0
	8	2	.0	.0	.1
	9	3	.0	.0	.1
	10	5	.0	.0	.1
	11	5	.0	.0	.2
	12	10	.1	.1	.3
	13	12	.1	.1	.4
	14	12	.1	.1	.5
	15	32	.3	.3	.8
	16	34	.3	.3	1.1
	17	40	.4	.4	1.5
	18	79	.7	.7	2.2
	19	80	.7	.7	2.9
	20	107	1.0	1.0	3.9
	21	150	1.3	1.4	5.3
	22	194	1.7	1.8	7.1
	23	325	2.9	3.0	10.0
	24	409	3.6	3.8	13.8
	25	558	5.0	5.1	18.9
	26	728	6.5	6.7	25.6
	27	956	8.5	8.8	34.4
	28	1075	9.6	9.9	44.2
	29	1290	11.5	11.8	56.0
	30	1451	12.9	13.3	69.4
	31	1362	12.1	12.5	81.9
	32	1166	10.4	10.7	92.6
	33	812	7.2	7.4	100.0
Missing	-1	312	2.8	Missing	
Total		11213	100.0	100.0	
Valid cases	10901	Missing cases	312		

F118 Maternal bonding score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	4	1	.0	.0	.0
	5	1	.0	.0	.0
	7	2	.0	.0	.0
	8	2	.0	.0	.1
	9	3	.0	.0	.1
	10	5	.0	.0	.1
	11	5	.0	.0	.2
	12	10	.1	.1	.3
	13	13	.1	.1	.4
	14	17	.2	.2	.5
	15	32	.3	.3	.8
	16	35	.3	.3	1.1
	17	40	.4	.4	1.5
	18	80	.7	.7	2.2
	19	80	.7	.7	2.9
	20	111	1.0	1.0	3.9
	21	153	1.4	1.4	5.3
	22	195	1.7	1.7	7.0
	23	332	3.0	3.0	10.0
	24	422	3.8	3.8	13.7
	25	573	5.1	5.1	18.9
	26	750	6.7	6.7	25.6
	27	979	8.7	8.7	34.3
	28	1112	9.9	9.9	44.2
	29	1320	11.8	11.8	56.0
	30	1484	13.2	13.3	69.3
	31	1398	12.5	12.5	81.8
	32	1209	10.8	10.8	92.6
	33	832	7.4	7.4	100.0
Missing	-1	17	.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11196	Missing cases	17		

F119		Number of missing values in f117			
Value	Label	Value	Frequency	Percent	Valid Percent
		0	10901	97.2	97.2
		1	238	2.1	2.1
		2	31	.3	.3
		3	6	.1	.1
		4	2	.0	.0
		5	2	.0	.0
		6	4	.0	.0
		7	3	.0	.0
		8	4	.0	.0
		9	2	.0	.0
		10	3	.0	.0
		11	17	.2	.2
		Total	11213	100.0	100.0
Valid cases	11213	Missing cases	0		

SECTION C: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave. Please indicate the way you feel nowadays.

Questions C1 - C23 were part of the Crown-Crisp Experiential Index

Very often Often Not very often Never

C1. Do you feel upset for no obvious reason?

[If more than one box is ticked the lowest number is coded]

F150 Upset for no obvious reason

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	299	2.7	2.7	2.7
Often	2	1063	9.5	9.5	12.2
Not V often	3	6316	56.3	56.5	68.7
Never	4	3505	31.3	31.3	100.0
Missing	-1	30	.3	Missing	
Total		11213	100.0	100.0	
Valid cases	11183	Missing cases	30		

C2. Do you get troubled by dizziness or shortness of breath?

[If more than one box is ticked the lowest number is coded]

F151 Dizziness or shortness of breath

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	103	.9	.9	.9
Often	2	443	4.0	4.0	4.9
Not V often	3	2042	18.2	18.3	23.1
Never	4	8600	76.7	76.9	100.0
Missing	-1	25	.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11188	Missing cases	25		

C3. Have you felt as though you might faint?

[If more than one box is ticked the lowest number is coded]

F152 Feelings of faintness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	63	.6	.6	.6
Often	2	301	2.7	2.7	3.3
Not V often	3	2282	20.4	20.4	23.7
Never	4	8539	76.2	76.3	100.0
Missing	-1	28	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11185	Missing cases	28		

C4. Do you feel sick or have indigestion?

[If more than one box is ticked the lowest number is coded]

F153 Sickness or indigestion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	91	.8	.8	.8
Often	2	527	4.7	4.7	5.5
Not V often	3	2801	25.0	25.1	30.6
Never	4	7757	69.2	69.4	100.0
Missing	-1	37	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11176	Missing cases	37		

C5. Do you feel that life is too much effort?

[If more than one box is ticked the lowest number is coded]

F154 Life feels too much effort

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	102	.9	.9	.9
Often	2	575	5.1	5.1	6.1
Not V often	3	3376	30.1	30.2	36.3
Never	4	7115	63.5	63.7	100.0
Missing	-1	45	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11168	Missing cases	45		

C6. Do you feel uneasy and restless?

[If more than one box is ticked the lowest number is coded]

F155 Uneasy or restless

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	110	1.0	1.0	1.0
Often	2	791	7.1	7.1	8.1
Not V often	3	3773	33.6	33.8	41.9
Never	4	6494	57.9	58.1	100.0
Missing	-1	45	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11168	Missing cases	45		

C7. Do you feel tingling or prickling sensations in your body, arms or legs?

[If more than one box is ticked the lowest number is coded]

F156 Tingling or prickling in body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	134	1.2	1.2	1.2
Often	2	389	3.5	3.5	4.7
Not V often	3	1329	11.9	11.9	16.6
Never	4	9331	83.2	83.4	100.0
Missing	-1	30	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11183	Missing cases	30		

C8. Do you regret much of your past behaviour?

[If more than one box is ticked the lowest number is coded]

F157 Regrets much of past behaviour

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	205	1.8	1.8	1.8
Often	2	693	6.2	6.2	8.0
Not V often	3	3308	29.5	29.6	37.7
Never	4	6961	62.1	62.3	100.0
Missing	-1	46	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11167	Missing cases	46		

C9. Do you sometimes feel panicky?

[If more than one box is ticked the lowest number is coded]

F158 Feelings of panic

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	108	1.0	1.0	1.0
Often	2	522	4.7	4.7	5.6
Not V often	3	2958	26.4	26.5	32.1
Never	4	7574	67.5	67.9	100.0
Missing	-1	51	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11162	Missing cases	51		

C10. Do you find that you have little or no appetite?

[If more than one box is ticked the lowest number is coded]

F159 Little or no appetite

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	189	1.7	1.7	1.7
Often	2	755	6.7	6.8	8.4
Not V often	3	2747	24.5	24.6	33.0
Never	4	7483	66.7	67.0	100.0
Missing	-1	39	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11174	Missing cases	39		

C11. Do you wake unusually early in the morning even when you haven't been woken by your children?

[If more than one box is ticked the lowest number is coded]

F160 Foreshortened sleep in morning

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	588	5.2	5.3	5.3
Often	2	1621	14.5	14.5	19.8
Not V often	3	3369	30.0	30.1	49.9
Never	4	5600	49.9	50.1	100.0
Missing	-1	35	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11178	Missing cases	35		

C12. Do you worry a lot?

[If more than one box is ticked the lowest number is coded]

F161 Worrying a lot

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	764	6.8	6.8	6.8
Often	2	2572	22.9	23.0	29.8
Not V often	3	5722	51.0	51.2	81.0
Never	4	2119	18.9	19.0	100.0
Missing	-1	36	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11177	Missing cases	36		

C13. Do you feel tired or exhausted?

[If more than one box is ticked the lowest number is coded]

F162 Tired or exhausted

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	1582	14.1	14.1	14.1
Often	2	4905	43.7	43.9	58.0
Not V often	3	4175	37.2	37.3	95.3
Never	4	523	4.7	4.7	100.0
Missing	-1	28	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11185	Missing cases	28		

C14. Do you experience long periods of sadness?

[If more than one box is ticked the lowest number is coded]

F163 Long periods of sadness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	224	2.0	2.0	2.0
Often	2	674	6.0	6.0	8.0
Not V often	3	3383	30.2	30.2	38.3
Never	4	6903	61.6	61.7	100.0
Missing	-1	29	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11184	Missing cases	29		

C15. Do you feel strung-up inside?

[If more than one box is ticked the lowest number is coded]

F164 Feeling strung up inside

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	341	3.0	3.0	3.0
Often	2	1239	11.0	11.1	14.1
Not V often	3	4201	37.5	37.6	51.7
Never	4	5400	48.2	48.3	100.0
Missing	-1	32	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11181	Missing cases	32		

C16. Can you get off to sleep alright?

[If more than one box is ticked the lowest number is coded]

F165 Going to sleep alright

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	6908	61.6	61.9	61.9
Often	2	3218	28.7	28.8	90.7
Not V often	3	932	8.3	8.3	99.0
Never	4	108	1.0	1.0	100.0
Missing	-1	47	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11166	Missing cases	47		

C17. Do you ever have the feeling you are going to pieces?

[If more than one box is ticked the lowest number is coded]

F166 Feelings of falling apart

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	145	1.3	1.3	1.3
Often	2	647	5.8	5.8	7.1
Not V often	3	3364	30.0	30.1	37.2
Never	4	7006	62.5	62.8	100.0
Missing	-1	51	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11162	Missing cases	51		

C18. Do you often have excessive sweating or fluttering of the heart?

[If more than one box is ticked the lowest number is coded]

F167 Excess sweat or heart flutters

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	91	.8	.8	.8
Often	2	339	3.0	3.0	3.9
Not V often	3	1522	13.6	13.6	17.5
Never	4	9212	82.2	82.5	100.0
Missing	-1	49	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11164	Missing cases	49		

C19. Do you find yourself needing to cry?

[If more than one box is ticked the lowest number is coded]

F168 Need to cry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	199	1.8	1.8	1.8
Often	2	1130	10.1	10.1	11.9
Not V often	3	5866	52.3	52.5	64.5
Never	4	3968	35.4	35.5	100.0
Missing	-1	50	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11163	Missing cases	50		

C20. Do you have bad dreams which upset you when you wake up?

[If more than one box is ticked the lowest number is coded]

F169 Upset by dreams upon waking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	125	1.1	1.1	1.1
Often	2	492	4.4	4.4	5.5
Not V often	3	3491	31.1	31.3	36.8
Never	4	7043	62.8	63.2	100.0
Missing	-1	62	.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	11151	Missing cases	62		

C21. Do you lose the ability to feel sympathy for others?

[If more than one box is ticked the lowest number is coded]

F170 Lose ability to feel sympathy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	130	1.2	1.2	1.2
Often	2	761	6.8	6.8	8.0
Not V often	3	3554	31.7	31.9	39.9
Never	4	6696	59.7	60.1	100.0
Missing	-1	72	.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	11141	Missing cases	72		

C22. Can you think quickly?

[If more than one box is ticked the lowest number is coded]

F171 Speed of thought as before

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	3601	32.1	32.4	32.4
Often	2	5767	51.4	51.8	84.2
Not V often	3	1551	13.8	13.9	98.1
Never	4	206	1.8	1.9	100.0
Missing	-1	88	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11125	Missing cases	88		

C23. Do you have to make a special effort to face up to a crisis or difficulty?

[If more than one box is ticked the lowest number is coded]

F172 Special effort for difficulty or crisis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	222	2.0	2.0	2.0
Often	2	1162	10.4	10.5	12.5
Not V often	3	4679	41.7	42.2	54.6
Never	4	5034	44.9	45.4	100.0
Missing	-1	116	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11097	Missing cases	116		

Derived variables

The first 23 questions in this section comprised the sub-scales of Crown-Crisp Experiential Index (CCEI) relating to free-floating anxiety, depression and somaticism. Although the total score of the 48 items in the original index has been shown to be a useful measure of psycho-neurotic pathology in the community, the need to limit the number of items and our specific interest in depression and anxiety guided the selection of these items. Indeed most studies using the CCEI, including those of the original authors have in fact focused on the sub-scales and it has been used in this way in the study of mental health of mothers during pregnancy and the post-natal year. The 3 sub-scales had varying styles of response, some being a two-point yes/no scale, while others had 3-point categories. We modified the response categories for our study so that each item had 4 consistent response categories in which the respondent indicated frequency of symptoms from 'never' to 'very often'. These modifications were extensively pilot tested including a validation study against the Present State Examination (PSE).

Subscales of the Crown-Crisp Experiential Index were derived from questions C1 to C23.

The variables were initially recoded as follows: c1, c15, c17, (1,2 = 2)(3,4 = 0)/ c3, c6, c12, c20, (1,1 = 2)(3 = 1) (4 = 0) c5, c14, c19, c23 (1,2 = 2)(3 = 1) (4 = 0) / c8, c11, c21 (1,2 = 2)(3,4 = 0) / c22, c16 (1,2 = 0) (3,4 = 2) / c2, c7, c13 (1,2 = 2) (3 = 1) (4 = 0)/c4, c10, c18 (1, 2 = 2) (3, 4 = 0) / c9 (1,"3 = 2) (4 = 0).

CCEI Anxiety subscale I

F173 Crown-Crisp Anxiety = c1 + c9 + c15 + c17 + c3 + c6 + c12 + c20 provided all 8 values were valid (otherwise put to -1)

F173 Crown Crisp - Anxiety					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not anxious	0	1893	16.2	16.6	16.6
	1	2231	19.1	19.6	36.2
	2	1712	14.6	15.0	51.2
	3	1222	10.5	10.7	61.9
	4	1128	9.7	9.9	71.8
	5	816	7.0	7.2	78.9
	6	628	5.4	5.5	84.4
	7	400	3.4	3.5	87.9
	8	320	2.7	2.8	90.7
	9	243	2.1	2.1	92.9
	10	197	1.7	1.7	94.6
	11	161	1.4	1.4	96.0
	12	163	1.4	1.4	97.4
	13	130	1.1	1.1	98.6
	14	97	.8	.9	99.4
	15	49	.4	.4	99.9
very anxious	16	17	.1	.1	100.0
Missing	-1	282	2.4	Missing	
Total		11689	100.0	100.0	
Valid cases	11407	Missing cases		282	

CCEI Anxiety subscale II

F174 Anxiety subscale of CCEI = c1 + c9 + c15 + c17 + c3 + c6 + c12 + c20 putting missing values as the mode . If all 8 variables' values were missing then F174 was coded as -1.

F174 anxiety subscale of CCEI

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not anxious	0	1914	16.4	16.4	16.4
	1	2284	19.5	19.6	36.0
	2	1758	15.0	15.1	51.1
	3	1249	10.7	10.7	61.8
	4	1163	9.9	10.0	71.7
	5	836	7.2	7.2	78.9
	6	642	5.5	5.5	84.4
	7	409	3.5	3.5	87.9
	8	329	2.8	2.8	90.7
	9	248	2.1	2.1	92.9
	10	202	1.7	1.7	94.6
	11	166	1.4	1.4	96.0
	12	168	1.4	1.4	97.5
	13	131	1.1	1.1	98.6
	14	98	.8	.8	99.4
	15	49	.4	.4	99.9
very anxious	16	17	.1	.1	100.0
Missing	-1	26	.2	Missing	
	Total	11689	100.0	100.0	
Valid cases	11663	Missing cases	26		

No. of variables with missing values on anxiety subscale II.

F175 No. missing values in anxiety subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	11407	97.6	97.6	97.6
	1	211	1.8	1.8	99.4
	2	13	.1	.1	99.5
	3	2	.0	.0	99.5
	4	6	.1	.1	99.6
	5	4	.0	.0	99.6
	6	17	.1	.1	99.8
	7	3	.0	.0	99.8
	8	26	.2	.2	100.0
	Total	11689	100.0	100.0	
Valid cases	11689	Missing cases	0		

CCEI Somatic subscale I

F176 Crown Crisp - Somatic = c2 + c7 + c13 + c4 + c10 + c18 + c16, omitting any that were missing on any of these 7 variables.

F176 Crown Crisp - Somatic					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not somatic	0	443	3.8	3.9	3.9
	1	2751	23.5	24.0	27.8
	2	3811	32.6	33.2	61.0
	3	1711	14.6	14.9	75.9
	4	1375	11.8	12.0	87.9
	5	560	4.8	4.9	92.7
	6	376	3.2	3.3	96.0
	7	181	1.5	1.6	97.6
	8	135	1.2	1.2	98.8
	9	54	.5	.5	99.2
	10	51	.4	.4	99.7
	11	13	.1	.1	99.8
	12	18	.2	.2	99.9
very somatic	13	2	.0	.0	100.0
Missing	14	5	.0	.0	100.0
	-1	203	1.7	Missing	
	Total	11689	100.0	100.0	
Valid cases 11486 Missing cases 203					

CCEI Somatic II

F177 Somatic subscale of CCEI = E373 (but putting missing values as the mode).
If all 7 variables are missing, this was coded as missing

F177 somatic subscale of CCEI					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not somatic	0	447	3.8	3.8	3.8
	1	2775	23.7	23.8	27.6
	2	3890	33.3	33.4	61.0
	3	1739	14.9	14.9	75.9
	4	1397	12.0	12.0	87.9
	5	567	4.9	4.9	92.7
	6	382	3.3	3.3	96.0
	7	185	1.6	1.6	97.6
	8	136	1.2	1.2	98.8
	9	55	.5	.5	99.2
	10	51	.4	.4	99.7
	11	13	.1	.1	99.8
	12	19	.2	.2	99.9
very somatic	13	2	.0	.0	100.0
Missing	14	5	.0	.0	100.0
	-1	26	.2	Missing	
	Total	11689	100.0	100.0	
Valid cases 11663 Missing cases 26					

F178 No. of missing values in the 7 variables used in the somatic subscale II.

F178 No. missing values in somatic subscale II.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	11486	98.3	98.3	98.3
	1	133	1.1	1.1	99.4
	2	11	.1	.1	99.5
	3	6	.1	.1	99.5
	4	6	.1	.1	99.6
	5	4	.0	.0	99.6
	6	17	.1	.1	99.8
	7	26	.2	.2	100.0
	Total	11689	100.0	100.0	
Valid cases	11689	Missing cases	0		

CCEI Depression subscale I

F179 Crown Crisp - Depression = c5 + c14 + c19 + c23 + c8 + c11 + c21 + c22
provided all 8 values were valid (otherwise put to -1)

F179 Crown Crisp - Depressed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not depressed	0	1539	13.2	13.5	13.5
	1	1766	15.1	15.5	29.0
	2	1928	16.5	16.9	45.9
	3	1527	13.1	13.4	59.3
	4	1248	10.7	10.9	70.2
	5	914	7.8	8.0	78.2
	6	698	6.0	6.1	84.4
	7	530	4.5	4.6	89.0
	8	364	3.1	3.2	92.2
	9	269	2.3	2.4	94.6
	10	205	1.8	1.8	96.4
	11	128	1.1	1.1	97.5
	12	129	1.1	1.1	98.6
	13	52	.4	.5	99.1
	14	69	.6	.6	99.7
	15	10	.1	.1	99.8
very depressed	16	26	.2	.2	100.0
Missing	-1	287	2.5	Missing	
	Total	11689	100.0	100.0	
Valid cases	11402	Missing cases	287		

CCEI Depression subscale II

F180 Depression subscale of CCEI = E375 (but putting missing values as the mode); if all 8 variables are missing.

F180 Depression subscale of CCEI

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not depressed	0	1571	13.4	13.5	13.5
	1	1808	15.5	15.5	29.0
	2	1956	16.7	16.8	45.8
	3	1567	13.4	13.4	59.2
	4	1284	11.0	11.0	70.2
	5	936	8.0	8.0	78.2
	6	717	6.1	6.1	84.4
	7	546	4.7	4.7	89.1
	8	372	3.2	3.2	92.3
	9	275	2.4	2.4	94.6
	10	210	1.8	1.8	96.4
	11	129	1.1	1.1	97.5
	12	129	1.1	1.1	98.6
	13	53	.5	.5	99.1
	14	70	.6	.6	99.7
very depressed	15	10	.1	.1	99.8
Missing	16	26	.2	.2	100.0
	-1	30	.3	Missing	
	Total	11689	100.0	100.0	
Valid cases	11659	Missing cases	30		

F181 No. of missing values in the 8 variables used in depression subscale II.

F181 No. missing values in depression subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	11402	97.5	97.5	97.5
	1	195	1.7	1.7	99.2
	2	25	.2	.2	99.4
	3	7	.1	.1	99.5
	4	23	.2	.2	99.7
	5	1	.0	.0	99.7
	6	4	.0	.0	99.7
	7	2	.0	.0	99.7
	8	30	.3	.3	100.0
	Total	11689	100.0	100.0	
Valid cases	11689	Missing cases	0		

CCEI Score I

Total Crown Crisp Experiental Index score, computed by adding the anxiety, depression and somatic scales.

F182 Crown Crisp - Total = E371 + E373 + E375 All with missing values put to -1.

F182 Crown Crisp - Total

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not affected	0	153	1.3	1.4	1.4
	1	398	3.4	3.6	5.0
	2	663	5.7	6.0	10.9
	3	836	7.2	7.5	18.4
	4	924	7.9	8.3	26.7
	5	841	7.2	7.6	34.3
	6	881	7.5	7.9	42.2
	7	768	6.6	6.9	49.1
	8	715	6.1	6.4	55.6
	9	632	5.4	5.7	61.3
	10	548	4.7	4.9	66.2
	11	466	4.0	4.2	70.4
	12	467	4.0	4.2	74.6
	13	367	3.1	3.3	77.9
	14	325	2.8	2.9	80.8
	15	268	2.3	2.4	83.2
	16	238	2.0	2.1	85.3
	17	192	1.6	1.7	87.1
	18	170	1.5	1.5	88.6
	19	162	1.4	1.5	90.1
	20	153	1.3	1.4	91.4
	21	111	.9	1.0	92.4
	22	93	.8	.8	93.3
	23	100	.9	.9	94.2
	24	94	.8	.8	95.0
	25	80	.7	.7	95.7
	26	70	.6	.6	96.4
	27	47	.4	.4	96.8
	28	61	.5	.5	97.3
	29	54	.5	.5	97.8
	30	48	.4	.4	98.3
	31	40	.3	.4	98.6
	32	31	.3	.3	98.9
	33	27	.2	.2	99.1
	34	24	.2	.2	99.4
	35	19	.2	.2	99.5
	36	19	.2	.2	99.7
	37	11	.1	.1	99.8
	38	6	.1	.1	99.8
	39	4	.0	.0	99.9
	40	4	.0	.0	99.9
	41	2	.0	.0	99.9
	42	2	.0	.0	100.0
	44	4	.0	.0	100.0
very affected	46	1	.0	.0	100.0
Missing	-1	570	4.9	Missing	
Total		11689	100.0	100.0	
Valid cases	11119	Missing cases		570	

CCEI score II

F183 = E372A + E374A + E376A (but putting missing values as the mode); if all 23 variables missing then was coded as missing

F183 CCEI					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
not affected		0	158	1.4	1.4
		1	409	3.5	3.5
		2	681	5.8	5.8
		3	862	7.4	7.4
		4	961	8.2	8.2
		5	875	7.5	7.5
		6	916	7.8	7.9
		7	809	6.9	6.9
		8	756	6.5	6.5
		9	662	5.7	5.7
		10	575	4.9	4.9
		11	501	4.3	4.3
		12	494	4.2	4.2
		13	389	3.3	3.3
		14	346	3.0	3.0
		15	285	2.4	2.4
		16	258	2.2	2.2
		17	201	1.7	1.7
		18	182	1.6	1.6
		19	166	1.4	1.4
		20	168	1.4	1.4
		21	117	1.0	1.0
		22	99	.8	.8
		23	105	.9	.9
		24	101	.9	.9
		25	86	.7	.7
		26	73	.6	.6
		27	50	.4	.4
		28	65	.6	.6
		29	57	.5	.5
		30	50	.4	.4
		31	41	.4	.4
		32	35	.3	.3
		33	29	.2	.2
		34	24	.2	.2
		35	20	.2	.2
		36	20	.2	.2
		37	12	.1	.1
		38	6	.1	.1
		39	4	.0	.0
		40	7	.1	.1
		41	2	.0	.0
		42	2	.0	.0
		44	4	.0	.0
very affected		46	1	.0	.0
Missing		-1	25	.2	Missing
Total			11689	100.0	100.0
Valid cases	11664	Missing cases	25		

F184 No of missing values in CCEI

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	11119	95.1	95.1	95.1
	1	415	3.6	3.6	98.7
	2	64	.5	.5	99.2
	3	18	.2	.2	99.4
	4	3	.0	.0	99.4
	5	5	.0	.0	99.4
	7	8	.1	.1	99.5
	8	2	.0	.0	99.5
	10	1	.0	.0	99.5
	12	2	.0	.0	99.6
	13	1	.0	.0	99.6
	14	3	.0	.0	99.6
	15	3	.0	.0	99.6
	16	14	.1	.1	99.7
	17	1	.0	.0	99.7
	20	2	.0	.0	99.8
	21	2	.0	.0	99.8
	22	1	.0	.0	99.8
	23	25	.2	.2	100.0
Total		11689	100.0	100.0	
Valid cases	11689	Missing cases	0		

Questions C24-C33 comprise the Edinburgh Postnatal Depression Scale

Your feelings in the past week:

C24. I have been able to laugh and see the funny side of things:

As much as I always could
Not quite so much now
Definitely not so much now
Not at all

[If more than one box is ticked the highest number is coded]

F190 Able to see funny side in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Same as before	1	8358	74.5	74.9	74.9
Less than before	2	2281	20.3	20.4	95.3
Definitely less	3	483	4.3	4.3	99.6
Not at all	4	41	.4	.4	100.0
Missing	-1	50	.4	Missing	
Total		11213	100.0	100.0	
Valid cases	11163	Missing cases	50		

C25. *I have looked forward with enjoyment to things:*

As much as I ever did
Rather less than I used to
Definitely less than I used to
Hardly at all

[If more than one box is ticked the highest number is coded]

F191 Looking forward to things in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As before	1	8650	77.1	77.5	77.5
Little less now	2	2107	18.8	18.9	96.4
Much less now	3	338	3.0	3.0	99.5
Hardly at all	4	61	.5	.5	100.0
Missing	-1	57	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11156	Missing cases	57		

C26. *I have blamed myself unnecessarily when things went wrong:*

Yes, most of the time
Yes, some of the time
Not very often
No never

[If more than one box is ticked the lowest number is coded]

F192 Unnecessary self-blame in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most of the time	1	535	4.8	4.8	4.8
Some of the time	2	2903	25.9	26.0	30.8
Not very often	3	4240	37.8	38.0	68.7
Never	4	3494	31.2	31.3	100.0
Missing	-1	41	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11172	Missing cases	41		

C27. I have been anxious or worried for no good reason:

No, not at all
Hardly ever
Yes, sometimes
Yes, often

[If more than one box is ticked the highest number is coded]

F193 Unfounded anxiety or worry in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at all	1	4729	42.2	42.3	42.3
Hardly ever	2	2825	25.2	25.3	67.6
Y SMTS	3	3174	28.3	28.4	96.1
Y often	4	439	3.9	3.9	100.0
Missing	-1	46	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11167	Missing cases	46		

C28. I have felt scared or panicky for no very good reason:

Yes, quite a lot
Yes, sometimes
No, not much
No, not at all

[If more than one box is ticked the lowest number is coded]

F194 Unwarranted panic or fear in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y quite a lot	1	313	2.8	2.8	2.8
Y SMTS	2	1285	11.5	11.5	14.3
N seldom	3	2271	20.3	20.3	34.6
Never	4	7305	65.1	65.4	100.0
Missing	-1	39	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11174	Missing cases	39		

C29. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope
Yes, sometimes I haven't been coping as well as usual
No, most of the time I have coped quite well
No, I have been coping as well as ever

[If more than one box is ticked the lowest number is coded]

F195 Feeling unable to cope in past WK					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly	1	150	1.3	1.3	1.3
Y SMTS	2	2244	20.0	20.1	21.4
N seldom	3	5033	44.9	45.1	66.5
Coping as normal	4	3743	33.4	33.5	100.0
Missing	-1	43	.4	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases 11170 Missing cases 43					

C30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time
Yes, sometimes
Not very often
No, not at all.

[If more than one box is ticked the lowest number is coded]

F196 Sleep PROBS from unhappiness in past WK					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly	1	88	.8	.8	.8
Y SMTS	2	563	5.0	5.0	5.8
Not V often	3	1610	14.4	14.4	20.2
Not at all	4	8906	79.4	79.8	100.0
Missing	-1	46	.4	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases 11167 Missing cases 46					

C31. I have felt sad or miserable:

Yes, most of the time

Yes, quite often

Not very often

No, not at all

[If more than one box is ticked the lowest number is coded]

F197 Sad or miserable in past WK					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Y mostly		1	150	1.3	1.3 1.3
Y quite often		2	1290	11.5	11.6 12.9
Not V often		3	4578	40.8	41.0 53.9
Not at all		4	5149	45.9	46.1 100.0
Missing		-1	46	.4	Missing
Total			11213	100.0	100.0
Valid cases 11167 Missing cases 46					

C32. I have been so unhappy that I have been crying:

Yes, most of the time

Yes, quite often

Only occasionally

No, never

[If more than one box is ticked the lowest number is coded]

F198 Crying from unhappiness in past WK					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Y mostly		1	74	.7	.7 .7
Y often		2	494	4.4	4.4 5.1
Occasionally		3	3427	30.6	30.7 35.8
Never		4	7164	63.9	64.2 100.0
Missing		-1	54	.5	Missing
Total			11213	100.0	100.0
Valid cases 11159 Missing cases 54					

C33. *The thought of harming myself has occurred to me:*

Yes, quite often

Sometimes

Hardly ever

Never

[If more than one box is ticked the lowest number is coded]

F199 Self-harm thoughts in past WK					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Y often	1	49	.4	.4 .4
2	SMTS	2	209	1.9	1.9 2.3
3	Hardly ever	3	431	3.8	3.9 6.2
4	Never	4	10476	93.4	93.8 100.0
-1	Missing	-1	48	.4	Missing
Total			11213	100.0	100.0
Valid cases			11165	Missing cases 48	

Derived variable

The 10 items C24-C33 formed the depression scale of the Edinburgh Post-Natal Depression Scale (EPDS) developed by Cox et al (1987). The items in this scale were specifically chosen by the authors because they did not involve somatic items. Each question had 4 response categories scored from 0 to 3 and referred to the feelings of the mother in the past week. Although the measure was developed specifically for use with puerperal women, none of the 10 items is specific to the post-natal experience. The principle feature of the scale that designates it as a post-natal scale is that it does not include somatic items because of the possibility of confounding somatic symptoms of depression with normal physiological symptoms at this time. The feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the post-partum years. During pregnancy, there is the possibility too of confounding normal physiological symptoms with those of depression. Both our own pilot studies and the study of Murray and Carrothers (1990) found the measure to be acceptable to respondents, producing high completion rates with little evidence of response error. Validation of the scale during pregnancy, the post-partum period and early parenthood has been examined using standardised psychiatric interviews as the validating measures and shown to have high sensitivity and specificity (Thorpe 1993).

These variables were recoded as follows:

c24, c25, c27, (1 = 0) (2 = 1) (3 = 2) (4 = 3)

c26, c28, c29, c30, c31, c32, c33 (1 = 3) (2 = 2) (3 = 1) (4 = 0)

and the score calculated as C24 + C25 +.... + C33

EPDS score I (Any with a missing value on an item put to -1)

F200 Edinburgh Post-natal Depression Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not depressed	0	1398	12.5	12.6	12.6
	1	1157	10.3	10.5	23.1
	2	1037	9.2	9.4	32.5
	3	1103	9.8	10.0	42.4
	4	981	8.7	8.9	51.3
	5	870	7.8	7.9	59.2
	6	784	7.0	7.1	66.3
	7	697	6.2	6.3	72.6
	8	592	5.3	5.4	77.9
	9	482	4.3	4.4	82.3
	10	387	3.5	3.5	85.8
	11	331	3.0	3.0	88.8
	12	275	2.5	2.5	91.2
	13	202	1.8	1.8	93.1
	14	194	1.7	1.8	94.8
	15	131	1.2	1.2	96.0
	16	114	1.0	1.0	97.0
	17	98	.9	.9	97.9
	18	64	.6	.6	98.5
	19	61	.5	.6	99.1
	20	33	.3	.3	99.3
	21	21	.2	.2	99.5
	22	13	.1	.1	99.7
	23	10	.1	.1	99.7
	24	8	.1	.1	99.8
	25	3	.0	.0	99.8
	26	8	.1	.1	99.9
	27	1	.0	.0	99.9
	28	6	.1	.1	100.0
very depressed	29	2	.0	.0	100.0
Missing	-1	150	1.3	Missing	
Total		11213	100.0	100.0	
Valid cases	11063	Missing cases	150		

EPDS score II (Any with missing value put to mode unless all items missing)

F201 EPDS with missing values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not depressed	0	1404	12.5	12.5	12.5
	1	1161	10.4	10.4	22.9
	2	1062	9.5	9.5	32.4
	3	1115	9.9	10.0	42.3
	4	1005	9.0	9.0	51.3
	5	882	7.9	7.9	59.2
	6	793	7.1	7.1	66.3
	7	702	6.3	6.3	72.5
	8	602	5.4	5.4	77.9
	9	487	4.3	4.3	82.3
	10	390	3.5	3.5	85.7
	11	337	3.0	3.0	88.7
	12	280	2.5	2.5	91.2
	13	208	1.9	1.9	93.1
	14	194	1.7	1.7	94.8
	15	133	1.2	1.2	96.0
	16	116	1.0	1.0	97.1
	17	99	.9	.9	97.9
	18	64	.6	.6	98.5
	19	61	.5	.5	99.1
	20	33	.3	.3	99.3
	21	22	.2	.2	99.5
	22	13	.1	.1	99.7
	23	10	.1	.1	99.8
	24	8	.1	.1	99.8
	25	3	.0	.0	99.8
	26	8	.1	.1	99.9
	27	1	.0	.0	99.9
	28	6	.1	.1	100.0
very depressed	29	2	.0	.0	100.0
Missing	-1	12	.1	Missing	
Total		11213	100.0	100.0	
Valid cases	11201	Missing cases	12		

F202 No of missing values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	11063	98.7	98.7	98.7
	1	61	.5	.5	99.2
	2	32	.3	.3	99.5
	3	1	.0	.0	99.5
	4	23	.2	.2	99.7
	5	1	.0	.0	99.7
	6	17	.2	.2	99.9
	7	1	.0	.0	99.9
	8	2	.0	.0	99.9
	10	12	.1	.1	100.0
Total		11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

C34. *On the whole are there more good days than bad?*

Yes, more good days

About half and half

No, more bad days

[If more than one box is ticked the highest number is coded]

F205		More good days than bad in past WK				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	9498	84.7	85.2	85.2
Half & half		2	1419	12.7	12.7	97.9
N		3	230	2.1	2.1	100.0
Missing		-1	66	.6	Missing	
Total			11213	100.0	100.0	
Valid cases		11147	Missing cases		66	

SECTION D: RECENT EVENTS

These involved a life-events inventory of 42 items which were derived for the present study using previous inventories as a basis for selection of items. Three main sources were used in this way - those of Brown & Harris, Barnett et al and Stanley. Each life event had 5 response categories indicating not only whether or not the event occurred but also how greatly the respondent was affected by it. An additional open item in which the respondent was able to name any event which was not on the inventory was also included. On the basis of these items, two scores may be calculated, the number of life events occurring, and the perceived impact of life events. Analysis of pilot study results showed these two scores to be highly correlated, but the impact scored being a more sensitive predicator of emotional well-being.

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since the baby was born? If so, please assess how much effect it had on you.

<i>Yes & affected me a lot</i>	<i>Yes, moderately affected</i>	<i>Yes, mildly affected</i>	<i>Yes, but did not affect me</i>	<i>No did not happen at all</i>
--	---	-------------------------------------	---	---

Since the baby was born:

D1. Your partner died

[If more than one box is ticked the lowest number is taken]

F220 Death of PTNR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	10	.1	.1	.1
N did not happen	5	11184	99.7	99.9	100.0
Missing	-1	19	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

F220A Death of partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10	.1	.1	.1
No	2	11184	99.7	99.9	100.0
Missing	-1	19	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

D2. One of your children died

[If more than one box is ticked the lowest number is taken]

F221 Death of CHDR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	9	.1	.1	.1
Y MOD affected	2	1	.0	.0	.1
Y but N effect	4	2	.0	.0	.1
N did not happen	5	11182	99.7	99.9	100.0
Missing	-1	19	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

F221A Death of one of children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	12	.1	.1	.1
No	2	11182	99.7	99.9	100.0
Missing	-1	19	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

D3. A friend or relative died

[If more than one box is ticked the lowest number is taken]

F222 Death of friend or REL >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	460	4.1	4.1	4.1
Y MOD affected	2	488	4.4	4.4	8.5
Y mildly affected	3	647	5.8	5.8	14.2
Y but N effect	4	342	3.1	3.1	17.3
N did not happen	5	9257	82.6	82.7	100.0
Missing	-1	19	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

F222A Death of friend or relative

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1937	17.3	17.3	17.3
No	2	9257	82.6	82.7	100.0
Missing	-1	19	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

D4. One of your children was ill

[If more than one box is ticked the lowest number is taken]

F223 Illness of CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	810	7.2	7.2	7.2
Y MOD affected	2	790	7.0	7.1	14.3
Y mildly affected	3	1271	11.3	11.4	25.6
Y but N effect	4	717	6.4	6.4	32.1
N did not happen	5	7606	67.8	67.9	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F223A Child ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3588	32.0	32.1	32.1
No	2	7606	67.8	67.9	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D5. Your partner was ill

[If more than one box is ticked the lowest number is taken]

F224 PTNR ill >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	193	1.7	1.7	1.7
Y MOD affected	2	355	3.2	3.2	4.9
Y mildly affected	3	721	6.4	6.4	11.3
Y but N effect	4	553	4.9	4.9	16.3
N did not happen	5	9372	83.6	83.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F224A Partner ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1822	16.2	16.3	16.3
No	2	9372	83.6	83.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D6. A friend or relative was ill

[If more than one box is ticked the lowest number is taken]

F225 Friend of REL ill >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	430	3.8	3.8	3.8
Y MOD affected	2	581	5.2	5.2	9.0
Y mildly affected	3	720	6.4	6.4	15.5
Y but N effect	4	507	4.5	4.5	20.0
N did not happen	5	8956	79.9	80.0	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F225A Friend or relative ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2238	20.0	20.0	20.0
No	2	8956	79.9	80.0	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D7. You were admitted to hospital

[If more than one box is ticked the lowest number is taken]

F226 Admission to HOSP >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	243	2.2	2.2	2.2
Y MOD affected	2	132	1.2	1.2	3.4
Y mildly affected	3	161	1.4	1.4	4.8
Y but N effect	4	135	1.2	1.2	6.0
N did not happen	5	10523	93.8	94.0	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F226A Admitted to hospital

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	671	6.0	6.0	6.0
No	2	10523	93.8	94.0	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D8. You were in trouble with the law

[If more than one box is ticked the lowest number is taken]

F227 MUM in trouble with law >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	13	.1	.1	.1
Y MOD affected	2	1	.0	.0	.1
Y mildly affected	3	24	.2	.2	.3
Y but N effect	4	13	.1	.1	.5
N did not happen	5	11143	99.4	99.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F227A Mum in trouble with law

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	51	.5	.5	.5
No	2	11143	99.4	99.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D9. You were divorced

[If more than one box is ticked the lowest number is taken]

F228 Divorce >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	29	.3	.3	.3
Y MOD affected	2	22	.2	.2	.5
Y mildly affected	3	16	.1	.1	.6
Y but N effect	4	19	.2	.2	.8
N did not happen	5	11108	99.1	99.2	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F228A Divorce

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	86	.8	.8	.8
No	2	11108	99.1	99.2	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D10. You found that your partner didn't want your child

[If more than one box is ticked the lowest number is taken]

F229 CH not wanted by PTNR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	94	.8	.8	.8
Y MOD affected	2	25	.2	.2	1.1
Y mildly affected	3	25	.2	.2	1.3
Y but N effect	4	28	.2	.3	1.5
N did not happen	5	11022	98.3	98.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F229A Child not wanted by partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	172	1.5	1.5	1.5
No	2	11022	98.3	98.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D11. You were very ill

[If more than one box is ticked the lowest number is taken]

F230 MUM ill >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	290	2.6	2.6	2.6
Y MOD affected	2	170	1.5	1.5	4.1
Y mildly affected	3	199	1.8	1.8	5.9
Y but N effect	4	96	.9	.9	6.7
N did not happen	5	10439	93.1	93.3	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F230A Mum ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	755	6.7	6.7	6.7
No	2	10439	93.1	93.3	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D12. Your partner lost his job

[If more than one box is ticked the lowest number is taken]

F231 PTNR lost job >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	311	2.8	2.8	2.8
Y MOD affected	2	235	2.1	2.1	4.9
Y mildly affected	3	185	1.6	1.7	6.5
Y but N effect	4	71	.6	.6	7.2
N did not happen	5	10392	92.7	92.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F231A Parnter lost job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	802	7.2	7.2	7.2
No	2	10392	92.7	92.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D13. Your partner had problems at work

[If more than one box is ticked the lowest number is taken]

F232 Work PROBS for PTNR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	403	3.6	3.6	3.6
Y MOD affected	2	671	6.0	6.0	9.6
Y mildly affected	3	996	8.9	8.9	18.5
Y but N effect	4	372	3.3	3.3	21.8
N did not happen	5	8752	78.1	78.2	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F232A Work problems for partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2442	21.8	21.8	21.8
No	2	8752	78.1	78.2	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D14. You had problems at work

[If more than one box is ticked the lowest number is taken]

F233 Work PROBS for MUM >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	177	1.6	1.6	1.6
Y MOD affected	2	243	2.2	2.2	3.8
Y mildly affected	3	392	3.5	3.5	7.3
Y but N effect	4	128	1.1	1.1	8.4
N did not happen	5	10254	91.4	91.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F233A Work problems for Mum

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	940	8.4	8.4	8.4
No	2	10254	91.4	91.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D15. You lost your job

[If more than one box is ticked the lowest number is taken]

F234 MUM lost job >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	68	.6	.6	.6
Y MOD affected	2	64	.6	.6	1.2
Y mildly affected	3	71	.6	.6	1.8
Y but N effect	4	89	.8	.8	2.6
N did not happen	5	10902	97.2	97.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F234A Mum lost job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	292	2.6	2.6	2.6
No	2	10902	97.2	97.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D16. Your partner went away

[If more than one box is ticked the lowest number is taken]

F235 PTNR went away >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	311	2.8	2.8	2.8
Y MOD affected	2	212	1.9	1.9	4.7
Y mildly affected	3	303	2.7	2.7	7.4
Y but N effect	4	225	2.0	2.0	9.4
N did not happen	5	10143	90.5	90.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F235A Partner went away

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1051	9.4	9.4	9.4
No	2	10143	90.5	90.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D17. Your partner was in trouble with the law

[If more than one box is ticked the lowest number is taken]

F236 PTNR in trouble with law >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	67	.6	.6	.6
Y MOD affected	2	31	.3	.3	.9
Y mildly affected	3	42	.4	.4	1.3
Y but N effect	4	34	.3	.3	1.6
N did not happen	5	11020	98.3	98.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F236A Partner in trouble with law

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	174	1.6	1.6	1.6
No	2	11020	98.3	98.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D18. You and your partner separated

[If more than one box is ticked the lowest number is taken]

F237 Separation from PTNR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	267	2.4	2.4	2.4
Y MOD affected	2	108	1.0	1.0	3.4
Y mildly affected	3	76	.7	.7	4.0
Y but N effect	4	64	.6	.6	4.6
N did not happen	5	10679	95.2	95.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F237A Separation with partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	515	4.6	4.6	4.6
No	2	10679	95.2	95.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D19. Your income was reduced

[If more than one box is ticked the lowest number is taken]

F238 Reduced income >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	948	8.5	8.5	8.5
Y MOD affected	2	1350	12.0	12.1	20.5
Y mildly affected	3	1517	13.5	13.6	34.1
Y but N effect	4	601	5.4	5.4	39.4
N did not happen	5	6778	60.4	60.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F238A Reduced income

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4416	39.4	39.4	39.4
No	2	6778	60.4	60.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D20. You argued with your partner

[If more than one box is ticked the lowest number is taken]

F239 Argued with PTNR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	893	8.0	8.0	8.0
Y MOD affected	2	1043	9.3	9.3	17.3
Y mildly affected	3	2231	19.9	19.9	37.2
Y but N effect	4	2257	20.1	20.2	57.4
N did not happen	5	4770	42.5	42.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F239A Argued with partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6424	57.3	57.4	57.4
No	2	4770	42.5	42.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D21. You argued with your family and friends

[If more than one box is ticked the lowest number is taken]

F240 Argued with FAM or FRD >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	278	2.5	2.5	2.5
Y MOD affected	2	326	2.9	2.9	5.4
Y mildly affected	3	605	5.4	5.4	10.8
Y but N effect	4	457	4.1	4.1	14.9
N did not happen	5	9528	85.0	85.1	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F240A Argued with family or friend

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1666	14.9	14.9	14.9
No	2	9528	85.0	85.1	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D22. You moved house

[If more than one box is ticked the lowest number is taken]

F241 Moved house >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	401	3.6	3.6	3.6
Y MOD affected	2	339	3.0	3.0	6.6
Y mildly affected	3	322	2.9	2.9	9.5
Y but N effect	4	306	2.7	2.7	12.2
N did not happen	5	9826	87.6	87.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F241A Moved house

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1368	12.2	12.2	12.2
No	2	9826	87.6	87.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D23. Your partner was physically cruel to you

[If more than one box is ticked the lowest number is taken]

F242 Physically hurt by PTNR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	113	1.0	1.0	1.0
Y MOD affected	2	64	.6	.6	1.6
Y mildly affected	3	61	.5	.5	2.1
Y but N effect	4	24	.2	.2	2.3
N did not happen	5	10932	97.5	97.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F242A Physically hurt by partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	262	2.3	2.3	2.3
No	2	10932	97.5	97.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D24. You became homeless

[If more than one box is ticked the lowest number is taken]

F243 Became homeless >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	82	.7	.7	.7
Y MOD affected	2	22	.2	.2	.9
Y mildly affected	3	11	.1	.1	1.0
Y but N effect	4	11	.1	.1	1.1
N did not happen	5	11068	98.7	98.9	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F243A Became homeless

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	126	1.1	1.1	1.1
No	2	11068	98.7	98.9	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D25. You had a major financial problem

[If more than one box is ticked the lowest number is taken]

F244 Major financial PROBS >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	590	5.3	5.3	5.3
Y MOD affected	2	475	4.2	4.2	9.5
Y mildly affected	3	470	4.2	4.2	13.7
Y but N effect	4	118	1.1	1.1	14.8
N did not happen	5	9541	85.1	85.2	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F244A Major financial problems

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1653	14.7	14.8	14.8
No	2	9541	85.1	85.2	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D26. You got married

[If more than one box is ticked the lowest number is taken]

F245 Got married >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	54	.5	.5	.5
Y MOD affected	2	37	.3	.3	.8
Y mildly affected	3	39	.3	.3	1.2
Y but N effect	4	65	.6	.6	1.7
N did not happen	5	10999	98.1	98.3	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F245A Got married

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	195	1.7	1.7	1.7
No	2	10999	98.1	98.3	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D27. Your partner was physically cruel to your children

[If more than one box is ticked the lowest number is taken]

F246 PTNR physically cruel to CHDR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	12	.1	.1	.1
Y MOD affected	2	5	.0	.0	.2
Y mildly affected	3	7	.1	.1	.2
Y but N effect	4	3	.0	.0	.2
N did not happen	5	11167	99.6	99.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F246A Parnter physically cruel to children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	27	.2	.2	.2
No	2	11167	99.6	99.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D28. You were physically cruel to your children

[If more than one box is ticked the lowest number is taken]

F247 MUM physically cruel to CHDR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	32	.3	.3	.3
Y MOD affected	2	13	.1	.1	.4
Y mildly affected	3	12	.1	.1	.5
Y but N effect	4	4	.0	.0	.5
N did not happen	5	11133	99.3	99.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F247A Mum physically cruel to children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	61	.5	.5	.5
No	2	11133	99.3	99.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D29. You attempted suicide

[If more than one box is ticked the lowest number is taken]

F248 Attempted suicide >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	20	.2	.2	.2
Y MOD affected	2	4	.0	.0	.2
Y mildly affected	3	3	.0	.0	.2
Y but N effect	4	5	.0	.0	.3
N did not happen	5	11162	99.5	99.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F248A Attempted suicide

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	32	.3	.3	.3
No	2	11162	99.5	99.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D30. You were convicted of an offence

[If more than one box is ticked the lowest number is taken]

F249 Court conviction >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	8	.1	.1	.1
Y MOD affected	2	4	.0	.0	.1
Y mildly affected	3	6	.1	.1	.2
Y but N effect	4	12	.1	.1	.3
N did not happen	5	11164	99.6	99.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F249A Court conviction

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	30	.3	.3	.3
No	2	11164	99.6	99.7	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D31. You became pregnant

[If more than one box is ticked the lowest number is taken]

F250 MUM became PREG >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	200	1.8	1.8	1.8
Y MOD affected	2	143	1.3	1.3	3.1
Y mildly affected	3	114	1.0	1.0	4.1
Y but N effect	4	86	.8	.8	4.9
N did not happen	5	10651	95.0	95.1	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F250A Mum became pregnant

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	543	4.8	4.9	4.9
No	2	10651	95.0	95.1	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D32. You started a new job

[If more than one box is ticked the lowest number is taken]

F251 New job for MUM >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	205	1.8	1.8	1.8
Y MOD affected	2	294	2.6	2.6	4.5
Y mildly affected	3	323	2.9	2.9	7.3
Y but N effect	4	339	3.0	3.0	10.4
N did not happen	5	10033	89.5	89.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F251A New job for Mum

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1161	10.4	10.4	10.4
No	2	10033	89.5	89.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D33. You returned to work

[If more than one box is ticked the lowest number is taken]

F252 Return to work >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	756	6.7	6.8	6.8
Y MOD affected	2	1023	9.1	9.1	15.9
Y mildly affected	3	1005	9.0	9.0	24.9
Y but N effect	4	861	7.7	7.7	32.6
N did not happen	5	7549	67.3	67.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F252A Return to work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3645	32.5	32.6	32.6
No	2	7549	67.3	67.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D34. You had a miscarriage

[If more than one box is ticked the lowest number is taken]

F253 MUM had MC >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	57	.5	.5	.5
Y MOD affected	2	24	.2	.2	.7
Y mildly affected	3	12	.1	.1	.8
Y but N effect	4	9	.1	.1	.9
N did not happen	5	11092	98.9	99.1	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F253A Mum had miscarriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	102	.9	.9	.9
No	2	11092	98.9	99.1	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D35. You had an abortion

[If more than one box is ticked the lowest number is taken]

F254 MUM had abortion >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	22	.2	.2	.2
Y MOD affected	2	13	.1	.1	.3
Y mildly affected	3	8	.1	.1	.4
Y but N effect	4	7	.1	.1	.4
N did not happen	5	11144	99.4	99.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F254A Mum had abortion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	50	.4	.4	.4
No	2	11144	99.4	99.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D36. You took an examination

[If more than one box is ticked the lowest number is coded]

F255 Exam taken >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	55	.5	.5	.5
Y MOD affected	2	64	.6	.6	1.1
Y mildly affected	3	83	.7	.7	1.8
Y but N effect	4	133	1.2	1.2	3.0
N did not happen	5	10859	96.8	97.0	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F255A Exam taken

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	335	3.0	3.0	3.0
No	2	10859	96.8	97.0	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D37. Your partner was emotionally cruel to you

[If more than one box is ticked the lowest number is taken]

F256 PTNR EMOT cruel to MUM >CH born born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	396	3.5	3.5	3.5
Y MOD affected	2	237	2.1	2.1	5.7
Y mildly affected	3	254	2.3	2.3	7.9
Y but N effect	4	59	.5	.5	8.5
N did not happen	5	10248	91.4	91.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F256A Partner emotionally cruel to Mum

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	946	8.4	8.5	8.5
No	2	10248	91.4	91.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D38. Your partner was emotionally cruel to your children

[If more than one box is ticked the lowest number is taken]

F257 PTNR EMOT cruel to CHDR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	61	.5	.5	.5
Y MOD affected	2	34	.3	.3	.8
Y mildly affected	3	43	.4	.4	1.2
Y but N effect	4	2	.0	.0	1.3
N did not happen	5	11054	98.6	98.7	100.0
Missing	-1	19	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F257A Partner emotionally cruel to children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	140	1.2	1.3	1.3
No	2	11054	98.6	98.7	100.0
Missing	-1	19	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D39. You were emotionally cruel to your children

[If more than one box is ticked the lowest number is taken]

F258 MUM EMOT cruel to CHDR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	53	.5	.5	.5
Y MOD affected	2	45	.4	.4	.9
Y mildly affected	3	41	.4	.4	1.2
Y but N effect	4	7	.1	.1	1.3
N did not happen	5	11048	98.5	98.7	100.0
Missing	-1	19	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F258A Mum emotionally cruel to children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	146	1.3	1.3	1.3
No	2	11048	98.5	98.7	100.0
Missing	-1	19	.2	Missing	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D40. Your house or car was burgled

[If more than one box is ticked the lowest number is taken]

F259 House burglary of car theft >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	196	1.7	1.8	1.8
Y MOD affected	2	267	2.4	2.4	4.1
Y mildly affected	3	462	4.1	4.1	8.3
Y but N effect	4	251	2.2	2.2	10.5
N did not happen	5	10018	89.3	89.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F259A House burglary or car theft

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1176	10.5	10.5	10.5
No	2	10018	89.3	89.5	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D41. Your partner started a new job

[If more than one box is ticked the lowest number is taken]

F260 New job for PTNR >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	215	1.9	1.9	1.9
Y MOD affected	2	294	2.6	2.6	4.5
Y mildly affected	3	276	2.5	2.5	7.0
Y but N effect	4	290	2.6	2.6	9.6
N did not happen	5	10119	90.2	90.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F260A New job for partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1075	9.6	9.6	9.6
No	2	10119	90.2	90.4	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D42. A pet died

[If more than one box is ticked the lowest number is coded]

F261 Pet died >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y much affected	1	154	1.4	1.4	1.4
Y MOD affected	2	169	1.5	1.5	2.9
Y mildly affected	3	233	2.1	2.1	5.0
Y but N effect	4	156	1.4	1.4	6.4
N did not happen	5	10482	93.5	93.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F261A Pet died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	712	6.3	6.4	6.4
No	2	10482	93.5	93.6	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D43. You had an accident (please describe) [Keyed as text]

[If something is written in "please describe" section coder checked relevant boxes were ticked. If not, coded zero to indicate information given]

F262 Accident >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y not known effect	0	8	.1	.1	.1
Y much affected	1	68	.6	.6	.7
Y MOD affected	2	52	.5	.5	1.1
Y mildly affected	3	93	.8	.8	2.0
Y but N effect	4	29	.3	.3	2.2
N did not happen	5	10944	97.6	97.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

F262A Accident

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	250	2.2	2.2	2.2
No	2	10944	97.6	97.8	100.0
Missing	-1	19	.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11194 Missing cases 19

D44. a) *Is there anything else which is not on the list which has concerned you or required additional effort from you to cope since the baby was born?*

Yes

No

[Coder ensured that description differs from events listed previously in section D if “yes” is ticked; if the same, to recode to that event and change D44a to no]

F263 Other PROB REQ extra effort >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1527	13.6	15.2	15.2
N	2	8494	75.8	84.8	100.0
Missing	-1	1192	10.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	10021	Missing cases	1192		

If yes, b) please describe:

[Not coded - keyed as text]

c) *How did this affect you?*

a lot
moderately
mildly
not at all

[If more than one box is ticked the lowest number is coded]

F264 Effect of other PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	1080	9.6	71.8	71.8
MOD	2	350	3.1	23.3	95.1
Mildly	3	70	.6	4.7	99.7
Not at all	4	4	.0	.3	100.0
NA	-2	8494	75.8	Missing	
Missing	-1	1215	10.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	1504	Missing cases	9709		

Derived variables: weighted life events

To calculate F265, the variables F220 - F262 were recoded as follows (1, 2, 3, 4, 5 = 4, 3, 2, 1, 0).

Missing items were coded to 0 unless all items were missing.

$F265 = F220 + \dots + F262$

F265 Weighted life event scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	666	5.9	5.9	5.9
	1	494	4.4	4.4	10.4
	2	731	6.5	6.5	16.9
	3	673	6.0	6.0	22.9
	4	788	7.0	7.0	29.9
	5	717	6.4	6.4	36.3
	6	721	6.4	6.4	42.8
	7	632	5.6	5.6	48.4
	8	689	6.1	6.2	54.6
	9	536	4.8	4.8	59.4
	10	492	4.4	4.4	63.8
	11	444	4.0	4.0	67.7
	12	433	3.9	3.9	71.6
	13	353	3.1	3.2	74.8
	14	306	2.7	2.7	77.5
	15	313	2.8	2.8	80.3
	16	249	2.2	2.2	82.5
	17	212	1.9	1.9	84.4
	18	193	1.7	1.7	86.1
	19	191	1.7	1.7	87.8
	20	154	1.4	1.4	89.2
	21	146	1.3	1.3	90.5
	22	143	1.3	1.3	91.8
	23	110	1.0	1.0	92.8
	24	115	1.0	1.0	93.8
	25	90	.8	.8	94.6
	26	80	.7	.7	95.3
	27	65	.6	.6	95.9
	28	67	.6	.6	96.5
	29	53	.5	.5	97.0
	30	53	.5	.5	97.5
	31	32	.3	.3	97.7
	32	46	.4	.4	98.2
	33	24	.2	.2	98.4
	34	27	.2	.2	98.6
	35	26	.2	.2	98.8
	36	15	.1	.1	99.0
	37	13	.1	.1	99.1
	38	15	.1	.1	99.2
	39	14	.1	.1	99.3
	40	10	.1	.1	99.4
	41	7	.1	.1	99.5
	42	12	.1	.1	99.6
	43	7	.1	.1	99.7
	44	5	.0	.0	99.7
	45	6	.1	.1	99.8
	46	3	.0	.0	99.8
	47	3	.0	.0	99.8
	48	1	.0	.0	99.8
	49	5	.0	.0	99.9
	50	2	.0	.0	99.9
	51	2	.0	.0	99.9
	52	2	.0	.0	99.9
	53	1	.0	.0	99.9
	54	1	.0	.0	99.9
	56	2	.0	.0	100.0
	59	1	.0	.0	100.0
	64	1	.0	.0	100.0
	67	1	.0	.0	100.0
	72	1	.0	.0	100.0
Missing	-1	19	.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

Life Events

To calculate F266, the variables F220A- F262A were recoded (1=1) (2=0) (-1=0).
If F265 = -1, F266 = -1.

F266 Life event scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	666	5.9	5.9	5.9
	1	1118	10.0	10.0	15.9
	2	1314	11.7	11.7	27.7
	3	1366	12.2	12.2	39.9
	4	1234	11.0	11.0	50.9
	5	1119	10.0	10.0	60.9
	6	973	8.7	8.7	69.6
	7	768	6.8	6.9	76.5
	8	633	5.6	5.7	82.1
	9	460	4.1	4.1	86.2
	10	357	3.2	3.2	89.4
	11	309	2.8	2.8	92.2
	12	209	1.9	1.9	94.0
	13	174	1.6	1.6	95.6
	14	134	1.2	1.2	96.8
	15	107	1.0	1.0	97.7
	16	77	.7	.7	98.4
	17	55	.5	.5	98.9
	18	33	.3	.3	99.2
	19	20	.2	.2	99.4
	20	20	.2	.2	99.6
	21	12	.1	.1	99.7
	22	9	.1	.1	99.8
	23	10	.1	.1	99.8
	24	6	.1	.1	99.9
	25	4	.0	.0	99.9
	26	1	.0	.0	99.9
	27	2	.0	.0	100.0
	28	1	.0	.0	100.0
	29	1	.0	.0	100.0
	31	1	.0	.0	100.0
	40	1	.0	.0	100.0
Missing	-1	19	.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11194	Missing cases	19		

D45. a) Since the baby was born, have you had a holiday away from home?

Yes No

F270 Holiday from home >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6285	56.1	56.4	56.4
N	2	4860	43.3	43.6	100.0
Missing	-1	68	.6	Missing	
Total		11213	100.0	100.0	
Valid cases	11145	Missing cases	68		

If yes, b) how many times?

F271 NO of holidays

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		0	4862	43.4	44.2	44.2
		1	3645	32.5	33.2	77.4
		2	1563	13.9	14.2	91.6
		3	619	5.5	5.6	97.3
		4	172	1.5	1.6	98.8
		5	53	.5	.5	99.3
		6	46	.4	.4	99.7
		7	8	.1	.1	99.8
		8	10	.1	.1	99.9
		10	7	.1	.1	100.0
		12	1	.0	.0	100.0
		15	1	.0	.0	100.0
		18	1	.0	.0	100.0
		25	1	.0	.0	100.0
Missing		-1	224	2.0	Missing	
Total			11213	100.0	100.0	
Valid cases	10989	Missing cases	224			

For each holiday, please describe: 1st time 2nd time 3rd time

c) *how old was the baby?* *mths* *mths* *mths*

[For the 1st version of the questionnaire, only one option was allowed and it was numbered D45d (ii); it only referred to holidays abroad]

F272A Age at holiday abroad

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		0	2	.0	.1	.1
		1	36	.3	2.5	2.7
		2	97	.9	6.9	9.5
		3	156	1.4	11.0	20.6
		4	151	1.3	10.7	31.3
		5	157	1.4	11.1	42.4
		6	235	2.1	16.6	59.0
		7	221	2.0	15.6	74.6
		8	146	1.3	10.3	84.9
		9	100	.9	7.1	92.0
		10	58	.5	4.1	96.1
		11	29	.3	2.1	98.2
		12	20	.2	1.4	99.6
		13	3	.0	.2	99.8
		14	3	.0	.2	100.0
Not in 2nd Qre / NA		-2	8232	73.4	Missing	
Missing		-1	1567	14.0	Missing	
			-----	-----	-----	
		Total	11213	100.0	100.0	
Valid cases	1414	Missing cases	9799			

F272B Age of baby on 1st holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	36	.3	1.1	1.1
	1	279	2.5	8.4	9.5
	2	482	4.3	14.5	24.0
	3	663	5.9	20.0	43.9
	4	474	4.2	14.3	58.2
	5	409	3.6	12.3	70.5
	6	428	3.8	12.9	83.4
	7	320	2.9	9.6	93.0
	8	184	1.6	5.5	98.6
	9	24	.2	.7	99.3
	10	12	.1	.4	99.7
	11	8	.1	.2	99.9
	12	1	.0	.0	99.9
	14	1	.0	.0	100.0
	16	1	.0	.0	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	2709	24.2	Missing	
Total		11213	100.0	100.0	
Valid cases	3322	Missing cases	7891		

F272C Age of baby on 2nd holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	8	.1	.6	.6
	2	44	.4	3.3	3.9
	3	125	1.1	9.3	13.2
	4	197	1.8	14.7	28.0
	5	227	2.0	17.0	45.0
	6	282	2.5	21.1	66.0
	7	260	2.3	19.4	85.5
	8	149	1.3	11.1	96.6
	9	26	.2	1.9	98.6
	10	7	.1	.5	99.1
	11	5	.0	.4	99.5
	12	3	.0	.2	99.7
	13	2	.0	.1	99.9
	14	1	.0	.1	99.9
	18	1	.0	.1	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	4694	41.9	Missing	
Total		11213	100.0	100.0	
Valid cases	1337	Missing cases	9876		

F272D Age of baby on 3rd holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.2	.2
	1	1	.0	.2	.4
	2	5	.0	1.0	1.5
	3	10	.1	2.1	3.6
	4	27	.2	5.6	9.2
	5	66	.6	13.8	23.0
	6	107	1.0	22.4	45.4
	7	129	1.2	27.0	72.4
	8	109	1.0	22.8	95.2
	9	12	.1	2.5	97.7
	10	7	.1	1.5	99.2
	11	2	.0	.4	99.6
	12	1	.0	.2	99.8
	16	1	.0	.2	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	5553	49.5	Missing	
Total		11213	100.0	100.0	
Valid cases	478	Missing cases	10735		

YES NO YES NO YES NO

d) *did the baby come with you?*

[For the 1st version of the questionnaire, only one option was allowed; it was numbered D45c]

F273A Baby came too

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2769	24.7	94.3	94.3
No	2	150	1.3	5.1	99.4
Yes & no	3	18	.2	.6	100.0
Not in 2nd Qre / NA	-2	8232	73.4	Missing	
Missing	-1	44	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	2937	Missing cases	8276		

F273B Did baby come on 1st holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3148	28.1	94.6	94.6
N	2	178	1.6	5.4	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	2705	24.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	3326	Missing cases	7887		

F273C Did baby come on 2nd holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1261	11.2	95.0	95.0
N	2	66	.6	5.0	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	4704	42.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	1327	Missing cases	9886		

F273D Did baby come on 3rd holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	453	4.0	94.2	94.2
N	2	28	.2	5.8	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	5550	49.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	481	Missing cases	10732		

YES NO YES NO YES NO

e) *did you go abroad?*

[For the 1st version only 1 option was allowed; it was numbered D45d]
[If both yes and no were ticked, 3 was coded]

F274A CH on holiday abroad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	695	6.2	23.6	23.6
N	2	2245	20.0	76.3	99.9
SMTS	3	3	.0	.1	100.0
Not in 2nd Qre /NA	-2	8232	73.4	Missing	
Missing	-1	38	.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	2943	Missing cases	8270		

F274B Did you go abroad on 1st holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	513	4.6	15.5	15.5
N	2	2801	25.0	84.5	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	2717	24.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	3314	Missing cases	7899		

F274C Did you go abroad on 2nd holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	214	1.9	16.3	16.3
N	2	1102	9.8	83.7	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	4715	42.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	1316	Missing cases	9897		

F274D Did you go abroad on 3rd holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	83	.7	17.5	17.5
N	2	392	3.5	82.5	100.0
Not in 1st Qre /NA	-2	5182	46.2	Missing	
Missing	-1	5556	49.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	475	Missing cases	10738		

f) *If yes, where did you go?*

[Text only - in 1st version as D45d(i)]

Derived variable - Ever abroad

F275 Ever abroad

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	1393	12.4	12.4	12.4
No		2	9820	87.6	87.6	100.0
		Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0			

SECTION E: YOUR HOME

Below are a number of questions about your home. They are similar to some you answered a year ago, and will be used to see how your circumstances might have changed.

E1. a) When did you move to your present address?/...../19....

[If mother has lived at present address all her life coder put her date of birth]

From the date of completion of the questionnaire and the date of the last move, the length of time since the last move was calculated. If, however, the date of last move was after the date of completion of the questionnaire, this was put to missing.

F300 Years since last move

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1851	16.5	17.4	17.4
	1	1596	14.2	15.0	32.4
	2	1537	13.7	14.4	46.8
	3	1264	11.3	11.9	58.7
	4	1347	12.0	12.6	71.3
	5	994	8.9	9.3	80.6
	6	697	6.2	6.5	87.2
	7	451	4.0	4.2	91.4
	8	274	2.4	2.6	94.0
	9	191	1.7	1.8	95.8
	10	122	1.1	1.1	96.9
	11	92	.8	.9	97.8
	12	49	.4	.5	98.2
	13	29	.3	.3	98.5
	14	19	.2	.2	98.7
	15	16	.1	.2	98.8
	16	22	.2	.2	99.1
	17	18	.2	.2	99.2
	18	16	.1	.2	99.4
	19	8	.1	.1	99.4
	20	8	.1	.1	99.5
	21	11	.1	.1	99.6
	22	5	.0	.0	99.7
	23	6	.1	.1	99.7
	24	2	.0	.0	99.7
	25	6	.1	.1	99.8
	26	3	.0	.0	99.8
	27	4	.0	.0	99.9
	29	6	.1	.1	99.9
	30	2	.0	.0	99.9
	31	3	.0	.0	100.0
	33	1	.0	.0	100.0
	34	1	.0	.0	100.0
	42	1	.0	.0	100.0
Missing	-1	561	5.0	Missing	
Total		11213	100.0	100.0	
Valid cases	10652	Missing cases	561		

F301 Weeks since last move if less <1 year

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	49	.4	2.6	2.6
	1	38	.3	2.1	4.7
	2	37	.3	2.0	6.7
	3	36	.3	1.9	8.6
	4	44	.4	2.4	11.0
	5	32	.3	1.7	12.7
	6	36	.3	1.9	14.7
	7	39	.3	2.1	16.8
	8	39	.3	2.1	18.9
	9	41	.4	2.2	21.1
	10	44	.4	2.4	23.5
	11	51	.5	2.8	26.3
	12	28	.2	1.5	27.8
	13	38	.3	2.1	29.8
	14	38	.3	2.1	31.9
	15	33	.3	1.8	33.7
	16	40	.4	2.2	35.8
	17	35	.3	1.9	37.7
	18	29	.3	1.6	39.3
	19	37	.3	2.0	41.3
	20	38	.3	2.1	43.3
	21	36	.3	1.9	45.3
	22	32	.3	1.7	47.0
	23	31	.3	1.7	48.7
	24	37	.3	2.0	50.7
	25	34	.3	1.8	52.5
	26	34	.3	1.8	54.3
	27	40	.4	2.2	56.5
	28	33	.3	1.8	58.3
	29	42	.4	2.3	60.6
	30	36	.3	1.9	62.5
	31	37	.3	2.0	64.5
	32	25	.2	1.4	65.9
	33	17	.2	.9	66.8
	34	36	.3	1.9	68.7
	35	21	.2	1.1	69.9
	36	29	.3	1.6	71.4
	37	26	.2	1.4	72.8
	38	38	.3	2.1	74.9
	39	35	.3	1.9	76.8
	40	32	.3	1.7	78.5
	41	30	.3	1.6	80.1
	42	32	.3	1.7	81.8
	43	50	.4	2.7	84.5
	44	33	.3	1.8	86.3
	45	44	.4	2.4	88.7
	46	30	.3	1.6	90.3
	47	33	.3	1.8	92.1
	48	31	.3	1.7	93.8
	49	46	.4	2.5	96.3
	50	28	.2	1.5	97.8
	51	35	.3	1.9	99.7
	52	6	.1	.3	100.0
NA	-2	8801	78.5	Missing	
Missing	-1	561	5.0	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	1851	Missing cases	9362		

From the date of last move, whether a move had occurred since the child was born was computed - and if so, the age of the child at the time.

F302 Moved after child was born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1525	13.6	14.1	14.1
No	2	9265	82.6	85.9	100.0
Missing	-1	423	3.8	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10790	Missing cases	423		

F302A	Age of child in weeks when moved					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent	
		0	25	.2	1.6	1.6
		1	23	.2	1.5	3.1
		2	25	.2	1.6	4.8
		3	31	.3	2.0	6.8
		4	32	.3	2.1	8.9
		5	35	.3	2.3	11.2
		6	34	.3	2.2	13.4
		7	34	.3	2.2	15.7
		8	35	.3	2.3	18.0
		9	36	.3	2.4	20.3
		10	29	.3	1.9	22.2
		11	35	.3	2.3	24.5
		12	32	.3	2.1	26.6
		13	49	.4	3.2	29.8
		14	25	.2	1.6	31.5
		15	45	.4	3.0	34.4
		16	30	.3	2.0	36.4
		17	27	.2	1.8	38.2
		18	29	.3	1.9	40.1
		19	37	.3	2.4	42.5
		20	34	.3	2.2	44.7
		21	32	.3	2.1	46.8
		22	29	.3	1.9	48.7
		23	35	.3	2.3	51.0
		24	44	.4	2.9	53.9
		25	39	.3	2.6	56.5
		26	34	.3	2.2	58.7
		27	42	.4	2.8	61.4
		28	37	.3	2.4	63.9
		29	33	.3	2.2	66.0
		30	39	.3	2.6	68.6
		31	41	.4	2.7	71.3
		32	30	.3	2.0	73.2
		33	35	.3	2.3	75.5
		34	49	.4	3.2	78.8
		35	43	.4	2.8	81.6
		36	22	.2	1.4	83.0
		37	14	.1	.9	83.9
		38	21	.2	1.4	85.3
		39	21	.2	1.4	86.7
		40	18	.2	1.2	87.9
		41	13	.1	.9	88.7
		42	17	.2	1.1	89.8
		43	15	.1	1.0	90.8
		44	9	.1	.6	91.4
		45	18	.2	1.2	92.6
		46	8	.1	.5	93.1
		47	7	.1	.5	93.6
		48	7	.1	.5	94.0
		49	8	.1	.5	94.6
		50	5	.0	.3	94.9
		51	7	.1	.5	95.3
		52	5	.0	.3	95.7
		53	9	.1	.6	96.3
		54	4	.0	.3	96.5
		55	3	.0	.2	96.7
		56	3	.0	.2	96.9
		57	4	.0	.3	97.2
		58	2	.0	.1	97.3
		59	2	.0	.1	97.4
		60	1	.0	.1	97.5
		61	2	.0	.1	97.6
		62	2	.0	.1	97.8
		63	4	.0	.3	98.0
		64	3	.0	.2	98.2
		65	4	.0	.3	98.5
		66	1	.0	.1	98.6
		67	4	.0	.3	98.8
		68	1	.0	.1	98.9
		69	3	.0	.2	99.1
		70	1	.0	.1	99.1
		71	3	.0	.2	99.3

F302A cont.

	Value	Frequency	Percent	Valid Percent	Cum Percent
	73	2	.0	.1	99.5
	74	1	.0	.1	99.5
	75	1	.0	.1	99.6
	76	1	.0	.1	99.7
	79	2	.0	.1	99.8
	81	1	.0	.1	99.9
	84	1	.0	.1	99.9
	117	1	.0	.1	100.0
Child not born	-2	9265	82.6	Missing	
Missing	-1	423	3.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	1525	Missing cases	9688		

b) How many times have you moved home in the last 5 years?

F303 NO of moves in past 5 YRS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No move	0	3582	31.9	33.3	33.3
	1	3318	29.6	30.8	64.1
	2	1851	16.5	17.2	81.2
	3	1002	8.9	9.3	90.5
	4	434	3.9	4.0	94.6
	5	260	2.3	2.4	97.0
	6	122	1.1	1.1	98.1
	7	77	.7	.7	98.8
	8	52	.5	.5	99.3
	9	20	.2	.2	99.5
	10	20	.2	.2	99.7
	11	7	.1	.1	99.8
	12	8	.1	.1	99.8
	13	5	.0	.0	99.9
	14	3	.0	.0	99.9
	15	1	.0	.0	99.9
	16	1	.0	.0	99.9
	19	3	.0	.0	100.0
	20	2	.0	.0	100.0
	21	1	.0	.0	100.0
	22	2	.0	.0	100.0
Missing	-1	442	3.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	10771	Missing cases	442		

E2. Is your home:

being bought/mortgaged
owned - with no mortgage to pay
rented from council
rented from private landlord - furnished
rented from private landlord - unfurnished
rented from housing association
other (please describe)

[If not applicable is written coded as zero]

F304 Home ownership status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Buying/mortgaged	0	8315	74.2	74.9	74.9
Owned outright	1	246	2.2	2.2	77.1
Council rented	2	1485	13.2	13.4	90.4
PRIV rented FURN	3	249	2.2	2.2	92.7
PRIV rented UNFURN	4	355	3.2	3.2	95.9
HA rented	5	180	1.6	1.6	97.5
Other	6	278	2.5	2.5	100.0
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11108	Missing cases	105		

E3. Do you live in your own home or do you live with your parents or others?

live in own home
live with parents in their home
other situation (please describe)

F305 Live in own home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	10449	93.2	94.4	94.4
N with PRTS	2	355	3.2	3.2	97.6
N other	3	262	2.3	2.4	100.0
Missing	-1	147	1.3	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11066	Missing cases	147		

E4. Do you currently live in:

a whole detached house (or bungalow)
a whole semi-detached house/bungalow
a whole terraced house
a flat/maisonette (self contained)
room in someone else's house
other (please describe)

["End terrace" is coded as semi-detached]

F306 Type of ACCOM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Detached house	1	1869	16.7	16.8	16.8
Semi-detached house	2	4089	36.5	36.8	53.6
Terraced house	3	3529	31.5	31.8	85.4
Flat/maisonette	4	1413	12.6	12.7	98.1
Rooms	5	74	.7	.7	98.7
Other	6	140	1.2	1.3	100.0
Missing	-1	99	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11114	Missing cases	99		

E5. *What is the lowest level of your living accommodation:*

basement
ground floor
1st floor
2nd floor or above, give floor

[Two digit numbers were first coded as 78 = basement, 00 = ground floor, 01 = 1st floor etc., but these were then recoded to 0, 1, 2, 3 etc. Basements used for storage are not "living accommodation", "lower ground floor" is classified as basement. Houses set on hill with basement on one side opening up to ground level at other side are classified as basement]

F307 Lowest level of ACCOM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Basement	0	304	2.7	2.8	2.8
Ground floor	1	9252	82.5	85.7	88.5
1ST floor	2	929	8.3	8.6	97.1
	3	143	1.3	1.3	98.4
	4	58	.5	.5	98.9
	5	22	.2	.2	99.1
	6	17	.2	.2	99.3
	7	10	.1	.1	99.4
	8	13	.1	.1	99.5
	9	12	.1	.1	99.6
	10	10	.1	.1	99.7
	11	5	.0	.0	99.8
	12	9	.1	.1	99.8
	13	6	.1	.1	99.9
	14	5	.0	.0	99.9
	15	3	.0	.0	100.0
	16	1	.0	.0	100.0
	17	2	.0	.0	100.0
	19	1	.0	.0	100.0
Missing	-1	411	3.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	10802	Missing cases	411		

E6. *In the coldest time of year, describe the temperature in your:*

Very Warm About Cold Very
warm right cold cold

- a) *living rooms*
 b) *the room the baby sleeps in*

[If more than one box was ticked the lowest number was coded]

F310 Coldest living room TEMP

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V warm	1	1238	11.0	11.2	11.2
Warm	2	3891	34.7	35.1	46.3
About right	3	5320	47.4	48.0	94.3
Cold	4	494	4.4	4.5	98.8
V cold	5	134	1.2	1.2	100.0
Missing	-1	136	1.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11077	Missing cases	136		

F311 Coldest baby room TEMP

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V warm	1	412	3.7	3.7	3.7
Warm	2	2648	23.6	24.0	27.7
About right	3	6991	62.3	63.3	91.0
Cold	4	784	7.0	7.1	98.1
V cold	5	211	1.9	1.9	100.0
Missing	-1	167	1.5	Missing	
Total		11213	100.0	100.0	
Valid cases	11046	Missing cases	167		

E7. In your home do you ever use:

- | | | | |
|----|--|-----------------------|----------------|
| | <i>Yes</i> | <i>Yes</i> | <i>No</i> |
| | <i>living room</i> | <i>baby`s bedroom</i> | <i>neither</i> |
| a) | <i>central heating or storage heaters</i> | | |
| b) | <i>wood stoves or wood fires</i> | | |
| c) | <i>coal fires</i> | | |
| d) | <i>paraffin heaters</i> | | |
| e) | <i>gas fires (mains gas)</i> | | |
| f) | <i>gas fires (bottled gas)</i> | | |
| g) | <i>other type of heating (please describe)</i> | | |

[If both yes options were ticked coder recoded as "3"]

[Since mothers tended to only respond to the yes options, missing values were edited to 'no' unless all (a) - (g) were missing]

F315 Central or storage heating use

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in living room	1	821	7.3	7.4	7.4
Y in CHS room	2	408	3.6	3.7	11.1
Y living & CHS room	3	8036	71.7	72.5	83.6
Neither room	4	1820	16.2	16.4	100.0
Missing	-1	128	1.1	Missing	
Total		11213	100.0	100.0	
Valid cases	11085	Missing cases	128		

F316 Wood stove or fire use

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in living room	1	772	6.9	7.0	7.0
Y in CHS room	2	3	.0	.0	7.0
Y living & CHS room	3	7	.1	.1	7.1
Neither room	4	10303	91.9	92.9	100.0
Missing	-1	128	1.1	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11085 Missing cases 128

F317 Coal fire use

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in living room	1	980	8.7	8.8	8.8
Y in CHS room	2	2	.0	.0	8.9
Y living & CHS room	3	4	.0	.0	8.9
Neither room	4	10099	90.1	91.1	100.0
Missing	-1	128	1.1	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11085 Missing cases 128

F318 Paraffin heater use

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in living room	1	17	.2	.2	.2
Y in CHS room	2	6	.1	.1	.2
Neither room	4	11062	98.7	99.8	100.0
Missing	-1	128	1.1	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11085 Missing cases 128

F319 Mains gas fire use

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in living room	1	4996	44.6	45.1	45.1
Y in CHS room	2	24	.2	.2	45.3
Y living & CHS room	3	212	1.9	1.9	47.2
Neither room	4	5853	52.2	52.8	100.0
Missing	-1	128	1.1	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11085 Missing cases 128

F320 Bottled gas fire use

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y in living room	1	397	3.5	3.6	3.6
Y in CHS room	2	98	.9	.9	4.5
Y living & CHS room	3	31	.3	.3	4.7
Neither room	4	10559	94.2	95.3	100.0
Missing	-1	128	1.1	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11085 Missing cases 128

F321 Other heating use

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes - nos	0	149	1.3	1.3	1.3
Y in living room	1	224	2.0	2.0	3.4
Y in CHS room	2	687	6.1	6.2	9.6
Y living & CHS room	3	158	1.4	1.4	11.0
Neither room	4	9867	88.0	89.0	100.0
Missing	-1	128	1.1	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11085	Missing cases	128		

E8. *If your home is centrally heated in winter, please describe:*

a) *type:*

solid fuel

oil

gas

electricity

other (please describe)

no central heating [This last option only in 2nd version]

F322 Type of winter central heating

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Solid fuel	1	217	1.9	2.0	2.0
Oil	2	383	3.4	3.5	5.4
Gas	3	8408	75.0	76.0	81.4
ELEC	4	870	7.8	7.9	89.3
Other	5	230	2.1	2.1	91.4
No central heating	7	953	8.5	8.6	100.0
Missing	-1	152	1.4	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11061	Missing cases	152		

b) *how is heating distributed?*

radiators

warm air

storage heaters

under floor heating

heating

other (please describe)

[If more than one box is ticked response was recoded as "other" and coder writes relevant numbers on "please describe line"]

F323 Heating distribution

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Radiators	1	8788	78.4	79.7	79.7
Warm air	2	349	3.1	3.2	82.8
Storage heaters	3	741	6.6	6.7	89.5
Under floor heating	4	13	.1	.1	89.7
Other	5	188	1.7	1.7	91.4
No central heating	7	953	8.5	8.6	100.0
Missing	-1	181	1.6	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11032	Missing cases	181		

c) *where is the boiler?*

kitchen

living room

other (please describe)

no boiler

F324 Boiler location

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Kitchen	1	3525	31.4	33.8	33.8
Living room	2	1898	16.9	18.2	52.0
Other	3	3255	29.0	31.2	83.2
No boiler	4	1754	15.6	16.8	100.0
Missing	-1	781	7.0	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10432	Missing cases	781		

E9. a) *Do you use gas for cooking?*

yes, ring(s) only

yes, oven only

yes, rings and oven

no, not at all

F327 Gas cooking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y rings only	1	1958	17.5	17.6	17.6
Y oven only	2	36	.3	.3	17.9
Y rings & oven	3	4066	36.3	36.5	54.4
N	4	5073	45.2	45.6	100.0
Missing	-1	80	.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11133	Missing cases	80		

b) *Do you use the cooker for any other purpose than cooking (eg. drying clothes, heating the room)?*

Yes No

F328 Other use of cooker					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Y		1	303	2.7	2.8 2.8
N		2	10708	95.5	97.2 100.0
Missing		-1	202	1.8	Missing
		Total	11213	100.0	100.0
Valid cases	11011	Missing cases	202		

If yes, please describe: [keyed as text]

c) *How old is your cooker?*

more than 10 years old

5 - 10 years old

2 - 4 years old

less than 2 years old

don't know

[If more than one box is ticked the lowest number is coded]

F329 Cooker age					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
>10YRS		1	1257	11.2	13.3 13.3
5-10 YRS		2	4007	35.7	42.5 55.9
2-4 YRS		3	2601	23.2	27.6 83.5
<2 YRS		4	1559	13.9	16.5 100.0
Missing		-1	1789	16.0	Missing
		Total	11213	100.0	100.0
Valid cases	9424	Missing cases	1789		

d) *Do you use a ventaxia or air extractor system in the kitchen?*

Yes No

F330 Air extractor use in kitchen					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Y		1	3137	28.0	28.3 28.3
N		2	7936	70.8	71.7 100.0
Missing		-1	140	1.2	Missing
		Total	11213	100.0	100.0
Valid cases	11073	Missing cases	140		

E10. Does your home have the following?

<i>Yes</i>	<i>Yes</i>	<i>No</i>
<i>sole</i>	<i>shared with</i>	
<i>use</i>	<i>other house-hold(s)</i>	

i) kitchen where there is space to sit and eat

F340 Home has kitchen to sit & eat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	5399	48.1	48.5	48.5
Y shared	2	124	1.1	1.1	49.6
N	3	5616	50.1	50.4	100.0
Missing	-1	74	.7	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	11139	Missing cases	74		

ii) kitchen for cooking only

F341 Home has cooking only kitchen

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	6856	61.1	61.7	61.7
Y shared	2	128	1.1	1.2	62.9
N	3	4125	36.8	37.1	100.0
Missing	-1	104	.9	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	11109	Missing cases	104		

iii) indoor flushing toilet

F342 Home has indoor WC

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	10374	92.5	95.3	95.3
Y shared	2	228	2.0	2.1	97.4
N	3	284	2.5	2.6	100.0
Missing	-1	327	2.9	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10886	Missing cases	327		

E11. *Apart from the kitchen or kitchen/dining room, how many living rooms and bedrooms do you have?*

- i) *number of living rooms:*
- ii) *number of bedrooms: (not regularly used as living rooms)*

[A bedsitter is coded as E11(i)01, (ii)00]

F343 NO of living rooms EXCL kitchen

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	38	.3	.3	.3
	1	5849	52.2	52.7	53.0
	2	3945	35.2	35.5	88.5
	3	745	6.6	6.7	95.2
	4	263	2.3	2.4	97.6
	5	148	1.3	1.3	98.9
	6	88	.8	.8	99.7
	7	19	.2	.2	99.9
	8	9	.1	.1	100.0
	9	2	.0	.0	100.0
	11	1	.0	.0	100.0
	12	1	.0	.0	100.0
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11108	Missing cases	105		

F344 NO of bedrooms EXCL livingroom & kitchen

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	57	.5	.5	.5
	1	374	3.3	3.4	3.9
	2	2521	22.5	22.8	26.7
	3	6286	56.1	56.8	83.4
	4	1546	13.8	14.0	97.4
	5	216	1.9	2.0	99.4
	6	48	.4	.4	99.8
	7	16	.1	.1	99.9
	8	5	.0	.0	100.0
	9	2	.0	.0	100.0
Missing	-1	142	1.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11071	Missing cases	142		

From variable F343 and F344 together with kitchen/diners the total no. of rooms were calculated

F345 Total rooms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	6	.1	.1	.1
	1	26	.2	.2	.3
	2	253	2.3	2.3	2.6
	3	1105	9.9	10.0	12.6
	4	2808	25.0	25.4	38.0
	5	3517	31.4	31.8	69.8
	6	1704	15.2	15.4	85.2
	7	875	7.8	7.9	93.1
	8	445	4.0	4.0	97.2
	9	177	1.6	1.6	98.8
	10	65	.6	.6	99.4
	11	35	.3	.3	99.7
	12	20	.2	.2	99.9
	13	7	.1	.1	99.9
	14	3	.0	.0	100.0
	15	1	.0	.0	100.0
	16	2	.0	.0	100.0
	17	1	.0	.0	100.0
	19	1	.0	.0	100.0
Missing	-1	162	1.4	Missing	
Total		11213	100.0	100.0	

Valid cases 11051 Missing cases 162

E12. Do you have sole use of the following amenities or are they shared with other household(s)?

Yes sole use Yes shared No

a) running hot water

F350 Use of running hot water

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	10781	96.1	96.6	96.6
Y shared	2	294	2.6	2.6	99.3
N	3	81	.7	.7	100.0
Missing	-1	57	.5	Missing	
Total		11213	100.0	100.0	

Valid cases 11156 Missing cases 57

b) bath

F351 Use of bath

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	10725	95.6	96.1	96.1
Y shared	2	274	2.4	2.5	98.6
N	3	157	1.4	1.4	100.0
Missing	-1	57	.5	Missing	
Total		11213	100.0	100.0	

Valid cases 11156 Missing cases 57

c) *shower*

F352 Use of shower

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	7934	70.8	71.1	71.1
Y shared	2	200	1.8	1.8	72.9
N	3	3022	27.0	27.1	100.0
Missing	-1	57	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11156 Missing cases 57

d) *garden or yard*

F353 Use of garden or yard

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	9773	87.2	87.6	87.6
Y shared	2	687	6.1	6.2	93.8
N	3	696	6.2	6.2	100.0
Missing	-1	57	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11156 Missing cases 57

e) *balcony*

F354 Use of balcony

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y sole use	1	748	6.7	6.7	6.7
Y shared	2	78	.7	.7	7.4
N	3	10330	92.1	92.6	100.0
Missing	-1	57	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11156 Missing cases 57

E13. a) *Is there a working telephone in your home?**Yes, for incoming and outgoing call**Yes, for incoming calls only**No*

[Version 03/02/92 - two options given - yes and no]

F360 Working phone in home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	10220	91.1	91.5	91.5
Y incoming only	2	30	.3	.3	91.8
No	3	916	8.2	8.2	100.0
Missing	-1	47	.4	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11166 Missing cases 47

- b) *where is the nearest working telephone that you can use in an emergency?*

pay phone in the building
pay phone in the street
neighbour's phone
none within 5 minutes walk
other

[If two answers are given which includes "4" then coded as "4"]

F361 Nearest working phone for emergency

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Has phone	0	10220	91.1	91.9	91.9
Pay phone-building	1	20	.2	.2	92.1
Pay phone-street	2	454	4.0	4.1	96.1
Neighbours phone	3	264	2.4	2.4	98.5
None <5MINS walk	4	137	1.2	1.2	99.7
Other	5	28	.2	.3	100.0
Missing	-1	90	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11123	Missing cases	90		

- E14. a) *Do you or your partner have the use of a car (including vans, minibuses, etc.)?*

Yes *No*

F365 Use of car by MUM or PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	10097	90.0	90.8	90.8
N	2	1023	9.1	9.2	100.0
Missing	-1	93	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11120	Missing cases	93		

If yes, b) how often do you yourself have the use of a car?

never

not every day

every day

not applicable/do not drive

F366 FREQ of car use by MUM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No car available	0	1023	9.1	9.2	9.2
Never	1	365	3.3	3.3	12.5
Not daily	2	2110	18.8	19.0	31.6
Daily	3	6423	57.3	58.0	89.5
NA/ do not drive	7	1162	10.4	10.5	100.0
Missing	-1	130	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11083	Missing cases	130		

E15. How often do you have any windows open in your home:

*Windows almost
always open*

*Windows open
only when
weather is good*

*Windows open
occasionally*

*Windows almost
never open*

a) In summer:

i) *day*

ii) *night*

b) In winter:

i) *day*

ii) *night*

[If more than one box is ticked the lowest number is coded]

F370 Windows open on summer day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	7910	70.5	71.1	71.1
When weather good	2	2862	25.5	25.7	96.8
Occasionally	3	328	2.9	2.9	99.7
Almost never	4	30	.3	.3	100.0
Missing	-1	83	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11130	Missing cases	83		

F371 Windows open on summer night

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	3937	35.1	35.6	35.6
When weather good	2	3873	34.5	35.0	70.6
Occasionally	3	2204	19.7	19.9	90.5
Almost never	4	1052	9.4	9.5	100.0
Missing	-1	147	1.3	Missing	
Total		11213	100.0	100.0	
Valid cases	11066	Missing cases	147		

F372 Windows open on winter day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	1560	13.9	14.1	14.1
When weather good	2	4294	38.3	38.7	52.8
Occasionally	3	3881	34.6	35.0	87.8
Almost never	4	1348	12.0	12.2	100.0
Missing	-1	130	1.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11083	Missing cases	130		

F373 Windows open on winter night

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	938	8.4	8.5	8.5
When weather good	2	1554	13.9	14.1	22.6
Occasionally	3	2490	22.2	22.6	45.2
Almost never	4	6028	53.8	54.8	100.0
Missing	-1	203	1.8	Missing	
Total		11213	100.0	100.0	
Valid cases	11010	Missing cases	203		

c) Are any of your windows double glazed?

yes all of them
yes some of them
no none of them
don't know

F375 Double glazed windows

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y all	1	3534	31.5	31.9	31.9
Y some	2	2588	23.1	23.4	55.3
None	3	4958	44.2	44.7	100.0
Missing	-1	133	1.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11080	Missing cases	133		

d) *Does your home have chimneys?*

Yes No

F376 Chimneys in home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	7575	67.6	68.5	68.5
N	2	3490	31.1	31.5	100.0
Missing	-1	148	1.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11065	Missing cases	148		

e) *If yes, have they been blocked up?*

yes all of them
yes some of them
no
don't know

F377 Chimneys blocked up

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y all	1	1561	13.9	24.7	24.7
Y some	2	1329	11.9	21.0	45.7
N	3	3427	30.6	54.3	100.0
NA	-2	3638	32.4	Missing	
Missing	-1	1258	11.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	6317	Missing cases	4896		

E16. a) *Do you have any pets?*

Yes No

F380 Any pets

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5998	53.5	53.9	53.9
N	2	5132	45.8	46.1	100.0
Missing	-1	83	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11130	Missing cases	83		

If yes, b) How many of the following pets do you have? Number

- i) cats*
- ii) dogs*
- iii) rabbits*
- iv) rodents (mice, hamster, gerbil etc)*
- v) birds (budgerigar, parrot, etc)*

[If answer left blank coder does not put zero in boxes but if some of E16b) have been answered then coder can zero boxes left blank or crossed out assuming question to be answered. If however F380 = 2, all of pets put to 0]

F381 NO of cats

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	8001	71.4	71.9	71.9
	1	1826	16.3	16.4	88.3
	2	1064	9.5	9.6	97.9
	3	165	1.5	1.5	99.3
	4	38	.3	.3	99.7
	5	16	.1	.1	99.8
	6	9	.1	.1	99.9
	7	2	.0	.0	99.9
	9	3	.0	.0	99.9
	10	3	.0	.0	100.0
	11	2	.0	.0	100.0
	17	1	.0	.0	100.0
Missing	-1	83	.7	Missing	
Total		11213	100.0	100.0	
Valid cases	11130	Missing cases	83		

F382 NO of dogs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	8757	78.1	78.7	78.7
	1	1872	16.7	16.8	95.5
	2	437	3.9	3.9	99.4
	3	45	.4	.4	99.8
	4	12	.1	.1	99.9
	5	5	.0	.0	100.0
	6	1	.0	.0	100.0
	9	1	.0	.0	100.0
Missing	-1	83	.7	Missing	
Total		11213	100.0	100.0	
Valid cases	11130	Missing cases	83		

F383 NO of rabbits

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10217	91.1	91.8	91.8
	1	687	6.1	6.2	98.0
	2	176	1.6	1.6	99.6
	3	26	.2	.2	99.8
	4	10	.1	.1	99.9
	5	4	.0	.0	99.9
	6	5	.0	.0	100.0
	9	1	.0	.0	100.0
	10	2	.0	.0	100.0
	12	1	.0	.0	100.0
	13	1	.0	.0	100.0
Missing	-1	83	.7	Missing	
Total		11213	100.0	100.0	
Valid cases	11130	Missing cases	83		

F384 NO of rodents

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10581	94.4	95.1	95.1
	1	365	3.3	3.3	98.3
	2	130	1.2	1.2	99.5
	3	20	.2	.2	99.7
	4	10	.1	.1	99.8
	5	5	.0	.0	99.8
	6	8	.1	.1	99.9
	7	3	.0	.0	99.9
	8	1	.0	.0	99.9
	10	2	.0	.0	100.0
	13	1	.0	.0	100.0
	15	1	.0	.0	100.0
	16	1	.0	.0	100.0
	17	1	.0	.0	100.0
	42	1	.0	.0	100.0
Missing	-1	83	.7	Missing	
Total		11213	100.0	100.0	
Valid cases	11130	Missing cases	83		

F385 NO of birds

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0			10424	93.0	93.7	93.7
1			445	4.0	4.0	97.7
2			161	1.4	1.4	99.1
3			24	.2	.2	99.3
4			15	.1	.1	99.5
5			8	.1	.1	99.5
6			4	.0	.0	99.6
7			5	.0	.0	99.6
8			8	.1	.1	99.7
10			5	.0	.0	99.7
11			3	.0	.0	99.7
12			3	.0	.0	99.8
13			1	.0	.0	99.8
14			3	.0	.0	99.8
15			4	.0	.0	99.8
16			3	.0	.0	99.9
18			2	.0	.0	99.9
20			4	.0	.0	99.9
22			1	.0	.0	99.9
23			1	.0	.0	99.9
25			2	.0	.0	100.0
26			1	.0	.0	100.0
43			1	.0	.0	100.0
52			1	.0	.0	100.0
57			1	.0	.0	100.0
Missing		-1	83	.7	Missing	
Total			11213	100.0	100.0	
Valid cases	11130	Missing cases	83			

vi) *other pets (please describe)*

[Coder adjusted number details of pets if description fits b(i) to b(v) e.g. Guinea pigs go in (iv); 99 is coded if pet is indicated but number not known e.g. Bee hive]

F386 NO of other pets

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0			10369	92.5	93.2	93.2
1			211	1.9	1.9	95.1
2			211	1.9	1.9	97.0
3			72	.6	.6	97.6
4			48	.4	.4	98.0
5			25	.2	.2	98.3
6			24	.2	.2	98.5
7			15	.1	.1	98.6
8			12	.1	.1	98.7
9			8	.1	.1	98.8
10			23	.2	.2	99.0
11			6	.1	.1	99.0
12			12	.1	.1	99.2
13			4	.0	.0	99.2
14			9	.1	.1	99.3
15			10	.1	.1	99.4
16			4	.0	.0	99.4
18			3	.0	.0	99.4
19			2	.0	.0	99.4
20			14	.1	.1	99.6
22			2	.0	.0	99.6
24			1	.0	.0	99.6
25			8	.1	.1	99.7
26			2	.0	.0	99.7
27			1	.0	.0	99.7
30			11	.1	.1	99.8
32			2	.0	.0	99.8

F386 cont.

	Value	Frequency	Percent	Valid Percent	Cum Percent
	33	2	.0	.0	99.8
	34	1	.0	.0	99.8
	35	4	.0	.0	99.9
	38	1	.0	.0	99.9
	40	6	.1	.1	99.9
	45	1	.0	.0	99.9
	50	4	.0	.0	100.0
	60	1	.0	.0	100.0
	80	1	.0	.0	100.0
Missing	-1	83	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11130	Missing cases	83		

[Description of the pets is keyed as text]

E17. Do any of the following animals or insects inhabit or invade your home or cause dirty conditions in your balcony, garden or yard?

	<i>Yes frequently</i>	<i>Yes occasionally</i>	<i>No not at all</i>
<i>a) rats</i>			
<i>b) mice</i>			
<i>c) pigeons</i>			
<i>d) cats</i>			
<i>e) cockroaches</i>			
<i>f) ants</i>			
<i>g) dogs</i>			
<i>h) woodlice</i>			
<i>i) other (please describe)</i>			[Keyed as text]

[If more than one box is ticked the lowest number is coded]

F390 Rat PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	12	.1	.1	.1
Occasionally	2	99	.9	.9	1.0
Not at all	3	11102	99.0	99.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F391 Mice PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	51	.5	.5	.5
Occasionally	2	810	7.2	7.2	7.7
Not at all	3	10352	92.3	92.3	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F392 Pigeon PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	152	1.4	1.4	1.4
Occasionally	2	722	6.4	6.4	7.8
Not at all	3	10339	92.2	92.2	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F393 Cat PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	1753	15.6	15.6	15.6
Occasionally	2	4297	38.3	38.3	54.0
Not at all	3	5163	46.0	46.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F394 Cockroach PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	15	.1	.1	.1
Occasionally	2	101	.9	.9	1.0
Not at all	3	11097	99.0	99.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F395 Ant PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	797	7.1	7.1	7.1
Occasionally	2	4735	42.2	42.2	49.3
Not at all	3	5681	50.7	50.7	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F396 Dog PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	570	5.1	5.1	5.1
Occasionally	2	1640	14.6	14.6	19.7
Not at all	3	9003	80.3	80.3	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F397 Woodlice PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	2229	19.9	19.9	19.9
Occasionally	2	4583	40.9	40.9	60.8
Not at all	3	4401	39.2	39.2	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F398 Other pets PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y often	1	438	3.9	3.9	3.9
Occasionally	2	492	4.4	4.4	8.3
Not at all	3	10283	91.7	91.7	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

E18. a) *Is there ever any damp, condensation or mould in your home?**Yes**No*

[If “sometimes” is stated then coder puts “yes”]

F400 Damp condensation or mould

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5299	47.3	47.7	47.7
N	2	5814	51.9	52.3	100.0
Missing	-1	100	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11113	Missing cases	100		

*If yes, b) How much of a problem is damp or condensation?**no damp or condensation**not serious**fairly serious**very serious*

[If more than one box is ticked the highest number is coded]

F401 Level of damp or condensation

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	5890	52.5	53.1	53.1
N serious	2	4495	40.1	40.5	93.6
Fairly serious	3	597	5.3	5.4	99.0
V serious	4	110	1.0	1.0	100.0
Missing	-1	121	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11092	Missing cases	121		

c) *How much of a problem is mould?*

no mould
not serious
fairly serious
very serious

[If more than one box is ticked the highest number is coded]

F402 Level of mould

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	8256	73.6	74.7	74.7
N serious	2	2389	21.3	21.6	96.3
Fairly serious	3	342	3.1	3.1	99.4
V serious	4	68	.6	.6	100.0
Missing	-1	158	1.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11055	Missing cases	158		

Please tick the boxes relating to the problems you get in each room.

<i>Condensation</i>	<i>Damp</i>	<i>Mould</i>	<i>Damp on</i>	<i>Mould on</i>	<i>None</i>
<i>on windows/</i>	<i>patches</i>	<i>on</i>	<i>furniture,</i>	<i>furniture,</i>	
<i>walls/</i>	<i>on</i>	<i>walls</i>	<i>carpets or</i>	<i>carpets or</i>	
<i>eilings</i>	<i>walls</i>		<i>clothes</i>	<i>clothes</i>	

- d) *kitchen (or kitchen/diner)*
e) *living room (or lounge/diner)*
f) *hall/landing*
g) *my bedroom*
h) *baby's bedroom*
i) *bathroom/toilet*
j) *other rooms*

[If more than one box is ticked the highest number is coded but if box 6 is also ticked then the highest number/box excluding 6 is coded]

F403 PROB in kitchen

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	7177	64.0	65.6	65.6
Condensation	1	2967	26.5	27.1	92.7
Damp on walls	2	407	3.6	3.7	96.5
Mould on walls	3	356	3.2	3.3	99.7
Worse damp	4	16	.1	.1	99.9
Worse mould	5	15	.1	.1	100.0
Missing	-1	275	2.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10938	Missing cases	275		

F404 PROB in living room

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	8420	75.1	77.7	77.7
Condensation	1	1855	16.5	17.1	94.8
Damp on walls	2	323	2.9	3.0	97.8
Mould on walls	3	171	1.5	1.6	99.4
Worse damp	4	31	.3	.3	99.7
Worse mould	5	36	.3	.3	100.0
Missing	-1	377	3.4	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10836	Missing cases	377		

F405 PROB in hall or landing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	9622	85.8	90.4	90.4
Condensation	1	632	5.6	5.9	96.3
Damp on walls	2	236	2.1	2.2	98.6
Mould on walls	3	117	1.0	1.1	99.7
Worse damp	4	17	.2	.2	99.8
Worse mould	5	19	.2	.2	100.0
Missing	-1	570	5.1	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10643	Missing cases	570		

F406 PROB in MUMS bedroom

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	7588	67.7	69.6	69.6
Condensation	1	2473	22.1	22.7	92.2
Damp on walls	2	347	3.1	3.2	95.4
Mould on walls	3	365	3.3	3.3	98.8
Worse damp	4	50	.4	.5	99.2
Worse mould	5	84	.7	.8	100.0
Missing	-1	306	2.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10907	Missing cases	306		

F407 PROB in baby's bedrooms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	8263	73.7	76.3	76.3
Condensation	1	2014	18.0	18.6	94.9
Damp on walls	2	247	2.2	2.3	97.2
Mould on walls	3	222	2.0	2.0	99.2
Worse damp	4	27	.2	.2	99.5
Worse mould	5	57	.5	.5	100.0
Missing	-1	383	3.4	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10830	Missing cases	383		

F408 PROB in bathroom or toilet

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	7151	63.8	65.7	65.7
Condensation	1	2545	22.7	23.4	89.1
Damp on walls	2	417	3.7	3.8	92.9
Mould on walls	3	689	6.1	6.3	99.3
Worse damp	4	21	.2	.2	99.5
Worse mould	5	59	.5	.5	100.0
Missing	-1	331	3.0	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10882	Missing cases	331		

F409 PROB in other rooms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	8501	75.8	85.1	85.1
Condensation	1	1033	9.2	10.3	95.5
Damp on walls	2	239	2.1	2.4	97.9
Mould on walls	3	158	1.4	1.6	99.5
Worse damp	4	14	.1	.1	99.6
Worse mould	5	40	.4	.4	100.0
Missing	-1	1228	11.0	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	9985	Missing cases	1228		

E19. a) *Does your roof leak at all? (If you have another flat above yours, please tick 'does not apply').*

does not apply
no leak
yes, slight leak
yes, serious leak

[If more than one box is ticked the highest number is coded]

F410 Leaky roof

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No roof	0	1368	12.2	12.3	12.3
N	1	9143	81.5	82.1	94.4
Y slightly	2	596	5.3	5.4	99.7
Y seriously	3	30	.3	.3	100.0
Missing	-1	76	.7	Missing	
	Total	11213	100.0	100.0	

Valid cases 11137 Missing cases 76

b) *In wet weather, does water get in from anywhere else, such as through badly fitting windows or doors?*

no leaks

yes, slight leaks

yes, serious leaks

[If more than one box is ticked the highest number is coded]

F411 Other leaks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No leaks	1	9200	82.0	82.7	82.7
Y, slight leaks	2	1843	16.4	16.6	99.2
Y, serious leaks	3	88	.8	.8	100.0
Missing	-1	82	.7	Missing	
	Total	11213	100.0	100.0	

Valid cases 11131 Missing cases 82

E20. *Taking everything into account, which of the following best describes your feelings about your home?*

satisfied

fairly satisfied

dissatisfied

very dissatisfied

[If more than one box is ticked the highest number is coded]

F415 Feelings about home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Satisfied	1	6707	59.8	60.1	60.1
Fairly satisfied	2	3517	31.4	31.5	91.6
Dissatisfied	3	636	5.7	5.7	97.3
V dissatisfied	4	296	2.6	2.7	100.0
Missing	-1	57	.5	Missing	
	Total	11213	100.0	100.0	

Valid cases 11156 Missing cases 57

E21. *In the past year have any of the following rooms been decorated or had any brand new furniture?*

a) **Your bedroom:** Yes No

- i) *painted*
- ii) *wall papered*
- iii) *new carpet*
- iv) *new furniture*

F420 MUMS bedroom painted in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2919	26.0	26.0	26.0
N	2	8294	74.0	74.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F421 MUMS bedroom papered in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1894	16.9	16.9	16.9
N	2	9319	83.1	83.1	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F422 New carpet in MUMS bedroom in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1946	17.4	17.4	17.4
N	2	9267	82.6	82.6	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F423 New furniture in MUMS bedroom in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2191	19.5	19.5	19.5
N	2	9022	80.5	80.5	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

b) Your living room:

- i) painted*
- ii) wall papered*
- iii) new carpet*
- iv) new furniture*

F424 Living room painted in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3862	34.4	34.4	34.4
N	2	7351	65.6	65.6	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F425 Living room papered in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2374	21.2	21.2	21.2
N	2	8839	78.8	78.8	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F426 New carpet in living room in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2469	22.0	22.0	22.0
N	2	8744	78.0	78.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F427 New furniture in living room in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2735	24.4	24.4	24.4
N	2	8478	75.6	75.6	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

c) ***The baby's bedroom:***

- i) *painted*
- ii) *wall papered*
- iii) *new carpet*
- iv) *new furniture*

F428 Baby's bedroom painted in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5601	50.0	50.0	50.0
N	2	5612	50.0	50.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F429 Baby's bedroom papered in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3938	35.1	35.1	35.1
N	2	7275	64.9	64.9	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F430 New carpet in baby's bedroom in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3467	30.9	30.9	30.9
N	2	7746	69.1	69.1	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F431 New furniture in baby's bedroom in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	4822	43.0	43.0	43.0
N	2	6391	57.0	57.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

d) ***Any other rooms: ****

- i) *painted*
- ii) *wall papered*
- iii) *new carpet*
- iv) *new furniture*

* *which room(s)?*

F432 Other room painted in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5771	51.5	51.5	51.5
N	2	5442	48.5	48.5	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F433 Other room papered in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3551	31.7	31.7	31.7
N	2	7662	68.3	68.3	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F434 New carpet in other room in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3223	28.7	28.7	28.7
N	2	7990	71.3	71.3	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F435 New furniture in other room in past YR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2589	23.1	23.1	23.1
N	2	8624	76.9	76.9	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

[Description of room keyed as text]

Derived variables

From variables F420 - F435 the following have been created:

No. of rooms painted in past year = no. coded 1 from F420, F424, F428, F432

F436		No rooms painted in past year			
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
		0	2617	23.3	23.3
		1	3067	27.4	50.7
		2	2715	24.2	74.9
		3	1600	14.3	89.2
		4	1214	10.8	100.0
			-----	-----	-----
		Total	11213	100.0	100.0
Valid cases		11213	Missing cases		0

No. of rooms papered = no. coded 1 from F421, F425, F429, F433

F437		No rooms papered in past year			
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
		0	4695	41.9	41.9
		1	3168	28.3	70.1
		2	1952	17.4	87.5
		3	907	8.1	95.6
		4	491	4.4	100.0
			-----	-----	-----
		Total	11213	100.0	100.0
Valid cases		11213	Missing cases		0

No. of rooms with new carpet = no. coded 1 from F422, F426, F430, F434

F438		No rooms with new carpet			
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
		0	5298	47.2	47.2
		1	2868	25.6	72.8
		2	1587	14.2	87.0
		3	777	6.9	93.9
		4	683	6.1	100.0
			-----	-----	-----
		Total	11213	100.0	100.0
Valid cases		11213	Missing cases		0

No. of rooms with new furniture = no. coded 1 from F423, F427, F431, F435

F439		No rooms with new furniture			
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
		0	4219	37.6	37.6
		1	3554	31.7	69.3
		2	2020	18.0	87.3
		3	937	8.4	95.7
		4	483	4.3	100.0
			-----	-----	-----
		Total	11213	100.0	100.0
Valid cases		11213	Missing cases		0

SECTION F: YOUR HOUSEHOLD

F1. a) How many people live in your household (including yourself)?

- i) adults (over 18 years)*
- ii) young adults (16-18 years)*
- iii) children (0-15 years, including your baby)*

F440 No of adults in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	6	.1	.1	.1
	1	636	5.7	5.7	5.8
	2	9860	87.9	88.8	94.6
	3	365	3.3	3.3	97.8
	4	170	1.5	1.5	99.4
	5	43	.4	.4	99.8
	6	14	.1	.1	99.9
	7	5	.0	.0	99.9
	8	2	.0	.0	99.9
	16	1	.0	.0	100.0
	18	1	.0	.0	100.0
	20	3	.0	.0	100.0
	25	1	.0	.0	100.0
Missing	-1	106	.9	Missing	
Total		11213	100.0	100.0	

Valid cases 11107 Missing cases 106

F441 NO of 16-18s in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	10890	97.1	97.9	97.9
	1	188	1.7	1.7	99.6
	2	30	.3	.3	99.9
	3	3	.0	.0	99.9
	4	4	.0	.0	100.0
	6	1	.0	.0	100.0
	20	1	.0	.0	100.0
	29	1	.0	.0	100.0
Missing	-1	95	.8	Missing	
Total		11213	100.0	100.0	

Valid cases 11118 Missing cases 95

F442 NO of 0-15s in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	37	.3	.3	.3
	1	4755	42.4	43.1	43.4
	2	4122	36.8	37.4	80.8
	3	1601	14.3	14.5	95.3
	4	394	3.5	3.6	98.9
	5	93	.8	.8	99.7
	6	18	.2	.2	99.9
	7	4	.0	.0	99.9
	8	1	.0	.0	99.9
	9	4	.0	.0	100.0
	10	2	.0	.0	100.0
	11	1	.0	.0	100.0
	35	1	.0	.0	100.0
Missing	-1	180	1.6	Missing	
Total		11213	100.0	100.0	
Valid cases	11033	Missing cases	180		

Derived variable

From the sum of F440 - F442, F443 was computed:

F443 Total number of persons

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	8	.1	.1	.1
	2	306	2.7	2.8	2.9
	3	4287	38.2	39.1	41.9
	4	3999	35.7	36.4	78.3
	5	1674	14.9	15.2	93.6
	6	488	4.4	4.4	98.0
	7	134	1.2	1.2	99.3
	8	48	.4	.4	99.7
	9	18	.2	.2	99.9
	10	2	.0	.0	99.9
	11	2	.0	.0	99.9
	12	2	.0	.0	99.9
	14	2	.0	.0	99.9
	22	2	.0	.0	100.0
	26	1	.0	.0	100.0
	29	1	.0	.0	100.0
	39	1	.0	.0	100.0
	40	1	.0	.0	100.0
	69	1	.0	.0	100.0
Missing	-1	236	2.1	Missing	
Total		11213	100.0	100.0	
Valid cases	10978	Missing cases	235		

b) Please indicate who the adults over 18 in your household are:

	Yes	No
i) yourself		
ii) your partner		
iii) your parent(s)		
iv) your partner's parent(s)		
v) other relation(s) of yourself		
vi) other relations of your partner		
vii) friend(s)		
viii) lodger		
ix) other (please describe)		

[If a person was given as 'occasionally' or 'sometimes' present this was coded to 3 and recoded here to no. It only applied to 1 partner and 1 partners parents]

F445 MUM O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	11056	98.6	98.6	98.6
N	2	157	1.4	1.4	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F446 PTNR O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	10317	92.0	92.0	92.0
N	2	896	8.0	8.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F447 MUMS parents O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	319	2.8	2.8	2.8
N	2	10894	97.2	97.2	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F448 PTNRS parents O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	93	.8	.8	.8
N	2	11120	99.2	99.2	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F449 MUMS other RELS O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	209	1.9	1.9	1.9
N	2	11004	98.1	98.1	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F450 PTNRS other RELS O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	66	.6	.6	.6
N	2	11147	99.4	99.4	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F451 FRDS O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	57	.5	.5	.5
N	2	11156	99.5	99.5	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F452 Lodger O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	78	.7	.7	.7
N	2	11135	99.3	99.3	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F453 Other person O18 in HHOLD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	92	.8	.8	.8
N	2	11121	99.2	99.2	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

- c) *Have the same people been living in your household ever since the birth of the baby?*

Yes No

F455 Same residents in HHOLD >birth					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	10310	91.9	93.4	93.4
N	2	734	6.5	6.6	100.0
Missing	-1	169	1.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11044	Missing cases	169		

If no, describe what changes have taken place: [Keyed as text]

- F2. a) *What is your present marital status?*
never married
widowed
divorced
separated
married (once only)
married for second or third time

[If more than one box is ticked the lowest number is coded]

F460 PRES marital status					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never married	1	1660	14.8	14.9	14.9
Widowed	2	26	.2	.2	15.1
Divorced	3	417	3.7	3.7	18.9
Separated	4	181	1.6	1.6	20.5
1ST marriage	5	8014	71.5	71.9	92.4
2ND+ marriage	6	842	7.5	7.6	100.0
Missing	-1	73	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11140	Missing cases	73		

- b) *If married, what was the date of the most recent marriage?*

[not coded - keyed as text] /...../19....

This date was used to compute the years from last marriage until the date of completion of the questionnaire; 41 mothers had put wedding dates after the date of completion - these were put to missing.

F461 Years since marriage

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0			338	3.0	3.9	3.9
1			911	8.1	10.5	14.4
2			974	8.7	11.2	25.6
3			1046	9.3	12.1	37.7
4			1093	9.7	12.6	50.3
5			944	8.4	10.9	61.2
6			813	7.3	9.4	70.5
7			653	5.8	7.5	78.1
8			482	4.3	5.6	83.6
9			361	3.2	4.2	87.8
10			282	2.5	3.3	91.0
11			232	2.1	2.7	93.7
12			180	1.6	2.1	95.8
13			114	1.0	1.3	97.1
14			79	.7	.9	98.0
15			48	.4	.6	98.6
16			40	.4	.5	99.0
17			35	.3	.4	99.4
18			11	.1	.1	99.6
19			15	.1	.2	99.7
20			13	.1	.1	99.9
21			6	.1	.1	99.9
22			4	.0	.0	100.0
27			1	.0	.0	100.0
Missing		-1	2538	22.6	Missing	
Total			11213	100.0	100.0	
Valid cases	8675	Missing cases	2538			

For mothers married within the past year:

(a) the age of the baby at the marriage was computed

F462 Months of baby at marriage

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0			12	.1	4.6	4.6
1			19	.2	7.3	11.8
2			28	.2	10.7	22.5
3			33	.3	12.6	35.1
4			25	.2	9.5	44.7
5			46	.4	17.6	62.2
6			36	.3	13.7	76.0
7			29	.3	11.1	87.0
8			17	.2	6.5	93.5
9			8	.1	3.1	96.6
10			1	.0	.4	96.9
11			6	.1	2.3	99.2
12			1	.0	.4	99.6
14			1	.0	.4	100.0
Missing		-1	10951	97.7	Missing	
Total			11213	100.0	100.0	
Valid cases	262	Missing cases	10951			

- (b) the mothers who had been married in the year before the baby's birth, the no. of months before delivery were calculated.

F463 Months prior to birth of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	13	.1	1.9	1.9
	1	23	.2	3.3	5.1
	2	34	.3	4.9	10.0
	3	45	.4	6.4	16.4
	4	75	.7	10.7	27.1
	5	95	.8	13.6	40.7
	6	78	.7	11.1	51.9
	7	55	.5	7.9	59.7
	8	66	.6	9.4	69.1
	9	68	.6	9.7	78.9
	10	77	.7	11.0	89.9
	11	71	.6	10.1	100.0
Missing	-1	10513	93.8	Missing	
	Total	11213	100.0	100.0	

Valid cases 700 Missing cases 10513

- F3. a) *Do any of the people living in your household, including yourself and your children have a long lasting disorder, illness or disabling condition? (e.g. asthma, epilepsy, arthritis, depression, alcoholism)*

Yes

No

F470 HHOLD members with LT MED condition

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2457	21.9	22.2	22.2
N	2	8586	76.6	77.8	100.0
Missing	-1	170	1.5	Missing	
	Total	11213	100.0	100.0	

Valid cases 11043 Missing cases 170

If yes, please describe:

- b) *nature of illness/condition:* [not coded - keyed as text]
 c) *person(s) involved:* [not coded - keyed as text]
 d) *the consequences for the household:* [not coded - keyed as text]

SECTION G: YOUR PARTNER

The section below is concerned with your relationship with your partner. (Your partner will be referred to as 'he', although the questions refer to partners of either sex.)

G1. a) Do you currently have a partner?

Yes No

F500 Current PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	10655	95.0	95.6	95.6
N	2	493	4.4	4.4	100.0
Missing	-1	65	.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	11148	Missing cases	65		

b) Does your partner live with you?

Yes No

F501 Lives with current PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	10318	92.0	92.7	92.7
No, but have partner	2	314	2.8	2.8	95.6
No partner	3	493	4.4	4.4	100.0
Missing	-1	88	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11125	Missing cases	88		

If yes, c) how long have you lived together? years months

F502 YRS lived with current PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	144	1.3	1.4	1.4
	1	410	3.7	4.0	5.4
	2	872	7.8	8.5	14.0
	3	1023	9.1	10.0	24.0
	4	1230	11.0	12.1	36.1
	5	1337	11.9	13.1	49.2
	6	1099	9.8	10.8	59.9
	7	1028	9.2	10.1	70.0
	8	794	7.1	7.8	77.8
	9	552	4.9	5.4	83.2
	10	546	4.9	5.4	88.6
	11	284	2.5	2.8	91.3
	12	288	2.6	2.8	94.2
	13	199	1.8	2.0	96.1
	14	126	1.1	1.2	97.3
	15	90	.8	.9	98.2
	16	50	.4	.5	98.7
	17	43	.4	.4	99.1
	18	22	.2	.2	99.4
	19	23	.2	.2	99.6
	20	24	.2	.2	99.8
	21	12	.1	.1	99.9
	22	6	.1	.1	100.0
	23	1	.0	.0	100.0
NA	-2	807	7.2	Missing	
Missing	-1	203	1.8	Missing	
Total		11213	100.0	100.0	

Valid cases 10203 Missing cases 1010

F503 MTHS lived with current PTNR if under 1

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	5	.0	3.5	3.5
	2	10	.1	7.1	10.6
	3	8	.1	5.7	16.3
	4	15	.1	10.6	27.0
	5	6	.1	4.3	31.2
	6	9	.1	6.4	37.6
	7	12	.1	8.5	46.1
	8	20	.2	14.2	60.3
	9	23	.2	16.3	76.6
	10	21	.2	14.9	91.5
	11	12	.1	8.5	100.0
NA	-2	10872	97.0	Missing	
Missing	-1	200	1.8	Missing	
Total		11213	100.0	100.0	

Valid cases 141 Missing cases 11072

G2. *How would you assess your partner's physical health?*

always fit and well
mostly feels well and healthy
often feels unwell
hardly ever feels really well

[If more than one box is ticked the highest number is coded]

F510 PTNRS physical health

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always well	1	5363	47.8	50.4	50.4
Mostly well	2	4913	43.8	46.2	96.6
Often unwell	3	323	2.9	3.0	99.6
Hardly ever well	4	41	.4	.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	80	.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10640 Missing cases 573

G3. *Below are listed a number of conditions which might influence your partner's enjoyment of a baby. Please indicate whether he has had any of these since the baby was born.*

Yes, and *Yes, but* *No, not* *Don't*
saw a *did not see* *at all* *know*
doctor *a doctor*

a) *headaches or migraine*

[If more than one box is ticked the lowest number is coded]

F515 PTNR had headache or migraine >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	275	2.5	2.6	2.6
Y didnt see DR	2	4575	40.8	43.1	45.7
Never	3	5765	51.4	54.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F515A PTNR had headache or migraine >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4850	43.3	45.7	45.7
No	2	5765	51.4	54.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

b) indigestion

[If more than one box is ticked the lowest number is coded]

F516 PTNR had indigestion >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	169	1.5	1.6	1.6
Y didnt see DR	2	2380	21.2	22.4	24.0
Never	3	8066	71.9	76.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F516A PTNR had indigestion >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2549	22.7	24.0	24.0
No	2	8066	71.9	76.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

c) epilepsy

[If more than one box is ticked the lowest number is coded]

F517 PTNR had epilepsy >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	21	.2	.2	.2
Y didnt see DR	2	13	.1	.1	.3
Never	3	10581	94.4	99.7	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F517A PTNR had epilepsy >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	34	.3	.3	.3
No	2	10581	94.4	99.7	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

d) *depression*

[If more than one box is ticked the lowest number is coded]

F518 PTNR had depression >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	128	1.1	1.2	1.2
Y didnt see DR	2	724	6.5	6.8	8.0
Never	3	9763	87.1	92.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F518A PTNR had depression >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	852	7.6	8.0	8.0
No	2	9763	87.1	92.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

e) *anxiety or 'nerves'*

[If more than one box is ticked the lowest number is coded]

F519 PTNR had anxiety >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	139	1.2	1.3	1.3
Y didnt see DR	2	1102	9.8	10.4	11.7
Never	3	9374	83.6	88.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F519A PTNR had anxiety >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1241	11.1	11.7	11.7
No	2	9374	83.6	88.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

f) *haemorrhoids/piles*

[If more than one box is ticked the lowest number is coded]

F520 PTNR had piles >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	146	1.3	1.4	1.4
Y didnt see DR	2	676	6.0	6.4	7.7
Never	3	9793	87.3	92.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F520A PTNR had piles >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	822	7.3	7.7	7.7
No	2	9793	87.3	92.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

g) *cough or cold*

[If more than one box is ticked the lowest number is coded]

F521 PTNR had cough or cold >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	434	3.9	4.1	4.1
Y didnt see DR	2	6826	60.9	64.3	68.4
Never	3	3355	29.9	31.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F521A PTNR had cough or cold >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7260	64.7	68.4	68.4
No	2	3355	29.9	31.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

h) *influenza*

[If more than one box is ticked the lowest number is coded]

F522 PTNR had influenza >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	288	2.6	2.7	2.7
Y didnt see DR	2	1046	9.3	9.9	12.6
Never	3	9281	82.8	87.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F522A PTNR had influenza >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1334	11.9	12.6	12.6
No	2	9281	82.8	87.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

i) *bronchitis*

[If more than one box is ticked the lowest number is coded]

F523 PTNR had bronchitis >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	103	.9	1.0	1.0
Y didnt see DR	2	70	.6	.7	1.6
Never	3	10442	93.1	98.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F523A PTNR had bronchitis >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	173	1.5	1.6	1.6
No	2	10442	93.1	98.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

j) *high blood pressure (hypertension)*

[If more than one box is ticked the lowest number is coded]

F524 PTNR had hypertension >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	144	1.3	1.4	1.4
Y didnt see DR	2	69	.6	.7	2.0
Never	3	10402	92.8	98.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F524A PTNR had hypertension >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	213	1.9	2.0	2.0
No	2	10402	92.8	98.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

k) *diabetes*

[If more than one box is ticked the lowest number is coded]

F525 PTNR had diabetes >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	31	.3	.3	.3
Y didnt see DR	2	6	.1	.1	.3
Never	3	10578	94.3	99.7	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F525A PTNR had diabetes >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	37	.3	.3	.3
No	2	10578	94.3	99.7	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

l) *schizophrenia*

[If more than one box is ticked the lowest number is coded]

F526 PTNR had schizophrenia >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	8	.1	.1	.1
Y didnt see DR	2	7	.1	.1	.1
Never	3	10600	94.5	99.9	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F526A PTNR had schizophrenia >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	15	.1	.1	.1
No	2	10600	94.5	99.9	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

m) *alcoholism*

[If more than one box is ticked the lowest number is coded]

F527 PTNR had alcoholism >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	24	.2	.2	.2
Y didnt see DR	2	91	.8	.9	1.1
Never	3	10500	93.6	98.9	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F527A PTNR had alcoholism >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	115	1.0	1.1	1.1
No	2	10500	93.6	98.9	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

n) *stomach ulcers*

[If more than one box is ticked the lowest number is coded]

F528 PTNR had stomach ulcer >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	83	.7	.8	.8
Y didnt see DR	2	43	.4	.4	1.2
Never	3	10489	93.5	98.8	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F528A PTNR had stomach ulcer >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	126	1.1	1.2	1.2
No	2	10489	93.5	98.8	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

o) *asthma or wheezing*

[If more than one box is ticked the lowest number is coded]

F529 PTNR had asthma or wheezing >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	310	2.8	2.9	2.9
Y didnt see DR	2	475	4.2	4.5	7.4
Never	3	9830	87.7	92.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F529A PTNR had asthma or wheezing >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	785	7.0	7.4	7.4
No	2	9830	87.7	92.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

p) eczema

[If more than one box is ticked the lowest number is coded]

F530 PTNR had eczema >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	152	1.4	1.4	1.4
Y didnt see DR	2	357	3.2	3.4	4.8
Never	3	10106	90.1	95.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F530A PTNR had eczema >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	509	4.5	4.8	4.8
No	2	10106	90.1	95.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

q) psoriasis

[If more than one box is ticked the lowest number is coded]

F531 PTNR had psoriasis >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	79	.7	.7	.7
Y didnt see DR	2	120	1.1	1.1	1.9
Never	3	10416	92.9	98.1	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
	Total	11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F531A PTNR had psoriasis >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	199	1.8	1.9	1.9
No	2	10416	92.9	98.1	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

r) *arthritis*

[If more than one box is ticked the lowest number is coded]

F532 PTNR had arthritis >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	73	.7	.7	.7
Y didnt see DR	2	78	.7	.7	1.4
Never	3	10464	93.3	98.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F532A PTNR had arithritis >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	151	1.3	1.4	1.4
No	2	10464	93.3	98.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

s) *urinary infection*

[If more than one box is ticked the lowest number is coded]

F533 PTNR had urinary infection >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	77	.7	.7	.7
Y didnt see DR	2	34	.3	.3	1.0
Never	3	10504	93.7	99.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F533A PTNR had urinary infection >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	111	1.0	1.0	1.0
No	2	10504	93.7	99.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

t) *rheumatism*

[If more than one box is ticked the lowest number is coded]

F534 PTNR had rheumatism >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	22	.2	.2	.2
Y didnt see DR	2	72	.6	.7	.9
Never	3	10521	93.8	99.1	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F534A PTNR had rheumatism >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	94	.8	.9	.9
No	2	10521	93.8	99.1	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

u) *other condition(s) please tick and describe*

[Keyed as text]

[If more than one box is ticked the lowest number is coded]

[If something is written coder checks it is not already covered in a) - t). If it is a new condition but no box is ticked then coded as zero]

F535 PTNR had other condition

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y saw DR	1	637	5.7	6.0	6.0
Y didnt see DR	2	230	2.1	2.2	8.2
Never	3	9748	86.9	91.8	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10615 Missing cases 598

F535A PTNR had other condition >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	867	7.7	8.2	8.2
No	2	9748	86.9	91.8	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10615	Missing cases	598		

G4. What race or ethnic group is your partner?

<i>white</i>	<i>Indian</i>
<i>black/caribbean</i>	<i>Pakistani</i>
<i>black/African</i>	<i>Bangladeshi</i>
<i>black/other (please describe below)</i>	<i>Chinese</i>
<i>any other ethnic group (please describe)</i>	

[Keyed as text]

F540 PTNRS ethnic group

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
White	1	10297	91.8	96.7	96.7
Black-Caribbean	2	129	1.2	1.2	98.0
Black-African	3	15	.1	.1	98.1
Black other	4	22	.2	.2	98.3
Indian	5	46	.4	.4	98.7
Pakistani	6	18	.2	.2	98.9
Bangladeshi	7	3	.0	.0	98.9
Chinese	8	22	.2	.2	99.1
Other ethnic group	9	91	.8	.9	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	77	.7	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10643	Missing cases	570		

G5. *The following questions are about how you feel your partner gets on with the baby.*

Always Sometimes Never

a) *He really enjoys this baby*

[If more than one box is ticked the highest number is coded]

F545		PTNR really enjoys CH			
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Always		1	8614	76.8	80.8 80.8
SMTS		2	2004	17.9	18.8 99.6
Never		3	44	.4	.4 100.0
No partner		-2	493	4.4	Missing
Missing		-1	58	.5	Missing
		Total	11213	100.0	100.0
Valid cases		10662	Missing cases		551

b) *He would really have preferred that we had not had this baby when we did*

[If more than one box is ticked the lowest number is coded]

F546		PTNR considers CH untimely			
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Always		1	205	1.8	1.9 1.9
SMTS		2	1080	9.6	10.1 12.1
Never		3	9377	83.6	87.9 100.0
No partner		-2	493	4.4	Missing
Missing		-1	58	.5	Missing
		Total	11213	100.0	100.0
Valid cases		10662	Missing cases		551

c) *He likes to play with the baby*

[If more than one box is ticked the highest number is coded]

F547		PTNR likes to play with CH			
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Always		1	7294	65.0	68.4 68.4
SMTS		2	3307	29.5	31.0 99.4
Never		3	61	.5	.6 100.0
No partner		-2	493	4.4	Missing
Missing		-1	58	.5	Missing
		Total	11213	100.0	100.0
Valid cases		10662	Missing cases		551

d) *He is confident with the baby*

[If more than one box is ticked the highest number is coded]

F548 PTNR confident with CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	8625	76.9	80.9	80.9
SMTS	2	1940	17.3	18.2	99.1
Never	3	97	.9	.9	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	58	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	10662	Missing cases	551		

e) *He takes great pleasure in watching the baby develop*

[If more than one box is ticked the highest number is coded]

F549 PTNR pleasure in CH development

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	9633	85.9	90.3	90.3
SMTS	2	960	8.6	9.0	99.4
Never	3	69	.6	.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	58	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	10662	Missing cases	551		

f) *He really cannot bear it when the baby cries*

[If more than one box is ticked the lowest number is coded]

F550 PTNR cannot bear CH crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	920	8.2	8.6	8.6
SMTS	2	6199	55.3	58.1	66.8
Never	3	3543	31.6	33.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	58	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	10662	Missing cases	551		

g) *He dislikes the mess that surrounds the baby*

[NB version 03/02/92 g) is stated “ He doesn’t like the mess that surrounds the baby”]
[If more than one box is ticked the lowest number is coded]

F551 PTNR dislikes mess of CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	440	3.9	4.1	4.1
SMTS	2	3375	30.1	31.7	35.8
Never	3	6847	61.1	64.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	58	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10662	Missing cases	551		

h) *I trust him alone with the baby*

[NB in version 03/02/92 h) is stated “I don’t trust him alone with the baby”. The edits therefore recoded the first version to coincide with the meaning of the 2nd version]
[If more than one box is ticked the highest number is coded]

F552 PTNR trusted with CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	9802	87.4	91.9	91.9
SMTS	2	525	4.7	4.9	96.9
Never	3	335	3.0	3.1	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	58	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10662	Missing cases	551		

i) *He takes an active part in bringing up the baby*

[If more than one box is ticked the highest number is coded]

F553 PTNR active in CH upbringing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	7987	71.2	74.9	74.9
SMTS	2	2444	21.8	22.9	97.8
Never	3	231	2.1	2.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	58	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10662	Missing cases	551		

Derived variable**Partner's attitude to baby**

F554 PTNR attitude to baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	.0	.0
	2	2	.0	.0	.0
	3	4	.0	.0	.1
	4	7	.1	.1	.1
	5	17	.2	.2	.3
	6	21	.2	.2	.5
	7	37	.3	.3	.8
	8	71	.6	.7	1.5
	9	106	.9	1.0	2.5
	10	171	1.5	1.6	4.1
	11	293	2.6	2.7	6.9
	12	430	3.8	4.0	10.9
	13	631	5.6	5.9	16.8
	14	968	8.6	9.1	25.9
	15	1405	12.5	13.2	39.1
	16	2103	18.8	19.7	58.8
	17	2421	21.6	22.7	81.5
	18	1973	17.6	18.5	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	58	.5	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10662	Missing cases	551		

G6. About how many cigarettes per day does your partner currently smoke? (If none, put 00)

[97 is coded for occasional smokers and less than one per day. If a range was given highest end of range was coded. For the FFiles, 97 was recoded to 0]

F560 PTNRS PRES NO of CIGS smoked daily

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	7490	66.8	71.5	71.5
	1	52	.5	.5	72.0
	2	91	.8	.9	72.9
	3	80	.7	.8	73.6
	4	66	.6	.6	74.3
	5	209	1.9	2.0	76.3
	6	66	.6	.6	76.9
	7	27	.2	.3	77.2
	8	51	.5	.5	77.6
	9	9	.1	.1	77.7
	10	606	5.4	5.8	83.5
	11	1	.0	.0	83.5
	12	40	.4	.4	83.9
	13	10	.1	.1	84.0
	14	18	.2	.2	84.2
	15	468	4.2	4.5	88.6
	16	10	.1	.1	88.7
	17	6	.1	.1	88.8
	18	11	.1	.1	88.9
	19	1	.0	.0	88.9
	20	848	7.6	8.1	97.0
	22	2	.0	.0	97.0
	23	1	.0	.0	97.0

F560 cont.

	Value	Frequency	Percent	Valid Percent	Cum Percent
	24	1	.0	.0	97.0
	25	104	.9	1.0	98.0
	26	2	.0	.0	98.1
	29	1	.0	.0	98.1
	30	133	1.2	1.3	99.3
	35	7	.1	.1	99.4
	40	50	.4	.5	99.9
	50	6	.1	.1	99.9
	60	6	.1	.1	100.0
	70	1	.0	.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	246	2.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	10474	Missing cases	739		

F561 PTNR pres NO of CIGS smoked daily

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	7490	66.8	71.5	71.5
<10	1	651	5.8	6.2	77.7
10-19	2	1171	10.4	11.2	88.9
20+	3	1162	10.4	11.1	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	246	2.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	10474	Missing cases	739		

G7. a) *Is your partner currently employed?**Yes No*

F565 PTNR currently employed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	9222	82.2	86.8	86.8
N	2	1399	12.5	13.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	99	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	10621	Missing cases	592		

If yes, b) What is his occupation? (Please describe what he does and what type of firm he works for)

[Keyed as text]

c) *Has he had this same job all the time since the baby was born?*

Yes No

F566 PTNR in same job >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	8244	73.5	89.8	89.8
N	2	941	8.4	10.2	100.0
NA	-2	1892	16.9	Missing	
Missing	-1	136	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	9185	Missing cases	2028		

d) *Does he have to work nights?*

*yes always
yes sometimes
no never*

F567 PTNR works nights

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y always	1	317	2.8	3.4	3.4
Y SMTS	2	1928	17.2	20.9	24.3
Never	3	6980	62.2	75.7	100.0
NA	-2	1892	16.9	Missing	
Missing	-1	96	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	9225	Missing cases	1988		

e) *Does he have to leave home for several days as part of his work?*

*Yes, often
yes, occasionally
no, never*

F568 PTNR away for days due to work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1	487	4.3	5.3	5.3
Y occasionally	2	2370	21.1	25.7	31.0
Never	3	6365	56.8	69.0	100.0
NA	-2	1892	16.9	Missing	
Missing	-1	99	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	9222	Missing cases	1991		

G8. *Below are a number of statements. How frequently does each description fit your own partnership?*

Very Often Some- Rarely Never
often times

a) *Is your partner loving (affectionate) toward you?*

F580 Affection from PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	4862	43.4	45.8	45.8
Often	2	3320	29.6	31.2	77.0
SMTS	3	1992	17.8	18.7	95.7
Rarely	4	407	3.6	3.8	99.6
Never	5	46	.4	.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	93	.8	Missing	
Total		11213	100.0	100.0	
Valid cases		10627	Missing cases		586

b) *Does your partner get angry with you?*

F581 Anger from PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	139	1.2	1.3	1.3
Often	2	563	5.0	5.3	6.6
SMTS	3	4539	40.5	42.7	49.3
Rarely	4	4507	40.2	42.4	91.7
Never	5	882	7.9	8.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	90	.8	Missing	
Total		11213	100.0	100.0	
Valid cases		10630	Missing cases		583

c) *Does your partner listen to you when you want to discuss your problems or talk about your feelings?*

F582 PTNR listens to MUMS feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	3446	30.7	32.5	32.5
Often	2	3388	30.2	31.9	64.4
SMTS	3	2869	25.6	27.0	91.4
Rarely	4	773	6.9	7.3	98.7
Never	5	139	1.2	1.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
Total		11213	100.0	100.0	
Valid cases		10615	Missing cases		598

d) *Do you have arguments with and feelings?*

F583 Arguments with PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	272	2.4	2.6	2.6
Often	2	899	8.0	8.5	11.0
SMTS	3	5093	45.4	47.9	59.0
Rarely	4	3805	33.9	35.8	94.8
Never	5	556	5.0	5.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	95	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	10625	Missing cases	588		

e) *Does your partner talk to you about his problems and feelings?*

F584 PTNR discusses his feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	2007	17.9	18.9	18.9
Often	2	2741	24.4	25.8	44.7
SMTS	3	3636	32.4	34.2	79.0
Rarely	4	1854	16.5	17.5	96.4
Never	5	380	3.4	3.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	102	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	10618	Missing cases	595		

f) *Do you get angry with your partner?*

F585 Anger towards PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	306	2.7	2.9	2.9
Often	2	1221	10.9	11.5	14.4
SMTS	3	6214	55.4	58.5	72.8
Rarely	4	2610	23.3	24.6	97.4
Never	5	277	2.5	2.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	92	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	10628	Missing cases	585		

g) *Do you enjoy the company of your partner?*

F586 Enjoys PTNRS company

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	6921	61.7	65.1	65.1
Often	2	2765	24.7	26.0	91.1
SMTS	3	849	7.6	8.0	99.1
Rarely	4	79	.7	.7	99.9
Never	5	15	.1	.1	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	91	.8	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10629	Missing cases	584		

h) *Does your partner show his approval of you?*

F587 PTNR shows approval of MUM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	4177	37.3	39.4	39.4
Often	2	3076	27.4	29.0	68.4
SMTS	3	2492	22.2	23.5	91.9
Rarely	4	727	6.5	6.9	98.8
Never	5	131	1.2	1.2	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	117	1.0	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10603	Missing cases	610		

i) *Do you behave affectionately towards your partner?*

F588 MUM affectionate towards PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	3972	35.4	37.4	37.4
Often	2	3492	31.1	32.9	70.3
SMTS	3	2638	23.5	24.9	95.2
Rarely	4	458	4.1	4.3	99.5
Never	5	54	.5	.5	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	106	.9	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10614	Missing cases	599		

j) *Do you go out socially together?*

F589 MUM & PTNR socialise together

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	800	7.1	7.5	7.5
Often	2	1652	14.7	15.6	23.1
SMTS	3	4564	40.7	43.0	66.1
Rarely	4	3222	28.7	30.3	96.4
Never	5	383	3.4	3.6	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	99	.9	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10621	Missing cases	592		

k) *Does your partner hug and kiss you?*

F590 PTNR hugs & kisses MUM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	4075	36.3	38.4	38.4
Often	2	3133	27.9	29.5	67.9
SMTS	3	2485	22.2	23.4	91.2
Rarely	4	787	7.0	7.4	98.7
Never	5	143	1.3	1.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	97	.9	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10623	Missing cases	590		

l) *Do you feel parenthood has brought you closer together?*

F591 Parenthood made MUM & PTNR closer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	3136	28.0	29.8	29.8
Often	2	2618	23.3	24.8	54.6
SMTS	3	3332	29.7	31.6	86.2
Rarely	4	975	8.7	9.3	95.5
Never	5	476	4.2	4.5	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	183	1.6	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10537	Missing cases	676		

m) Does your partner hold you in his arms?

F592 PTNR holds MUM in arms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	3927	35.0	37.0	37.0
Often	2	2698	24.1	25.4	62.4
SMTS	3	2770	24.7	26.1	88.5
Rarely	4	973	8.7	9.2	97.7
Never	5	245	2.2	2.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	107	1.0	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10613	Missing cases	600		

Derived variables

F593 Affection score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	10	172	1.5	1.7	1.7
	11	232	2.1	2.2	3.9
	12	530	4.7	5.1	9.0
	13	515	4.6	5.0	13.9
	14	547	4.9	5.3	19.2
	15	543	4.8	5.2	24.4
	16	505	4.5	4.9	29.3
	17	542	4.8	5.2	34.5
	18	472	4.2	4.5	39.0
	19	513	4.6	4.9	43.9
	20	463	4.1	4.5	48.4
	21	492	4.4	4.7	53.1
	22	478	4.3	4.6	57.7
	23	463	4.1	4.5	62.2
	24	479	4.3	4.6	66.8
	25	439	3.9	4.2	71.0
	26	432	3.9	4.2	75.1
	27	368	3.3	3.5	78.7
	28	359	3.2	3.5	82.1
	29	283	2.5	2.7	84.9
	30	286	2.6	2.7	87.6
	31	246	2.2	2.4	90.0
	32	195	1.7	1.9	91.8
	33	162	1.4	1.6	93.4
	34	140	1.2	1.3	94.7
	35	128	1.1	1.2	96.0
	36	96	.9	.9	96.9
	37	72	.6	.7	97.6
	38	57	.5	.5	98.1
	39	48	.4	.5	98.6
	40	40	.4	.4	99.0
	41	31	.3	.3	99.3
	42	20	.2	.2	99.5
	43	15	.1	.1	99.6
	44	14	.1	.1	99.8
	45	10	.1	.1	99.8
	46	6	.1	.1	99.9
	47	4	.0	.0	99.9
	48	5	.0	.0	100.0
	49	1	.0	.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	317	2.8	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10403	Missing cases	810		

F594 No. of missing values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10403	92.8	97.0	97.0
	1	193	1.7	1.8	98.8
	2	8	.1	.1	98.9
	3	3	.0	.0	98.9
	4	25	.2	.2	99.2
	5	3	.0	.0	99.2
	6	19	.2	.2	99.4
	7	1	.0	.0	99.4
	8	1	.0	.0	99.4
	9	2	.0	.0	99.4
	10	62	.6	.6	100.0
No partner	-2	493	4.4	Missing	
Total		11213	100.0	100.0	

Valid cases 10720 Missing cases 493

F595 Affection score with modes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	10	173	1.5	1.6	1.6
	11	232	2.1	2.2	3.8
	12	549	4.9	5.2	9.0
	13	525	4.7	4.9	13.9
	14	561	5.0	5.3	19.1
	15	561	5.0	5.3	24.4
	16	524	4.7	4.9	29.3
	17	557	5.0	5.2	34.5
	18	486	4.3	4.6	39.1
	19	528	4.7	5.0	44.1
	20	481	4.3	4.5	48.6
	21	515	4.6	4.8	53.4
	22	489	4.4	4.6	58.0
	23	475	4.2	4.5	62.5
	24	489	4.4	4.6	67.0
	25	445	4.0	4.2	71.2
	26	439	3.9	4.1	75.3
	27	371	3.3	3.5	78.8
	28	368	3.3	3.5	82.3
	29	285	2.5	2.7	84.9
	30	291	2.6	2.7	87.7
	31	253	2.3	2.4	90.0
	32	197	1.8	1.8	91.9
	33	163	1.5	1.5	93.4
	34	144	1.3	1.4	94.8
	35	129	1.2	1.2	96.0
	36	97	.9	.9	96.9
	37	75	.7	.7	97.6
	38	57	.5	.5	98.1
	39	49	.4	.5	98.6
	40	42	.4	.4	99.0
	41	32	.3	.3	99.3
	42	20	.2	.2	99.5
	43	16	.1	.2	99.6
	44	14	.1	.1	99.8
	45	10	.1	.1	99.8
	46	6	.1	.1	99.9
	47	4	.0	.0	99.9
	48	5	.0	.0	100.0
	49	1	.0	.0	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	62	.6	Missing	
Total		11213	100.0	100.0	

Valid cases 10658 Missing cases 555

F596 Agression score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3	54	.5	.5	.5
	4	67	.6	.6	1.1
	5	147	1.3	1.4	2.5
	6	258	2.3	2.4	5.0
	7	450	4.0	4.2	9.2
	8	718	6.4	6.8	16.0
	9	3028	27.0	28.5	44.5
	10	1784	15.9	16.8	61.3
	11	1571	14.0	14.8	76.1
	12	1720	15.3	16.2	92.3
	13	475	4.2	4.5	96.8
	14	199	1.8	1.9	98.6
	15	144	1.3	1.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	105	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10615	Missing cases	598		

F597 No. of missing values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10615	94.7	99.0	99.0
	1	17	.2	.2	99.2
	2	4	.0	.0	99.2
	3	84	.7	.8	100.0
No partner	-2	493	4.4	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10720	Missing cases	493		

F598 Agression score with modes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3	54	.5	.5	.5
	4	67	.6	.6	1.1
	5	147	1.3	1.4	2.5
	6	258	2.3	2.4	4.9
	7	450	4.0	4.2	9.2
	8	718	6.4	6.8	15.9
	9	3032	27.0	28.5	44.4
	10	1791	16.0	16.8	61.3
	11	1577	14.1	14.8	76.1
	12	1721	15.3	16.2	92.3
	13	477	4.3	4.5	96.8
	14	200	1.8	1.9	98.6
	15	144	1.3	1.4	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	84	.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	10636	Missing cases	577		

G9. *How would you describe your partner's alcohol drinking?
Which of the following statements best applies:*

Never drinks alcohol
Very occasionally (less than one glass a week)
Occasionally (at least one glass a week)
Drinks 1-2 glasses nearly every day
Drinks 3-9 glasses every day
Drinks at least 10 glasses a day
Don't know
[by glass we mean pub measures (1oz) of spirits or ½ pints of beer or cider]

[If more than one box is ticked the highest number is coded]

F600 PTNRS alcohol consumption

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never drinks	1	632	5.6	6.0	6.0
<1 GLS PWK	2	2722	24.3	25.9	31.9
At least 1 GLS PWK	3	4666	41.6	44.4	76.3
1-2 GLS most days	4	2033	18.1	19.3	95.6
3-9 GLS daily	5	433	3.9	4.1	99.7
>9 GLS daily	6	31	.3	.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	203	1.8	Missing	
	Total	11213	100.0	100.0	

Valid cases 10517 Missing cases 696

G10. *How many days in the past month did your partner have the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?*

every day *more than 10 days* *don't know*
5-10 days *3-4 days*
1-2 days *none*

[If more than one box is ticked the lowest number is coded]

F601 NO days last MTH had 4units alcohol

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	378	3.4	3.8	3.8
>10 days	2	1348	12.0	13.7	17.5
5-10 days	3	2278	20.3	23.1	40.6
3-4 days	4	2062	18.4	20.9	61.6
1-2 days	5	1982	17.7	20.1	81.7
None	6	1806	16.1	18.3	100.0
No partner	-2	493	4.4	Missing	
Missing	-1	866	7.7	Missing	
	Total	11213	100.0	100.0	

Valid cases 9854 Missing cases 1359

SECTION H: YOUR OCCUPATION AND LIFESTYLE

H1. *How many cigarettes per day do you currently smoke?*

30+ 25-29 20-24 15-19
10-14 5-9 1-4 none

[If respondent stated 'occasionally' then 97 was coded - and then edited to 0]

F620		NO smoked daily at PRES				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	None	0	8406	75.0	75.8	75.8
	1-4	1	423	3.8	3.8	79.6
	5-9	5	495	4.4	4.5	84.1
	10-14	10	642	5.7	5.8	89.9
	15-19	15	545	4.9	4.9	94.8
	20-24	20	439	3.9	4.0	98.7
	25-29	25	102	.9	.9	99.6
	30+	30	39	.3	.4	100.0
	Missing	-1	122	1.1	Missing	
			-----	-----	-----	
Total			11213	100.0	100.0	
Valid cases		11091	Missing cases		122	

F621		No smoked daily at PRES				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		0	8406	75.0	75.8	75.8
<10		1	918	8.2	8.3	84.1
10-19		2	1187	10.6	10.7	94.8
20+		3	580	5.2	5.2	100.0
Missing		-1	122	1.1	Missing	
		Total	11213	100.0	100.0	
Valid cases		11091	Missing cases		122	

H2. a) *How would you describe your alcohol drinking?*
Which of the following statements best applies:

Never drink alcohol
Very occasionally (less than one glass a week)
Occasionally (at least once or twice a week)
Sometimes (between 3 & 6 times a week)
Drink 1-2 glasses every day
Drink 3-9 glasses every day
Drink at least 10 glasses a day
Don't know

[by glass we mean pub measures (1oz) of spirits or ½ pints of beer or cider]

[If more than one box is ticked the highest number is coded]

F625 Alcohol consumption

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	0	1447	12.9	13.0	13.0
< 1/week	1	5291	47.2	47.5	60.5
1+ /week	2	3019	26.9	27.1	87.6
3+ /week	3	987	8.8	8.9	96.5
1-2 /day	4	344	3.1	3.1	99.6
3-9 /day	5	47	.4	.4	100.0
10+ /day	6	2	.0	.0	100.0
Missing	-1	76	.7	Missing	
Total		11213	100.0	100.0	

Valid cases 11137 Missing cases 76

b) *How many days in the past month did you have the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?*

every day *more than 10 days*
5-10 days *3-4 days*
1 - 2 days *none*

[If more than one box is ticked the lowest number is coded]

F626 NO days last MTH had 4units alcohol

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	37	.3	.3	.3
>10 days	2	543	4.8	4.9	5.3
5-10 days	3	1061	9.5	9.6	14.9
3-4 days	4	1483	13.2	13.5	28.4
1-2 days	5	3074	27.4	27.9	56.3
None	6	4815	42.9	43.7	100.0
Missing	-1	200	1.8	Missing	
Total		11213	100.0	100.0	

Valid cases 11013 Missing cases 200

H3. *Compared with other mothers of your age, would you consider yourself to be:*

much more active
somewhat more active
about the same
somewhat less active

[If more than one box is ticked the highest number is coded]

F630 Activity compared to SIM MUMS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Much more active	1	961	8.6	8.7	8.7
A little more active	2	2814	25.1	25.3	34.0
About the same	3	6828	60.9	61.5	95.5
Somewhat less active	4	504	4.5	4.5	100.0
Missing	-1	106	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11107	Missing cases	106		

H4. How much physical effort would you say you put into looking after your home and family?

very little physical effort
some physical effort
quite a lot of physical effort
considerable physical effort

[If more than one box is ticked the highest number is coded]

F631 Physical effort REQ for housework & FAM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V little	1	167	1.5	1.5	1.5
Some	2	1719	15.3	15.4	16.9
Quite a lot	3	6151	54.9	55.2	72.1
A lot	4	3106	27.7	27.9	100.0
Missing	-1	70	.6	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11143	Missing cases	70		

H5. a) Since the baby was born have you had any paid jobs?

no
yes, but work at home
yes, work outside home

[If both 2 and 3 are ticked then coded as 4]

F635 Paid jobs >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	6179	55.1	55.6	55.6
Y at home	2	481	4.3	4.3	59.9
Y outside home	3	4339	38.7	39.0	99.0
Out & in home	4	114	1.0	1.0	100.0
Missing	-1	100	.9	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11113	Missing cases	100		

b) *If yes, please list all the jobs done since the birth of the baby:*

<i>Date started</i>	<i>Job done</i>	<i>Hours per week</i>	<i>Date stopped (put 'SW' if still working)</i>
---------------------	-----------------	---------------------------	---

[Five lines were given]

[Not coded - keyed as text]

c) *Did any of these jobs involve working at weekends?*

Yes No

F636 Jobs REQ WKEND work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2224	19.8	45.0	45.0
N	2	2716	24.2	55.0	100.0
Not worked since bir	-2	6179	55.1	Missing	
Missing	-1	94	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	4940	Missing cases	6273		

If yes, which ones: [Keyed as text]

d) *Did any of these jobs involve working in the evenings or at night?*

Yes No

F637 Jobs REQ evening/night shift

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2382	21.2	48.6	48.6
N	2	2515	22.4	51.4	100.0
Not worked since bir	-2	6179	55.1	Missing	
Missing	-1	137	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	4897	Missing cases	6316		

If yes, which ones: [Keyed as text]

e) *Do you now take the baby to work with you?*

<i>Yes</i>	<i>Yes</i>	<i>No not</i>
<i>always</i>	<i>sometimes</i>	<i>at all</i>

F639 CH taken to work at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y always	1	227	2.0	4.8	4.8
Y SMTS	2	280	2.5	5.9	10.6
Never	3	4271	38.1	89.4	100.0
Not worked since bir	-2	6179	55.1	Missing	
Missing	-1	256	2.3	Missing	
Total		11213	100.0	100.0	
Valid cases	4778	Missing cases	6435		

H6. How would you describe the physical effort you need for your current or most recent job?

very little effort, mostly sitting
some physical effort
quite a lot of physical effort
considerable physical effort

[If more than one box is ticked the highest number is coded]

F640 Physical effort REQ for PRES job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V little	1	1673	14.9	33.7	33.7
Some	2	1417	12.6	28.5	62.2
Quite a lot	3	1300	11.6	26.2	88.3
A lot	4	579	5.2	11.7	100.0
Missing	-1	6244	55.7	Missing	
Total		11213	100.0	100.0	
Valid cases	4969	Missing cases	6244		

H7. What are the main reasons you work: *Yes* *No*

- a) financial, I am important as a breadwinner*
- b) financial, for family extras*
- c) career*
- d) enjoyment*
- e) to give time for myself*
- f) other (please describe)*

F641 Work because breadwinner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1858	16.6	36.9	36.9
N	2	3176	28.3	63.1	100.0
Not worked since bir	-2	6179	55.1	Missing	
Total		11213	100.0	100.0	
Valid cases	5034	Missing cases	6179		

F642 Work for FAM extras

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3064	27.3	60.9	60.9
N	2	1970	17.6	39.1	100.0
Not worked since bir	-2	6179	55.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	5034	Missing cases	6179		

F643 Work as career

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1597	14.2	31.7	31.7
N	2	3437	30.7	68.3	100.0
Not worked since bir	-2	6179	55.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	5034	Missing cases	6179		

F644 Work for enjoyment

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2551	22.8	50.7	50.7
N	2	2483	22.1	49.3	100.0
Not worked since bir	-2	6179	55.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	5034	Missing cases	6179		

F645 Work to have time for self

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2302	20.5	45.7	45.7
N	2	2732	24.4	54.3	100.0
Not worked since bir	-2	6179	55.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	5034	Missing cases	6179		

F646 Work for other reasons

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	376	3.4	7.5	7.5
N	2	4658	41.5	92.5	100.0
Not worked since bir	-2	6179	55.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	5034	Missing cases	6179		

H8. Are you working at the same level (status) of work as you did before you had your child?

didn't work before
no, lower level
yes, same level
no, higher level

F650 PRES job status same as PRE CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N lower	1	1301	11.6	26.6	26.6
Y same	2	3235	28.9	66.2	92.8
N higher	3	258	2.3	5.3	98.1
Didnt work	7	93	.8	1.9	100.0
Not worked since bir	-2	6179	55.1	Missing	
Missing	-1	147	1.3	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	4887	Missing cases	6326		

H9. Do you find your job satisfying?

Yes No

["Sometimes" coded as "3"]

F651 Satisfied with job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3956	35.3	81.6	81.6
N	2	851	7.6	17.5	99.1
SMTS	3	43	.4	.9	100.0
Not worked since bir	-2	6179	55.1	Missing	
Missing	-1	184	1.6	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	4850	Missing cases	6363		

H10. Do you wish that you could spend more time with your child?

yes often
yes sometimes
yes occasionally
no not at all

F652	Wish for more time with CH					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often		1	1279	11.4	26.8	26.8
SMTS		2	1153	10.3	24.1	50.9
Occasionally		3	753	6.7	15.8	66.6
Not at all		4	1595	14.2	33.4	100.0
Not worked since bir		-2	6179	55.1	Missing	
Missing		-1	254	2.3	Missing	
			-----	-----	-----	
Total			11213	100.0	100.0	
Valid cases	4780	Missing cases	6433			

H11. Below are statements about how working affects being a parent. Please indicate which is true for you:

<i>Yes</i>	<i>Yes</i>	<i>Not</i>	<i>Never</i>
<i>almost</i>	<i>often</i>	<i>very</i>	
<i>always</i>		<i>often</i>	

a) I enjoy seeing my baby after work

[If more than one box is ticked the highest number is coded]

F653 Enjoy seeing CH after work						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Almost always	1	4055	36.2	90.5	90.5
	Often	2	375	3.3	8.4	98.9
	Not V often	3	14	.1	.3	99.2
	Never	4	35	.3	.8	100.0
	Not worked since bir	-2	6179	55.1	Missing	
	Missing	-1	555	4.9	Missing	
			-----	-----	-----	
	Total		11213	100.0	100.0	
Valid cases	4479	Missing cases	6734			

b) After a day at work I find it hard to cope with a baby

[If more than one box is ticked the lowest number is coded]

F654	Hard to cope with CH after work					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Almost always	1	41	.4	1.0	1.0
	Often	2	316	2.8	7.4	8.4
	Not V often	3	2039	18.2	47.9	56.3
	Never	4	1860	16.6	43.7	100.0
	Not worked since bir	-2	6179	55.1	Missing	
	Missing	-1	778	6.9	Missing	
				-----	-----	
	Total		11213	100.0	100.0	
Valid cases	4256	Missing cases	6957			

H12. a) Do you worry about your baby when you are at work?

Yes No

["Sometimes" coded as "3"]

F655 Worries about CH when at work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1648	14.7	35.6	35.6
N	2	2944	26.3	63.6	99.2
SMTS	3	36	.3	.8	100.0
Not worked since bir	-2	6179	55.1	Missing	
Missing	-1	406	3.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	4628	Missing cases	6585		

b) Does he/she cry when you leave him/her?

Yes No Don't leave him/her

["Sometimes" coded as "3"]

F656 CH cries when left by MUM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	471	4.2	10.7	10.7
N	2	3893	34.7	88.4	99.1
SMTS	3	41	.4	.9	100.0
NA	-2	6452	57.5	Missing	
Missing	-1	356	3.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	4405	Missing cases	6808		

H13. If you are not working: have you deliberately chosen to stay at home rather than obtain a job?

Yes No

F700 Chose to stay with CH instead of work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	4951	44.2	82.7	82.7
N	2	1039	9.3	17.3	100.0
Mum works	-2	4820	43.0	Missing	
Missing	-1	403	3.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	5990	Missing cases	5223		

H14. How many evenings a week do you usually go out?

Never less than 1 Once a week Twice a week More than twice a week

[If more than one box is ticked the highest number is coded]

F701 NO nights out PWK at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	2267	20.2	21.3	21.3
<Once	2	4280	38.2	40.1	61.4
Once	3	2504	22.3	23.5	84.9
Twice	4	1111	9.9	10.4	95.3
>Twice	5	502	4.5	4.7	100.0
Missing	-1	549	4.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	10664	Missing cases	549		

H15. a) Apart from yourself, who regularly looks after your baby when you are out? (Please answer for each person regularly involved. If no one, tick the 'no' column all the way down).

	<i>No</i>	<i>Yes</i>	<i>If yes, give hours per week and (in months)</i>	<i>Age of baby when this began</i>
<i>i) partner</i>				
<i>ii) baby's grandparent</i>				
<i>iii) other relative</i>				
<i>iv) friend/neighbour</i>				
<i>v) paid person outside baby's home (eg. child minder)</i>				
<i>vi) paid person in baby's home (eg. nanny, baby sitter)</i>				
<i>vii) day nursery (creche)</i>				
<i>viii) other (please describe)</i>				

[H15 is intended to investigate regular care of baby when mother is absent, so people sharing the care is not coded e.g. partners as weekend. Hours per week: If range given coder takes upper limit. 90 is coded for "full-time" or 90+ hours, 97 for "occasional", 99 for "varies" or "not known". The latter have been put to missing and 40-90 to 40. Age is coded in months. Coder rounds down to nearest whole month. Assuming 4 weeks = 1 month. "From birth" is coded as zero]

[If age given as 24m+, age was put to missing for B variables]

F710 PTNR looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	3334	29.7	30.5	30.5
Y	2	7594	67.7	69.5	100.0
Missing	-1	285	2.5	Missing	
	Total	11213	100.0	100.0	

Valid cases 10928 Missing cases 285

F710A PTNR looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	62	.6	.8	.8
	1	562	5.0	7.7	8.5
	2	1343	12.0	18.4	26.9
	3	923	8.2	12.6	39.6
	4	719	6.4	9.8	49.4
	5	430	3.8	5.9	55.3
	6	336	3.0	4.6	59.9
	7	122	1.1	1.7	61.6
	8	272	2.4	3.7	65.3
	9	76	.7	1.0	66.4
	10	352	3.1	4.8	71.2
	11	46	.4	.6	71.8
	12	183	1.6	2.5	74.3
	13	23	.2	.3	74.6
	14	61	.5	.8	75.5
	15	154	1.4	2.1	77.6
	16	75	.7	1.0	78.6
	17	22	.2	.3	78.9
	18	42	.4	.6	79.5
	19	12	.1	.2	79.7
	20	185	1.6	2.5	82.2
	21	22	.2	.3	82.5
	22	18	.2	.2	82.7
	23	3	.0	.0	82.8
	24	37	.3	.5	83.3
	25	41	.4	.6	83.8
	26	6	.1	.1	83.9
	27	6	.1	.1	84.0
	28	6	.1	.1	84.1
	29	1	.0	.0	84.1
	30	50	.4	.7	84.8
	32	4	.0	.1	84.8
	33	2	.0	.0	84.9
	35	17	.2	.2	85.1
	36	8	.1	.1	85.2
	37	13	.1	.2	85.4
	38	6	.1	.1	85.5
	39	8	.1	.1	85.6
40+	40	1052	9.4	14.4	100.0
No care	-2	3334	29.7	Missing	
Missing	-1	579	5.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 7300 Missing cases 3913

F710B PTNR looks after CH-age

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	924	8.2	14.1	14.1
	1	1258	11.2	19.2	33.3
	2	809	7.2	12.3	45.6
	3	1124	10.0	17.1	62.8
	4	673	6.0	10.3	73.0
	5	451	4.0	6.9	79.9
	6	638	5.7	9.7	89.6
	7	361	3.2	5.5	95.1
	8	177	1.6	2.7	97.8
	9	71	.6	1.1	98.9
	10	43	.4	.7	99.6
	11	17	.2	.3	99.8
	12	7	.1	.1	99.9
	13	2	.0	.0	100.0
	16	1	.0	.0	100.0
	20	1	.0	.0	100.0
No care	-2	3334	29.7	Missing	
Missing	-1	1322	11.8	Missing	
Total		11213	100.0	100.0	
Valid cases 6557 Missing cases 4656					

F711 GDPRT looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	5826	52.0	53.3	53.3
Y	2	5101	45.5	46.7	100.0
Missing	-1	286	2.6	Missing	
Total		11213	100.0	100.0	
Valid cases 10927 Missing cases 286					

F711A GDPRT looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	110	1.0	2.2	2.2
	1	492	4.4	10.0	12.3
	2	777	6.9	15.9	28.2
	3	561	5.0	11.5	39.6
	4	517	4.6	10.6	50.2
	5	282	2.5	5.8	55.9
	6	216	1.9	4.4	60.3
	7	88	.8	1.8	62.1
	8	194	1.7	4.0	66.1
	9	29	.3	.6	66.7
	10	190	1.7	3.9	70.6
	11	16	.1	.3	70.9
	12	100	.9	2.0	72.9
	13	8	.1	.2	73.1
	14	54	.5	1.1	74.2
	15	60	.5	1.2	75.4
	16	80	.7	1.6	77.1
	17	14	.1	.3	77.3
	18	55	.5	1.1	78.5
	19	8	.1	.2	78.6
	20	110	1.0	2.2	80.9
	21	22	.2	.4	81.3
	22	14	.1	.3	81.6
	23	5	.0	.1	81.7

F711A cont.

	Value	Frequency	Percent	Valid Percent	Cum Percent
	24	63	.6	1.3	83.0
	25	38	.3	.8	83.8
	26	1	.0	.0	83.8
	27	9	.1	.2	84.0
	28	6	.1	.1	84.1
	30	35	.3	.7	84.8
	31	1	.0	.0	84.8
	32	8	.1	.2	85.0
	34	1	.0	.0	85.0
	35	17	.2	.3	85.4
	36	3	.0	.1	85.4
	37	19	.2	.4	85.8
	38	5	.0	.1	85.9
	39	4	.0	.1	86.0
40+	40	686	6.1	14.0	100.0
No care	-2	5826	52.0	Missing	
Missing	-1	489	4.4	Missing	
Total		11213	100.0	100.0	
Valid cases		4898	Missing cases		6315

F711B GDPRT looks after CH-age

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	291	2.6	6.8	6.8
	1	719	6.4	16.7	23.5
	2	626	5.6	14.6	38.0
	3	890	7.9	20.7	58.7
	4	488	4.4	11.3	70.1
	5	329	2.9	7.6	77.7
	6	514	4.6	11.9	89.7
	7	241	2.1	5.6	95.3
	8	116	1.0	2.7	98.0
	9	40	.4	.9	98.9
	10	30	.3	.7	99.6
	11	8	.1	.2	99.8
	12	7	.1	.2	99.9
	13	1	.0	.0	100.0
	16	1	.0	.0	100.0
	20	1	.0	.0	100.0
No care	-2	5826	52.0	Missing	
Missing	-1	1085	9.7	Missing	
Total		11213	100.0	100.0	
Valid cases		4302	Missing cases		6911

F712 Other REL looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	9597	85.6	87.8	87.8
Y	2	1328	11.8	12.2	100.0
Missing	-1	288	2.6	Missing	
Total		11213	100.0	100.0	
Valid cases		10925	Missing cases		288

F712A Other REL looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	37	.3	2.9	2.9
	1	172	1.5	13.7	16.6
	2	201	1.8	16.0	32.5
	3	144	1.3	11.4	44.0
	4	144	1.3	11.4	55.4
	5	52	.5	4.1	59.5
	6	53	.5	4.2	63.7
	7	16	.1	1.3	65.0
	8	41	.4	3.3	68.3
	9	11	.1	.9	69.1
	10	29	.3	2.3	71.4
	11	2	.0	.2	71.6
	12	17	.2	1.3	72.9
	13	2	.0	.2	73.1
	14	8	.1	.6	73.7
	15	9	.1	.7	74.4
	16	10	.1	.8	75.2
	17	3	.0	.2	75.5
	18	8	.1	.6	76.1
	19	1	.0	.1	76.2
	20	21	.2	1.7	77.9
	21	5	.0	.4	78.3
	22	3	.0	.2	78.5
	23	2	.0	.2	78.7
	24	9	.1	.7	79.4
	25	5	.0	.4	79.8
	26	1	.0	.1	79.8
	27	2	.0	.2	80.0
	28	5	.0	.4	80.4
	30	10	.1	.8	81.2
	35	7	.1	.6	81.7
	36	1	.0	.1	81.8
	37	4	.0	.3	82.1
	38	1	.0	.1	82.2
40+	40	224	2.0	17.8	100.0
No care	-2	9597	85.6	Missing	
Missing	-1	356	3.2	Missing	
Total		11213	100.0	100.0	
Valid cases	1260	Missing cases	9953		

F712B Other REL looks after CH-age

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	58	.5	5.5	5.5
	1	124	1.1	11.7	17.2
	2	108	1.0	10.2	27.3
	3	207	1.8	19.5	46.8
	4	137	1.2	12.9	59.8
	5	106	.9	10.0	69.7
	6	158	1.4	14.9	84.6
	7	77	.7	7.3	91.9
	8	48	.4	4.5	96.4
	9	27	.2	2.5	99.0
	10	3	.0	.3	99.2
	11	4	.0	.4	99.6
	12	2	.0	.2	99.8
	18	1	.0	.1	99.9
	20	1	.0	.1	100.0
No care	-2	9597	85.6	Missing	
Missing	-1	555	4.9	Missing	
Total		11213	100.0	100.0	
Valid cases	1061	Missing cases	10152		

F713 FRD/neighbour looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	9628	85.9	88.1	88.1
Y	2	1297	11.6	11.9	100.0
Missing	-1	288	2.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	10925	Missing cases	288		

F713A FRD/neighbour looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	46	.4	3.7	3.7
	1	248	2.2	20.1	23.8
	2	269	2.4	21.8	45.7
	3	156	1.4	12.7	58.3
	4	122	1.1	9.9	68.2
	5	57	.5	4.6	72.8
	6	37	.3	3.0	75.8
	7	12	.1	1.0	76.8
	8	32	.3	2.6	79.4
	9	8	.1	.6	80.0
	10	25	.2	2.0	82.1
	11	2	.0	.2	82.2
	12	9	.1	.7	83.0
	15	8	.1	.6	83.6
	16	6	.1	.5	84.1
	17	1	.0	.1	84.2
	18	3	.0	.2	84.4
	20	9	.1	.7	85.2
	24	2	.0	.2	85.3
	25	2	.0	.2	85.5
	27	1	.0	.1	85.6
	30	2	.0	.2	85.7
	35	2	.0	.2	85.9
	37	1	.0	.1	86.0
	38	1	.0	.1	86.1
40+	40	172	1.5	13.9	100.0
No care	-2	9628	85.9	Missing	
Missing	-1	352	3.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	1233	Missing cases	9980		

F713B FRD/neighbour looks after CH-age

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	30	.3	2.8	2.8
	1	89	.8	8.3	11.2
	2	105	.9	9.8	21.0
	3	201	1.8	18.9	39.9
	4	153	1.4	14.4	54.2
	5	99	.9	9.3	63.5
	6	187	1.7	17.5	81.1
	7	103	.9	9.7	90.7
	8	53	.5	5.0	95.7
	9	25	.2	2.3	98.0
	10	12	.1	1.1	99.2
	11	5	.0	.5	99.6
	12	3	.0	.3	99.9
	14	1	.0	.1	100.0
No care	-2	9628	85.9	Missing	
Missing	-1	519	4.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	1066	Missing cases	10147		

F714 Outside paid person looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	9783	87.2	89.5	89.5
Y	2	1144	10.2	10.5	100.0
Missing	-1	286	2.6	Missing	
	Total	11213	100.0	100.0	

Valid cases 10927 Missing cases 286

F714A Outside paid person looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	.0	.4	.4
	1	8	.1	.7	1.2
	2	18	.2	1.6	2.8
	3	24	.2	2.1	4.9
	4	27	.2	2.4	7.3
	5	19	.2	1.7	9.0
	6	34	.3	3.0	12.0
	7	19	.2	1.7	13.7
	8	39	.3	3.5	17.2
	9	11	.1	1.0	18.2
	10	38	.3	3.4	21.6
	11	5	.0	.4	22.0
	12	39	.3	3.5	25.5
	13	9	.1	.8	26.3
	14	30	.3	2.7	29.0
	15	35	.3	3.1	32.1
	16	54	.5	4.8	36.9
	17	12	.1	1.1	38.0
	18	49	.4	4.4	42.3
	19	13	.1	1.2	43.5
	20	105	.9	9.4	52.9
	21	28	.2	2.5	55.3
	22	20	.2	1.8	57.1
	23	16	.1	1.4	58.6
	24	42	.4	3.7	62.3
	25	30	.3	2.7	65.0
	26	14	.1	1.2	66.2
	27	25	.2	2.2	68.4
	28	7	.1	.6	69.1
	29	2	.0	.2	69.3
	30	45	.4	4.0	73.3
	32	13	.1	1.2	74.4
	34	1	.0	.1	74.5
	35	31	.3	2.8	77.3
	36	4	.0	.4	77.6
	37	17	.2	1.5	79.1
	38	11	.1	1.0	80.1
	39	5	.0	.4	80.6
40+	40	218	1.9	19.4	100.0
No care	-2	9783	87.2	Missing	
Missing	-1	308	2.7	Missing	
	Total	11213	100.0	100.0	

Valid cases 1122 Missing cases 10091

F714B Outside paid person looks after CH-age

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	7	.1	.7	.7
	1	16	.1	1.5	2.2
	2	48	.4	4.5	6.7
	3	174	1.6	16.4	23.1
	4	170	1.5	16.0	39.2
	5	134	1.2	12.6	51.8
	6	244	2.2	23.0	74.8
	7	170	1.5	16.0	90.8
	8	57	.5	5.4	96.2
	9	21	.2	2.0	98.2
	10	9	.1	.8	99.1
	11	4	.0	.4	99.4
	12	4	.0	.4	99.8
	13	1	.0	.1	99.9
	24	1	.0	.1	100.0
No care	-2	9783	87.2	Missing	
Missing	-1	370	3.3	Missing	
Total		11213	100.0	100.0	

Valid cases 1060 Missing cases 10153

F715 Paid person in home looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	10257	91.5	93.9	93.9
Y	2	668	6.0	6.1	100.0
Missing	-1	288	2.6	Missing	
Total		11213	100.0	100.0	

Valid cases 10925 Missing cases 288

F715A Paid person in home looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10	.1	1.6	1.6
	1	27	.2	4.2	5.8
	2	46	.4	7.2	12.9
	3	70	.6	10.9	23.8
	4	79	.7	12.3	36.1
	5	25	.2	3.9	40.0
	6	12	.1	1.9	41.8
	7	5	.0	.8	42.6
	8	12	.1	1.9	44.5
	9	7	.1	1.1	45.6
	10	17	.2	2.6	48.2
	11	1	.0	.2	48.4
	12	8	.1	1.2	49.6
	14	6	.1	.9	50.5
	15	10	.1	1.6	52.1
	16	12	.1	1.9	54.0
	18	9	.1	1.4	55.4
	19	2	.0	.3	55.7
	20	16	.1	2.5	58.2
	21	5	.0	.8	58.9
	22	3	.0	.5	59.4
	24	16	.1	2.5	61.9
	25	11	.1	1.7	63.6
	26	4	.0	.6	64.2
	27	3	.0	.5	64.7
	28	6	.1	.9	65.6
	30	26	.2	4.0	69.7
	32	3	.0	.5	70.1
	33	1	.0	.2	70.3
	35	15	.1	2.3	72.6

F715A cont.

	Value	Frequency	Percent	Valid Percent	Cum Percent
	36	7	.1	1.1	73.7
	37	4	.0	.6	74.3
	38	1	.0	.2	74.5
40+	40	164	1.5	25.5	100.0
No care	-2	10257	91.5	Missing	
Missing	-1	313	2.8	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	643	Missing cases	10570		

F715B Paid person in home looks after CH-age

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	17	.2	2.8	2.8
	1	37	.3	6.2	9.0
	2	50	.4	8.3	17.4
	3	89	.8	14.9	32.2
	4	96	.9	16.0	48.2
	5	68	.6	11.4	59.6
	6	116	1.0	19.4	79.0
	7	69	.6	11.5	90.5
	8	37	.3	6.2	96.7
	9	10	.1	1.7	98.3
	10	6	.1	1.0	99.3
	12	2	.0	.3	99.7
	16	1	.0	.2	99.8
	24	1	.0	.2	100.0
No care	-2	10257	91.5	Missing	
Missing	-1	357	3.2	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	599	Missing cases	10614		

F716 Day nursery looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	10551	94.1	96.6	96.6
Y	2	374	3.3	3.4	100.0
Missing	-1	288	2.6	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	10925	Missing cases	288		

F716A Day nursery looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.3	.3
	1	47	.4	13.0	13.3
	2	41	.4	11.3	24.6
	3	20	.2	5.5	30.1
	4	13	.1	3.6	33.7
	5	9	.1	2.5	36.2
	6	8	.1	2.2	38.4
	7	4	.0	1.1	39.5
	8	13	.1	3.6	43.1
	9	8	.1	2.2	45.3
	10	10	.1	2.8	48.1
	11	1	.0	.3	48.3
	12	11	.1	3.0	51.4
	14	6	.1	1.7	53.0
	15	9	.1	2.5	55.5
	16	20	.2	5.5	61.0
	17	2	.0	.6	61.6
	18	22	.2	6.1	67.7
	19	3	.0	.8	68.5
	20	12	.1	3.3	71.8
	21	6	.1	1.7	73.5
	22	4	.0	1.1	74.6
	24	6	.1	1.7	76.2
	25	6	.1	1.7	77.9
	26	2	.0	.6	78.5
	27	2	.0	.6	79.0
	28	4	.0	1.1	80.1
	30	8	.1	2.2	82.3
	32	3	.0	.8	83.1
	34	2	.0	.6	83.7
	35	6	.1	1.7	85.4
	36	2	.0	.6	85.9
	37	3	.0	.8	86.7
	38	1	.0	.3	87.0
	39	1	.0	.3	87.3
40+	40	46	.4	12.7	100.0
No care	-2	10551	94.1	Missing	
Missing	-1	300	2.7	Missing	
Total		11213	100.0	100.0	

Valid cases 362 Missing cases 10851

F716B Day nursery looks after CH-age

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	8	.1	2.4	2.4
	2	16	.1	4.7	7.1
	3	55	.5	16.3	23.4
	4	46	.4	13.6	37.0
	5	37	.3	10.9	47.9
	6	69	.6	20.4	68.3
	7	65	.6	19.2	87.6
	8	20	.2	5.9	93.5
	9	8	.1	2.4	95.9
	10	5	.0	1.5	97.3
	11	4	.0	1.2	98.5
	12	1	.0	.3	98.8
	17	1	.0	.3	99.1
	24	3	.0	.9	100.0
No care	-2	10551	94.1	Missing	
Missing	-1	324	2.9	Missing	
Total		11213	100.0	100.0	

Valid cases 338 Missing cases 10875

F717 Other person looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	10824	96.5	99.1	99.1
Y	2	100	.9	.9	100.0
Missing	-1	289	2.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	10924	Missing cases	289		

F717A Other person looks after CH-hrs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	3	.0	3.8	3.8
	1	13	.1	16.7	20.5
	2	4	.0	5.1	25.6
	3	7	.1	9.0	34.6
	4	2	.0	2.6	37.2
	5	1	.0	1.3	38.5
	6	2	.0	2.6	41.0
	7	2	.0	2.6	43.6
	8	2	.0	2.6	46.2
	9	1	.0	1.3	47.4
	10	2	.0	2.6	50.0
	12	1	.0	1.3	51.3
	14	1	.0	1.3	52.6
	15	1	.0	1.3	53.8
	17	1	.0	1.3	55.1
	19	1	.0	1.3	56.4
	20	2	.0	2.6	59.0
	28	1	.0	1.3	60.3
40+	40	31	.3	39.7	100.0
No care	-2	10824	96.5	Missing	
Missing	-1	311	2.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	78	Missing cases	11135		

F717B Other person looks after CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	1.8	1.8
	1	6	.1	10.7	12.5
	2	6	.1	10.7	23.2
	3	8	.1	14.3	37.5
	4	6	.1	10.7	48.2
	5	10	.1	17.9	66.1
	6	9	.1	16.1	82.1
	7	7	.1	12.5	94.6
	8	1	.0	1.8	96.4
	9	2	.0	3.6	100.0
No care	-2	10824	96.5	Missing	
Missing	-1	333	3.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	56	Missing cases	11157		

b) What was the main reason for choosing this form of childcare?

*I had no choice
It was convenient
I thought it would
be beneficial for
my child*

*I could afford it
It was linked to my job
Other (please describe)*

[If more than one box is ticked then recoded as “other” and the relevant numbers are specified on the “please describe” line]

F720 Reason for choice of CH care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N choice	1	622	5.5	8.4	8.4
Could afford it	2	160	1.4	2.2	10.6
Convenience	3	2595	23.1	35.2	45.8
Linked to job	4	79	.7	1.1	46.9
Good for CH	5	2390	21.3	32.4	79.3
Other	6	1522	13.6	20.7	100.0
Missing	-1	3845	34.3	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	7368	Missing cases	3845		

c) How satisfied are you with these arrangements?

*Very Fairly Not at
satisfied satisfied all happy*

[If more than one box is ticked the highest number is coded]

F721 Satisfied with CH care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V satisfied	1	6690	59.7	84.4	84.4
Fairly satisfied	2	1176	10.5	14.8	99.2
Not satisfied	3	65	.6	.8	100.0
Missing	-1	3282	29.3	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	7931	Missing cases	3282		

d) *Apart from the arrangement you now have, have you used any other child care arrangements?*

Yes No

F722 Used other CH care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	779	6.9	9.8	9.8
N	2	7164	63.9	90.2	100.0
Missing	-1	3270	29.2	Missing	
	Total	11213	100.0	100.0	

Valid cases 7943 Missing cases 3270

If yes, how many different arrangements?

F723 NO of CH care arrangements

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	20	.2	2.7	2.7
	1	542	4.8	72.5	75.1
	2	152	1.4	20.3	95.5
	3	22	.2	2.9	98.4
	4	6	.1	.8	99.2
	5	1	.0	.1	99.3
	6	2	.0	.3	99.6
	7	1	.0	.1	99.7
	10	2	.0	.3	100.0
Missing	-1	10465	93.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 748 Missing cases 10465

e) *Space for any comments:* [Keyed as text]

H16. *How difficult at the moment do you find it to afford these items:*

Very Fairly Slightly Not
difficult difficult difficult difficult

- a) *food*
- b) *clothing*
- c) *heating*
- d) *rent or mortgage*
- e) *things you need for the baby*

[If more than one box is ticked the lowest number is coded]

F800 Difficulty affording food

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V difficult	1	219	2.0	2.0	2.0
Fairly difficult	2	932	8.3	8.4	10.3
Slightly difficult	3	2123	18.9	19.1	29.4
Not difficult	4	7861	70.1	70.6	100.0
Missing	-1	78	.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F801 Difficulty affording clothing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V difficult	1	1590	14.2	14.3	14.3
Fairly difficult	2	2049	18.3	18.4	32.7
Slightly difficult	3	3707	33.1	33.3	66.0
Not difficult	4	3789	33.8	34.0	100.0
Missing	-1	78	.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F802 Difficulty affording heating

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V difficult	1	423	3.8	3.8	3.8
Fairly difficult	2	1154	10.3	10.4	14.2
Slightly difficult	3	2378	21.2	21.4	35.5
Not difficult	4	7180	64.0	64.5	100.0
Missing	-1	78	.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F803 Difficulty affording rent or mortgage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V difficult	1	535	4.8	4.8	4.8
Fairly difficult	2	935	8.3	8.4	13.2
Slightly difficult	3	2144	19.1	19.3	32.5
Not difficult	4	7521	67.1	67.5	100.0
Missing	-1	78	.7	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F804 Difficulty affording items for CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V difficult	1	459	4.1	4.1	4.1
Fairly difficult	2	1221	10.9	11.0	15.1
Slightly difficult	3	2924	26.1	26.3	41.3
Not difficult	4	6531	58.2	58.7	100.0
Missing	-1	78	.7	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

Derived variable

F805 Financial difficulties score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	3391	30.2	30.5	30.5
	1	1724	15.4	15.5	45.9
	2	1179	10.5	10.6	56.5
	3	836	7.5	7.5	64.0
	4	750	6.7	6.7	70.8
	5	790	7.0	7.1	77.9
	6	527	4.7	4.7	82.6
	7	351	3.1	3.2	85.7
	8	355	3.2	3.2	88.9
	9	293	2.6	2.6	91.6
	10	340	3.0	3.1	94.6
	11	207	1.8	1.9	96.5
	12	154	1.4	1.4	97.9
	13	77	.7	.7	98.6
	14	41	.4	.4	98.9
	15	120	1.1	1.1	100.0
Missing	-1	78	.7	Missing	
		-----	-----	-----	
	Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

H17. How much help would you say you have had with the following since having your baby.

<i>A lot of help</i>	<i>Some help</i>	<i>Hardly any help</i>	<i>No help at all</i>
--------------------------	----------------------	----------------------------	---------------------------

- a) shopping*
- b) cleaning the home*
- c) preparing meals*
- d) washing up*
- e) changing nappies*
- f) washing the clothes*
- g) other tasks (please describe)* [Keyed as text]

[If more than one box is ticked the highest number is coded]

F806 Help with shopping >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	3132	27.9	28.1	28.1
Some	2	3999	35.7	35.9	64.0
Hardly any	3	2290	20.4	20.6	84.6
None	4	1716	15.3	15.4	100.0
Missing	-1	76	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11137	Missing cases	76		

F807 Help with cleaning home >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	1448	12.9	13.0	13.0
Some	2	3962	35.3	35.6	48.6
Hardly any	3	3006	26.8	27.0	75.6
None	4	2715	24.2	24.4	100.0
Missing	-1	82	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11131	Missing cases	82		

F808 Help with preparing meals >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	1900	16.9	17.1	17.1
Some	2	3669	32.7	33.0	50.0
Hardly any	3	2861	25.5	25.7	75.7
None	4	2705	24.1	24.3	100.0
Missing	-1	78	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F809 Help with washing up >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	2938	26.2	26.5	26.5
Some	2	4210	37.5	38.0	64.5
Hardly any	3	2045	18.2	18.5	82.9
None	4	1891	16.9	17.1	100.0
Missing	-1	129	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11084	Missing cases	129		

F810 Help with changing nappies >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	2466	22.0	22.1	22.1
Some	2	4499	40.1	40.4	62.6
Hardly any	3	2376	21.2	21.3	83.9
None	4	1794	16.0	16.1	100.0
Missing	-1	78	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F811 Help with washing clothes >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	939	8.4	8.4	8.4
Some	2	2145	19.1	19.3	27.7
Hardly any	3	2739	24.4	24.6	52.3
None	4	5312	47.4	47.7	100.0
Missing	-1	78	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F812 Help with other tasks >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	87	.8	.8	.8
A lot	1	807	7.2	7.2	8.0
Some	2	1048	9.3	9.3	17.3
Hardly any	3	673	6.0	6.0	23.3
None	4	8598	76.7	76.7	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

Derived variable: Help in home

F813 Help score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	59	.5	.5	.5
	2	2	.0	.0	.5
	3	2	.0	.0	.6
	4	1	.0	.0	.6
	5	3	.0	.0	.6
	6	441	3.9	3.9	4.5
	7	237	2.1	2.1	6.6
	8	400	3.6	3.6	10.2
	9	410	3.7	3.7	13.9
	10	553	4.9	4.9	18.8
	11	572	5.1	5.1	23.9
	12	789	7.0	7.0	30.9
	13	757	6.8	6.8	37.7
	14	916	8.2	8.2	45.9
	15	926	8.3	8.3	54.1
	16	927	8.3	8.3	62.4

F813 cont.

Value	Frequency	Percent	Valid Percent	Cum Percent
17	882	7.9	7.9	70.2
18	1022	9.1	9.1	79.4
19	696	6.2	6.2	85.6
20	538	4.8	4.8	90.4
21	337	3.0	3.0	93.4
22	248	2.2	2.2	95.6
23	177	1.6	1.6	97.2
24	318	2.8	2.8	100.0

Total	11213	100.0	100.0	

Valid cases 11213 Missing cases 0

H18. Who has helped with the housework or the baby since your baby was born?

A lot of help *Some help* *Hardly any help* *No help at all* *Not applicable (no such person)*

- a) partner
 b) your mother
 c) other relative
 d) neighbour
 e) friend
 f) paid help
 g) other (please describe) [Keyed as text]

[If more than one box is ticked the highest number is coded]

[If something is written in "please describe" section coder checks relevant boxes are ticked. If not codes zero to indicate information given]

F815 PTNR help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	4177	37.3	39.0	39.0
Some	2	4529	40.4	42.3	81.4
Hardly any	3	1382	12.3	12.9	94.3
None	4	611	5.4	5.7	100.0
NA	-2	333	3.0	Missing	
Missing	-1	181	1.6	Missing	

Total		11213	100.0	100.0	

Valid cases 10699 Missing cases 514

F815A PTNR help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	4177	37.3	37.3	37.3
Some	2	4529	40.4	40.4	77.6
Hardly any	3	1382	12.3	12.3	90.0
None	4	1125	10.0	10.0	100.0

Total		11213	100.0	100.0	

Valid cases 11213 Missing cases 0

F816 MOTHER help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	1414	12.6	14.2	14.2
Some	2	3701	33.0	37.1	51.3
Hardly any	3	1669	14.9	16.7	68.1
None	4	3183	28.4	31.9	100.0
NA	-2	836	7.5	Missing	
Missing	-1	410	3.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	9967	Missing cases	1246		

F816A MOTHER help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	1414	12.6	12.6	12.6
Some	2	3701	33.0	33.0	45.6
Hardly any	3	1669	14.9	14.9	60.5
None	4	4429	39.5	39.5	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F817 Other REL help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	503	4.5	5.3	5.3
Some	2	2214	19.7	23.2	28.5
Hardly any	3	1231	11.0	12.9	41.4
None	4	5594	49.9	58.6	100.0
NA	-2	909	8.1	Missing	
Missing	-1	762	6.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	9542	Missing cases	1671		

F817A Other REL help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	503	4.5	4.5	4.5
Some	2	2214	19.7	19.7	24.2
Hardly any	3	1231	11.0	11.0	35.2
None	4	7265	64.8	64.8	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F818 Neighbour help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	69	.6	.8	.8
Some	2	630	5.6	6.9	7.6
Hardly any	3	558	5.0	6.1	13.7
None	4	7905	70.5	86.3	100.0
NA	-2	1161	10.4	Missing	
Missing	-1	890	7.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	9162	Missing cases	2051		

F818A Neighbour help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	69	.6	.6	.6
Some	2	630	5.6	5.6	6.2
Hardly any	3	558	5.0	5.0	11.2
None	4	9956	88.8	88.8	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F819 Friend help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	185	1.6	2.0	2.0
Some	2	1377	12.3	14.6	16.6
Hardly any	3	880	7.8	9.3	25.9
None	4	6984	62.3	74.1	100.0
NA	-2	951	8.5	Missing	
Missing	-1	836	7.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	9426	Missing cases	1787		

F819A Friend help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	185	1.6	1.6	1.6
Some	2	1377	12.3	12.3	13.9
Hardly any	3	880	7.8	7.8	21.8
None	4	8771	78.2	78.2	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F820 Paid help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	442	3.9	6.1	6.1
Some	2	532	4.7	7.4	13.5
Hardly any	3	115	1.0	1.6	15.1
None	4	6107	54.5	84.9	100.0
NA	-2	3152	28.1	Missing	
Missing	-1	865	7.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	7196	Missing cases	4017		

F820A Paid help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	442	3.9	3.9	3.9
Some	2	532	4.7	4.7	8.7
Hardly any	3	115	1.0	1.0	9.7
None	4	10124	90.3	90.3	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F821 Other help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	104	.9	3.0	3.0
Some	2	129	1.2	3.7	6.6
Hardly any	3	29	.3	.8	7.4
None	4	3262	29.1	92.6	100.0
NA	-2	1920	17.1	Missing	
Missing	-1	5769	51.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	3524	Missing cases	7689		

F821A Other help with HWORK or CH >CH born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	104	.9	.9	.9
Some	2	129	1.2	1.2	2.1
Hardly any	3	29	.3	.3	2.3
None	4	10951	97.7	97.7	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

SECTION I: BEING A PARENT

II. Please indicate whether you have the following:

*Yes, but
not used Yes, and
used No, do
not have*

a) Baby bath

F830 Have baby bath

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	2733	24.4	24.5	24.5
Y & used	2	7286	65.0	65.2	89.7
Dont have	3	1149	10.2	10.3	100.0
Missing	-1	45	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11168	Missing cases	45		

b) Baby nest

F831 Have baby nest

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	2364	21.1	21.2	21.2
Y & used	2	2076	18.5	18.7	39.9
Dont have	3	6685	59.6	60.1	100.0
Missing	-1	88	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11125	Missing cases	88		

c) Sling/back pack for carrying child

F832 Have baby sling

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	2072	18.5	18.6	18.6
Y & used	2	5210	46.5	46.7	65.3
Dont have	3	3869	34.5	34.7	100.0
Missing	-1	62	.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	11151	Missing cases	62		

d) *Bouncing cradle*

F833 Have bouncing cradle

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	1328	11.8	11.9	11.9
Y & used	2	6893	61.5	62.0	74.0
Dont have	3	2895	25.8	26.0	100.0
Missing	-1	97	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11116	Missing cases	97		

e) *High chair*

F834 Have high chair

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	473	4.2	4.2	4.2
Y & used	2	9773	87.2	87.5	91.7
Dont have	3	926	8.3	8.3	100.0
Missing	-1	41	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11172	Missing cases	41		

f) *Play pen*

F835 Have play pen

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	1047	9.3	9.4	9.4
Y & used	2	2620	23.4	23.5	32.9
Dont have	3	7490	66.8	67.1	100.0
Missing	-1	56	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11157	Missing cases	56		

g) *Moses basket*

F836 Have moses basket

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	1357	12.1	12.2	12.2
Y & used	2	3795	33.8	34.0	46.2
Dont have	3	5998	53.5	53.8	100.0
Missing	-1	63	.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	11150	Missing cases	63		

h) *Crib/small cot*

F837 Have crib

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	732	6.5	6.7	6.7
Y & used	2	2914	26.0	26.5	33.2
Dont have	3	7350	65.5	66.8	100.0
Missing	-1	217	1.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	10996	Missing cases	217		

i) Cot

F838 Have cot

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	265	2.4	2.4	2.4
Y & used	2	10749	95.9	96.2	98.6
Dont have	3	157	1.4	1.4	100.0
Missing	-1	42	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11171	Missing cases	42		

j) Cot bumpers

F839 Have cot bumpers

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	1700	15.2	15.2	15.2
Y & used	2	7033	62.7	63.0	78.2
Dont have	3	2433	21.7	21.8	100.0
Missing	-1	47	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11166	Missing cases	47		

k) Travel cot

F840 Have travel cot

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	543	4.8	4.9	4.9
Y & used	2	3735	33.3	33.5	38.4
Dont have	3	6860	61.2	61.6	100.0
Missing	-1	75	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11138	Missing cases	75		

l) Carrycot

F841 Have carry cot

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	1758	15.7	15.8	15.8
Y & used	2	5364	47.8	48.3	64.1
Dont have	3	3995	35.6	35.9	100.0
Missing	-1	96	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11117	Missing cases	96		

m) Pram

F842 Have pram

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	1398	12.5	12.7	12.7
Y & used	2	6161	54.9	55.8	68.5
Dont have	3	3484	31.1	31.5	100.0
Missing	-1	170	1.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11043	Missing cases	170		

n) Pushchair/buggy

F843 Have pushchair

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	138	1.2	1.2	1.2
Y & used	2	10848	96.7	97.2	98.4
Dont have	3	174	1.6	1.6	100.0
Missing	-1	53	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11160	Missing cases	53		

o) Harness

F844 Have harness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	1390	12.4	12.5	12.5
Y & used	2	7073	63.1	63.5	76.0
Dont have	3	2669	23.8	24.0	100.0
Missing	-1	81	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11132	Missing cases	81		

p) Coiled kettle flex

F845 Have coiled kettle flex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	66	.6	.6	.6
Y & used	2	1799	16.0	16.2	16.8
Dont have	3	9227	82.3	83.2	100.0
Missing	-1	121	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11092	Missing cases	121		

q) Baby walker

F846 Have baby walker

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y but not used	1	564	5.0	5.1	5.1
Y & used	2	5695	50.8	51.0	56.1
Dont have	3	4906	43.8	43.9	100.0
Missing	-1	48	.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11165	Missing cases	48		

I2. How many of the following do you have? (Put 00 if none)

a) Safety gate/barriers

F847 NO of safety gates

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	3849	34.3	34.6	34.6
	1	4163	37.1	37.4	72.0
	2	2590	23.1	23.3	95.3
	3	444	4.0	4.0	99.3
	4	62	.6	.6	99.9
	5	13	.1	.1	100.0
	6	2	.0	.0	100.0
Missing	-1	90	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11123	Missing cases	90		

b) Fire guards

F848 NO of fireguards

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	6269	55.9	56.6	56.6
	1	4488	40.0	40.5	97.1
	2	301	2.7	2.7	99.8
	3	14	.1	.1	100.0
	4	1	.0	.0	100.0
	6	2	.0	.0	100.0
	7	1	.0	.0	100.0
Missing	-1	137	1.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11076	Missing cases	137		

c) Smoke alarms

F849 NO of smoke alarms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	3246	28.9	29.3	29.3
	1	4272	38.1	38.6	67.8
	2	2851	25.4	25.7	93.6
	3	459	4.1	4.1	97.7
	4	154	1.4	1.4	99.1
	5	49	.4	.4	99.5
	6	34	.3	.3	99.9
	7	10	.1	.1	99.9
	8	5	.0	.0	100.0
Missing	9	1	.0	.0	100.0
	-1	132	1.2	Missing	
Total		11213	100.0	100.0	
Valid cases	11081	Missing cases	132		

d) Electric socket covers

(If all sockets covered, please say so)

[This phrase only in 2nd version]

[All sockets covered coded as 90 and edited to 10]

F850 NO of ELEC socket covers

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	4928	43.9	45.2	45.2
	1	191	1.7	1.8	46.9
	2	295	2.6	2.7	49.6
	3	363	3.2	3.3	52.9
	4	672	6.0	6.2	59.1
	5	284	2.5	2.6	61.7
	6	1329	11.9	12.2	73.9
	7	65	.6	.6	74.5
	8	358	3.2	3.3	77.7
	9	34	.3	.3	78.1
10 +	10	2395	21.4	21.9	100.0
Missing	-1	299	2.7	Missing	
Total		11213	100.0	100.0	
Valid cases	10914	Missing cases	299		

e) *Windows with locks/bars*
(If all windows protected, please say so) [This phrase only in 2nd version]

[All windows protected coded as 90 and edited to 3+]

F851 NO of window locks					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	4849	43.2	44.9	44.9
	1	289	2.6	2.7	47.6
	2	424	3.8	3.9	51.5
3+	3	5228	46.6	48.5	100.0
Missing	-1	423	3.8	Missing	
Total		11213	100.0	100.0	
Valid cases		10790	Missing cases		423

f) *Dummies*

F852 NO of dummies					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	5373	47.9	48.4	48.4
	1	913	8.1	8.2	56.7
	2	2027	18.1	18.3	75.0
	3	981	8.7	8.8	83.8
	4	990	8.8	8.9	92.7
	5	243	2.2	2.2	94.9
	6	364	3.2	3.3	98.2
	7	35	.3	.3	98.5
	8	61	.5	.5	99.1
	9	4	.0	.0	99.1
	10	69	.6	.6	99.7
	11	5	.0	.0	99.8
	12	13	.1	.1	99.9
	15	5	.0	.0	99.9
	16	1	.0	.0	99.9
	20	7	.1	.1	100.0
Missing	-1	122	1.1	Missing	
Total		11213	100.0	100.0	
Valid cases		11091	Missing cases		122

g) *Teats*

F853 NO of teats					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	1395	12.4	12.6	12.6
	1	144	1.3	1.3	13.9
	2	529	4.7	4.8	18.7
	3	563	5.0	5.1	23.8
	4	1248	11.1	11.3	35.1
	5	710	6.3	6.4	41.6
	6	2671	23.8	24.2	65.8
	7	518	4.6	4.7	70.5
	8	1353	12.1	12.3	82.7
	9	258	2.3	2.3	85.1
10+	10	1649	14.7	14.9	100.0
Missing	-1	175	1.6	Missing	
Total		11213	100.0	100.0	
Valid cases		11038	Missing cases		175

h) Feeding bottles

F854 NO of feeding bottles

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	1005	9.0	9.1	9.1
	1	271	2.4	2.4	11.5
	2	646	5.8	5.8	17.3
	3	697	6.2	6.3	23.6
	4	1313	11.7	11.8	35.4
	5	913	8.1	8.2	43.6
	6	3010	26.8	27.1	70.8
	7	690	6.2	6.2	77.0
	8	1251	11.2	11.3	88.2
	9	293	2.6	2.6	90.9
10+	10	1013	9.0	9.1	100.0
Missing	-1	111	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11102	Missing cases	111		

i) Child car seats

F855 NO of CH car seats

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	576	5.1	5.2	5.2
	1	4444	39.6	40.0	45.2
	2	4990	44.5	44.9	90.1
	3	937	8.4	8.4	98.5
	4	136	1.2	1.2	99.7
	5	27	.2	.2	99.9
	6	6	.1	.1	100.0
Missing	-1	97	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11116	Missing cases	97		

Derived variable

F856 Accident prevention score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	155	1.4	1.4	1.4
	1	643	5.7	5.7	7.1
	2	1449	12.9	12.9	20.0
	3	2322	20.7	20.7	40.7
	4	2676	23.9	23.9	64.6
	5	2636	23.5	23.5	88.1
	6	1332	11.9	11.9	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

13. *Below are a number of statements about how some people think a parent should behave with a baby. Please indicate how much you agree with them.*

Yes, I agree I'm unsure but probably agree I'm unsure but probably disagree No, I disagree

- a) *Babies should be picked up whenever they cry*

[If more than one box is ticked the highest number is coded]

F860 Should pick up crying baby					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Agree	1	3088	27.5	27.8 27.8
2	Unsure but agree	2	2270	20.2	20.5 48.3
3	Unsure but disagree	3	1490	13.3	13.4 61.7
4	Disagree	4	4244	37.8	38.3 100.0
-1	Missing	-1	121	1.1	Missing
		Total	11213	100.0	100.0
Valid cases	11092	Missing cases	121		

- b) *It is important to develop a regular pattern of feeding and sleeping with a baby*

[If more than one box is ticked the highest number is coded]

F861 REG feed & sleep important for baby					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Agree	1	8848	78.9	79.5 79.5
2	Unsure but agree	2	1376	12.3	12.4 91.8
3	Unsure but disagree	3	409	3.6	3.7 95.5
4	Disagree	4	499	4.5	4.5 100.0
-1	Missing	-1	81	.7	Missing
		Total	11213	100.0	100.0
Valid cases	11132	Missing cases	81		

- c) *Babies should be fed whenever they are hungry*

[If more than one box is ticked the highest number is coded]

F862 Should always feed hungry baby					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Agree	1	8484	75.7	76.4 76.4
2	Unsure but agree	2	1635	14.6	14.7 91.1
3	Unsure but disagree	3	477	4.3	4.3 95.4
4	Disagree	4	510	4.5	4.6 100.0
-1	Missing	-1	107	1.0	Missing
		Total	11213	100.0	100.0
Valid cases	11106	Missing cases	107		

d) *Babies need to be stimulated if they are to develop well*

[If more than one box is ticked the highest number is coded]

F863 Babies need stimulation to develop						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Agree		1	9825	87.6	88.8	88.8
Unsure but agree		2	1015	9.1	9.2	98.0
Unsure but disagree		3	138	1.2	1.2	99.2
Disagree		4	86	.8	.8	100.0
Missing		-1	149	1.3	Missing	
Total			11213	100.0	100.0	
Valid cases 11064		Missing cases 149				

e) *Babies need quiet secure surroundings and should not be disturbed too much*

[If more than one box is ticked the highest number is coded]

F864 Babies should not be disturbed much						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Agree		1	2263	20.2	20.5	20.5
Unsure but agree		2	2035	18.1	18.4	38.9
Unsure but disagree		3	2685	23.9	24.3	63.3
Disagree		4	4056	36.2	36.7	100.0
Missing		-1	174	1.6	Missing	
			-----	-----	-----	
Total			11213	100.0	100.0	
Valid cases 11039		Missing cases 174				

f) *Parents need to adapt their lives to the baby's demands*

[If more than one box is ticked the highest number is coded]

F865 Parents should adapt life to baby						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Agree		1	3565	31.8	32.3	32.3
Unsure but agree		2	2259	20.1	20.5	52.8
Unsure but disagree		3	1846	16.5	16.7	69.6
Disagree		4	3352	29.9	30.4	100.0
Missing		-1	191	1.7	Missing	
			-----	-----	-----	
Total			11213	100.0	100.0	
Valid cases 11022 Missing cases 191						

g) *A baby should fit into its parents routine*

[If more than one box is ticked the highest number is coded]

F866 Babies should fit into parents routine

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Agree	1	3734	33.3	34.1	34.1
Unsure but agree	2	2663	23.7	24.3	58.5
Unsure but disagree	3	2135	19.0	19.5	78.0
Disagree	4	2408	21.5	22.0	100.0
Missing	-1	273	2.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	10940	Missing cases	273		

h) *Babies should be left to develop naturally*

[If more than one box is ticked the highest number is coded]

F867 Babies development should be natural

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Agree	1	2963	26.4	27.3	27.3
Unsure but agree	2	2056	18.3	19.0	46.3
Unsure but disagree	3	2286	20.4	21.1	67.4
Disagree	4	3529	31.5	32.6	100.0
Missing	-1	379	3.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	10834	Missing cases	379		

i) *Talking, to even a very young baby, is important*

[If more than one box is ticked the highest number is coded]

F868 Important to talk to babies of all ages

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Agree	1	11059	98.6	99.3	99.3
Unsure but agree	2	62	.6	.6	99.9
Unsure but disagree	3	1	.0	.0	99.9
Disagree	4	10	.1	.1	100.0
Missing	-1	81	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11132	Missing cases	81		

j) *Cuddling a baby is very important*

[If more than one box is ticked the highest number is coded]

F869 Cuddling babies is important

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Agree	1	11060	98.6	99.4	99.4
Unsure but agree	2	54	.5	.5	99.8
Unsure but disagree	3	8	.1	.1	99.9
Disagree	4	9	.1	.1	100.0
Missing	-1	82	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11131	Missing cases	82		

14. *How many hours sleep do you get altogether now?*

None 1 -3 4 - 5 6 - 7 More than
hours hours hours 7 hours

a) *during an average night*

b) *during an average day*

[If more than one box is ticked the lowest number is coded]

F880 HRS slept per night at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	7	.1	.1	.1
1-3	2	81	.7	.7	.8
4-5	3	1309	11.7	11.8	12.5
6-7	4	5732	51.1	51.5	64.0
>7	5	4006	35.7	36.0	100.0
Missing	-1	78	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

F881 HRS slept per day at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	10115	90.2	93.1	93.1
1-3	2	679	6.1	6.2	99.3
4-5	3	25	.2	.2	99.6
6-7	4	24	.2	.2	99.8
>7	5	24	.2	.2	100.0
Missing	-1	346	3.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	10867	Missing cases	346		

15. *Do you feel that you are getting enough sleep?*

Yes No

[If more than one box is ticked and cannot be resolved the coder refers problem to supervisor]

F882 Getting enough sleep

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6629	59.1	59.8	59.8
N	2	4465	39.8	40.2	100.0
Missing	-1	119	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11094	Missing cases	119		

SECTION J: YOUR SOCIAL ENVIRONMENT

J1. a) Do the other people in your neighbourhood:

	<i>No, never</i>	<i>Rarely</i>	<i>Some- times</i>	<i>Often</i>	<i>Always</i>
i)	<i>visit your home</i>				
ii)	<i>argue with you</i>				
iii)	<i>look after your children</i>				
iv)	<i>keep to themselves</i>				

[If more than one box is ticked the lowest number is coded]

F890 Neighbourhood people visiting home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	1896	16.9	17.0	17.0
Rarely	2	2004	17.9	18.0	35.0
SMTS	3	4603	41.1	41.3	76.3
Often	4	2242	20.0	20.1	96.4
Always	5	401	3.6	3.6	100.0
Missing	-1	67	.6	Missing	
Total		11213	100.0	100.0	

Valid cases 11146 Missing cases 67

F891 Neighbourhood people argue with MUM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	9869	88.0	88.8	88.8
Rarely	2	955	8.5	8.6	97.4
SMTS	3	249	2.2	2.2	99.6
Often	4	26	.2	.2	99.8
Always	5	17	.2	.2	100.0
Missing	-1	97	.9	Missing	
Total		11213	100.0	100.0	

Valid cases 11116 Missing cases 97

F892 Neighbourhood people look after MUMS CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	7061	63.0	63.5	63.5
Rarely	2	1744	15.6	15.7	79.2
SMTS	3	2102	18.7	18.9	98.1
Often	4	197	1.8	1.8	99.9
Always	5	14	.1	.1	100.0
Missing	-1	95	.8	Missing	
Total		11213	100.0	100.0	

Valid cases 11118 Missing cases 95

F893 Neighbourhood people keep to themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	889	7.9	8.0	8.0
Rarely	2	1206	10.8	10.9	19.0
SMTS	3	3542	31.6	32.0	51.0
Often	4	3579	31.9	32.4	83.4
Always	5	1839	16.4	16.6	100.0
Missing	-1	158	1.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11055	Missing cases	158		

b) *Do you:*

No, Rarely Some- Often Always
never times

- i) *visit the home of your neighbours*
- ii) *argue with your neighbours*
- iii) *look after your neighbours children*
- iv) *keep to yourself*

[If more than one box is ticked the lowest number is coded]

F895 MUM visits neighbours homes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	2502	22.3	22.4	22.4
Rarely	2	2297	20.5	20.6	43.1
SMTS	3	4616	41.2	41.4	84.5
Often	4	1537	13.7	13.8	98.3
Always	5	193	1.7	1.7	100.0
Missing	-1	68	.6	Missing	
	Total	11213	100.0	100.0	
Valid cases	11145	Missing cases	68		

F896 MUM argues with neighbours

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	10073	89.8	90.6	90.6
Rarely	2	815	7.3	7.3	97.9
SMTS	3	207	1.8	1.9	99.7
Often	4	15	.1	.1	99.9
Always	5	13	.1	.1	100.0
Missing	-1	90	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11123	Missing cases	90		

F897 MUM looks after neighbours CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	7201	64.2	64.8	64.8
Rarely	2	1386	12.4	12.5	77.2
SMTS	3	2226	19.9	20.0	97.3
Often	4	282	2.5	2.5	99.8
Always	5	22	.2	.2	100.0
Missing	-1	96	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11117	Missing cases	96		

F898 MUM keeps to herself

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	1202	10.7	10.9	10.9
Rarely	2	1150	10.3	10.4	21.3
SMTS	3	3777	33.7	34.1	55.4
Often	4	3177	28.3	28.7	84.1
Always	5	1756	15.7	15.9	100.0
Missing	-1	151	1.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11062	Missing cases	151		

J2. *What do you think of your neighbourhood as a place to live?*
a very good place to live

a fairly good place to live
not a very good place to live
not at all a good place to live

[If more than one box is ticked the highest number is coded]

F900 MUMS opinion of neighbourhood to live in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V good	1	4896	43.7	43.9	43.9
Good	2	5388	48.1	48.3	92.2
Not V good	3	662	5.9	5.9	98.1
No good	4	211	1.9	1.9	100.0
Missing	-1	56	.5	Missing	
	Total	11213	100.0	100.0	
Valid cases	11157	Missing cases	56		

J3. *The following statements are about the help and support you have.*

<i>This is exactly how I feel</i>	<i>This is often how I feel</i>	<i>This is how I sometimes feel</i>	<i>I never feel this way</i>
---	---	---	--------------------------------------

a) *I have no one to share my feelings with*

[If more than one box is ticked the one with the lowest number is coded]

F910 No-one to share feelings with					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
	Felt exactly	1	243	2.2	2.2 2.2
	Felt often	2	818	7.3	7.4 9.6
	Felt SMTS	3	3472	31.0	31.3 40.8
	Never felt	4	6576	58.6	59.2 100.0
	Missing	-1	104	.9	Missing
		Total	11213	100.0	100.0
Valid cases	11109	Missing cases	104		

b) *My partner provides the emotional support I need* *No partner*

[If more than one box is ticked the one with the highest number is coded]

F911 PTNR provides EMOT support					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
	Felt exactly	1	4218	37.6	39.8 39.8
	Felt often	2	2955	26.4	27.9 67.7
	Felt SMTS	3	2615	23.3	24.7 92.3
	Never felt	4	815	7.3	7.7 100.0
	No partner	-2	475	4.2	Missing
	Missing	-1	135	1.2	Missing
		Total	11213	100.0	100.0
Valid cases	10603	Missing cases	610		

c) *There are other mothers with whom I can share my experiences*

[If more than one box is ticked the one with the highest number is coded]

F912 Share experiences with other mums					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
	Felt exactly	1	3801	33.9	34.3 34.3
	Felt often	2	3194	28.5	28.8 63.2
	Felt SMTS	3	2668	23.8	24.1 87.2
	Never felt	4	1413	12.6	12.8 100.0
	Missing	-1	137	1.2	Missing
		Total	11213	100.0	100.0
Valid cases	11076	Missing cases	137		

d) *I believe in moments of difficulty my neighbours would help me*

[If more than one box is ticked the one with the highest number is coded]

F913 Believe neighbours would help

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	3963	35.3	35.9	35.9
Felt often	2	2608	23.3	23.6	59.4
Felt SMTS	3	2559	22.8	23.2	82.6
Never felt	4	1923	17.1	17.4	100.0
Missing	-1	160	1.4	Missing	
	Total	11213	100.0	100.0	

Valid cases 11053 Missing cases 160

e) *I'm worried that my partner might leave me*

No partner

[If more than one box is ticked the one with the lowest number is coded]

F914 Worried PTNR might leave

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	129	1.2	1.2	1.2
Felt often	2	181	1.6	1.7	2.9
Felt SMTS	3	1282	11.4	12.1	15.0
Never felt	4	8994	80.2	85.0	100.0
No partner	-2	485	4.3	Missing	
Missing	-1	142	1.3	Missing	
	Total	11213	100.0	100.0	

Valid cases 10586 Missing cases 627

f) *There is always someone with whom I can share my happiness and excitement about my baby*

[If more than one box is ticked the one with the highest number is coded]

F915 Someone to share joy of CH with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	6986	62.3	63.2	63.2
Felt often	2	2621	23.4	23.7	86.9
Felt SMTS	3	1233	11.0	11.2	98.0
Never felt	4	218	1.9	2.0	100.0
Missing	-1	155	1.4	Missing	
	Total	11213	100.0	100.0	

Valid cases 11058 Missing cases 155

g) *If I feel tired I can rely on my partner to take over* *No partner*

[If more than one box is ticked the one with the highest number is coded]

F916 Can rely on PTNR if tired

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	3850	34.3	36.3	36.3
Felt often	2	2389	21.3	22.5	58.9
Felt SMTS	3	3221	28.7	30.4	89.3
Never felt	4	1135	10.1	10.7	100.0
No partner	-2	485	4.3	Missing	
Missing	-1	133	1.2	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 10595 Missing cases 618

h) *If I was in financial difficulty I know my family would help if they could*

[If more than one box is ticked the one with the highest number is coded]

F917 FAM would help if financial PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	7369	65.7	66.6	66.6
Felt often	2	1744	15.6	15.8	82.3
Felt SMTS	3	1222	10.9	11.0	93.3
Never felt	4	737	6.6	6.7	100.0
Missing	-1	141	1.3	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11072 Missing cases 141

i) *If I was in financial difficulty I know my friends would help if they could*

[If more than one box is ticked the one with the highest number is coded]

F918 FRDS would help if financial PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	2860	25.5	25.9	25.9
Felt often	2	1620	14.4	14.7	40.6
Felt SMTS	3	2539	22.6	23.0	63.6
Never felt	4	4016	35.8	36.4	100.0
Missing	-1	178	1.6	Missing	
		-----	-----	-----	
Total		11213	100.0	100.0	

Valid cases 11035 Missing cases 178

j) *If all else fails I know the state will support and assist me*

[If more than one box is ticked the highest number is coded]

F919 State will support if PROB

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	1624	14.5	14.8	14.8
Felt often	2	823	7.3	7.5	22.3
Felt SMTS	3	2818	25.1	25.7	48.0
Never felt	4	5712	50.9	52.0	100.0
Missing	-1	236	2.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	10977	Missing cases	236		

Derived variables

F920 Social support score 1

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
	1	2	.0	.0	.0
	2	1	.0	.0	.0
	3	6	.1	.1	.1
	4	15	.1	.1	.2
	5	21	.2	.2	.4
	6	37	.3	.4	.8
	7	49	.4	.5	1.3
	8	74	.7	.7	2.0
	9	104	.9	1.0	3.0
	10	161	1.4	1.6	4.6
	11	201	1.8	1.9	6.5
	12	297	2.6	2.9	9.4
	13	324	2.9	3.1	12.5
	14	372	3.3	3.6	16.1
	15	446	4.0	4.3	20.4
	16	532	4.7	5.1	25.6
	17	595	5.3	5.8	31.3
	18	661	5.9	6.4	37.7
	19	685	6.1	6.6	44.3
	20	728	6.5	7.0	51.4
	21	793	7.1	7.7	59.1
	22	759	6.8	7.3	66.4
	23	720	6.4	7.0	73.4
	24	717	6.4	6.9	80.3
	25	580	5.2	5.6	85.9
	26	454	4.0	4.4	90.3
	27	467	4.2	4.5	94.8
	28	202	1.8	2.0	96.8
	29	115	1.0	1.1	97.9
	30	217	1.9	2.1	100.0
No partner	-2	497	4.4	Missing	
Missing	-1	380	3.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	10336	Missing cases	877		

F921 Number of missing values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10793	96.3	96.3	96.3
	1	230	2.1	2.1	98.3
	2	40	.4	.4	98.7
	3	17	.2	.2	98.8
	4	7	.1	.1	98.9
	5	10	.1	.1	99.0
	6	5	.0	.0	99.0
	7	7	.1	.1	99.1
	8	14	.1	.1	99.2
	9	9	.1	.1	99.3
	10	81	.7	.7	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

F922 Social support score with modes for miss

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
	1	2	.0	.0	.0
	2	1	.0	.0	.0
	3	6	.1	.1	.1
	4	21	.2	.2	.3
	5	24	.2	.2	.5
	6	50	.4	.4	.9
	7	61	.5	.5	1.5
	8	85	.8	.8	2.3
	9	129	1.2	1.2	3.4
	10	193	1.7	1.7	5.1
	11	230	2.1	2.1	7.2
	12	340	3.0	3.1	10.3
	13	373	3.3	3.4	13.6
	14	427	3.8	3.8	17.5
	15	497	4.4	4.5	21.9
	16	581	5.2	5.2	27.1
	17	643	5.7	5.8	32.9
	18	713	6.4	6.4	39.3
	19	739	6.6	6.6	46.0
	20	772	6.9	6.9	52.9
	21	845	7.5	7.6	60.5
	22	799	7.1	7.2	67.7
	23	746	6.7	6.7	74.4
	24	769	6.9	6.9	81.3
	25	592	5.3	5.3	86.6
	26	464	4.1	4.2	90.8
	27	483	4.3	4.3	95.1
	28	210	1.9	1.9	97.0
	29	115	1.0	1.0	98.0
	30	221	2.0	2.0	100.0
Missing	-1	81	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11132	Missing cases	81		

For partners who are not present the variable was recoded to never rather than to the mode.

J4. *How would you rate the level of traffic in your street?*

Very busy *Busy* *Moderate* *Quiet* *Very quiet*

[If more than one box is ticked the lowest number is coded]

F925 Rating of traffic level in MUMS street

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V busy		1	878	7.8	7.9	7.9
Busy		2	1425	12.7	12.9	20.8
MOD		3	3089	27.5	27.9	48.7
Quiet		4	3406	30.4	30.8	79.5
V quiet		5	2267	20.2	20.5	100.0
Missing		-1	148	1.3	Missing	
			-----	-----	-----	
		Total	11213	100.0	100.0	
Valid cases	11065	Missing cases	148			

SECTION K: CHEMICALS IN YOUR ENVIRONMENT

K1. In the last few months, how often have you used the following (whether at home or at work):

<i>Every day</i>	<i>Most days</i>	<i>About once a week</i>	<i>Less than once a week</i>	<i>Not at all</i>
----------------------	----------------------	----------------------------------	--------------------------------------	-----------------------

[In the 1st version, the 4th option was 'less than once a month']

a) disinfectant

[If more than one box is ticked the one with the lowest code is taken]

F926 Disinfectant use in past MTHS						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily		1	1376	12.3	12.4	12.4
Most days		2	3492	31.1	31.4	43.8
About 1PWK		3	4107	36.6	36.9	80.7
<1PWK		4	1423	12.7	12.8	93.5
Not at all		5	720	6.4	6.5	100.0
Missing		-1	95	.8	Missing	
		Total	11213	100.0	100.0	
Valid cases	11118	Missing cases	95			

F926A Used disinfectant in past MTHS						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	10398	92.7	93.5	93.5
No		2	720	6.4	6.5	100.0
Missing		-1	95	.8	Missing	
		Total	11213	100.0	100.0	
Valid cases	11118	Missing cases	95			

b) bleach

[If more than one box is ticked the lowest number is coded]

F927 Bleach use in past MTHS						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily		1	664	5.9	6.0	6.0
Most days		2	2313	20.6	20.8	26.7
About 1PWK		3	5231	46.7	47.0	73.7
<1PWK		4	1884	16.8	16.9	90.6
Not at all		5	1043	9.3	9.4	100.0
Missing		-1	78	.7	Missing	
		Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78			

F927A Used bleach in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10092	90.0	90.6	90.6
No	2	1043	9.3	9.4	100.0
Missing	-1	78	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11135	Missing cases	78		

c) *window cleaner*

[If more than one box is ticked the lowest number is coded]

F928 Window cleaner use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	36	.3	.3	.3
Most days	2	197	1.8	1.8	2.1
About 1PWK	3	1896	16.9	17.0	19.1
<1PWK	4	6173	55.1	55.4	74.6
Not at all	5	2834	25.3	25.4	100.0
Missing	-1	77	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11136	Missing cases	77		

F928A Used window cleaner in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8302	74.0	74.6	74.6
No	2	2834	25.3	25.4	100.0
Missing	-1	77	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11136	Missing cases	77		

d) *carpet shampoo*

[If more than one box is ticked the lowest number is coded]

F929 Carpet shampoo use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	18	.2	.2	.2
Most days	2	88	.8	.8	1.0
About 1PWK	3	461	4.1	4.1	5.1
<1PWK	4	4795	42.8	43.1	48.2
Not at all	5	5770	51.5	51.8	100.0
Missing	-1	81	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11132	Missing cases	81		

F929A Used carpet shampoo in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5362	47.8	48.2	48.2
No	2	5770	51.5	51.8	100.0
Missing	-1	81	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11132	Missing cases	81		

e) *oven/drain cleaner*

[If more than one box is ticked the lowest number is coded]

F930 Oven or drain cleaner use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	58	.5	.5	.5
Most days	2	137	1.2	1.2	1.8
About 1PWK	3	831	7.4	7.5	9.2
<1PWK	4	4855	43.3	43.7	52.9
Not at all	5	5240	46.7	47.1	100.0
Missing	-1	92	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11121	Missing cases	92		

F930A Used oven/ drain cleaner in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5881	52.4	52.9	52.9
No	2	5240	46.7	47.1	100.0
Missing	-1	92	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11121	Missing cases	92		

f) *dry cleaning fluid*

[If more than one box is ticked the lowest number is coded]

F931 Dry cleaning fluid use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	26	.2	.2	.2
Most days	2	53	.5	.5	.7
About 1PWK	3	92	.8	.8	1.5
<1PWK	4	701	6.3	6.3	7.9
Not at all	5	10227	91.2	92.1	100.0
Missing	-1	114	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11099	Missing cases	114		

F931A Used dry cleaning fluid in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	872	7.8	7.9	7.9
No	2	10227	91.2	92.1	100.0
Missing	-1	114	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11099	Missing cases	114		

g) *turpentine/white spirit*

[If more than one box is ticked the lowest number is coded]

F932 TURPS or white spirit use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	7	.1	.1	.1
Most days	2	22	.2	.2	.3
About 1PWK	3	160	1.4	1.4	1.7
<1PWK	4	2520	22.5	22.6	24.3
Not at all	5	8417	75.1	75.7	100.0
Missing	-1	87	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11126	Missing cases	87		

F932A Used TURPS or white spirit in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2709	24.2	24.3	24.3
No	2	8417	75.1	75.7	100.0
Missing	-1	87	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11126	Missing cases	87		

h) *paint stripper*

[If more than one box is ticked the lowest number is coded]

F933 Paint stripper use in past in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	4	.0	.0	.0
Most days	2	9	.1	.1	.1
About 1PWK	3	32	.3	.3	.4
<1PWK	4	779	6.9	7.0	7.4
Not at all	5	10295	91.8	92.6	100.0
Missing	-1	94	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11119	Missing cases	94		

F933A Used paint stripper in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	824	7.3	7.4	7.4
No	2	10295	91.8	92.6	100.0
Missing	-1	94	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11119	Missing cases	94		

i) household paint or varnish

[If more than one box is ticked the lowest number is coded]

F934 HHOLD paint or varnish use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	8	.1	.1	.1
Most days	2	56	.5	.5	.6
About 1PWK	3	246	2.2	2.2	2.8
<1PWK	4	3397	30.3	30.5	33.3
Not at all	5	7422	66.2	66.7	100.0
Missing	-1	84	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11129	Missing cases	84		

F934A Used HHOLD paint or varnish in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3707	33.1	33.3	33.3
No	2	7422	66.2	66.7	100.0
Missing	-1	84	.7	Missing	
	Total	11213	100.0	100.0	
Valid cases	11129	Missing cases	84		

j) weed killers

[If more than one box is ticked the lowest number is coded]

F935 Weedkiller use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most days	2	4	.0	.0	.0
About 1PWK	3	55	.5	.5	.5
<1PWK	4	1380	12.3	12.4	12.9
Not at all	5	9685	86.4	87.1	100.0
Missing	-1	89	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11124	Missing cases	89		

F935A Used weedkiller in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1439	12.8	12.9	12.9
No	2	9685	86.4	87.1	100.0
Missing	-1	89	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11124	Missing cases	89		

k) *pesticides/insect killers*

[If more than one box is ticked the lowest number is coded]

F936 Insecticide use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	8	.1	.1	.1
Most days	2	36	.3	.3	.4
About 1PWK	3	254	2.3	2.3	2.7
<1PWK	4	2089	18.6	18.8	21.5
Not at all	5	8701	77.6	78.5	100.0
Missing	-1	125	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11088	Missing cases	125		

F936A Used insecticide in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2387	21.3	21.5	21.5
No	2	8701	77.6	78.5	100.0
Missing	-1	125	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11088	Missing cases	125		

l) *aerosols or sprays including hair spray*

[If more than one box is ticked the lowest number is coded]

F937 Aerosol use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	3050	27.2	27.5	27.5
Most days	2	2630	23.5	23.7	51.1
About 1PWK	3	1550	13.8	14.0	65.1
<1PWK	4	1431	12.8	12.9	78.0
Not at all	5	2445	21.8	22.0	100.0
Missing	-1	107	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11106	Missing cases	107		

F937A Used aerosol in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8661	77.2	78.0	78.0
No	2	2445	21.8	22.0	100.0
Missing	-1	107	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11106	Missing cases	107		

m) hair dye/bleach

[If more than one box is ticked the lowest number is coded]

F938 Hairdye or bleach use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	30	.3	.3	.3
Most days	2	38	.3	.3	.6
About 1PWK	3	71	.6	.6	1.3
<1PWK	4	1753	15.6	15.8	17.1
Not at all	5	9190	82.0	82.9	100.0
Missing	-1	131	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11082	Missing cases	131		

F938A Used hairdye or bleach in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1892	16.9	17.1	17.1
No	2	9190	82.0	82.9	100.0
Missing	-1	131	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11082	Missing cases	131		

n) deodorants

[If more than one box is ticked the lowest number is coded]

F939 Deodorant use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	8832	78.8	79.5	79.5
Most days	2	1479	13.2	13.3	92.8
About 1PWK	3	175	1.6	1.6	94.4
<1PWK	4	144	1.3	1.3	95.7
Not at all	5	476	4.2	4.3	100.0
Missing	-1	107	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11106	Missing cases	107		

F939A Used deodorant in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	10630	94.8	95.7	95.7
No	2	476	4.2	4.3	100.0
Missing	-1	107	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11106	Missing cases	107		

o) *air fresheners (spray, stick or aerosol)*

[If more than one box is ticked the lowest number is coded]

F940 Air freshener use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	1920	17.1	17.3	17.3
Most days	2	2294	20.5	20.6	37.9
About 1PWK	3	2069	18.5	18.6	56.5
<1PWK	4	1557	13.9	14.0	70.6
Not at all	5	3271	29.2	29.4	100.0
Missing	-1	102	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11111	Missing cases	102		

F940A Used air freshner in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7840	69.9	70.6	70.6
No	2	3271	29.2	29.4	100.0
Missing	-1	102	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11111	Missing cases	102		

p) *ceramics/enamels*

[If more than one box is ticked the lowest number is coded]

F941 Ceramics or enamel use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	54	.5	.5	.5
Most days	2	43	.4	.4	.9
About 1PWK	3	77	.7	.7	1.6
<1PWK	4	231	2.1	2.1	3.7
Not at all	5	10672	95.2	96.3	100.0
Missing	-1	136	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11077	Missing cases	136		

F941A Used ceramic or enamels in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	405	3.6	3.7	3.7
No	2	10672	95.2	96.3	100.0
Missing	-1	136	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11077	Missing cases	136		

q) *soldering*

[If more than one box is ticked the lowest number is coded]

F942 Soldering in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	2	.0	.0	.0
Most days	2	6	.1	.1	.1
About 1PWK	3	13	.1	.1	.2
<1PWK	4	191	1.7	1.7	1.9
Not at all	5	10902	97.2	98.1	100.0
Missing	-1	99	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11114	Missing cases	99		

F942A Soldered in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	212	1.9	1.9	1.9
No	2	10902	97.2	98.1	100.0
Missing	-1	99	.9	Missing	
	Total	11213	100.0	100.0	
Valid cases	11114	Missing cases	99		

r) *dental amalgam*

[If more than one box is ticked the lowest number is coded]

F943 Dental amalgam use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	98	.9	.9	.9
Most days	2	42	.4	.4	1.3
About 1PWK	3	27	.2	.2	1.5
<1PWK	4	220	2.0	2.0	3.5
Not at all	5	10588	94.4	96.5	100.0
Missing	-1	238	2.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	10975	Missing cases	238		

F943A Used dental amalgam in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	387	3.5	3.5	3.5
No	2	10588	94.4	96.5	100.0
Missing	-1	238	2.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	10975	Missing cases	238		

s) *electroplating*

[If more than one box is ticked the lowest number is coded]

F944 Electroplating in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	1	.0	.0	.0
About 1PWK	3	5	.0	.0	.1
<1PWK	4	27	.2	.2	.3
Not at all	5	11044	98.5	99.7	100.0
Missing	-1	136	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11077	Missing cases	136		

F944A Electroplated in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	33	.3	.3	.3
No	2	11044	98.5	99.7	100.0
Missing	-1	136	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11077	Missing cases	136		

t) *glues*

[If more than one box is ticked the lowest number is coded]

F945 Glue use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	9	.1	.1	.1
Most days	2	59	.5	.5	.6
About 1PWK	3	308	2.7	2.8	3.4
<1PWK	4	3348	29.9	30.1	33.5
Not at all	5	7397	66.0	66.5	100.0
Missing	-1	92	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11121	Missing cases	92		

F945A Used glue in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3724	33.2	33.5	33.5
No	2	7397	66.0	66.5	100.0
Missing	-1	92	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11121	Missing cases	92		

u) *leather working*

[If more than one box is ticked the lowest number is coded]

F946 Leather working in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	3	.0	.0	.0
Most days	2	5	.0	.0	.1
About 1PWK	3	4	.0	.0	.1
<1PWK	4	35	.3	.3	.4
Not at all	5	11072	98.7	99.6	100.0
Missing	-1	94	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11119	Missing cases	94		

F946A Leather worked in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	47	.4	.4	.4
No	2	11072	98.7	99.6	100.0
Missing	-1	94	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11119	Missing cases	94		

v) *fabric/textiles*

[If more than one box is ticked the lowest number is coded]

F947 Textile use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	82	.7	.7	.7
Most days	2	125	1.1	1.1	1.9
About 1PWK	3	238	2.1	2.1	4.0
<1PWK	4	743	6.6	6.7	10.7
Not at all	5	9911	88.4	89.3	100.0
Missing	-1	114	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11099	Missing cases	114		

F947A Used textiles in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1188	10.6	10.7	10.7
No	2	9911	88.4	89.3	100.0
Missing	-1	114	1.0	Missing	
	Total	11213	100.0	100.0	
Valid cases	11099	Missing cases	114		

w) *dyes*

[If more than one box is ticked the lowest number is coded]

F948 Dye use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	2	.0	.0	.0
Most days	2	9	.1	.1	.1
About 1PWK	3	15	.1	.1	.2
<1PWK	4	168	1.5	1.5	1.7
Not at all	5	10926	97.4	98.3	100.0
Missing	-1	93	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11120	Missing cases	93		

F948A Used dye in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	194	1.7	1.7	1.7
No	2	10926	97.4	98.3	100.0
Missing	-1	93	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11120	Missing cases	93		

x) *radiation (x-ray or other)*

[If more than one box is ticked the lowest number is coded]

F949 Radiation in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	10	.1	.1	.1
Most days	2	30	.3	.3	.4
About 1PWK	3	57	.5	.5	.9
<1PWK	4	252	2.2	2.3	3.1
Not at all	5	10772	96.1	96.9	100.0
Missing	-1	92	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11121	Missing cases	92		

F949A Radiation in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	349	3.1	3.1	3.1
No	2	10772	96.1	96.9	100.0
Missing	-1	92	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11121	Missing cases	92		

y) *plastics*

[If more than one box is ticked the lowest number is coded]

F950 Plastic use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	185	1.6	1.7	1.7
Most days	2	121	1.1	1.1	2.8
About 1PWK	3	46	.4	.4	3.2
<1PWK	4	99	.9	.9	4.1
Not at all	5	10604	94.6	95.9	100.0
Missing	-1	158	1.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11055	Missing cases	158		

F950A Used plastic in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	451	4.0	4.1	4.1
No	2	10604	94.6	95.9	100.0
Missing	-1	158	1.4	Missing	
	Total	11213	100.0	100.0	
Valid cases	11055	Missing cases	158		

z) *metal cleaners/degreasers, polishers*

[If more than one box is ticked the lowest number is coded]

F951 Metal cleaner use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	99	.9	.9	.9
Most days	2	173	1.5	1.6	2.5
About 1PWK	3	440	3.9	4.0	6.4
<1PWK	4	1226	10.9	11.1	17.5
Not at all	5	9138	81.5	82.5	100.0
Missing	-1	137	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11076	Missing cases	137		

F951A Used metal cleaner in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1938	17.3	17.5	17.5
No	2	9138	81.5	82.5	100.0
Missing	-1	137	1.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	11076	Missing cases	137		

za) petrol

[If more than one box is ticked the lowest number is coded]

F952 Petrol use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	312	2.8	2.8	2.8
Most days	2	459	4.1	4.1	7.0
About 1PWK	3	2366	21.1	21.4	28.3
<1PWK	4	1650	14.7	14.9	43.2
Not at all	5	6285	56.1	56.8	100.0
Missing	-1	141	1.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11072	Missing cases	141		

F952A Used petrol in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4787	42.7	43.2	43.2
No	2	6285	56.1	56.8	100.0
Missing	-1	141	1.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11072	Missing cases	141		

zb) machining

[If more than one box is ticked the lowest number is coded]

F953 Machine use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	45	.4	.4	.4
Most days	2	67	.6	.6	1.0
About 1PWK	3	82	.7	.7	1.8
<1PWK	4	246	2.2	2.2	4.0
Not at all	5	10629	94.8	96.0	100.0
Missing	-1	144	1.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11069	Missing cases	144		

F953A Machined in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	440	3.9	4.0	4.0
No	2	10629	94.8	96.0	100.0
Missing	-1	144	1.3	Missing	
	Total	11213	100.0	100.0	
Valid cases	11069	Missing cases	144		

zc) *photographic chemicals*

[If more than one box is ticked the lowest number is coded]

F954 PHOTO chemical use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	5	.0	.0	.0
Most days	2	13	.1	.1	.2
About 1PWK	3	17	.2	.2	.3
<1PWK	4	49	.4	.4	.8
Not at all	5	11036	98.4	99.2	100.0
Missing	-1	93	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11120	Missing cases	93		

F954A Used PHOTO chemical in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	84	.7	.8	.8
No	2	11036	98.4	99.2	100.0
Missing	-1	93	.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11120	Missing cases	93		

zd) *electrical wiring*

[If more than one box is ticked the lowest number is coded]

F955 ELEC wiring in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	86	.8	.8	.8
Most days	2	41	.4	.4	1.1
About 1PWK	3	38	.3	.3	1.5
<1PWK	4	349	3.1	3.1	4.6
Not at all	5	10577	94.3	95.4	100.0
Missing	-1	122	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11091	Missing cases	122		

F955A Electrical wiring in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	514	4.6	4.6	4.6
No	2	10577	94.3	95.4	100.0
Missing	-1	122	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11091	Missing cases	122		

ze) *diesel*

[If more than one box is ticked the lowest number is coded]

F956 Diesel use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	19	.2	.2	.2
Most days	2	20	.2	.2	.4
About 1PWK	3	119	1.1	1.1	1.4
<1PWK	4	146	1.3	1.3	2.7
Not at all	5	10781	96.1	97.3	100.0
Missing	-1	128	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11085	Missing cases	128		

F956A Used diesel in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	304	2.7	2.7	2.7
No	2	10781	96.1	97.3	100.0
Missing	-1	128	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11085	Missing cases	128		

zf) *other chemical (please describe)*

[Keyed as text]

[If more than one box is ticked the lowest number is coded]

F957 Other CHEM use in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	47	.4	.5	.5
Most days	2	75	.7	.9	1.4
About 1PWK	3	34	.3	.4	1.8
<1PWK	4	46	.4	.5	2.3
Not at all	5	8564	76.4	97.7	100.0
Missing	-1	2447	21.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	8766	Missing cases	2447		

F957A Used other chemical in past MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	202	1.8	2.3	2.3
No	2	8564	76.4	97.7	100.0
Missing	-1	2447	21.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	8766	Missing cases	2447		

K2. *Is your baby ever exposed to chemicals or fumes?**Yes No*

F960 CH ever exposed to CHEMS/fumes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1037	9.2	9.6	9.6
N	2	9814	87.5	90.4	100.0
Missing	-1	362	3.2	Missing	
	Total	11213	100.0	100.0	
Valid cases	10851	Missing cases	362		

If yes, please describe:

[Keyed as text]

SECTION L

L1. Please put the date of completing this questionnaire:

day month year

[If left blank coder copied month & year the form was returned given from stamped receipt date on front cover, the days are coded as 99]

F990 Date of completing questionnaire-month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	779	6.9	7.0	7.0
	2	560	5.0	5.0	12.0
	3	636	5.7	5.7	17.6
	4	1435	12.8	12.8	30.4
	5	1397	12.5	12.5	42.9
	6	1707	15.2	15.2	58.1
	7	1154	10.3	10.3	68.4
	8	1055	9.4	9.4	77.9
	9	813	7.3	7.3	85.1
	10	628	5.6	5.6	90.7
	11	623	5.6	5.6	96.3
	12	416	3.7	3.7	100.0
Missing	-1	10	.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11203	Missing cases	10		

F991 Date of completing questionnaire-year

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	91	37	.3	.3	.3
	92	6488	57.9	58.5	58.8
	93	4564	40.7	41.2	100.0
Missing	-1	124	1.1	Missing	
	Total	11213	100.0	100.0	
Valid cases	11089	Missing cases	124		

L2. Please give your date of birth:

day month year

F992 Age of mother at completion

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
15			1	.0	.0	.0
16			6	.1	.1	.1
17			46	.4	.4	.5
18			71	.6	.6	1.1
19			97	.9	.9	2.0
20			187	1.7	1.7	3.6
21			225	2.0	2.0	5.6
22			282	2.5	2.5	8.2
23			360	3.2	3.2	11.4
24			491	4.4	4.4	15.8
25			637	5.7	5.7	21.4
26			796	7.1	7.1	28.5
27			899	8.0	8.0	36.6
28			927	8.3	8.3	44.8
29			981	8.7	8.8	53.6
30			918	8.2	8.2	61.8
31			835	7.4	7.4	69.2
32			774	6.9	6.9	76.1
33			665	5.9	5.9	82.0
34			513	4.6	4.6	86.6
35			430	3.8	3.8	90.5
36			315	2.8	2.8	93.3
37			217	1.9	1.9	95.2
38			200	1.8	1.8	97.0
39			119	1.1	1.1	98.0
40			91	.8	.8	98.9
41			69	.6	.6	99.5
42			32	.3	.3	99.8
43			14	.1	.1	99.9
44			7	.1	.1	99.9
45			6	.1	.1	100.0
Missing			-1	2	.0	Missing
Total			11213	100.0	100.0	
Valid cases	11211	Missing cases	2			

L3. Please give your baby's date of birth:

day month year

[not asked in 1st version]

F993 Age of child at completion in months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3	3	.0	.0	.0
	4	4	.0	.0	.1
	6	1	.0	.0	.1
	7	2	.0	.0	.1
	8	7611	67.9	67.9	68.0
	9	1210	10.8	10.8	78.8
	10	1119	10.0	10.0	88.7
	11	547	4.9	4.9	93.6
	12	399	3.6	3.6	97.2
	13	172	1.5	1.5	98.7
	14	53	.5	.5	99.2
	15	37	.3	.3	99.5
	16	26	.2	.2	99.7
	17	5	.0	.0	99.8
	18	7	.1	.1	99.8
	19	5	.0	.0	99.9
	20	2	.0	.0	99.9
	21	1	.0	.0	99.9
	22	2	.0	.0	99.9
	23	2	.0	.0	100.0
	24	2	.0	.0	100.0
	26	2	.0	.0	100.0
	28	1	.0	.0	100.0
	Total	11213	100.0	100.0	
Valid cases	11213	Missing cases	0		

L4. This questionnaire was completed by:

child's biological mother

child's foster/adopted mother

child's biological father

someone else (please describe)

[Keyed as text]

[If more than one tick then recoded as “someone else” and the relevant numbers are written on the “please describe” line]

F995 Person completing questionnaire

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Biological MUM	1	10940	97.6	99.4	99.4
Other MUM	2	14	.1	.1	99.5
Biological DAD	3	10	.1	.1	99.6
Someone else	4	43	.4	.4	100.0
Missing	-1	206	1.8	Missing	
	Total	11213	100.0	100.0	
Valid cases	11007	Missing cases	206		