

THE ALSPAC STUDY

PB FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Partner's Questionnaire

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 4b of the built file.

January 2019

© University of Bristol

CONTENTS

Part 1:

The ALSPAC Study

- Study eligibility criteria
- Enrolment
- Questionnaire administration during pregnancy
- Time of administration
- Contents of questionnaire

Part 2:

Format of the variable descriptors

Administration of questionnaires

The variables

References

Index to variables

PART 1

THE ALSPAC STUDY

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

Enrolment

An enrolment card was completed by the mother which contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

Questionnaire Administration during Pregnancy

Approximately 7 days after the brochure had been sent out and provided we had not heard from the mother that she did not want to take part in the study, the first questionnaire was posted to her. The nature of the questionnaire depended on her gestation at enrolment. The scheme for sending the questionnaires is illustrated in Figure 1. In brief, there were 4 questionnaires administered to the mother during pregnancy, and these were designed so that two were to be sent out at a fixed time point - 'Having a Baby' at 18 weeks' gestation and 'Your Pregnancy' at 32 weeks' gestation. Provided she enrolled before 14 weeks' gestation, the questionnaire 'Your Environment' was sent to her immediately after enrolment. This questionnaire was designed in particular to identify those features of the early environment that might be responsible for effects on the fetus. The fourth questionnaire 'About Yourself' was mainly concerned with features that referred to the mother's past medical, social and environmental history, and consequently the time during pregnancy at which this was administered was relatively unimportant. If necessary, therefore, this questionnaire was sent out after the baby had been born.

The Partner

Questionnaires were also designed for the partner. We did not, however, have the name of the mother's partner and indeed we did not want to involve the partner without the mother's permission.

We therefore invoked the following procedure. Questionnaires for partners were timed to coincide with a questionnaire for the mother. The pair was sent together to the mother, accompanied by a letter which explained that we were enclosing a questionnaire for her partner: if she would like him to be involved, then we would like her to hand it to him, but if she did not want him to be involved that was fine. The decision was hers. We did not stipulate a particular definition of partner (i.e. male or female), and left it to the mother to make such a decision. Nevertheless, information obtained from the partner identifies whether he is (or thinks he is) the biological father of the child and indeed whether he is living with the mother of the child. A letter was enclosed with each partner's questionnaire and also a pre-paid envelope, so that his responses could remain confidential if he so wished. If a woman wrote and informed us that she had no partner, or that he was not interested, then we did not include questionnaires for him from then on. Later, in the postnatal phase, the mother was informed that although the words he/him were used throughout, we welcomed response by all partners.

Time of administration

During pregnancy, two questionnaires for partners were sent - one accompanied the 18-week 'Having a Baby' questionnaire and one accompanied 'About Yourself' (and in some circumstances were sent postnatally). The Partner's Questionnaire accompanied 'Having a Baby' for enrollments before 24 weeks gestation and 'Your Home & Lifestyle' for those enrolling at 24 weeks or later.

Gestation at enrolment	ENV	AY	HAB	YP	YHL
<6	<6	14	18	32	-
6	6	14	18	32	-
7	7	14	18	32	-
8	8	14	18	32	-
9	9	14	18	32	-
10	10	14	18	32	-
11	11	23	18	32	-
12	12	23	18	32	-
13	13	23	18	32	-
14	14	23	18	32	-
15	22	26	18	32	-
16	22	26	18	32	-
17	22	26	18	32	-
18	22	26	18	32	-
19	24	28	19	32	-
20	24	28	20	32	-
21	24	28	21	32	-
22	28	36	22	32	-
23	28	36	23	32	-
24	-	33	-	29	24
25	-	34	-	30	25
26	-	35	-	31	26
27	-	36	-	32	27
28	-	36	-	32	28
29	-	36	-	32	29
30	-	37	-	33	30
31	-	X	-	31	34
32	-	X	-	32	35
33	-	X	-	33	36
34	-	X	-	34	37
35	-	X	-	35	37
36	-	X	-	36	38
37	-	X	-	37	39
38	-	X	-	38	40
39	-	X	-	39	41
40	-	X	-	40	41

ENV = Your Environment; AY = About Yourself; HAB = Having a Baby; YP = Your Pregnancy; YHL = Your Home and Lifestyle; AY was accompanied by 'You and Your Environment', HAB or YHL by 'Partner's Questionnaire'.

A.6. Partner's Questionnaire

This questionnaire, 40 pages in length, was sent to the mother to give to the partner if she wanted to do so at 18 weeks gestation. It comprised 9 sections which were similar to various sections in 'Having a Baby' and 'Your Pregnancy'.

Section A. Your Reactions to Becoming a Parent

This section was very similar to Section C of 'Having a Baby'.

Section B. Activities & Lifestyle

This section asked how many times a week the partner engaged in regular activity long enough to work up a sweat and allowed him to give his subjective assessment of how energetic and active he was compared with other men of his age. A number of dietary questions were also asked concentrating mainly on vegetables and fruit, and sources of protein, separating fish from meat and offal. Information was also obtained on caffeine-containing and decaffeinated drinks, the type of water drunk, the history of vegetarianism or veganism. This section also contained a life-time history of smoking including smoking at the start of the current pregnancy, and in the preceding two weeks, smoking of marijuana prior to pregnancy and in the last 3 months and the taking in the past 3 months of illicit drugs. Alcohol consumption before pregnancy and in the past 3 months were also obtained, as were the number of binges in the past month and the alcoholic drink most often drunk.

Section C. Your Family & Friends

This comprised the social network questions and perceived social support, belief or otherwise in God and support from religious groups. The section was identical to Section D in the questionnaire 'About Yourself'.

Section D. Recent Events

This comprised a similar list of life events which were asked in the same way as Section F in 'Having a Baby'.

Section E. Your Feelings

These comprised the Crown-Crisp Experiential Index and the Edinburgh Post-Natal Depression Scale together with questions concerning the perceived change in themselves and in their partner. The whole section was identical to Section D of 'Having a Baby'.

Section F. Education & Occupation

This section was identical to Section H of 'Your Pregnancy' with the exception of the victimisation questions which were omitted.

Section G. Your Own Childhood

This comprised the childhood life events which were identical to those asked of the mother in Section D of 'Your Pregnancy'. Information was also obtained concerning the

schools attended, whether the partner thought that school was a valuable experience, and whether the partner was frequently away from school due to illness or truancy.

Section H. About You

The Inter-Personal Sensitivity Measure described in Section H of 'Having a Baby'.

Section I. Being a Parent

These questions on attitude to parenting were similar to those of Section I of 'Your Pregnancy'.

Section J. Infant Feeding

These questions on attitude were similar to those asked in Section G of 'Your Pregnancy'.

PART 2

Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist).
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

Administration

The number of pregnancies for which a Partner's Questionnaire was completed was 10,000 exactly. This was 75% of the no. of mothers completing the Having a Baby or Your Health and Lifestyle questionnaires.

Form no.

There were 4 versions of the full Partner's Questionnaire, dated 30.10.90, 19.3.91, 15.7.91 and 6.2.92. In addition there was a shortened questionnaire for partners who had been in the study with a previous pregnancy, dated 15.11.91

PB001

Value Label	Value	Valid		Cum	
		Frequency	Percent	Percent	Percent
301090	1	2028	20.3	20.3	20.3
190391	2	2242	22.4	22.4	42.7
150791	3	3557	35.6	35.6	78.3
151191	4	61	.6	.6	78.9
60292	5	2112	21.1	21.1	100.0
Total		10000	100.0	100.0	

Valid cases 10000 Missing cases 0

All questions omitted from the shortened questionnaire are indicated by the symbol †, and the answers to the questions on the first questionnaire they answered have been edited in.

UPDATE SUMMARY

Built version 3b – December 2008

40 records identified as belonging to ineligible pregnancies were removed. Due to extension of direct access to ALSPAC data to non-ALSPAC staff and in order to comply with guidance issued in 1996 by the ALSPAC Law & Ethics Committee regarding the confidentiality of multiple pregnancies 3 records for triplet and quadruplet pregnancies were removed. The sample size therefore dropped from 10,000 to 9,957.

Variables k1dd to k1yy and ins, which should not have been on a built file, were removed.

Note that the frequency tables in this documentation have not been updated, so they will not exactly match those generated from the current version of the built file.

Version 4a - November 2018

The previous version with the following data added:

- Month (*pb902*) and year (*pb903*) of completion
- The empty interviewer variable *pb999* has been dropped

Version 4b – January 2019

- Variable PB080 removed for confidentiality, data available on request, tar and nicotine content variables calculated from PB080 are in the dataset (PB081 & PB082).

SECTION A: YOUR REACTIONS TO BECOMING A PARENT

- A1. *How would you describe your reaction when you first found your partner was pregnant? (Tick one box only)*
 [This instruction not included in 1st version]
 [For 2nd pregnancies in the study the words were changed to 'your reaction this time when you found ...']

*overjoyed**pleased**mixed feelings**not happy**very unhappy**no particular feelings*

[When more than 1 box was ticked, the one with the higher code was taken]

(There were only 63 who answered 'no particular feelings'; these have been recoded to 3)

PB002		Reaction when found PTNR PREG				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Overjoyed		1	4212	42.1	42.5	42.5
Pleased		2	3730	37.3	37.6	80.1
Mixed feelings		3	1686	16.9	17.0	97.1
Not happy		4	179	1.8	1.8	98.9
V unhappy		5	105	1.1	1.1	100.0
		-1	88	.9	Missing	

		Total	10000	100.0	100.0	
Valid cases	9912	Missing cases	88			

- A2.a)† *Does becoming a father mean giving up something that is important to you?*

*yes, a great deal**yes, quite a lot**not really**definitely not**don't know*

[When more than 1 box was ticked, the one with the higher code was taken]

PB003		Being father means sacrifices				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y great deal		1	444	4.4	4.6	4.6
Y quite a lot		2	1143	11.4	12.0	16.6
Not really		3	5441	54.4	56.9	73.5
Definitely not		4	2531	25.3	26.5	100.0
		-1	441	4.4	Missing	

		Total	10000	100.0	100.0	
Valid cases	9559	Missing cases	441			

Please add any extra comments you wish to make:

[Text has been keyed but not coded]

A2.b) †Does becoming a father give you new opportunities and interests?

*yes, a great deal**yes, quite a lot**not really**definitely not**don't know*

[When more than 1 box was ticked, the one with the higher code was taken]

PB004 Being father means new opportunities

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y great deal	1	3101	31.0	32.6	32.6
Y quite a lot	2	4167	41.7	43.8	76.4
Not really	3	2135	21.3	22.4	98.8
Definitely not	4	112	1.1	1.2	100.0
	-1	485	4.9	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9515	Missing cases	485		

Please add any extra comments you wish to make:

[Keyed as text]

A3. How do you feel about the pregnancy now? (Tick one box only)

*overjoyed**pleased**mixed feelings**not happy**very unhappy**no particular feelings*

[When more than 1 box was ticked, the one with the higher code was taken]

(The 93 who recorded 'no particular feelings' have been recoded to 3)

PB005 PRES feeling about PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Overjoyed	1	3811	38.1	38.5	38.5
Pleased	2	5168	51.7	52.2	90.7
Mixed feelings	3	834	8.3	8.4	99.1
Not happy	4	37	.4	.4	99.5
V unhappy	5	48	.5	.5	100.0
	-1	102	1.0	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9898	Missing cases	102		

A4. *Do you want a boy or girl?*

boy *girl* *don't mind*
 [If the child's sex was stated as already known, 4 was coded]

PB006 Prefer boy or girl

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Boy	1	1908	19.1	19.3	19.3
Girl	2	1233	12.3	12.5	31.8
Dont mind	3	6708	67.1	67.9	99.7
Sex known	4	20	.2	.2	99.9
Having twins	5	10	.1	.1	100.0
	-1	121	1.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9879	Missing cases	121		

A5. *Do you think your partner wants a boy or girl?*

boy *girl* *doesn't mind*
 [If the child's sex was stated as already known, 4 was coded]

PB007 Think PTNR prefers boy or girl

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Boy	1	1542	15.4	15.6	15.6
Girl	2	2575	25.8	26.1	41.7
Dont mind	3	5718	57.2	58.0	99.7
Sex known	4	19	.2	.2	99.9
Having twins	5	9	.1	.1	100.0
	-1	137	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9863	Missing cases	137		

A6. *Have you decided on the names for the child yet?*

yes, but boys names only
yes, but girls names only
yes, both names
no, haven't decided
no, haven't thought about it

PB008 Decided on name for CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Boys names only	1	860	8.6	8.7	8.7
Girls names only	2	994	9.9	10.0	18.7
Girl & boy names	3	2933	29.3	29.6	48.3
Havent decided	4	4608	46.1	46.5	94.8
Havent thought	5	511	5.1	5.2	100.0
	6	2	.0	.0	100.0
	-1	92	.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9908	Missing cases	92		

A7. *Would you like to be with your partner while she has the baby?*

yes, I want this very much

yes, I would quite like this

I don't mind

no, I would prefer not to do this [1st version: ... 'not to have this']

no, I definitely do not want this

PB009 Want to be PRES at birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Want V much	1	7093	70.9	71.6	71.6
Quite like this	2	1677	16.8	16.9	88.6
Dont mind	3	694	6.9	7.0	95.6
Prefer not	4	340	3.4	3.4	99.0
Definitely not	5	98	1.0	1.0	100.0
	-1	98	1.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9902	Missing cases	98		

SECTION B: ACTIVITIES AND LIFESTYLE

B1. Which of the following statements best applied to you just before your partner became pregnant, and now.

*Very
energetic*

*Quite
energetic*

*Lacking in
energy*

a) *Before your partner became pregnant*

[For 2nd pregnancies, the words 'this time' were added]

[When more than 1 box was ticked, the one with the higher code was taken]

PB010 Energetic before PTNR became PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very	1	2443	24.4	24.7	24.7
Quite	2	6678	66.8	67.5	92.2
No energy	3	769	7.7	7.8	100.0
	-1	110	1.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9890	Missing cases	110		

b) *Now*

[When more than 1 box was ticked, the one with the higher code was taken]

PB011 Energetic at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very	1	2073	20.7	21.1	21.1
Quite	2	6344	63.4	64.7	85.8
No energy	3	1395	14.0	14.2	100.0
	-1	188	1.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9812	Missing cases	188		

B1.c) Compared with other men of your age, would you consider yourself to be:

much more active
somewhat more active
about the same
somewhat less active
much less active

[When more than 1 box was ticked, the one with the higher code was taken]

PB012 Activity CF other men of same age						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Much more		1	1220	12.2	12.3	12.3
Somewhat more		2	3059	30.6	30.9	43.2
About same		3	4831	48.3	48.8	92.0
Somewhat less		4	730	7.3	7.4	99.3
Much less		5	66	.7	.7	100.0
		-1	94	.9	Missing	
			-----	-----	-----	
			Total	10000	100.0	100.0
Valid cases	9906	Missing cases		94		

d) Nowadays at least once a week do you engage in any regular activity like brisk walking, gardening, housework, jogging, cycling, etc. long enough to work up a sweat?

Yes No

PB013 Physical activity once PWK at PRES						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	7570	75.7	76.4	76.4
N		2	2338	23.4	23.6	100.0
		-1	92	.9	Missing	
			-----	-----	-----	
			Total	10000	100.0	100.0
Valid cases	9908	Missing cases		92		

If yes,

e) how many hours a week: hours

[Coders were instructed to round fractions of hours to the nearest hour; if this resulted in 0, 97 was coded to indicate some exercise is taken but less than ½ an hour a week. Code 0 indicated no exercise was taken. Code 90 indicated 'full-time' or 90+; 99 indicated varies. If a range was given the upper limit was coded]

(No exercise in B1d was coded here as 0)

PB014 NO of HRS of activity PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	2349	23.5	24.4	24.4
	1	432	4.3	4.5	28.9
	2	1162	11.6	12.1	41.0
	3	895	9.0	9.3	50.3
	4	885	8.9	9.2	59.5
	5	676	6.8	7.0	66.5
	6	532	5.3	5.5	72.1
	7	306	3.1	3.2	75.3
	8	355	3.6	3.7	78.9
	9	38	.4	.4	79.3
	10	793	7.9	8.2	87.6
	11	12	.1	.1	87.7
	12	178	1.8	1.9	89.6
	13	4	.0	.0	89.6
	14	96	1.0	1.0	90.6
	15	129	1.3	1.3	91.9
	16	39	.4	.4	92.3
	17	4	.0	.0	92.4
	18	25	.3	.3	92.6
	20	241	2.4	2.5	95.2
	21	18	.2	.2	95.3
	22	5	.1	.1	95.4
	23	3	.0	.0	95.4
	24	25	.3	.3	95.7
	25	36	.4	.4	96.1
	26	2	.0	.0	96.1
	27	1	.0	.0	96.1
	28	12	.1	.1	96.2
	30	69	.7	.7	96.9
	34	2	.0	.0	97.0
	35	15	.2	.2	97.1
	36	5	.1	.1	97.2
	37	3	.0	.0	97.2
	38	3	.0	.0	97.2
	39	13	.1	.1	97.4
	40	126	1.3	1.3	98.7
	41	1	.0	.0	98.7
	42	4	.0	.0	98.7
	43	2	.0	.0	98.7
	44	1	.0	.0	98.8
	45	14	.1	.1	98.9
	46	2	.0	.0	98.9
	47	1	.0	.0	98.9
	48	8	.1	.1	99.0
	50	39	.4	.4	99.4
	52	3	.0	.0	99.4
	53	1	.0	.0	99.5
	54	2	.0	.0	99.5
	55	4	.0	.0	99.5
	56	2	.0	.0	99.5
	58	1	.0	.0	99.6
	60	13	.1	.1	99.7
	63	1	.0	.0	99.7
	70	8	.1	.1	99.8
	72	4	.0	.0	99.8
	75	1	.0	.0	99.8
	80	1	.0	.0	99.8
	84	4	.0	.0	99.9
90+ HRS	90	11	.1	.1	100.0
	-1	383	3.8	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9617	Missing cases	383		

B2. We are interested in your diet - how many times each week nowadays do you eat:

Never 2 weeks rarely Once in times 1 - 3 times a week 4 - 7 once a a week More than day or

a) Sausages, Burgers

[When more than 1 box was ticked, the one with the higher code was taken]

PB020 FREQ of eating sausages or burgers

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	2619	26.2	26.5	26.5
Once in 2WKS	2	4158	41.6	42.1	68.6
1-3 times PWK	3	2875	28.7	29.1	97.8
4-7 times PWK	4	185	1.9	1.9	99.6
>=1 per day	5	35	.4	.4	100.0
	-1	128	1.3	Missing	
	Total	10000	100.0	100.0	
Valid cases	9872	Missing cases	128		

b) Pies, Pasties (pork pie, steak/meat pie etc.)

[When more than 1 box was ticked, the one with the higher code was taken]

PB021 FREQ of eating pies or pasties

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	2936	29.4	29.8	29.8
Once in 2WKS	2	3495	34.9	35.5	65.3
1-3 times PWK	3	3113	31.1	31.6	96.9
4-7 times PWK	4	280	2.8	2.8	99.8
>=1 per day	5	22	.2	.2	100.0
	-1	154	1.5	Missing	
	Total	10000	100.0	100.0	
Valid cases	9846	Missing cases	154		

c) Meat (beef, lamb, pork, ham, bacon etc.)

[When more than 1 box was ticked, the one with the higher code was taken]

PB022 FREQ of eating meat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	574	5.7	5.8	5.8
Once in 2WKS	2	1011	10.1	10.3	16.1
1-3 times PWK	3	5715	57.2	58.0	74.0
4-7 times PWK	4	2377	23.8	24.1	98.2
>=1 per day	5	182	1.8	1.8	100.0
	-1	141	1.4	Missing	
	Total	10000	100.0	100.0	
Valid cases	9859	Missing cases	141		

B2.d) Poultry (chicken, turkey etc)

[When more than 1 box was ticked, the one with the higher code was taken]

PB023 FREQ of eating poultry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	807	8.1	8.2	8.2
Once in 2WKS	2	2731	27.3	27.8	36.0
1-3 times PWK	3	5795	58.0	58.9	94.9
4-7 times PWK	4	470	4.7	4.8	99.7
>=1 per day	5	31	.3	.3	100.0
	-1	166	1.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9834	Missing cases	166		

e) Liver, liver pate, kidney, heart

[When more than 1 box was ticked, the one with the higher code was taken]

PB024 FREQ of eating offal

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	7630	76.3	77.6	77.6
Once in 2WKS	2	1751	17.5	17.8	95.4
1-3 times PWK	3	399	4.0	4.1	99.5
4-7 times PWK	4	41	.4	.4	99.9
>=1 per day	5	8	.1	.1	100.0
	-1	171	1.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9829	Missing cases	171		

f) White fish (cod, haddock, plaice, fish fingers etc)

[When more than 1 box was ticked, the one with the higher code was taken]

PB025 FREQ of eating white fish

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	1991	19.9	20.2	20.2
Once in 2WKS	2	4075	40.8	41.3	61.5
1-3 times PWK	3	3673	36.7	37.2	98.7
4-7 times PWK	4	117	1.2	1.2	99.9
>=1 per day	5	9	.1	.1	100.0
	-1	135	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9865	Missing cases	135		

B2.g) Other fish (pilchards, sardines, mackerel, tuna, herring, kippers, trout, salmon etc)

[When more than 1 box was ticked, the one with the higher code was taken]

PB026 FREQ of eating oily fish

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	4788	47.9	48.6	48.6
Once in 2WKS	2	3174	31.7	32.2	80.9
1-3 times PWK	3	1738	17.4	17.7	98.5
4-7 times PWK	4	136	1.4	1.4	99.9
>=1 per day	5	11	.1	.1	100.0
	-1	153	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9847	Missing cases	153		

h) Shellfish (prawns, crab, cockles, mussels etc)

[When more than 1 box was ticked, the one with the higher code was taken]

PB027 FREQ of eating shellfish

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	7543	75.4	76.6	76.6
Once in 2WKS	2	1906	19.1	19.4	95.9
1-3 times PWK	3	351	3.5	3.6	99.5
4-7 times PWK	4	41	.4	.4	99.9
>=1 per day	5	9	.1	.1	100.0
	-1	150	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9850	Missing cases	150		

i) Fried foods (eg. fried fish, eggs, bacon, chops etc)

[When more than 1 box was ticked, the one with the higher code was taken]

PB028 FREQ of eating fried food

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	2325	23.3	23.6	23.6
Once in 2WKS	2	3040	30.4	30.8	54.4
1-3 times PWK	3	3761	37.6	38.2	92.6
4-7 times PWK	4	679	6.8	6.9	99.5
>=1 per day	5	53	.5	.5	100.0
	-1	142	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9858	Missing cases	142		

B2.j) Cabbage, brussel sprouts, kale and other green leafy vegetables

[For 1st version the words 'kale and other leafy vegetables' were not included]

[When more than 1 box was ticked, the one with the higher code was taken]

PB029 FREQ of eating cabbage or SIM

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	1187	11.9	12.0	12.0
Once in 2WKS	2	1679	16.8	17.0	29.1
1-3 times PWK	3	5281	52.8	53.5	82.6
4-7 times PWK	4	1649	16.5	16.7	99.3
>=1 per day	5	68	.7	.7	100.0
	-1	136	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9864	Missing cases	136		

k) Carrots

[When more than 1 box was ticked, the one with the higher code was taken]

PB030 FREQ of eating carrots

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	868	8.7	8.8	8.8
Once in 2WKS	2	1618	16.2	16.4	25.2
1-3 times PWK	3	6042	60.4	61.2	86.4
4-7 times PWK	4	1305	13.1	13.2	99.6
>=1 per day	5	38	.4	.4	100.0
	-1	129	1.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9871	Missing cases	129		

l) Other vegetables

[When more than 1 box was ticked, the one with the higher code was taken]

PB031 FREQ of eating other VEG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	354	3.5	3.6	3.6
Once in 2WKS	2	796	8.0	8.1	11.7
1-3 times PWK	3	5084	50.8	51.7	63.4
4-7 times PWK	4	3325	33.3	33.8	97.2
>=1 per day	5	272	2.7	2.8	100.0
	-1	169	1.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9831	Missing cases	169		

B2. m) Salad (lettuce, tomato, cucumber etc)

[When more than 1 box was ticked, the one with the higher code was taken]

PB032 FREQ of eating salad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	1381	13.8	14.0	14.0
Once in 2WKS	2	2540	25.4	25.8	39.8
1-3 times PWK	3	4386	43.9	44.5	84.3
4-7 times PWK	4	1445	14.5	14.7	99.0
>=1 per day	5	99	1.0	1.0	100.0
	-1	149	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9851	Missing cases	149		

n) Fresh fruit (apple, pear, banana, orange, bunch of grapes etc)

[When more than 1 box was ticked, the one with the higher code was taken]

PB033 FREQ of eating fresh fruit

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	1308	13.1	13.3	13.3
Once in 2WKS	2	1553	15.5	15.7	29.0
1-3 times PWK	3	3027	30.3	30.7	59.7
4-7 times PWK	4	2809	28.1	28.5	88.2
>=1 per day	5	1167	11.7	11.8	100.0
	-1	136	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9864	Missing cases	136		

o) Tinned fruit juice (not squash)

[When more than 1 box was ticked, the one with the higher code was taken]

PB034 FREQ of drinking tinned juice

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	7529	75.3	77.1	77.1
Once in 2WKS	2	1203	12.0	12.3	89.4
1-3 times PWK	3	761	7.6	7.8	97.2
4-7 times PWK	4	218	2.2	2.2	99.4
>=1 per day	5	59	.6	.6	100.0
	-1	230	2.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9770	Missing cases	230		

B2.p) Pure juice not in tin

[For 1st version, the word 'pure' was not included]

[When more than 1 box was ticked, the one with the higher code was taken]

PB035 FREQ of drinking pure non tinned juice

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	2942	29.4	29.9	29.9
Once in 2WKS	2	1942	19.4	19.7	49.6
1-3 times PWK	3	2377	23.8	24.1	73.7
4-7 times PWK	4	1981	19.8	20.1	93.8
>=1 per day	5	608	6.1	6.2	100.0
	-1	150	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9850	Missing cases	150		

q) Nuts, nut roast

[When more than 1 box was ticked, the one with the higher code was taken]

PB036 FREQ of eating nuts

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never or rarely	1	6272	62.7	63.6	63.6
Once in 2WKS	2	2177	21.8	22.1	85.7
1-3 times PWK	3	1147	11.5	11.6	97.3
4-7 times PWK	4	224	2.2	2.3	99.6
>=1 per day	5	38	.4	.4	100.0
	-1	142	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9858	Missing cases	142		

B3. Do you eat the fat on meat?*yes, all of it**yes, some of it**no**never eat meat*

[1st version was 'don't eat meat']

[When more than 1 box was ticked, the one with the lower code was taken]

PB037 Eat fat on meat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y all	1	1893	18.9	19.1	19.1
Y some	2	4251	42.5	42.9	62.0
N	3	3444	34.4	34.7	96.7
Dont eat meat	7	325	3.3	3.3	100.0
	-1	87	.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9913	Missing cases	87		

B4. When you have a soft drink, how often do you choose low calorie or diet soft drinks ?

always

sometimes

not at all

don't drink soft drinks

[1st version was worded: 'Do you choose low calorie or diet soft drinks' with options 'yes always/yes sometimes/no/don't drink soft drinks']

PB038 FREQ of choosing diet soft drink

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	1753	17.5	17.7	17.7
Sometimes	2	3217	32.2	32.4	50.1
Never	3	4157	41.6	41.9	92.0
No soft drinks	7	790	7.9	8.0	100.0
	-1	83	.8	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9917	Missing cases	83		

B5. How often, in a week, would you eat takeaway foods for your main meal?

days

[Coders were instructed: question assumes only one main meal per day, so if they answer, eg. Saturday lunch and supper, it only counts as one day]

PB039 Takeaway main meals PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	.00	2944	29.4	30.9	30.9
	1.00	5218	52.2	54.7	85.6
	2.00	840	8.4	8.8	94.4
	3.00	171	1.7	1.8	96.2
	4.00	64	.6	.7	96.8
	5.00	24	.2	.3	97.1
	6.00	7	.1	.1	97.2
	7.00	16	.2	.2	97.3
	9.00	5	.1	.1	97.4
Occasionally	10.00	250	2.5	2.6	100.0
	-1.00	461	4.6	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9539	Missing cases	461		

B6. How many pieces of bread or rolls or chappatis do you eat on a usual day ?

less than 1

1 - 2

3 - 4

5 or more

[When more than 1 box was ticked, the one with the higher code was taken]

PB040 Bread or chappatis eaten per day						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1		1	711	7.1	7.2	7.2
1-2		2	3186	31.9	32.2	39.3
3-4		3	3880	38.8	39.2	78.5
5 or more		4	2129	21.3	21.5	100.0
		-1	94	.9	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	9906	Missing cases	94			

B7. What types of bread do you eat most days?

Yes

No

a) white bread

b) brown/granary bread

c) wholemeal bread

d) chappatis, nan bread

e) don't usually eat any bread

[If partners had written 'sometimes' this was coded as 3]

The 1st version of this questionnaire was worded: *often* *sometimes* *not at all*
Consequently, there is no direct correspondence between 1st and later versions so both are given.

PB041 Eat white bread (301090)						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often		1.00	1083	10.8	50.5	50.5
SMTS		2.00	633	6.3	29.5	80.0
Not at all		3.00	428	4.3	20.0	100.0
		-1.00	7856	78.6	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	2144	Missing cases	7856			

PB041A Eat white bread						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	5061	50.6	79.0	79.0
No		2.00	1347	13.5	21.0	100.0
		-1.00	3592	35.9	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	6408	Missing cases	3592			

PB042 Eat brown/granary bread (301090)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1.00	649	6.5	31.2	31.2
SMTS	2.00	893	8.9	42.9	74.1
Not at all	3.00	539	5.4	25.9	100.0
	-1.00	7919	79.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	2081	Missing cases	7919		

PB042A Eat brown/granary bread

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3375	33.8	62.4	62.4
No	2.00	2031	20.3	37.6	100.0
	-1.00	4594	45.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5406	Missing cases	4594		

PB043 Eat wholemeal bread (301090)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1.00	663	6.6	31.9	31.9
SMTS	2.00	788	7.9	37.9	69.8
Not at all	3.00	627	6.3	30.2	100.0
	-1.00	7922	79.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	2078	Missing cases	7922		

PB043A Eat wholemeal bread

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3164	31.6	59.9	59.9
No	2.00	2122	21.2	40.1	100.0
	-1.00	4714	47.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5286	Missing cases	4714		

PB044 Eat chappatis (301090)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	1.00	35	.4	1.8	1.8
SMTS	2.00	668	6.7	33.5	35.2
Not at all	3.00	1292	12.9	64.8	100.0
	-1.00	8005	80.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	1995	Missing cases	8005		

PB044A Eat chappatis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	251	2.5	6.1	6.1
No	2.00	3846	38.5	93.9	100.0
	-1.00	5903	59.0	Missing	
	Total	10000	100.0	100.0	
Valid cases	4097	Missing cases	5903		

PB045A Don't usually eat any bread

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	220	2.2	7.6	7.6
No	2	2677	26.8	92.4	100.0
	-1	7103	71.0	Missing	
	Total	10000	100.0	100.0	
Valid cases	2897	Missing cases	7103		

B8. How many slices of bread (or rolls) do you spread with butter, margarine etc and eat on a usual day?

slices

['Occasional' was coded as 97 and recoded to 0]

PB046 Slices of bread spread with fat daily

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	549	5.5	5.7	5.7
	1	853	8.5	8.9	14.6
	2	2520	25.2	26.2	40.8
	3	1024	10.2	10.7	51.5
	4	2601	26.0	27.1	78.6
	5	648	6.5	6.7	85.3
	6	853	8.5	8.9	94.2
	7	113	1.1	1.2	95.4
	8	240	2.4	2.5	97.9
	9	34	.3	.4	98.3
	10	112	1.1	1.2	99.4
	11	5	.1	.1	99.5
	12	21	.2	.2	99.7
	13	1	.0	.0	99.7
	14	8	.1	.1	99.8
	15	3	.0	.0	99.8
	16	3	.0	.0	99.9
	18	3	.0	.0	99.9
	20	7	.1	.1	100.0
	25	1	.0	.0	100.0
	34	2	.0	.0	100.0
	37	1	.0	.0	100.0
	-1	398	4.0	Missing	
	Total	10000	100.0	100.0	
Valid cases	9602	Missing cases	398		

B9. How often do you have milk:

- | | | | |
|----|--|--------------------------|--------------------------|
| | <i>Yes
usually</i> | <i>Yes
sometimes</i> | <i>No not
at all</i> |
| a) | <i>In tea</i> | | |
| b) | <i>In coffee</i> | | |
| c) | <i>On breakfast cereal</i> | | |
| d) | <i>As pudding (custard, rice)</i> | | |
| e) | <i>To drink on its own</i> | | |
| f) | <i>As a milky drink (Horlicks, cocoa, all milk coffee)</i> | | |
| g) | <i>As yoghurt [only in final version]</i> | | |

The 1st version of the questionnaire had the responses :

Yes No

Examination of responses indicated that yes in the 1st version was equivalent to usually and sometimes in the remainder. All versions are therefore combined to give a yes/no variable, but the 3 point answers are also given.

PB047 Milk in tea

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8901	89.0	91.5	91.5
No	2.00	830	8.3	8.5	100.0
	-1.00	269	2.7	Missing	
	Total	10000	100.0	100.0	

Valid cases 9731 Missing cases 269

PB047A Milk in tea (not in 1st version)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	6935	69.4	89.0	89.0
SMTS	2.00	175	1.8	2.2	91.3
Not at all	3.00	680	6.8	8.7	100.0
	-1.00	2210	22.1	Missing	
	Total	10000	100.0	100.0	

Valid cases 7790 Missing cases 2210

PB048 Milk in coffee

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8400	84.0	86.6	86.6
No	2.00	1298	13.0	13.4	100.0
	-1.00	302	3.0	Missing	
	Total	10000	100.0	100.0	

Valid cases 9698 Missing cases 302

PB048A Milk in coffee (not in 1st version)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	6250	62.5	80.6	80.6
SMTS	2.00	487	4.9	6.3	86.8
Not at all	3.00	1022	10.2	13.2	100.0
	-1.00	2241	22.4	Missing	
	Total	10000	100.0	100.0	
Valid cases	7759	Missing cases	2241		

PB049 Milk on breakfast cereal

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	8746	87.5	90.0	90.0
No	2.00	974	9.7	10.0	100.0
	-1.00	280	2.8	Missing	
	Total	10000	100.0	100.0	
Valid cases	9720	Missing cases	280		

PB049A Milk on breakfast cereal (not in 1st version)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	6312	63.1	81.0	81.0
SMTS	2.00	705	7.0	9.0	90.0
Not at all	3.00	776	7.8	10.0	100.0
	-1.00	2207	22.1	Missing	
	Total	10000	100.0	100.0	
Valid cases	7793	Missing cases	2207		

PB050 Milk as pudding

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6513	65.1	69.3	69.3
No	2.00	2883	28.8	30.7	100.0
	-1.00	604	6.0	Missing	
	Total	10000	100.0	100.0	
Valid cases	9396	Missing cases	604		

PB050A Milk as pudding (not in 1st version)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	1737	17.4	23.1	23.1
SMTS	2.00	3476	34.8	46.3	69.4
Not at all	3.00	2298	23.0	30.6	100.0
	-1.00	2489	24.9	Missing	
	Total	10000	100.0	100.0	
Valid cases	7511	Missing cases	2489		

PB051 Milk to drink on its own

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6900	69.0	71.0	71.0
No	2.00	2812	28.1	29.0	100.0
	-1.00	288	2.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9712	Missing cases	288		

PB051A Milk to drink on its own (not in 1st version)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	2631	26.3	33.8	33.8
SMTS	2.00	3078	30.8	39.6	73.4
Not at all	3.00	2072	20.7	26.6	100.0
	-1.00	2219	22.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	7781	Missing cases	2219		

PB052 Milk as a milky drink

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	5036	50.4	52.8	52.8
No	2.00	4504	45.0	47.2	100.0
	-1.00	460	4.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9540	Missing cases	460		

PB052A Milk as a milky drink (not in 1st version)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	1201	12.0	15.7	15.7
SMTS	2.00	2979	29.8	39.0	54.8
Not at all	3.00	3452	34.5	45.2	100.0
	-1.00	2368	23.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	7632	Missing cases	2368		

PB053 Milk as yogurt (last version only)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	930	9.3	48.8	48.8
No	2	974	9.7	51.2	100.0
	-1	8096	81.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	1904	Missing cases	8096		

B10a) *How many cups of tea do you drink in a day ?*
(Do not include herbal teas)

cups

[This instruction not included in the 1st version]

[Coders were told: if a count per week is given, calculate an average daily rate, rounding to the nearest whole number. If the rate is less than 0.5, code as 97 or if they say 'occasionally' code as 97] (This was recoded to 0)

PB054 Cups of tea per day

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		0	1326	13.3	13.6	13.6
		1	1187	11.9	12.1	25.7
		2	1520	15.2	15.5	41.2
		3	1395	14.0	14.3	55.5
		4	1275	12.8	13.0	68.5
		5	926	9.3	9.5	78.0
		6	853	8.5	8.7	86.7
		7	287	2.9	2.9	89.7
		8	402	4.0	4.1	93.8
		9	42	.4	.4	94.2
		10	391	3.9	4.0	98.2
		11	1	.0	.0	98.2
		12	77	.8	.8	99.0
		13	3	.0	.0	99.0
		14	9	.1	.1	99.1
		15	38	.4	.4	99.5
		16	6	.1	.1	99.6
		18	4	.0	.0	99.6
		20	28	.3	.3	99.9
		21	1	.0	.0	99.9
		22	1	.0	.0	99.9
		23	2	.0	.0	99.9
		30	5	.1	.1	100.0
		40	1	.0	.0	100.0
		62	1	.0	.0	100.0
		-1	219	2.2	Missing	
Total			10000	100.0	100.0	
Valid cases	9781	Missing cases	219			

b) *How many spoons of sugar in each cup ?*

spoons

[Coders were instructed: ignore the difference between heaped and ordinary spoonfuls. Round part spoonfuls up to the next whole spoonful. Do not count artificial sweeteners] (Occasionally was recoded to 0)

PB055 Spoons of sugar per cup of tea

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		.00	5317	53.2	56.5	56.5
		1.00	1756	17.6	18.7	75.1
		2.00	2119	21.2	22.5	97.7
		3.00	203	2.0	2.2	99.8
		4.00	15	.2	.2	100.0
		5.00	2	.0	.0	100.0
		6.00	1	.0	.0	100.0
		-1.00	587	5.9	Missing	
Total			10000	100.0	100.0	
Valid cases	9413	Missing cases	587			

1st version was :

B10.c) do you drink decaffeinated tea at all?

yes usually yes sometimes no not at all

2nd version was:

c) are any of these cups of tea decaffeinated?

yes all yes some no none

3rd version was:

c) How many of the cups of tea you drink each day are decaffeinated? cups

[Coders were given same instruction as for B10a]

PB056 Ever drink DECAF tea (301090)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	14	.1	.7	.7
SMTS	2.00	65	.7	3.4	4.1
Not at all	3.00	1828	18.3	95.9	100.0
	-1.00	8093	80.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	1907	Missing cases	8093		

PB056A Cups of tea which are DECAF (190391)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, all	1.00	21	.2	1.0	1.0
Yes, some	2.00	101	1.0	5.0	6.0
No, none	3.00	1907	19.1	94.0	100.0
	-1.00	7971	79.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	2029	Missing cases	7971		

PB057 No. cups tea/day wh. are DECAF (150791+)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5189	51.9	97.1	97.1
	1	49	.5	.9	98.1
	2	48	.5	.9	99.0
	3	15	.2	.3	99.2
	4	12	.1	.2	99.5
	5	8	.1	.1	99.6
	6	8	.1	.1	99.8
	7	1	.0	.0	99.8
	8	4	.0	.1	99.9
	10	5	.1	.1	99.9
	20	1	.0	.0	100.0
	30	2	.0	.0	100.0
	-1	4658	46.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5342	Missing cases	4658		

B11a) How many cups of coffee do you drink in a day ?
 [Coding instruction as B10a]

cups

PB058 Cups of coffee per day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	1677	16.8	17.1	17.1
	1	1644	16.4	16.8	34.0
	2	1680	16.8	17.2	51.1
	3	1293	12.9	13.2	64.3
	4	1188	11.9	12.1	76.5
	5	803	8.0	8.2	84.7
	6	686	6.9	7.0	91.7
	7	213	2.1	2.2	93.9
	8	252	2.5	2.6	96.5
	9	21	.2	.2	96.7
	10	220	2.2	2.2	98.9
	11	6	.1	.1	99.0
	12	47	.5	.5	99.5
	14	6	.1	.1	99.5
	15	21	.2	.2	99.8
	16	3	.0	.0	99.8
	17	1	.0	.0	99.8
	20	14	.1	.1	99.9
	21	1	.0	.0	99.9
	30	4	.0	.0	100.0
	70	1	.0	.0	100.0
	-1	219	2.2	Missing	
Total		10000	100.0	100.0	
Valid cases	9781	Missing cases	219		

b) How many spoons of sugar in each cup ?

spoons

[Coding instruction as B10b] (Occasionally was recoded to 0)

PB059 Spoons of sugar per cup of coffee

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	.00	5009	50.1	53.9	53.9
	1.00	1996	20.0	21.5	75.4
	2.00	2080	20.8	22.4	97.8
	3.00	182	1.8	2.0	99.8
	4.00	12	.1	.1	99.9
	5.00	3	.0	.0	99.9
	6.00	2	.0	.0	100.0
	7.00	3	.0	.0	100.0
	8.00	1	.0	.0	100.0
	-1.00	712	7.1	Missing	
Total		10000	100.0	100.0	
Valid cases	9288	Missing cases	712		

1st version was:

- c) *Do you drink decaffeinated coffee at all?*
 yes usually *yes sometimes* *no not at all*

2nd version was:

- c) *Are any of these cups of coffee decaffeinated?*
 yes all *yes some* *no none*

3rd version was:

- B11c) *How many of the cups of coffee you drink each day* *cups*
 are decaffeinated?
 [Coding instruction as B10a]

PB060 Ever drink DECAF coffee (301090)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	209	2.1	11.0	11.0
SMTS	2.00	499	5.0	26.2	37.1
Not at all	3.00	1199	12.0	62.9	100.0
	-1.00	8093	80.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	1907	Missing cases	8093		

PB060A Cups of coffee which are DECAF (190391)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, all	1.00	135	1.4	6.7	6.7
Yes, some	2.00	397	4.0	19.8	26.6
No, none	3.00	1471	14.7	73.4	100.0
	-1.00	7997	80.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	2003	Missing cases	7997		

PB061 No.cups coffee/day wh.are DECAF(150791+)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	4362	43.6	82.1	82.1
	1	349	3.5	6.6	88.7
	2	244	2.4	4.6	93.3
	3	115	1.2	2.2	95.4
	4	94	.9	1.8	97.2
	5	61	.6	1.1	98.4
	6	48	.5	.9	99.3
	7	10	.1	.2	99.5
	8	12	.1	.2	99.7
	10	11	.1	.2	99.9
	12	3	.0	.1	99.9
	20	1	.0	.0	100.0
	30	1	.0	.0	100.0
	70	1	.0	.0	100.0
	-1	4688	46.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5312	Missing cases	4688		

- d) *How many of the cups of coffee you drink each day are made using real coffee (ie. not instant)?* *cups*
 [Not asked in 1st & 2nd version]
 [Coding instruction as B10a]

PB062 No. cups real coffee/day (150791+)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0			4280	42.8	81.2	81.2
1			446	4.5	8.5	89.6
2			245	2.5	4.6	94.3
3			111	1.1	2.1	96.4
4			73	.7	1.4	97.8
5			45	.5	.9	98.6
6			27	.3	.5	99.1
7			10	.1	.2	99.3
8			14	.1	.3	99.6
9			1	.0	.0	99.6
10			13	.1	.2	99.9
12			4	.0	.1	99.9
20			2	.0	.0	100.0
30			1	.0	.0	100.0
-1			4728	47.3	Missing	
Total			10000	100.0	100.0	
Valid cases	5272	Missing cases	4728			

- B11e)† *How many of the cups of real coffee were decaffeinated?* *cups*

[Not asked in 1st & 2nd version]
 [Coding instruction as B10a]

PB063 No.cups realcoffee wh.are DECAF(150791+)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0			1833	18.3	97.3	97.3
1			26	.3	1.4	98.7
2			11	.1	.6	99.3
3			4	.0	.2	99.5
4			2	.0	.1	99.6
5			2	.0	.1	99.7
7			1	.0	.1	99.8
10			2	.0	.1	99.9
20			2	.0	.1	100.0
-1			8117	81.2	Missing	
Total			10000	100.0	100.0	
Valid cases	1883	Missing cases	8117			

- B12a) *How many drinks of cola do you have in a week?* *drinks*
 [Coding instruction as B10a. If 'bottles' or 'litres' are mentioned, they are coded as <1
 bottle = 80; 1 bottle = 81; 2 bottles = 82; ...]

PB064 Drinks of cola PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	4535	45.4	46.8	46.8
	1	1409	14.1	14.5	61.4
	2	1100	11.0	11.4	72.7
	3	660	6.6	6.8	79.6
	4	508	5.1	5.2	84.8
	5	420	4.2	4.3	89.1
	6	192	1.9	2.0	91.1
	7	260	2.6	2.7	93.8
	8	68	.7	.7	94.5
	9	16	.2	.2	94.7
	10	254	2.5	2.6	97.3
	11	7	.1	.1	97.4
	12	50	.5	.5	97.9
	13	3	.0	.0	97.9
	14	42	.4	.4	98.3
	15	37	.4	.4	98.7
	16	8	.1	.1	98.8
	17	2	.0	.0	98.8
	18	5	.1	.1	98.9
	20	50	.5	.5	99.4
	21	10	.1	.1	99.5
	22	1	.0	.0	99.5
	24	4	.0	.0	99.6
	25	9	.1	.1	99.6
	28	3	.0	.0	99.7
	30	19	.2	.2	99.9
	35	4	.0	.0	99.9
	40	6	.1	.1	100.0
	50	1	.0	.0	100.0
	60	1	.0	.0	100.0
	-1	316	3.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9684	Missing cases	316		

1st version was:

*B12b) Do you drink decaffeinated cola at all?**yes usually**yes sometimes**no not at all*

2nd version was:

*b) Are any of these drinks decaffeinated?**yes all**yes some**no none*

3rd version was:

*b) How many of these drinks are decaffeinated?**drinks**[Coding instruction as B12a]*

PB065 Ever drink DECAF cola (301090)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually	1.00	85	.9	4.5	4.5
SMTS	2.00	274	2.7	14.5	18.9
Not at all	3.00	1537	15.4	81.1	100.0
	-1.00	8104	81.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	1896	Missing cases	8104		

PB065A Drinks which are DECAF (190391)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, all	1.00	88	.9	5.5	5.5
Yes, some	2.00	263	2.6	16.3	21.8
No, none	3.00	1258	12.6	78.2	100.0
	-1.00	8391	83.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	1609	Missing cases	8391		

PB066 No.drinks cola which are DECAF (150791+)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	4687	46.9	90.4	90.4
	1	153	1.5	2.9	93.3
	2	110	1.1	2.1	95.4
	3	59	.6	1.1	96.6
	4	44	.4	.8	97.4
	5	40	.4	.8	98.2
	6	19	.2	.4	98.6
	7	27	.3	.5	99.1
	8	4	.0	.1	99.2
	9	3	.0	.1	99.2
	10	18	.2	.3	99.6
	11	1	.0	.0	99.6
	12	5	.1	.1	99.7
	14	4	.0	.1	99.7
	15	4	.0	.1	99.8
	20	4	.0	.1	99.9
	24	1	.0	.0	99.9
	25	2	.0	.0	100.0
	28	1	.0	.0	100.0
	60	1	.0	.0	100.0
	-1	4813	48.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5187	Missing cases	4813		

B13. What type of water do you usually drink?

a) Cold water in squashes etc or to drink on it's own: I usually use:

<i>water from the tap bottled water</i>		<i>softened tap water hardly ever drink cold water</i>			<i>filtered tap water</i>	
PB067	Type of water usually used in cold drink					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Tap water	1.00	7184	71.8	74.3	74.3
	Softened water	2.00	23	.2	.2	74.5
	Filtered water	3.00	547	5.5	5.7	80.2
	Bottled water	4.00	735	7.4	7.6	87.8
	Rarely drink it	5.00	850	8.5	8.8	96.6
	Tap & filtered	7.00	36	.4	.4	97.0
	Tap & bottled	8.00	236	2.4	2.4	99.4
	Soft & filtered	9.00	4	.0	.0	99.4
	Soft & bottled	10.00	4	.0	.0	99.5
	Bottle & filter	11.00	34	.3	.4	99.8
	3 or more types	12.00	16	.2	.2	100.0
		-1.00	331	3.3	Missing	
			-----	-----	-----	
	Total		10000	100.0	100.0	
Valid cases	9669	Missing cases	331			

B13.b) Hot water in tea, coffee etc, I usually use:

<i>water from the tap bottled water</i>		<i>softened tap water hardly ever drink hot water</i>		<i>filtered tap water</i>		
PB068	Type of water usually used in hot drinks					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Tap water	1.00	8939	89.4	90.8	90.8
	Softened water	2.00	31	.3	.3	91.1
	Filtered water	3.00	577	5.8	5.9	97.0
	Bottled water	4.00	145	1.5	1.5	98.5
	Rarely drink it	5.00	97	1.0	1.0	99.5
	Tap & softened	6.00	2	.0	.0	99.5
	Tap & filtered	7.00	30	.3	.3	99.8
	Tap & bottled	8.00	16	.2	.2	99.9
	Soft & filtered	9.00	3	.0	.0	100.0
	Bottle & filter	11.00	1	.0	.0	100.0
	3 or more types	12.00	1	.0	.0	100.0
		-1.00	158	1.6	Missing	
			-----	-----	-----	
	Total		10000	100.0	100.0	
Valid cases	9842	Missing cases	158			

B14a) Are you vegetarian or vegan?

	<i>yes, vegetarian</i>	<i>yes, vegan</i>	<i>no, neither</i>		
PB069	Vegetarian or vegan				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y vegetarian	1	314	3.1	3.2	3.2
Y vegan	2	42	.4	.4	3.6
N	3	9489	94.9	96.4	100.0
	-1	155	1.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9845	Missing cases	155		

- b) *If yes, for how many years have you been vegetarian/vegan?* *years*
 [Coders were instructed: if part years are given, code to the nearest whole number of years.
 If that means rounding down to zero, code as 97. If they say 'all my life', try and get age
 from date of birth on back page, and put that in here]

PB070 NO of YRS vegetarian or vegan

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		0	3	.0	.9	.9
		1	45	.5	13.0	13.9
		2	36	.4	10.4	24.3
		3	33	.3	9.5	33.8
		4	17	.2	4.9	38.7
		5	25	.3	7.2	46.0
		6	23	.2	6.6	52.6
		7	22	.2	6.4	59.0
		8	23	.2	6.6	65.6
		9	7	.1	2.0	67.6
		10	13	.1	3.8	71.4
		11	7	.1	2.0	73.4
		12	10	.1	2.9	76.3
		13	8	.1	2.3	78.6
		15	4	.0	1.2	79.8
		16	1	.0	.3	80.1
		17	1	.0	.3	80.3
		18	6	.1	1.7	82.1
		19	4	.0	1.2	83.2
		20	8	.1	2.3	85.5
		21	2	.0	.6	86.1
		22	3	.0	.9	87.0
		23	1	.0	.3	87.3
		24	2	.0	.6	87.9
		25	4	.0	1.2	89.0
		26	6	.1	1.7	90.8
		27	3	.0	.9	91.6
		28	1	.0	.3	91.9
		29	2	.0	.6	92.5
		30	12	.1	3.5	96.0
		32	2	.0	.6	96.5
		33	3	.0	.9	97.4
		34	1	.0	.3	97.7
		35	2	.0	.6	98.3
		39	1	.0	.3	98.6
		40	2	.0	.6	99.1
		41	3	.0	.9	100.0
Not vegetarian/vegan		-2	9489	94.9	Missing	
		-1	165	1.7	Missing	
		Total		10000	100.0	100.0
Valid cases	346	Missing cases		9654		

*B15a) Have you ever been a smoker?**Yes**No*

PB071 Ever been a smoker

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5451	54.5	55.1	55.1
N	2	4435	44.4	44.9	100.0
	-1	114	1.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9886	Missing cases	114		

If yes,

B15.b) † at what age did you start smoking regularly? years
 [Coders were asked to round down if part years were mentioned]

PB072 Age started smoking REG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3	1	.0	.0	.0
	4	1	.0	.0	.0
	5	1	.0	.0	.1
	6	3	.0	.1	.1
	7	19	.2	.4	.5
	8	29	.3	.5	1.0
	9	35	.4	.7	1.7
	10	77	.8	1.4	3.1
	11	141	1.4	2.6	5.7
	12	232	2.3	4.3	10.1
	13	309	3.1	5.8	15.8
	14	639	6.4	11.9	27.8
	15	819	8.2	15.3	43.0
	16	1108	11.1	20.7	63.7
	17	557	5.6	10.4	74.1
	18	631	6.3	11.8	85.9
	19	217	2.2	4.1	90.0
	20	193	1.9	3.6	93.6
	21	126	1.3	2.4	95.9
	22	68	.7	1.3	97.2
	23	26	.3	.5	97.7
	24	23	.2	.4	98.1
	25	30	.3	.6	98.7
	26	19	.2	.4	99.0
	27	13	.1	.2	99.3
	28	12	.1	.2	99.5
	29	4	.0	.1	99.6
	30	7	.1	.1	99.7
	31	1	.0	.0	99.7
	32	4	.0	.1	99.8
	33	4	.0	.1	99.9
	34	1	.0	.0	99.9
	35	2	.0	.0	99.9
	37	1	.0	.0	99.9
	38	1	.0	.0	99.9
	40	2	.0	.0	100.0
	52	1	.0	.0	100.0
	-1	4643	46.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5357	Missing cases	4643		

c) † *What was the maximum number of times a day you smoked?*

30+ 25-29 20-24 15-19
 10-14 5-9 1-4
 [Occasional smokers were coded as 97] (and recoded to 0)

PB073 MAX NO of times smoked per day						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		0	4435	44.4	45.2	45.2
1-4		1	425	4.3	4.3	49.5
5-9		5	615	6.2	6.3	55.8
10-14		10	908	9.1	9.3	65.1
15-19		15	1011	10.1	10.3	75.4
20-24		20	1288	12.9	13.1	88.5
25-29		25	462	4.6	4.7	93.2
30+		30	666	6.7	6.8	100.0
		-1	190	1.9	Missing	
			-----	-----	-----	
			Total	10000	100.0	
Valid cases	9810	Missing cases		190		

B15.d) † *Have you now stopped smoking?*

Yes No

PB074 Stopped smoking now						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2164	21.6	40.1	40.1
N		2	3237	32.4	59.9	100.0
		-1	4599	46.0	Missing	
			-----	-----	-----	
			Total	10000	100.0	
Valid cases	5401	Missing cases		4599		

If yes, how long ago?

years, months

[Coders were instructed: ensure that months do not exceed eleven, but if months NK as opposed to blank, code as 99. Round up weeks to next whole month]

PB075 Years stopped smoking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	128	1.3	7.3	7.3
	1	172	1.7	9.8	17.0
	2	185	1.9	10.5	27.5
	3	150	1.5	8.5	36.0
	4	119	1.2	6.7	42.8
	5	126	1.3	7.1	49.9
	6	118	1.2	6.7	56.6
	7	94	.9	5.3	61.9
	8	113	1.1	6.4	68.3
	9	66	.7	3.7	72.1
	10	125	1.3	7.1	79.2
	11	45	.5	2.6	81.7
	12	62	.6	3.5	85.3
	13	35	.4	2.0	87.2
	14	36	.4	2.0	89.3
	15	52	.5	2.9	92.2
	16	31	.3	1.8	94.0
	17	13	.1	.7	94.7
	18	21	.2	1.2	95.9
	19	15	.2	.9	96.8
	20	26	.3	1.5	98.2
	21	4	.0	.2	98.5
	22	7	.1	.4	98.9
	23	6	.1	.3	99.2
	24	5	.1	.3	99.5
	25	4	.0	.2	99.7
	26	1	.0	.1	99.8
	30	1	.0	.1	99.8
	32	1	.0	.1	99.9
	33	1	.0	.1	99.9
	34	1	.0	.1	100.0
	-1	8237	82.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	1763	Missing cases	8237		

PB076 Months stopped smoking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	240	2.4	18.7	18.7
	1	154	1.5	12.0	30.7
	2	126	1.3	9.8	40.5
	3	121	1.2	9.4	50.0
	4	98	1.0	7.6	57.6
	5	71	.7	5.5	63.1
	6	215	2.2	16.8	79.9
	7	57	.6	4.4	84.3
	8	66	.7	5.1	89.5
	9	65	.7	5.1	94.5
	10	48	.5	3.7	98.3
	11	22	.2	1.7	100.0
	-1	8717	87.2	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	1283	Missing cases	8717		

B15e) Did you smoke regularly at any time in the last 9 months?

no

yes, cigarettes

yes, cigars

yes, pipe

yes, other (please describe)

[Coders were instructed: if more than one box is ticked, cross out the ticks and tick box 5 instead. Write '2 or 3' or whatever combination of boxes had been ticked, on the dotted line]

PB077 Smoked REG in last 9MTHS

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N		1	6154	61.5	63.3	63.3
Y	cigs	2	2982	29.8	30.7	94.0
Y	cigars	3	265	2.7	2.7	96.8
Y	pipe	4	24	.2	.2	97.0
Y	other	5	291	2.9	3.0	100.0
		-1	284	2.8	Missing	
			-----	-----		
Total			10000	100.0	100.0	
Valid cases	9716	Missing cases		284		

B15.f) how many times per day did you smoke -

i) at the start of your partner's pregnancy?

30+ 25-29 20-24 15-19
10-14 5-9 1-4 0

PB078 Times per day smoked at start of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		0	5913	59.1	62.6	62.6
1-4		1	461	4.6	4.9	67.4
5-9		5	431	4.3	4.6	72.0
10-14		10	620	6.2	6.6	78.6
15-19		15	737	7.4	7.8	86.4
20-24		20	828	8.3	8.8	95.1
25-29		25	238	2.4	2.5	97.6
30+		30	224	2.2	2.4	100.0
		-1	548	5.5	Missing	
			-----	-----		
Total			10000	100.0	100.0	
Valid cases	9452	Missing cases		548		

ii) in the last 2 weeks?

30+ 25-29 20-24 15-19
10-14 5-9 1-4 0

PB079 Times per day smoked in last 2WKS

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		0	6551	65.5	67.2	67.2
1-4		1	433	4.3	4.4	71.6
5-9		5	464	4.6	4.8	76.4
10-14		10	591	5.9	6.1	82.4

15-19	15	657	6.6	6.7	89.1
20-24	20	652	6.5	6.7	95.8
25-29	25	200	2.0	2.1	97.9
30+	30	207	2.1	2.1	100.0
	-1	245	2.5	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9755	Missing cases	245		

g) *What brand, type and strength of cigarette/tobacco do you usually smoke?*

i) *brand:*

ii) *type: filtered unfiltered unfiltered/ roll*
your own pipe/cigar

Please enclose an empty packet of your usual brand with this questionnaire.

[Coders were instructed: use both (i) and (ii) to code the Office Use Boxes. Code the type of tobacco smoked as a three digit value. Code the brand given (in conjunction with the tobacco wrapper if available) using the ALSPAC codes, which take into account strength of tobacco, tar content, etc. If more than one brand is named, code either for the one most often used, else for the one whose wrapper has been sent in with the questionnaire, or else for the first one mentioned. If the colour of the packet does not help in distinguishing between the various types, then code to the 'not otherwise specified' value for that manufacturer. For example, if the respondent says "Benson & Hedges" and gives the packet colour as gold, there is no way of distinguishing between all the B & H varieties, so you would code as 300, the value for "Benson & Hedges nos". Code the type of tobacco smoked as a three-digit value.]

Tar (pb081) and nicotine content (pb082) were calculated based on cigarette type (PB080). Details of cigarette type have been coded and are available on request.

PB081 Tar content of cigarette brand

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Under 4	3.00	1	.0	.0	.0
	4.00	14	.1	.5	.5
	5.00	5	.1	.2	.7
	7.00	319	3.2	11.3	12.1
	8.00	142	1.4	5.0	17.1
	9.00	89	.9	3.2	20.3
	10.00	1	.0	.0	20.3
	11.00	8	.1	.3	20.6
	12.00	114	1.1	4.1	24.6
	13.00	1502	15.0	53.4	78.0
	14.00	486	4.9	17.3	95.3
	15.00	93	.9	3.3	98.6
	16.00	34	.3	1.2	99.8
	17.00	4	.0	.1	100.0
	23.00	1	.0	.0	100.0
Rolled tobacco/cigar	-2.00	638	6.4	Missing	
	-1.00	6549	65.5	Missing	
Total		10000	100.0	100.0	
Valid cases	2813	Missing cases	7187		

PB082 Nicotine content of cigarette brand

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.20	1	.0	.0	.0
	.40	14	.1	.5	.5
	.50	5	.1	.2	.7
	.60	11	.1	.4	1.1
	.70	433	4.3	15.4	16.5
	.80	94	.9	3.3	19.8
	.90	39	.4	1.4	21.2
	1.00	298	3.0	10.6	31.8
	1.10	1151	11.5	40.8	72.6
	1.20	565	5.7	20.0	92.7
	1.30	165	1.7	5.9	98.5
	1.40	8	.1	.3	98.8
	1.50	33	.3	1.2	100.0
	2.30	1	.0	.0	100.0
Rolled tobacco/cigar	-2.00	638	6.4	Missing	
	-1.00	6544	65.4	Missing	
Total		10000	100.0	100.0	
Valid cases	2818	Missing cases	7182		

PB083 Daily intake of tar at start of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	703	7.0	23.3	23.3
	20.00	1	.0	.0	23.3
	30.00	1	.0	.0	23.4
	35.00	47	.5	1.6	24.9
	40.00	12	.1	.4	25.3
	45.00	7	.1	.2	25.6
	50.00	2	.0	.1	25.6
	55.00	2	.0	.1	25.7
	60.00	12	.1	.4	26.1
	65.00	130	1.3	4.3	30.4
	70.00	85	.9	2.8	33.2
	75.00	8	.1	.3	33.5
	80.00	32	.3	1.1	34.6
	90.00	15	.2	.5	35.1
	100.00	5	.1	.2	35.2
	105.00	48	.5	1.6	36.8
	110.00	1	.0	.0	36.8
	120.00	40	.4	1.3	38.2
	125.00	1	.0	.0	38.2
	130.00	254	2.5	8.4	46.6
	135.00	11	.1	.4	47.0
	140.00	131	1.3	4.3	51.3
	150.00	16	.2	.5	51.9
	160.00	26	.3	.9	52.7
	165.00	2	.0	.1	52.8
	175.00	17	.2	.6	53.4
	180.00	53	.5	1.8	55.1
	195.00	334	3.3	11.1	66.2
	200.00	6	.1	.2	66.4
	210.00	113	1.1	3.7	70.1
	220.00	2	.0	.1	70.2
	225.00	27	.3	.9	71.1
	240.00	45	.5	1.5	72.6
	260.00	349	3.5	11.6	84.2
	270.00	6	.1	.2	84.4
	280.00	128	1.3	4.2	88.6
	300.00	34	.3	1.1	89.8
	320.00	7	.1	.2	90.0
	325.00	105	1.1	3.5	93.5
	330.00	1	.0	.0	93.5
	340.00	1	.0	.0	93.5
	350.00	29	.3	1.0	94.5
	360.00	13	.1	.4	94.9
	375.00	5	.1	.2	95.1
	390.00	99	1.0	3.3	98.4
	400.00	4	.0	.1	98.5
	420.00	33	.3	1.1	99.6
	450.00	3	.0	.1	99.7
	460.00	1	.0	.0	99.7
	480.00	6	.1	.2	99.9
	510.00	2	.0	.1	100.0
	-1.00	6985	69.9	Missing	
	Total	10000	100.0	100.0	
Valid cases	3015	Missing cases	6985		

PB084 Daily intake of tar in last 2 WKS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	845	8.5	28.4	28.4
	20.00	1	.0	.0	28.5
	30.00	1	.0	.0	28.5
	35.00	45	.5	1.5	30.0
	40.00	22	.2	.7	30.8
	45.00	9	.1	.3	31.1
	50.00	2	.0	.1	31.1
	55.00	2	.0	.1	31.2
	60.00	15	.2	.5	31.7
	65.00	139	1.4	4.7	36.4
	70.00	97	1.0	3.3	39.6
	75.00	12	.1	.4	40.1
	80.00	25	.3	.8	40.9
	90.00	16	.2	.5	41.4
	100.00	3	.0	.1	41.5
	105.00	37	.4	1.2	42.8
	110.00	1	.0	.0	42.8
	120.00	33	.3	1.1	43.9
	125.00	1	.0	.0	44.0
	130.00	248	2.5	8.3	52.3
	135.00	15	.2	.5	52.8
	140.00	106	1.1	3.6	56.4
	150.00	14	.1	.5	56.8
	160.00	26	.3	.9	57.7
	165.00	2	.0	.1	57.8
	175.00	16	.2	.5	58.3
	180.00	42	.4	1.4	59.7
	195.00	304	3.0	10.2	70.0
	200.00	3	.0	.1	70.1
	210.00	117	1.2	3.9	74.0
	220.00	2	.0	.1	74.1
	225.00	29	.3	1.0	75.1
	230.00	1	.0	.0	75.1
	240.00	35	.4	1.2	76.3
	255.00	1	.0	.0	76.3
	260.00	281	2.8	9.5	85.8
	270.00	3	.0	.1	85.9
	280.00	106	1.1	3.6	89.4
	300.00	29	.3	1.0	90.4
	320.00	8	.1	.3	90.7
	325.00	92	.9	3.1	93.8
	330.00	1	.0	.0	93.8
	340.00	1	.0	.0	93.8
	350.00	27	.3	.9	94.7
	360.00	14	.1	.5	95.2
	375.00	5	.1	.2	95.4
	390.00	95	1.0	3.2	98.6
	400.00	1	.0	.0	98.6
	420.00	31	.3	1.0	99.7
	450.00	2	.0	.1	99.7
	480.00	7	.1	.2	100.0
	510.00	1	.0	.0	100.0
	-1.00	7029	70.3	Missing	
	Total	10000	100.0	100.0	
Valid cases	2971	Missing cases	7029		

PB085 Daily intake of nicotine, start of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	703	7.0	23.3	23.3
	2.00	2	.0	.1	23.3
	3.00	1	.0	.0	23.4
	3.50	59	.6	2.0	25.3
	4.00	9	.1	.3	25.6
	5.00	17	.2	.6	26.2
	5.50	116	1.2	3.8	30.0
	6.00	56	.6	1.9	31.9
	6.50	8	.1	.3	32.2
	7.00	59	.6	2.0	34.1
	7.50	3	.0	.1	34.2
	8.00	22	.2	.7	34.9
	9.00	7	.1	.2	35.2
	10.00	51	.5	1.7	36.9
	10.50	65	.7	2.2	39.0
	11.00	186	1.9	6.2	45.2
	12.00	113	1.1	3.7	48.9
	12.50	1	.0	.0	48.9
	13.00	38	.4	1.3	50.2
	13.50	6	.1	.2	50.4
	14.00	66	.7	2.2	52.6
	15.00	94	.9	3.1	55.7
	16.00	26	.3	.9	56.6
	16.50	231	2.3	7.6	64.2
	17.50	22	.2	.7	64.9
	18.00	150	1.5	5.0	69.9
	19.50	30	.3	1.0	70.9
	20.00	90	.9	3.0	73.9
	21.00	12	.1	.4	74.3
	22.00	254	2.5	8.4	82.7
	22.50	11	.1	.4	83.0
	24.00	150	1.5	5.0	88.0
	25.00	21	.2	.7	88.7
	26.00	40	.4	1.3	90.0
	27.00	3	.0	.1	90.1
	27.50	84	.8	2.8	92.9
	28.00	3	.0	.1	93.0
	30.00	65	.7	2.2	95.2
	32.50	7	.1	.2	95.4
	33.00	73	.7	2.4	97.8
	36.00	44	.4	1.5	99.3
	37.50	4	.0	.1	99.4
	39.00	9	.1	.3	99.7
	42.00	2	.0	.1	99.8
	45.00	6	.1	.2	100.0
	46.00	1	.0	.0	100.0
	-1.00	6980	69.8	Missing	
Total		10000	100.0	100.0	
Valid cases	3020	Missing cases	6980		

PB086 Daily intake of nicotine in last 2 WKS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	845	8.5	28.4	28.4
	2.00	2	.0	.1	28.5
	3.50	64	.6	2.2	30.6
	4.00	15	.2	.5	31.1
	5.00	21	.2	.7	31.8
	5.50	115	1.2	3.9	35.7
	6.00	69	.7	2.3	38.0
	6.50	17	.2	.6	38.6
	7.00	56	.6	1.9	40.5
	7.50	5	.1	.2	40.6
	8.00	21	.2	.7	41.3
	9.00	4	.0	.1	41.5
	10.00	63	.6	2.1	43.6
	10.50	48	.5	1.6	45.2
	11.00	166	1.7	5.6	50.8
	12.00	116	1.2	3.9	54.7
	12.50	1	.0	.0	54.7
	13.00	30	.3	1.0	55.7
	13.50	7	.1	.2	55.9
	14.00	47	.5	1.6	57.5
	15.00	94	.9	3.2	60.7
	16.00	18	.2	.6	61.3
	16.50	211	2.1	7.1	68.4
	17.50	18	.2	.6	69.0
	18.00	144	1.4	4.8	73.8
	19.50	35	.4	1.2	75.0
	20.00	65	.7	2.2	77.2
	21.00	9	.1	.3	77.5
	22.00	206	2.1	6.9	84.4
	22.50	9	.1	.3	84.7
	23.00	1	.0	.0	84.7
	24.00	129	1.3	4.3	89.1
	25.00	20	.2	.7	89.8
	26.00	26	.3	.9	90.6
	27.00	3	.0	.1	90.7
	27.50	71	.7	2.4	93.1
	28.00	3	.0	.1	93.2
	30.00	67	.7	2.3	95.5
	32.50	8	.1	.3	95.7
	33.00	72	.7	2.4	98.2
	36.00	40	.4	1.3	99.5
	37.50	1	.0	.0	99.5
	39.00	6	.1	.2	99.7
	42.00	1	.0	.0	99.8
	45.00	7	.1	.2	100.0
	-1.00	7024	70.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	2976	Missing cases	7024		

PB087 Type of tobacco smoked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
filtered	1	3054	30.5	79.4	79.4
unfiltered	2	34	.3	.9	80.3
roll your own	3	434	4.3	11.3	91.6
pipe or cigar	4	324	3.2	8.4	100.0
	-1	6154	61.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	3846	Missing cases	6154		

B16. Please indicate how often you smoked marijuana/grass/cannabis/ganja -

<i>Almost every day</i>	<i>2-4 times a week</i>	<i>Once a week</i>	<i>Less than once a week</i>	<i>Not at all</i>
---------------------------------	---------------------------------	------------------------	--	-----------------------

- a) *In the 6 months before your partner conceived*
[For those answering for a 2nd pregnancy the words 'this time' were added]
- b) *In the last 3 months*
[When more than 1 box was ticked, the one with the lower code was taken]
(N.B. A large number of respondents left both these questions blank)

PB088 Smoked cannabis in 6MTHS pre PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Everyday	1	202	2.0	3.5	3.5
2-4 times PWK	2	154	1.5	2.6	6.1
Once PWK	3	66	.7	1.1	7.2
<once PWK	4	299	3.0	5.1	12.3
not at all	5	5124	51.2	87.7	100.0
	-1	4155	41.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5845	Missing cases	4155		

PB089 Smoked cannabis in last 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Everyday	1	160	1.6	2.8	2.8
2-4 times PWK	2	110	1.1	1.9	4.7
Once PWK	3	76	.8	1.3	6.0
<once PWK	4	228	2.3	4.0	10.0
not at all	5	5194	51.9	90.0	100.0
	-1	4232	42.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5768	Missing cases	4232		

B17. How often have you taken the following in the past 3 months?

Nearly every day *At least once a week* *At least once a month* *Not at all*

a) amphetamines

[When more than 1 box was ticked, the one with the lower code was taken]

PB090 Amphetamine use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly everyday	1	10	.1	.1	.1
Once+ PWK	2	6	.1	.1	.2
Once+ PMTH	3	38	.4	.4	.6
not at all	4	9519	95.2	99.4	100.0
	-1	427	4.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9573	Missing cases	427		

b) barbiturates

[When more than 1 box was ticked, the one with the lower code was taken]

PB091 Barbiturate use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly everyday	1	10	.1	.1	.1
Once+ PWK	2	3	.0	.0	.1
Once+ PMTH	3	6	.1	.1	.2
not at all	4	9538	95.4	99.8	100.0
	-1	443	4.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9557	Missing cases	443		

c) crack

[When more than 1 box was ticked, the one with the lower code was taken]

PB092 Crack use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly everyday	1	8	.1	.1	.1
Once+ PWK	2	2	.0	.0	.1
Once+ PMTH	3	1	.0	.0	.1
not at all	4	9548	95.5	99.9	100.0
	-1	441	4.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9559	Missing cases	441		

B17.d) cocaine

[When more than 1 box was ticked, the one with the lower code was taken]

PB093 Cocaine use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly everyday	1	8	.1	.1	.1
Once+ PWK	2	2	.0	.0	.1
Once+ PMTH	3	15	.2	.2	.3
not at all	4	9531	95.3	99.7	100.0
	-1	444	4.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9556	Missing cases	444		

e) heroin

[When more than 1 box was ticked, the one with the lower code was taken]

PB094 Heroin use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly everyday	1	8	.1	.1	.1
Once+ PWK	2	2	.0	.0	.1
Once+ PMTH	3	2	.0	.0	.1
not at all	4	9546	95.5	99.9	100.0
	-1	442	4.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9558	Missing cases	442		

f) methadone

[When more than 1 box was ticked, the one with the lower code was taken]

PB095 Methadone use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly everyday	1	11	.1	.1	.1
Once+ PMTH	3	2	.0	.0	.1
not at all	4	9542	95.4	99.9	100.0
	-1	445	4.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9555	Missing cases	445		

B17.g) † *ecstasy*

[This question not included in 1st 2 versions]

[When more than 1 box was ticked, the one with the lower code was taken]

PB096 Ecstasy use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.0	.0	.0
	3	10	.1	.5	.5
	4	2020	20.2	99.5	100.0
	-1	7969	79.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	2031	Missing cases	7969		

h) *other (please describe)*

[This question labelled as (g) in 1st 2 versions & 2nd pregnancy]

[When more than 1 box was ticked, the one with the lower code was taken]

[Coders were instructed: please ensure that any writing in the 'please describe' area is matched by a 'yes' tick on B17h. If it is not, please code a zero on B17h, to indicate information in the 'please describe' section]

PB097 Other use in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly everyday	1	41	.4	.5	.5
Once+ PWK	2	19	.2	.2	.7
Once+ PMTH	3	49	.5	.5	1.2
not at all	4	8861	88.6	98.8	100.0
	-1	1030	10.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	8970	Missing cases	1030		

Derived variable

From PB090-PB097, the variable hard drugs was derived - from any Code 1

PB098 Hard drugs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	173	1.7	1.8	1.8
No	2.00	9420	94.2	98.2	100.0
	-1.00	407	4.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9593	Missing cases	407		

B18. How often have you drunk alcoholic drinks?

<i>Never</i>	<i>Less than once a week</i>	<i>At least once a week</i>	<i>1-2 glasses every day</i>	<i>3-9 glasses every day</i>	<i>At least 10 glasses every day</i>
--------------	--------------------------------------	-------------------------------------	----------------------------------	----------------------------------	--

a) *Before your partner became pregnant*

[For 2nd pregnancies the words 'this time' were added]

[When more than 1 box was ticked, the one with the higher code was taken]

b) *In the past 3 months*

[When more than 1 box was ticked, the one with the higher code was taken]

PB099 Alcohol consumption pre PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	373	3.7	3.8	3.8
<1 glass PWK	2	2119	21.2	21.4	25.2
1+ glasses PWK	3	5108	51.1	51.6	76.8
1-2 glasses PDAY	4	1687	16.9	17.0	93.8
3-9 glasses PDAY	5	569	5.7	5.7	99.6
10+ glasses PDAY	6	42	.4	.4	100.0
	-1	102	1.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9898	Missing cases	102		

PB100 Alcohol consumption in past 3MTHS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	482	4.8	4.9	4.9
<1 glass PWK	2	2382	23.8	24.4	29.4
1+ glasses PWK	3	4909	49.1	50.3	79.7
1-2 glasses PDAY	4	1507	15.1	15.4	95.1
3-9 glasses PDAY	5	450	4.5	4.6	99.7
10+ glasses PDAY	6	25	.3	.3	100.0
	-1	245	2.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9755	Missing cases	245		

B19. How many days *in the past month* did you drink the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

[In the 1st version the words 'would you have drunk' were used instead of 'did you drink']

everyday *more than 10 days*
5-10 days *3-4 days*
1-2 days *none*

[When more than 1 box was ticked, the one with the higher code was taken]

PB101 Days had 4 units of alcohol in past MTH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	1829	18.3	18.6	18.6
1-2 days	1	1747	17.5	17.7	36.3
3-4 days	2	1891	18.9	19.2	55.5
5-10 days	3	2501	25.0	25.4	80.8
10+ days	4	1449	14.5	14.7	95.5
everyday	5	439	4.4	4.5	100.0
	-1	144	1.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	
Valid cases	9856	Missing cases	144		

B20. Which is the alcoholic drink you most often drink?
(Tick one only)

wine
beer/lager
sherry/port
gin/whisky/vodka/brandy
other (please describe)
don't drink at all

[Coders were instructed: code shandy or Guinness as beer/lager. If there are two boxes ticked (suggesting eg. beer & whisky chaser), recode as 5. Write '2 + 4' or whatever combination of boxes had been ticked, on the dotted line]

PB102 Alcohol drink drunk most

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Wine	1	1147	11.5	12.1	12.1
Beer or lager	2	7391	73.9	78.0	90.1
Sherry or port	3	23	.2	.2	90.3
Spirits	4	233	2.3	2.5	92.8
Other	5	682	6.8	7.2	100.0
Don't drink	-2	365	3.7	Missing	
	-1	159	1.6	Missing	
		-----	-----	-----	
		Total	10000	100.0	
Valid cases	9476	Missing cases	524		

SECTION C: YOUR FAMILY AND FRIENDS †

C1. † *How many of your relatives and your partner's relatives do you see at least twice a year?*

None 1 2-4 more than 4
 [When more than 1 box was ticked, the one with the lower code was taken]

PB110		NO of relatives seen at least twice PYR				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		1	189	1.9	1.9	1.9
1		2	143	1.4	1.5	3.4
2-4		3	1192	11.9	12.1	15.5
>4		4	8319	83.2	84.5	100.0
		-1	157	1.6	Missing	
		Total		10000	100.0	
Valid cases	9843	Missing cases		157		

C2. † *About how many friends do you have ?*

None 1 2-4 more than 4
 [When more than 1 box was ticked, the one with the lower code was taken]

PB111		NO of friends				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		1	119	1.2	1.2	1.2
1		2	84	.8	.9	2.1
2-4		3	879	8.8	8.9	11.0
>4		4	8767	87.7	89.0	100.0
		-1	151	1.5	Missing	
		Total		10000	100.0	
Valid cases	9849	Missing cases		151		

C3. † *Overall, would you say you belong to a close circle of friends ?*

Yes No
 [When more than 1 box was ticked, the one with the lower code was taken]

PB112		Member of close circle of friends				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	5589	55.9	56.9	56.9
N		2	4241	42.4	43.1	100.0
		-1	170	1.7	Missing	
		Total		10000	100.0	
Valid cases	9830	Missing cases		170		

C4. † *How many people are there that you can talk to about personal problems?*

None 1 2-4 more than 4
[When more than 1 box was ticked, the one with the lower code was taken]

PB113 NO of people to confide in

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		1	880	8.8	9.0	9.0
1		2	2391	23.9	24.4	33.3
2-4		3	4539	45.4	46.2	79.6
>4		4	2005	20.1	20.4	100.0
		-1	185	1.9	Missing	
			Total	10000	100.0	
Valid cases	9815	Missing cases		185		

C5. † *How many people talk to you about their personal problems or their private feelings?*

None 1 2-4 more than 4
[When more than 1 box was ticked, the one with the lower code was taken]

PB114 NO of people who confide

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		1	886	8.9	9.0	9.0
1		2	1866	18.7	19.0	28.0
2-4		3	4578	45.8	46.6	74.7
>4		4	2486	24.9	25.3	100.0
		-1	184	1.8	Missing	
			Total	10000	100.0	
Valid cases	9816	Missing cases		184		

C6. † *If you have to make an important decision, how many people are there with whom you can discuss it?*

None 1 2-4 more than 4
[When more than 1 box was ticked, the one with the lower code was taken]

PB115 NO of people to discuss decisions with

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		1	318	3.2	3.2	3.2
1		2	2675	26.8	27.3	30.6
2-4		3	4542	45.4	46.4	77.0
>4		4	2255	22.6	23.0	100.0
		-1	210	2.1	Missing	
			Total	10000	100.0	
Valid cases	9790	Missing cases		210		

C7. † *How many people are there among your family and friends from whom you could borrow £100 if you needed to?*

None 1 2-4 more than 4

[When more than 1 box was ticked, the one with the lower code was taken]

PB116 NO of people to borrow 100 pounds from

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	473	4.7	4.8	4.8
1	2	936	9.4	9.6	14.4
2-4	3	4345	43.5	44.3	58.7
>4	4	4045	40.5	41.3	100.0
	-1	201	2.0	Missing	
	Total	10000	100.0	100.0	
Valid cases	9799	Missing cases	201		

C8. † *How many of your family and friends would help you in times of trouble?*

None 1 2-4 more than 4

[When more than 1 box was ticked, the one with the lower code was taken]

PB117 NO of helpers if in trouble

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	115	1.2	1.2	1.2
1	2	256	2.6	2.6	3.8
2-4	3	2600	26.0	26.5	30.2
>4	4	6858	68.6	69.8	100.0
	-1	171	1.7	Missing	
	Total	10000	100.0	100.0	
Valid cases	9829	Missing cases	171		

C9. † *During the last month, how many times did you get together with one or more friends?*

None 1 2-4 more than 4

[When more than 1 box was ticked, the one with the lower code was taken]

PB118 Meetings with friends in last MTH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	610	6.1	6.2	6.2
1	2	865	8.6	8.8	15.0
2-4	3	3329	33.3	33.8	48.8
>4	4	5036	50.4	51.2	100.0
	-1	160	1.6	Missing	
	Total	10000	100.0	100.0	
Valid cases	9840	Missing cases	160		

C10. † *During the last month, how many times did you get together with one or more of your relatives or your partner's relatives?*

None 1 2-4 more than 4

[When more than 1 box was ticked, the one with the lower code was taken]

PB119 Meetings with relatives in last MTH

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		1	488	4.9	5.0	5.0
1		2	933	9.3	9.5	14.4
2-4		3	3395	34.0	34.5	48.9
>4		4	5033	50.3	51.1	100.0
		-1	151	1.5	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	9849	Missing cases	151			

Derived variable : The Social Network Score

Questions C1 to C10 were used to develop a social network score similar to D780-2 for the mother.

Thus, the following recodes were carried out:

PB110, PB111, PB113-PB119 (1=0)(2=1)(3=2)(4=3); PB112 (1=2)(2=1).

Score = PB110 + PB111 + PB112 + ... + PB119

Variable PB120 was put to missing if any of the component variables were missing. If all of the component variables were missing PB121 was calculated as missing, otherwise each missing item was put to the mode for the variable.

PB120 Social network score					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1.00			2	.0	.0 .0
3.00			1	.0	.0 .0
4.00			3	.0	.0 .1
5.00			5	.1	.1 .1
6.00			7	.1	.1 .2
7.00			7	.1	.1 .3
8.00			21	.2	.2 .5
9.00			22	.2	.2 .7
10.00			42	.4	.4 1.1
11.00			51	.5	.5 1.7
12.00			53	.5	.6 2.2
13.00			78	.8	.8 3.0
14.00			141	1.4	1.5 4.5
15.00			180	1.8	1.9 6.4
16.00			221	2.2	2.3 8.7
17.00			279	2.8	2.9 11.6
18.00			437	4.4	4.6 16.2
19.00			532	5.3	5.6 21.7
20.00			681	6.8	7.1 28.8
21.00			834	8.3	8.7 37.6
22.00			937	9.4	9.8 47.3
23.00			1004	10.0	10.5 57.8
24.00			1032	10.3	10.8 68.6
25.00			888	8.9	9.3 77.9
26.00			734	7.3	7.7 85.5
27.00			567	5.7	5.9 91.4
28.00			490	4.9	5.1 96.6
29.00			329	3.3	3.4 100.0
-1.00			422	4.2	Missing
		Total	10000	100.0	100.0
Valid cases	9578	Missing cases	422		

PB121 Social network score: modes/missing data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	2	.0	.0	.0
	3.00	1	.0	.0	.0
	4.00	3	.0	.0	.1
	5.00	5	.1	.1	.1
	6.00	7	.1	.1	.2
	7.00	7	.1	.1	.3
	8.00	22	.2	.2	.5
	9.00	22	.2	.2	.7
	10.00	43	.4	.4	1.1
	11.00	53	.5	.5	1.7
	12.00	56	.6	.6	2.2
	13.00	80	.8	.8	3.0
	14.00	144	1.4	1.5	4.5
	15.00	188	1.9	1.9	6.4
	16.00	227	2.3	2.3	8.7
	17.00	290	2.9	2.9	11.6
	18.00	456	4.6	4.6	16.2
	19.00	546	5.5	5.5	21.8
	20.00	717	7.2	7.3	29.0
	21.00	859	8.6	8.7	37.7
	22.00	972	9.7	9.8	47.5
	23.00	1044	10.4	10.6	58.1
	24.00	1064	10.6	10.8	68.9
	25.00	915	9.2	9.3	78.1
	26.00	760	7.6	7.7	85.8
	27.00	576	5.8	5.8	91.6
	28.00	495	5.0	5.0	96.6
	29.00	332	3.3	3.4	100.0
	-1.00	114	1.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9886	Missing cases	114		

PB122 Social network score: no. missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9578	95.8	95.8	95.8
	1.00	201	2.0	2.0	97.8
	2.00	41	.4	.4	98.2
	3.00	13	.1	.1	98.3
	4.00	6	.1	.1	98.4
	5.00	38	.4	.4	98.8
	6.00	2	.0	.0	98.8
	7.00	5	.1	.1	98.8
	8.00	1	.0	.0	98.9
	9.00	1	.0	.0	98.9
	10.00	114	1.1	1.1	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

SOCIAL SUPPORT VARIABLES

The following statements are about the help and support you have.

<i>This is exactly how I feel</i>	<i>This is often how I feel</i>	<i>This is sometimes how I feel</i>	<i>I never feel this way</i>
---------------------------------------	-------------------------------------	---	----------------------------------

C11. † I have no one to share my feelings with

[When more than 1 box was ticked, the one with the lower code was taken]

PB130 No one to share feelings with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	118	1.2	1.2	1.2
Often feel	2	338	3.4	3.5	4.7
Sometimes feel	3	2457	24.6	25.3	30.0
Never feel	4	6804	68.0	70.0	100.0
	-1	283	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9717	Missing cases	283		

C12. † My partner provides the emotional support I need

[When more than 1 box was ticked, the one with the higher code was taken]

PB131 PTNR provides emotional support needed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	4284	42.8	44.4	44.4
Often feel	2	2948	29.5	30.5	74.9
Sometimes feel	3	1690	16.9	17.5	92.4
Never feel	4	730	7.3	7.6	100.0
	-1	348	3.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9652	Missing cases	348		

C13. † There are other fathers-to-be with whom I can share my experiences

[When more than 1 box was ticked, the one with the higher code was taken]

PB132 Other dads to be to share feelings with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	1079	10.8	11.3	11.3
Often feel	2	1158	11.6	12.1	23.3
Sometimes feel	3	2189	21.9	22.8	46.2
Never feel	4	5161	51.6	53.8	100.0
	-1	413	4.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9587	Missing cases	413		

C14. † I believe in moments of difficulty my neighbours would help me

[When more than 1 box was ticked, the one with the higher code was taken]

PB133 Neighbours would help if in difficulties

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	1571	15.7	16.3	16.3
Often feel	2	1258	12.6	13.1	29.4
Sometimes feel	3	2602	26.0	27.0	56.4
Never feel	4	4205	42.1	43.6	100.0
	-1	364	3.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9636	Missing cases	364		

C15. † I'm worried that my partner might leave me

[When more than 1 box was ticked, the one with the lower code was taken]

PB134 Worried that PTNR might leave

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	141	1.4	1.5	1.5
Often feel	2	164	1.6	1.7	3.2
Sometimes feel	3	1316	13.2	13.6	16.8
Never feel	4	8054	80.5	83.2	100.0
	-1	325	3.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9675	Missing cases	325		

C16. † There is always someone with whom I can share my happiness and excitement about my partner's pregnancy

[When more than 1 box was ticked, the one with the higher code was taken]

PB135 Someone to share excitement of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	3302	33.0	34.4	34.4
Often feel	2	2450	24.5	25.5	59.9
Sometimes feel	3	2593	25.9	27.0	86.9
Never feel	4	1258	12.6	13.1	100.0
	-1	397	4.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9603	Missing cases	397		

C17. † If I feel tired I can rely on my partner to take over

[When more than 1 box was ticked, the one with the higher code was taken]

PB136 When tired can rely on PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	3216	32.2	33.4	33.4
Often feel	2	2426	24.3	25.2	58.6
Sometimes feel	3	2827	28.3	29.4	88.0
Never feel	4	1154	11.5	12.0	100.0
	-1	377	3.8	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9623	Missing cases	377		

C18. † If I was in financial difficulty I know my family would help if they could

[When more than 1 box was ticked, the one with the higher code was taken]

PB137 Family would help with money

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	6644	66.4	68.8	68.8
Often feel	2	1281	12.8	13.3	82.0
Sometimes feel	3	1021	10.2	10.6	92.6
Never feel	4	714	7.1	7.4	100.0
	-1	340	3.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9660	Missing cases	340		

C19. † If I was in financial difficulty I know my friends would help if they could

[When more than 1 box was ticked, the one with the higher code was taken]

PB138 Friends would help with money

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	3432	34.3	35.6	35.6
Often feel	2	1675	16.8	17.4	53.0
Sometimes feel	3	2368	23.7	24.6	77.6
Never feel	4	2163	21.6	22.4	100.0
	-1	362	3.6	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9638	Missing cases	362		

C20. † *If all else fails I know the state will support and assist me*

[When more than 1 box was ticked, the one with the higher code was taken]

PB139 State would help

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Exactly feel	1	885	8.9	9.2	9.2
Often feel	2	506	5.1	5.3	14.5
Sometimes feel	3	2336	23.4	24.3	38.8
Never feel	4	5871	58.7	61.2	100.0
	-1	402	4.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9598	Missing cases	402		

Derived variable: Social Support Score

The following recodes were first undertaken:

PB130, PB134 (1=0)(2=1)(3=2)(4=3);

PB131-133, PB135-PB139 (1=3)(2=2)(3=1)(4=0).

The variables PB130-PB139 were then summed; If any value of variables PB130-PB139 was missing, PB140 was put to missing.

For PB141, missing values were put to the mode for that variable unless all items were missing.

PB140 Social support score					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1.00			1	.0	.0 .0
2.00			1	.0	.0 .0
3.00			6	.1	.1 .1
4.00			10	.1	.1 .2
5.00			25	.3	.3 .5
6.00			92	.9	1.0 1.5
7.00			87	.9	.9 2.4
8.00			114	1.1	1.2 3.6
9.00			178	1.8	1.9 5.5
10.00			227	2.3	2.4 8.0
11.00			279	2.8	3.0 11.0
12.00			371	3.7	4.0 15.0
13.00			442	4.4	4.8 19.8
14.00			537	5.4	5.8 25.5
15.00			643	6.4	6.9 32.5
16.00			674	6.7	7.3 39.7
17.00			663	6.6	7.1 46.9
18.00			745	7.5	8.0 54.9
19.00			695	7.0	7.5 62.4
20.00			650	6.5	7.0 69.4
21.00			691	6.9	7.4 76.9
22.00			533	5.3	5.7 82.6
23.00			444	4.4	4.8 87.4
24.00			417	4.2	4.5 91.9
25.00			270	2.7	2.9 94.8
26.00			184	1.8	2.0 96.8
27.00			188	1.9	2.0 98.8
28.00			50	.5	.5 99.4
29.00			23	.2	.2 99.6
30.00			36	.4	.4 100.0
-1.00			724	7.2	Missing
			-----	-----	-----
		Total	10000	100.0	100.0
Valid cases	9276	Missing cases	724		

PB141 Social support score: modes/missing data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1	.0	.0	.0
	2.00	1	.0	.0	.0
	3.00	6	.1	.1	.1
	4.00	11	.1	.1	.2
	5.00	25	.3	.3	.5
	6.00	93	.9	1.0	1.4
	7.00	91	.9	.9	2.3
	8.00	118	1.2	1.2	3.5
	9.00	185	1.9	1.9	5.4
	10.00	234	2.3	2.4	7.8
	11.00	295	2.9	3.0	10.9
	12.00	396	4.0	4.1	14.9
	13.00	459	4.6	4.7	19.6
	14.00	558	5.6	5.7	25.3
	15.00	663	6.6	6.8	32.1
	16.00	715	7.2	7.3	39.4
	17.00	699	7.0	7.2	46.6
	18.00	798	8.0	8.2	54.8
	19.00	737	7.4	7.5	62.3
	20.00	676	6.8	6.9	69.2
	21.00	776	7.8	7.9	77.2
	22.00	552	5.5	5.7	82.8
	23.00	460	4.6	4.7	87.5
	24.00	447	4.5	4.6	92.1
	25.00	279	2.8	2.9	95.0
	26.00	188	1.9	1.9	96.9
	27.00	196	2.0	2.0	98.9
	28.00	50	.5	.5	99.4
	29.00	23	.2	.2	99.6
	30.00	36	.4	.4	100.0
	-1.00	232	2.3	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9768	Missing cases	232		

PB142 Social support score: no. missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9276	92.8	92.8	92.8
	1.00	287	2.9	2.9	95.6
	2.00	59	.6	.6	96.2
	3.00	30	.3	.3	96.5
	4.00	16	.2	.2	96.7
	5.00	23	.2	.2	96.9
	6.00	8	.1	.1	97.0
	7.00	16	.2	.2	97.2
	8.00	20	.2	.2	97.4
	9.00	33	.3	.3	97.7
	10.00	232	2.3	2.3	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

RELIGIOUS BELIEF

C21. † Do you believe in God or in some divine power?

yes
am not sure
no, not at all

PB150 Belief in a divine power

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3621	36.2	37.0	37.0
Not sure	2	3376	33.8	34.5	71.4
N	3	2801	28.0	28.6	100.0
	-1	202	2.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9798	Missing cases	202		

C22. † Do you feel that God (or some divine power) has helped you at any time?

Yes *Not sure* *No*

PB151 Feel helped by divine power

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2472	24.7	25.3	25.3
Not sure	2	3158	31.6	32.3	57.6
N	3	4144	41.4	42.4	100.0
	-1	226	2.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9774	Missing cases	226		

C23. † Would you appeal to God for help if you were in trouble?

Yes *Not sure* *No*

PB152 Appeal to God for help if in trouble

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3536	35.4	36.2	36.2
Not sure	2	2688	26.9	27.5	63.7
N	3	3548	35.5	36.3	100.0
	-1	228	2.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9772	Missing cases	228		

C24a) † *What sort of religious faith would you say you had?*
(Tick one only)

<i>Church of England</i>	<i>Roman Catholic</i>
<i>Jehovah's Witness</i>	<i>Christian Science</i>
<i>Mormon</i>	<i>Other Christian (please describe)</i>
<i>Jewish</i>	<i>Buddhist</i>
<i>Sikh</i>	<i>Hindu</i>
<i>Muslim</i>	<i>Rastafarian</i>
<i>None</i>	<i>Other (please describe)</i>

[Coders were instructed: if more than one box is ticked, recode as 'other' (or 'Other Christian' if relevant) and write the numbers of the ticked boxes on the dotted line. For example, if 1 and 4 are ticked, recode them as 6, and write '1 + 4' on the dotted lines. Note that a two-digit code will be keyed from these boxes]

PB153 Type of religion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	2481	24.8	25.7	25.7
C of E	1	5279	52.8	54.7	80.5
Roman Catholic	2	721	7.2	7.5	87.9
Jehovah witness	3	31	.3	.3	88.3
Christian SCI	4	16	.2	.2	88.4
Mormon	5	19	.2	.2	88.6
Other Christian	6	575	5.8	6.0	94.6
Jewish	7	8	.1	.1	94.7
Buddhist	8	30	.3	.3	95.0
Sikh	9	18	.2	.2	95.2
Hindu	10	21	.2	.2	95.4
Muslim	11	59	.6	.6	96.0
Rastafarian	12	5	.1	.1	96.0
Other	13	381	3.8	4.0	100.0
	-1	356	3.6	Missing	
Total		10000	100.0	100.0	
Valid cases	9644	Missing cases	356		

b) † *How long have you had this particular faith?*

all my life
more than 5 years
3-5 years
1-2 years
less than a year

[When more than 1 box was ticked, the one with the lower code was taken]

PB154 Duration of faith

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
All my life	1	6671	66.7	79.0	79.0
>5 YRS	2	1409	14.1	16.7	95.7
3-5 YRS	3	180	1.8	2.1	97.8
1-2 YRS	4	89	.9	1.1	98.9
<1 YR	5	94	.9	1.1	100.0
	-1	1557	15.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	8443	Missing cases	1557		

C25. † Do you go to a place of worship?

*yes, at least once a week**yes, at least once a month**yes, at least once a year**not at all*

[Coders were instructed: religious meetings in people's homes count as places of worship. Code '5' for occasional worship]

PB155 Attendance at place of worship

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
MIN 1 PWK	1	588	5.9	6.1	6.1
MIN 1 PMTH	2	415	4.2	4.3	10.5
MIN 1 PYR	3	2515	25.2	26.2	36.7
Not at all	4	6077	60.8	63.3	100.0
	-1	405	4.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9595	Missing cases	405		

C26 † Do you obtain help and support from leaders or other members of religious groups?

*Yes**No*a) *Leaders of your religious group (e.g. priests, rabbis, imams)*b) *Other members of your religious group*c) *Members of other religious group (please describe)*

[Coders were instructed to ensure that any entry on the 'please describe' line was matched by a 'yes' tick on C26c]

PB156 Help from religious leaders

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	559	5.6	6.0	6.0
N	2	8717	87.2	94.0	100.0
	-1	724	7.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9276	Missing cases	724		

PB157 Help from other members of same religion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	642	6.4	7.0	7.0
N	2	8544	85.4	93.0	100.0
	-1	814	8.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9186	Missing cases	814		

PB158 Help from members of other religion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	144	1.4	1.6	1.6
N	2	8944	89.4	98.4	100.0
	-1	912	9.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9088	Missing cases	912		

SECTION D: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of these occurred *since your partner became pregnant*? If so, please assess how much effect it had on you.

	<i>Yes & affected me a lot</i>	<i>Yes, moderately affected</i>	<i>Yes, mildly affected</i>	<i>Yes, but did not affect me</i>	<i>No did not happen</i>
<i>Since your partner became pregnant:</i>					

D1. Your parent died

[When more than 1 box was ticked, the one with the lower code was taken]

PB160 Parent died since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	86	.9	.9	.9
fairly affected	2	27	.3	.3	1.2
mildly affected	3	12	.1	.1	1.3
N affect at all	4	8	.1	.1	1.4
didnt happen	5	9597	96.0	98.6	100.0
	-1	270	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9730	Missing cases	270		

PB160A Parent died since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	133	1.3	1.3	1.3
No	2.00	9867	98.7	98.7	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D2. One of your children died

[When more than 1 box was ticked, the one with the lower code was taken]

PB161 CH died since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	26	.3	.3	.3
fairly affected	2	2	.0	.0	.3
mildly affected	3	1	.0	.0	.3
N affect at all	4	4	.0	.0	.3
didnt happen	5	9693	96.9	99.7	100.0
	-1	274	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9726	Missing cases	274		

PB161A CH died since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	33	.3	.3	.3
No	2.00	9967	99.7	99.7	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D3. A friend or relative died

[When more than 1 box was ticked, the one with the lower code was taken]

PB162 Friend or relative died since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	200	2.0	2.1	2.1
fairly affected	2	262	2.6	2.7	4.7
mildly affected	3	494	4.9	5.1	9.8
N affect at all	4	359	3.6	3.7	13.5
didnt happen	5	8418	84.2	86.5	100.0
	-1	267	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9733	Missing cases	267		

PB162A Friend/rel. died since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1315	13.2	13.2	13.2
No	2.00	8685	86.9	86.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D4. One of your children was ill

[When more than 1 box was ticked, the one with the lower code was taken]

PB163 CH was ill since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	199	2.0	2.0	2.0
fairly affected	2	236	2.4	2.4	4.5
mildly affected	3	508	5.1	5.2	9.7
N affect at all	4	450	4.5	4.6	14.3
didnt happen	5	8320	83.2	85.7	100.0
	-1	287	2.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9713	Missing cases	287		

PB163A CH was ill since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1393	13.9	13.9	13.9
No	2.00	8607	86.1	86.1	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D5. Your partner was ill**[When more than 1 box was ticked, the one with the lower code was taken]**

PB164 PTNR was ill since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	643	6.4	6.6	6.6
fairly affected	2	754	7.5	7.7	14.4
mildly affected	3	1014	10.1	10.4	24.8
N affect at all	4	526	5.3	5.4	30.2
didnt happen	5	6797	68.0	69.8	100.0
	-1	266	2.7	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9734	Missing cases	266		

PB164A PTNR was ill since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2937	29.4	29.4	29.4
No	2.00	7063	70.6	70.6	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D6. A friend or relative was ill**[When more than 1 box was ticked, the one with the lower code was taken]**

PB165 Friend or relative ill since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	232	2.3	2.4	2.4
fairly affected	2	436	4.4	4.5	6.9
mildly affected	3	648	6.5	6.7	13.5
N affect at all	4	691	6.9	7.1	20.6
didnt happen	5	7717	77.2	79.4	100.0
	-1	276	2.8	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9724	Missing cases	276		

PB165A Friend/relative ill since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2007	20.1	20.1	20.1
No	2.00	7993	79.9	79.9	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D7. You were admitted to hospital**[When more than 1 box was ticked, the one with the lower code was taken]**

PB166 Admitted to hospital since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	77	.8	.8	.8
fairly affected	2	50	.5	.5	1.3
mildly affected	3	47	.5	.5	1.8
N affect at all	4	101	1.0	1.0	2.8
didnt happen	5	9451	94.5	97.2	100.0
	-1	274	2.7	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9726	Missing cases	274		

PB166A Admitted to hosp. since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	275	2.8	2.8	2.8
No	2.00	9725	97.3	97.3	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D8. You were in trouble with the law**[When more than 1 box was ticked, the one with the lower code was taken]**

PB167 In trouble with law since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	82	.8	.8	.8
fairly affected	2	44	.4	.5	1.3
mildly affected	3	80	.8	.8	2.1
N affect at all	4	114	1.1	1.2	3.3
didnt happen	5	9406	94.1	96.7	100.0
	-1	274	2.7	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9726	Missing cases	274		

PB167A In trouble with law since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	320	3.2	3.2	3.2
No	2.00	9680	96.8	96.8	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D9. You were divorced**[When more than 1 box was ticked, the one with the lower code was taken]**

PB168 Divorced since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	24	.2	.2	.2
fairly affected	2	12	.1	.1	.4
mildly affected	3	16	.2	.2	.5
N affect at all	4	48	.5	.5	1.0
didnt happen	5	9617	96.2	99.0	100.0
	-1	283	2.8	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9717	Missing cases	283		

PB168A Divorced since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	100	1.0	1.0	1.0
No	2.00	9900	99.0	99.0	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D10. You found that your partner didn't want the child**[When more than 1 box was ticked, the one with the lower code was taken]**

PB169 PTNR didnt want this PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	72	.7	.7	.7
fairly affected	2	31	.3	.3	1.1
mildly affected	3	43	.4	.4	1.5
N affect at all	4	28	.3	.3	1.8
didnt happen	5	9546	95.5	98.2	100.0
	-1	280	2.8	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9720	Missing cases	280		

PB169A PTNR didn't want this PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	174	1.7	1.7	1.7
No	2.00	9826	98.3	98.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D11. You were very ill

[When more than 1 box was ticked, the one with the lower code was taken]

PB170 V ill since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	96	1.0	1.0	1.0
fairly affected	2	56	.6	.6	1.6
mildly affected	3	95	1.0	1.0	2.5
N affect at all	4	70	.7	.7	3.3
didnt happen	5	9403	94.0	96.7	100.0
	-1	280	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9720	Missing cases	280		

PB170A V ill since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	317	3.2	3.2	3.2
No	2.00	9683	96.8	96.8	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D12. Your partner lost her job

[When more than 1 box was ticked, the one with the lower code was taken]

PB171 PTNR lost job since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	51	.5	.5	.5
fairly affected	2	90	.9	.9	1.5
mildly affected	3	134	1.3	1.4	2.8
N affect at all	4	127	1.3	1.3	4.1
didnt happen	5	9320	93.2	95.9	100.0
	-1	278	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9722	Missing cases	278		

PB171A PTNR lost job since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	402	4.0	4.0	4.0
No	2.00	9598	96.0	96.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D13. Your partner had problems at work**[When more than 1 box was ticked, the one with the lower code was taken]**

PB172 PTNR had PROBS at work since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	151	1.5	1.6	1.6
fairly affected	2	300	3.0	3.1	4.6
mildly affected	3	517	5.2	5.3	10.0
N affect at all	4	304	3.0	3.1	13.1
didnt happen	5	8437	84.4	86.9	100.0
	-1	291	2.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9709	Missing cases	291		

PB172A PTNR: PROBS at work since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1272	12.7	12.7	12.7
No	2.00	8728	87.3	87.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D14. You had problems at work**[When more than 1 box was ticked, the one with the lower code was taken]**

PB173 PROBS at work since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	509	5.1	5.2	5.2
fairly affected	2	623	6.2	6.4	11.6
mildly affected	3	1003	10.0	10.3	22.0
N affect at all	4	594	5.9	6.1	28.1
didnt happen	5	6994	69.9	71.9	100.0
	-1	277	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9723	Missing cases	277		

PB173A PROBS at work since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2729	27.3	27.3	27.3
No	2.00	7271	72.7	72.7	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D15. You lost your job

[When more than 1 box was ticked, the one with the lower code was taken]

PB174 Lost job since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	307	3.1	3.2	3.2
fairly affected	2	147	1.5	1.5	4.7
mildly affected	3	113	1.1	1.2	5.8
N affect at all	4	80	.8	.8	6.7
didnt happen	5	9071	90.7	93.3	100.0
	-1	282	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9718	Missing cases	282		

PB174A Lost job since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	647	6.5	6.5	6.5
No	2.00	9353	93.5	93.5	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D16. Your partner went away

[When more than 1 box was ticked, the one with the lower code was taken]

PB175 PTNR went away since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	74	.7	.8	.8
fairly affected	2	53	.5	.5	1.3
mildly affected	3	78	.8	.8	2.1
N affect at all	4	103	1.0	1.1	3.2
didnt happen	5	9416	94.2	96.8	100.0
	-1	276	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9724	Missing cases	276		

PB175A PTNR went away since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	308	3.1	3.1	3.1
No	2.00	9692	96.9	96.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D17. Your partner was in trouble with the law**[When more than 1 box was ticked, the one with the lower code was taken]**

PB176 PTNR in trouble with law since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	21	.2	.2	.2
fairly affected	2	10	.1	.1	.3
mildly affected	3	17	.2	.2	.5
N affect at all	4	28	.3	.3	.8
didnt happen	5	9657	96.6	99.2	100.0
	-1	267	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9733	Missing cases	267		

PB176A PTNR: trouble/law since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	76	.8	.8	.8
No	2.00	9924	99.2	99.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D18. You and your partner separated**[When more than 1 box was ticked, the one with the lower code was taken]**

PB177 Separated since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	90	.9	.9	.9
fairly affected	2	28	.3	.3	1.2
mildly affected	3	24	.2	.2	1.5
N affect at all	4	12	.1	.1	1.6
didnt happen	5	9577	95.8	98.4	100.0
	-1	269	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9731	Missing cases	269		

PB177A Separated since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	154	1.5	1.5	1.5
No	2.00	9846	98.5	98.5	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D19. Your income was reduced

[When more than 1 box was ticked, the one with the lower code was taken]

PB178 Income reduced since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	513	5.1	5.3	5.3
fairly affected	2	488	4.9	5.0	10.3
mildly affected	3	600	6.0	6.2	16.5
N affect at all	4	297	3.0	3.1	19.5
didnt happen	5	7816	78.2	80.5	100.0
	-1	286	2.9	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9714	Missing cases	286		

PB178A Income reduced since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1898	19.0	19.0	19.0
No	2.00	8102	81.0	81.0	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D20. You argued with your partner

[When more than 1 box was ticked, the one with the lower code was taken]

PB179 Argued with PTNR since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	502	5.0	5.2	5.2
fairly affected	2	588	5.9	6.0	11.2
mildly affected	3	1415	14.2	14.5	25.7
N affect at all	4	2040	20.4	20.9	46.7
didnt happen	5	5196	52.0	53.3	100.0
	-1	259	2.6	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9741	Missing cases	259		

PB179A Argued with PTNR since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	4545	45.5	45.5	45.5
No	2.00	5455	54.6	54.6	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D21. You had arguments with your family or friends**[When more than 1 box was ticked, the one with the lower code was taken]**

PB180 Argued with close other since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	139	1.4	1.4	1.4
fairly affected	2	216	2.2	2.2	3.6
mildly affected	3	413	4.1	4.2	7.9
N affect at all	4	716	7.2	7.4	15.3
didnt happen	5	8243	82.4	84.7	100.0
	-1	273	2.7	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9727	Missing cases	273		

PB180A Argued/close other since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1484	14.8	14.8	14.8
No	2.00	8516	85.2	85.2	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D22. You moved house**[When more than 1 box was ticked, the one with the lower code was taken]**

PB181 Moved house since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	228	2.3	2.3	2.3
fairly affected	2	227	2.3	2.3	4.7
mildly affected	3	250	2.5	2.6	7.2
N affect at all	4	335	3.4	3.4	10.7
didnt happen	5	8708	87.1	89.3	100.0
	-1	252	2.5	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9748	Missing cases	252		

PB181A Moved house since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1040	10.4	10.4	10.4
No	2.00	8960	89.6	89.6	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D23. Your partner hurt you**[When more than 1 box was ticked, the one with the lower code was taken]**

PB182 Hurt by PTNR since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	192	1.9	2.0	2.0
fairly affected	2	118	1.2	1.2	3.2
mildly affected	3	239	2.4	2.5	5.6
N affect at all	4	149	1.5	1.5	7.2
didnt happen	5	9035	90.4	92.8	100.0
	-1	267	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9733	Missing cases	267		

PB182A Hurt by PTNR since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	698	7.0	7.0	7.0
No	2.00	9302	93.0	93.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D24. You became homeless**[When more than 1 box was ticked, the one with the lower code was taken]**

PB183 Became homeless since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	73	.7	.7	.7
fairly affected	2	13	.1	.1	.9
mildly affected	3	17	.2	.2	1.1
N affect at all	4	18	.2	.2	1.2
didnt happen	5	9615	96.2	98.8	100.0
	-1	264	2.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9736	Missing cases	264		

PB183A Became homeless since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	121	1.2	1.2	1.2
No	2.00	9879	98.8	98.8	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D25. You had a major financial problem

[When more than 1 box was ticked, the one with the lower code was taken]

PB184 Major financial PROB since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	459	4.6	4.7	4.7
fairly affected	2	392	3.9	4.0	8.7
mildly affected	3	484	4.8	5.0	13.7
N affect at all	4	236	2.4	2.4	16.1
didnt happen	5	8167	81.7	83.9	100.0
	-1	262	2.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9738	Missing cases	262		

PB184A Major financial PROB since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1571	15.7	15.7	15.7
No	2.00	8429	84.3	84.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D26. You got married

[When more than 1 box was ticked, the one with the lower code was taken]

PB185 Got married since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	155	1.6	1.6	1.6
fairly affected	2	52	.5	.5	2.1
mildly affected	3	56	.6	.6	2.7
N affect at all	4	121	1.2	1.2	3.9
didnt happen	5	9342	93.4	96.1	100.0
	-1	274	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9726	Missing cases	274		

PB185A Got married since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	384	3.8	3.8	3.8
No	2.00	9616	96.2	96.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 10000 Missing cases 0

D27. Your partner hurt your children**[When more than 1 box was ticked, the one with the lower code was taken]**

PB186 PTNR hurt CH since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	16	.2	.2	.2
fairly affected	2	7	.1	.1	.2
mildly affected	3	12	.1	.1	.4
N affect at all	4	3	.0	.0	.4
didnt happen	5	9690	96.9	99.6	100.0
	-1	272	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 9728 Missing cases 272

PB186A PTNR hurt CH since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	38	.4	.4	.4
No	2.00	9962	99.6	99.6	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 10000 Missing cases 0

D28. You attempted suicide**[When more than 1 box was ticked, the one with the lower code was taken]**

PB187 Attempted suicide since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	17	.2	.2	.2
fairly affected	2	3	.0	.0	.2
mildly affected	3	2	.0	.0	.2
N affect at all	4	2	.0	.0	.2
didnt happen	5	9704	97.0	99.8	100.0
	-1	272	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 9728 Missing cases 272

PB187A Attempted suicide since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	24	.2	.2	.2
No	2.00	9976	99.8	99.8	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D29. You were convicted of an offence

[When more than 1 box was ticked, the one with the lower code was taken]

PB188 Convicted of an offence since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	40	.4	.4	.4
fairly affected	2	18	.2	.2	.6
mildly affected	3	33	.3	.3	.9
N affect at all	4	54	.5	.6	1.5
didnt happen	5	9579	95.8	98.5	100.0
	-1	276	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9724	Missing cases	276		

PB188A Convicted of offence since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	145	1.5	1.5	1.5
No	2.00	9855	98.6	98.6	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D30. You thought your partner might miscarry

[When more than 1 box was ticked, the one with the lower code was taken]

PB189 Thought PTNR might miscarry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	909	9.1	9.3	9.3
fairly affected	2	681	6.8	7.0	16.3
mildly affected	3	801	8.0	8.2	24.6
N affect at all	4	242	2.4	2.5	27.1
didnt happen	5	7095	71.0	72.9	100.0
	-1	272	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9728	Missing cases	272		

PB189A Thought PTNR might miscarry, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2633	26.3	26.3	26.3
No	2.00	7367	73.7	73.7	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D31. You started a new job**[When more than 1 box was ticked, the one with the lower code was taken]**

PB190 Start new job since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	252	2.5	2.6	2.6
fairly affected	2	219	2.2	2.3	4.8
mildly affected	3	179	1.8	1.8	6.7
N affect at all	4	303	3.0	3.1	9.8
didnt happen	5	8766	87.7	90.2	100.0
	-1	281	2.8	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9719	Missing cases	281		

PB190A Start new job since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	953	9.5	9.5	9.5
No	2.00	9047	90.5	90.5	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D32. Your partner had a test to see if your baby was normal**[When more than 1 box was ticked, the one with the lower code was taken]**

PB191 PTNR had test to see if baby normal

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	733	7.3	7.5	7.5
fairly affected	2	918	9.2	9.5	17.0
mildly affected	3	1462	14.6	15.1	32.1
N affect at all	4	2982	29.8	30.7	62.8
didnt happen	5	3615	36.2	37.2	100.0
	-1	290	2.9	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9710	Missing cases	290		

PB191A PTNR had test to see if baby normal, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6095	61.0	61.0	61.0
No	2.00	3905	39.1	39.1	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D33. Your partner had a result on a test that suggested your baby might not be normal
[When more than 1 box was ticked, the one with the lower code was taken]

PB192 Result suggests POSS abnormality of baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	172	1.7	1.8	1.8
fairly affected	2	76	.8	.8	2.6
mildly affected	3	70	.7	.7	3.3
N affect at all	4	62	.6	.6	3.9
didnt happen	5	9318	93.2	96.1	100.0
	-1	302	3.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9698	Missing cases	302		

PB192A Result: POSS abnormality of baby, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	380	3.8	3.8	3.8
No	2.00	9620	96.2	96.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D34. You were told that your partner was going to have twins [When
more than 1 box was ticked, the one with the lower code was taken]

PB193 Told PTNR having twins

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	138	1.4	1.4	1.4
fairly affected	2	49	.5	.5	1.9
mildly affected	3	29	.3	.3	2.2
N affect at all	4	34	.3	.4	2.6
didnt happen	5	9458	94.6	97.4	100.0
	-1	292	2.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9708	Missing cases	292		

PB193A Told PTNR having twins, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	250	2.5	2.5	2.5
No	2.00	9750	97.5	97.5	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 10000 Missing cases 0

D35. You heard that something that had happened might be harmful to the baby
When more than 1 box was ticked, the one with the lower code was taken]

PB194 POSS harm to baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	224	2.2	2.3	2.3
fairly affected	2	190	1.9	1.9	4.2
mildly affected	3	244	2.4	2.5	6.7
N affect at all	4	114	1.1	1.2	7.9
didnt happen	5	8991	89.9	92.1	100.0
	-1	237	2.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 9763 Missing cases 237

PB194A POSS harm to baby, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	772	7.7	7.7	7.7
No	2.00	9228	92.3	92.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 10000 Missing cases 0

D36. You took an examination
[When more than 1 box was ticked, the one with the lower code was taken]

PB195 Took an exam since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	88	.9	.9	.9
fairly affected	2	72	.7	.7	1.6
mildly affected	3	87	.9	.9	2.5
N affect at all	4	251	2.5	2.6	5.1
didnt happen	5	9258	92.6	94.9	100.0
	-1	244	2.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 9756 Missing cases 244

PB195A Took an exam since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	498	5.0	5.0	5.0
No	2.00	9502	95.0	95.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D37. Your partner was emotionally cruel to you**[When more than 1 box was ticked, the one with the lower code was taken]**

PB196 Mum was EMOT cruel to PTNR since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	180	1.8	1.8	1.8
fairly affected	2	137	1.4	1.4	3.3
mildly affected	3	265	2.7	2.7	6.0
N affect at all	4	175	1.8	1.8	7.8
didnt happen	5	8990	89.9	92.2	100.0
	-1	253	2.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9747	Missing cases	253		

PB196A Mum EMOT cruel to PTNR since PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	757	7.6	7.6	7.6
No	2.00	9243	92.4	92.4	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D38. Your partner was emotionally cruel to your children**[When more than 1 box was ticked, the one with the lower code was taken]**

PB197 PTNR EMOT cruel to CH since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	26	.3	.3	.3
fairly affected	2	16	.2	.2	.4
mildly affected	3	33	.3	.3	.8
N affect at all	4	15	.2	.2	.9
didnt happen	5	9653	96.5	99.1	100.0
	-1	257	2.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9743	Missing cases	257		

PB197A PTNR EMOT cruel/CH since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	90	.9	.9	.9
No	2.00	9910	99.1	99.1	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D39. Your house or car was burgled**[When more than 1 box was ticked, the one with the lower code was taken]**

PB198 House or car burgled since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	114	1.1	1.2	1.2
fairly affected	2	138	1.4	1.4	2.6
mildly affected	3	212	2.1	2.2	4.7
N affect at all	4	234	2.3	2.4	7.1
didnt happen	5	9073	90.7	92.9	100.0
	-1	229	2.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9771	Missing cases	229		

PB198A House/car burgled since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	698	7.0	7.0	7.0
No	2.00	9302	93.0	93.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D40. You had an accident**[When more than 1 box was ticked, the one with the lower code was taken]**

PB199 Had an accident since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	66	.7	.7	.7
fairly affected	2	48	.5	.5	1.2
mildly affected	3	136	1.4	1.4	2.6
N affect at all	4	195	2.0	2.0	4.6
didnt happen	5	9308	93.1	95.4	100.0
	-1	247	2.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9753	Missing cases	247		

PB199A Had an accident since PTNR PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	445	4.5	4.5	4.5
No	2.00	9555	95.6	95.6	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D41a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope?

*Yes**No*

[Coders were instructed : if yes is ticked, check that the description differs from the events listed in D1-40. If it is the same, recode it as that event, and tick 'no' for D41]

PB200 Other concern

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1010	10.1	11.0	11.0
N	2	8171	81.7	89.0	100.0
	-1	819	8.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9181	Missing cases	819		

If yes,

b) please describe :
[Keyed as text]

c) How did this affect you?

a lot moderately mildly not at all

[When more than 1 box was ticked, the one with the lower code was taken]

PB201 Degree of effect of other concern

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
a lot	1	556	5.6	6.0	6.0
moderately	2	317	3.2	3.4	9.5
mildly	3	147	1.5	1.6	11.1
not at all	4	21	.2	.2	11.3
Didn't happen	5	8171	81.7	88.7	100.0
	-1	788	7.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9212	Missing cases	788		

Derived variables: Weighted Life Events

Variables PB160-PB199 were recoded (1,2,3,4,5 = 4,3,2,1,0)

$PB202 = PB160 + \dots + PB199$

If any variables had a missing value, $PB202 = -1$.

PB202 Weighted life events					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
.00			641	6.4	7.0 7.0
1.00			669	6.7	7.3 14.3
2.00			586	5.9	6.4 20.7
3.00			613	6.1	6.7 27.4
4.00			682	6.8	7.5 34.9
5.00			590	5.9	6.4 41.3
6.00			524	5.2	5.7 47.1
7.00			509	5.1	5.6 52.6
8.00			523	5.2	5.7 58.3
9.00			441	4.4	4.8 63.2
10.00			405	4.1	4.4 67.6
11.00			349	3.5	3.8 71.4
12.00			314	3.1	3.4 74.8
13.00			280	2.8	3.1 77.9
14.00			228	2.3	2.5 80.4
15.00			200	2.0	2.2 82.6
16.00			193	1.9	2.1 84.7
17.00			166	1.7	1.8 86.5
18.00			163	1.6	1.8 88.3
19.00			122	1.2	1.3 89.6
20.00			136	1.4	1.5 91.1
21.00			92	.9	1.0 92.1
22.00			92	.9	1.0 93.1
23.00			91	.9	1.0 94.1
24.00			53	.5	.6 94.7
25.00			45	.5	.5 95.2
26.00			55	.5	.6 95.8
27.00			44	.4	.5 96.3
28.00			46	.5	.5 96.8
29.00			34	.3	.4 97.1
30.00			34	.3	.4 97.5
31.00			34	.3	.4 97.9
32.00			19	.2	.2 98.1
33.00			18	.2	.2 98.3
34.00			12	.1	.1 98.4
35.00			16	.2	.2 98.6
36.00			17	.2	.2 98.8
37.00			16	.2	.2 99.0
38.00			9	.1	.1 99.0
39.00			11	.1	.1 99.2
40.00			8	.1	.1 99.3
41.00			8	.1	.1 99.3
42.00			6	.1	.1 99.4
43.00			4	.0	.0 99.5
44.00			8	.1	.1 99.5
45.00			5	.1	.1 99.6
46.00			8	.1	.1 99.7
47.00			1	.0	.0 99.7
48.00			3	.0	.0 99.7
50.00			2	.0	.0 99.7
51.00			2	.0	.0 99.8
52.00			2	.0	.0 99.8
53.00			2	.0	.0 99.8
55.00			2	.0	.0 99.8
56.00			1	.0	.0 99.8

PB202 (cont.)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	57.00	1	.0	.0	99.9
	58.00	1	.0	.0	99.9
	59.00	2	.0	.0	99.9
	60.00	1	.0	.0	99.9
	62.00	1	.0	.0	99.9
	63.00	1	.0	.0	99.9
	64.00	1	.0	.0	99.9
	80.00	1	.0	.0	99.9
	88.00	1	.0	.0	100.0
	90.00	1	.0	.0	100.0
	111.00	1	.0	.0	100.0
	121.00	1	.0	.0	100.0
	142.00	1	.0	.0	100.0
	-1.00	852	8.5	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9148	Missing cases	852		

Life Events

Variables PB160A - PB199A were recoded (1,2 = 1,0).

PB203 = PB160A + ... + PB199A.

PB203 Life events

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	789	7.9	7.9	7.9
	1.00	1248	12.5	12.5	20.4
	2.00	1454	14.5	14.5	34.9
	3.00	1529	15.3	15.3	50.2
	4.00	1319	13.2	13.2	63.4
	5.00	1074	10.7	10.7	74.1
	6.00	857	8.6	8.6	82.7
	7.00	602	6.0	6.0	88.7
	8.00	342	3.4	3.4	92.1
	9.00	296	3.0	3.0	95.1
	10.00	165	1.7	1.7	96.8
	11.00	126	1.3	1.3	98.0
	12.00	66	.7	.7	98.7
	13.00	53	.5	.5	99.2
	14.00	27	.3	.3	99.5
	15.00	18	.2	.2	99.7
	16.00	6	.1	.1	99.7
	17.00	9	.1	.1	99.8
	18.00	3	.0	.0	99.8
	19.00	2	.0	.0	99.9
	20.00	2	.0	.0	99.9
	22.00	1	.0	.0	99.9
	23.00	1	.0	.0	99.9
	24.00	1	.0	.0	99.9
	26.00	1	.0	.0	99.9
	29.00	1	.0	.0	99.9
	30.00	1	.0	.0	99.9
	32.00	1	.0	.0	99.9
	38.00	2	.0	.0	100.0
	39.00	2	.0	.0	100.0
	40.00	2	.0	.0	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

D42. How much did it affect you when your partner became pregnant?

[For 2nd pregnancies the words 'this time' were added]

a lot moderately mildly not at all
she wasn't my partner at the time

[When more than 1 box was ticked, the one with the lower code was taken]

PB204 Effect of PTNRS PREG					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
a lot		1	2646	26.5	33.6 33.6
moderately		2	2383	23.8	30.3 63.9
mildly		3	1318	13.2	16.7 80.7
not at all		4	1504	15.0	19.1 99.8
not PTNR then		7	18	.2	.2 100.0
		-1	2131	21.3	Missing
		Total		10000	100.0
Valid cases	7869	Missing cases		2131	

SECTION E: YOUR FEELINGS

The following questions are about feelings. Please indicate the way you feel.

Very Often Not very Never
often often

E1. Do you feel upset for no obvious reason?

[When more than 1 box was ticked, the one with the lower code was taken]

PB210 Upset for no obvious reason at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	59	.6	.6	.6
Often	2	339	3.4	3.4	4.0
Not V often	3	3548	35.5	36.0	40.0
Never	4	5917	59.2	60.0	100.0
	-1	137	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9863	Missing cases	137		

E2. Do you get troubled by dizziness or shortness of breath?

[When more than 1 box was ticked, the one with the lower code was taken]

PB211 Dizziness or breathlessness at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	63	.6	.6	.6
Often	2	221	2.2	2.2	2.9
Not V often	3	1460	14.6	14.8	17.7
Never	4	8120	81.2	82.3	100.0
	-1	136	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9864	Missing cases	136		

E3. Have you felt as though you might faint?

[When more than 1 box was ticked, the one with the lower code was taken]

PB212 Feeling faint at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	27	.3	.3	.3
Often	2	79	.8	.8	1.1
Not V often	3	1284	12.8	13.0	14.1
Never	4	8465	84.7	85.9	100.0
	-1	145	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9855	Missing cases	145		

E4. Do you feel sick or have indigestion?

[When more than 1 box was ticked, the one with the lower code was taken]

PB213 Nausea or indigestion at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	162	1.6	1.6	1.6
Often	2	549	5.5	5.6	7.2
Not V often	3	3054	30.5	31.0	38.2
Never	4	6096	61.0	61.8	100.0
	-1	139	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9861	Missing cases	139		

E5. Do you feel that life is too much effort?

[When more than 1 box was ticked, the one with the lower code was taken]

PB214 Life seems too demanding at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	119	1.2	1.2	1.2
Often	2	351	3.5	3.6	4.8
Not V often	3	2304	23.0	23.4	28.1
Never	4	7081	70.8	71.9	100.0
	-1	145	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9855	Missing cases	145		

E6. Do you feel uneasy and restless?

[When more than 1 box was ticked, the one with the lower code was taken]

PB215 Unease & restlessness at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	193	1.9	2.0	2.0
Often	2	954	9.5	9.7	11.6
Not V often	3	3772	37.7	38.3	49.9
Never	4	4936	49.4	50.1	100.0
	-1	145	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9855	Missing cases	145		

E7. Do you feel tingling or prickling sensations in your body, arms or legs?
 [When more than 1 box was ticked, the one with the lower code was taken]

PB216 Tingling or prickling sensations at PRES					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	84	.8	.9	.9
Often	2	261	2.6	2.6	3.5
Not V often	3	1422	14.2	14.4	17.9
Never	4	8083	80.8	82.1	100.0
	-1	150	1.5	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9850	Missing cases	150		

E8. Do you regret much of your past behaviour?
 [When more than 1 box was ticked, the one with the lower code was taken]

PB217 Regret past behaviour at PRES						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	403	4.0	4.1	4.1
Often		2	859	8.6	8.7	12.8
Not V often		3	3338	33.4	33.9	46.7
Never		4	5248	52.5	53.3	100.0
		-1	152	1.5	Missing	
		Total	10000	100.0	100.0	
Valid cases	9848	Missing cases	152			

E9. Do you sometimes feel panicky?
 [When more than 1 box was ticked, the one with the lower code was taken]

PB218 Panicky at PRES						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	60	.6	.6	.6
Often		2	351	3.5	3.6	4.2
Not V often		3	2713	27.1	27.5	31.7
Never		4	6728	67.3	68.3	100.0
		-1	148	1.5	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	9852	Missing cases		148		

E10. Do you find that you have little or no appetite?

[When more than 1 box was ticked, the one with the lower code was taken]

PB219 Loss of appetite at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	59	.6	.6	.6
Often	2	284	2.8	2.9	3.5
Not V often	3	1796	18.0	18.2	21.7
Never	4	7715	77.1	78.3	100.0
	-1	146	1.5	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9854	Missing cases	146		

E11. Do you wake unusually early in the morning

[When more than 1 box was ticked, the one with the lower code was taken]

PB220 Wake unusually early at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	689	6.9	7.0	7.0
Often	2	1246	12.5	12.7	19.7
Not V often	3	2896	29.0	29.4	49.1
Never	4	5016	50.2	50.9	100.0
	-1	153	1.5	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9847	Missing cases	153		

E12. Do you worry a lot?

[When more than 1 box was ticked, the one with the lower code was taken]

PB221 Worry alot at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	561	5.6	5.7	5.7
Often	2	1887	18.9	19.1	24.8
Not V often	3	4659	46.6	47.3	72.1
Never	4	2753	27.5	27.9	100.0
	-1	140	1.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9860	Missing cases	140		

E13. Do you feel tired or exhausted?

[When more than 1 box was ticked, the one with the lower code was taken]

PB222 Tired or exhausted at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	529	5.3	5.4	5.4
Often	2	2474	24.7	25.1	30.5
Not V often	3	4823	48.2	48.9	79.4
Never	4	2033	20.3	20.6	100.0
	-1	141	1.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9859	Missing cases	141		

E14. Do you experience long periods of sadness?

[When more than 1 box was ticked, the one with the lower code was taken]

PB223 Long periods of sadness at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	88	.9	.9	.9
Often	2	288	2.9	2.9	3.8
Not V often	3	2289	22.9	23.2	27.0
Never	4	7197	72.0	73.0	100.0
	-1	138	1.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9862	Missing cases	138		

E15. Do you feel strung-up inside?

[When more than 1 box was ticked, the one with the lower code was taken]

PB224 Feeling strung up inside at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	216	2.2	2.2	2.2
Often	2	864	8.6	8.8	11.0
Not V often	3	3619	36.2	36.7	47.7
Never	4	5152	51.5	52.3	100.0
	-1	149	1.5	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9851	Missing cases	149		

E16. Can you get off to sleep alright?

[When more than 1 box was ticked, the one with the lower code was taken]

PB225 Go off to asleep OK at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	5704	57.0	58.1	58.1
Often	2	2581	25.8	26.3	84.4
Not V often	3	893	8.9	9.1	93.5
Never	4	634	6.3	6.5	100.0
	-1	188	1.9	Missing	
		-----	-----	-----	
		Total	10000	100.0	
Valid cases	9812	Missing cases	188		

E17. Do you ever have the feeling you are going to pieces?

[When more than 1 box was ticked, the one with the lower code was taken]

PB226 Feeling of going to pieces at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	86	.9	.9	.9
Often	2	321	3.2	3.3	4.1
Not V often	3	2034	20.3	20.7	24.8
Never	4	7392	73.9	75.2	100.0
	-1	167	1.7	Missing	
		-----	-----	-----	
		Total	10000	100.0	
Valid cases	9833	Missing cases	167		

E18. Do you often have excessive sweating or fluttering of the heart?

[When more than 1 box was ticked, the one with the lower code was taken]

PB227 Extra sweating or heart flutters at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	88	.9	.9	.9
Often	2	329	3.3	3.3	4.2
Not V often	3	1698	17.0	17.2	21.5
Never	4	7741	77.4	78.5	100.0
	-1	144	1.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	
Valid cases	9856	Missing cases	144		

E19. Do you find yourself needing to cry?

[When more than 1 box was ticked, the one with the lower code was taken]

PB228 Need to cry at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	40	.4	.4	.4
Often	2	163	1.6	1.7	2.1
Not V often	3	2552	25.5	25.9	27.9
Never	4	7106	71.1	72.1	100.0
	-1	139	1.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9861	Missing cases	139		

E20. Do you have bad dreams which upset you when you wake up?

[When more than 1 box was ticked, the one with the lower code was taken]

PB229 Upsetting dreams at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	49	.5	.5	.5
Often	2	147	1.5	1.5	2.0
Not V often	3	2014	20.1	20.4	22.4
Never	4	7642	76.4	77.6	100.0
	-1	148	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9852	Missing cases	148		

E21. Do you lose the ability to feel sympathy for others?

[When more than 1 box was ticked, the one with the lower code was taken]

PB230 Less sympathetic at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	292	2.9	3.0	3.0
Often	2	924	9.2	9.4	12.4
Not V often	3	3445	34.4	35.0	47.4
Never	4	5173	51.7	52.6	100.0
	-1	166	1.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9834	Missing cases	166		

E22. Can you think quickly?

[1st version was: 'Can you think as quickly as you used to?']

[When more than 1 box was ticked, the one with the lower code was taken]

PB231 Quick thinking at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	4948	49.5	50.4	50.4
Often	2	3823	38.2	39.0	89.4
Not V often	3	675	6.8	6.9	96.3
Never	4	363	3.6	3.7	100.0
	-1	191	1.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9809	Missing cases	191		

E23. Do you have to make a special effort to face up to a crisis or difficulty?

[When more than 1 box was ticked, the one with the lower code was taken]

PB232 Need special effort for crises at PRES

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	285	2.9	2.9	2.9
Often	2	1113	11.1	11.3	14.2
Not V often	3	4176	41.8	42.5	56.7
Never	4	4259	42.6	43.3	100.0
	-1	167	1.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9833	Missing cases	167		

Derived variables

The first 23 questions in this section comprised the sub-scales of Crown-Crisp Experiential Index (CCEI) relating to free-floating anxiety, depression and somaticism. Although the total score of the 48 items in the original index has been shown to be a useful measure of psycho-neurotic pathology in the community, the need to limit the number of items and our specific interest in depression and anxiety guided the selection of these items. Indeed most studies using the CCEI, including those of the original authors have in fact focused on the sub-scales and it has been used in this way in the study of mental health of mothers during pregnancy and the post-natal year. The 3 sub-scales had varying styles of response, some being a two-point yes/no scale, while others had 3-point categories. We modified the response categories for our study so that each item had 4 consistent response categories in which the respondent indicated frequency of symptoms from 'never' to 'very often'. These modifications were extensively pilot tested including a validation study against the Present State Examination (PSE).

Subscales of the CCEI were derived from variables PB210-PB232; the following recodes were undertaken:

PB210, PB224, PB226 (1,2 = 2)(3,4 = 0);
 PB212, PB215, PB221, PB229 (1,2 = 2)(3=1)(4=0);
 PB214, PB223, PB228, PB232 (1,2 = 2)(3=1)(4=0);
 PB217, PB220, PB230 (1,2 = 2)(3,4 = 0);
 PB231, PB225 (1,2 = 0)(3,4 = 2);
 PB211, PB216, PB222 (1,2 = 2)(3=1)(4=0);
 PB213, PB219, PB227 (1,2 = 2)(3,4 =0);
 PB218 (1,2,3 = 2)(4=0)

CCEI Anxiety subscales

Sum of variables PB210, PB218, PB224, PB226, PB212, PB215, PB221, PB229.

PB233 CCEI Anxiety subscale I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not anxious	.00	1847	18.5	19.0	19.0
	1.00	1813	18.1	18.7	37.7
	2.00	1574	15.7	16.2	53.9
	3.00	1036	10.4	10.7	64.5
	4.00	1029	10.3	10.6	75.1
	5.00	808	8.1	8.3	83.4
	6.00	558	5.6	5.7	89.2
	7.00	318	3.2	3.3	92.5
	8.00	243	2.4	2.5	95.0
	9.00	154	1.5	1.6	96.5
	10.00	133	1.3	1.4	97.9
	11.00	78	.8	.8	98.7
	12.00	54	.5	.6	99.3
	13.00	25	.3	.3	99.5
	14.00	28	.3	.3	99.8
Very anxious	15.00	17	.2	.2	100.0
	16.00	1	.0	.0	100.0
	-1.00	284	2.8	Missing	
		Total	10000	100.0	100.0
Valid cases	9716	Missing cases	284		

PB234 CCEI Anxiety subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not anxious	.00	1861	18.6	18.8	18.8
	1.00	1857	18.6	18.8	37.6
	2.00	1605	16.1	16.2	53.8
	3.00	1054	10.5	10.6	64.4
	4.00	1053	10.5	10.6	75.1
	5.00	819	8.2	8.3	83.3
	6.00	573	5.7	5.8	89.1
	7.00	328	3.3	3.3	92.4
	8.00	252	2.5	2.5	95.0
	9.00	156	1.6	1.6	96.5
	10.00	136	1.4	1.4	97.9
	11.00	79	.8	.8	98.7
	12.00	55	.5	.6	99.3
	13.00	25	.3	.3	99.5
	14.00	29	.3	.3	99.8
Very anxious	15.00	17	.2	.2	100.0
	16.00	1	.0	.0	100.0
	-1.00	100	1.0	Missing	
		Total	10000	100.0	100.0
Valid cases	9900	Missing cases	100		

PB235 No. missing values in anxiety subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9716	97.2	97.2	97.2
	1.00	119	1.2	1.2	98.4
	2.00	13	.1	.1	98.5
	3.00	20	.2	.2	98.7
	4.00	1	.0	.0	98.7
	5.00	18	.2	.2	98.9
	6.00	11	.1	.1	99.0
	7.00	2	.0	.0	99.0
	8.00	100	1.0	1.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

CCEI Depression subscales

Sum of variables PB214, PB223, PB228, PB232, PB217, PB220, PB230, PB231.

PB236 CCEI Depression subscale I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not depressed	.00	1941	19.4	20.1	20.1
	1.00	1650	16.5	17.1	37.2
	2.00	1840	18.4	19.1	56.3
	3.00	1237	12.4	12.8	69.1
	4.00	1021	10.2	10.6	79.7
	5.00	616	6.2	6.4	86.1
	6.00	466	4.7	4.8	90.9
	7.00	307	3.1	3.2	94.1
	8.00	213	2.1	2.2	96.3
	9.00	135	1.4	1.4	97.7
	10.00	89	.9	.9	98.6
	11.00	65	.7	.7	99.3
	12.00	34	.3	.4	99.7
	13.00	17	.2	.2	99.8
	14.00	11	.1	.1	100.0
Very depressed	15.00	4	.0	.0	100.0
	-1.00	354	3.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9646	Missing cases	354		

PB237 CCEI Depression subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not depressed	.00	2015	20.2	20.4	20.4
	1.00	1684	16.8	17.0	37.4
	2.00	1892	18.9	19.1	56.5
	3.00	1265	12.7	12.8	69.3
	4.00	1041	10.4	10.5	79.8
	5.00	631	6.3	6.4	86.2
	6.00	475	4.8	4.8	91.0
	7.00	315	3.2	3.2	94.1
	8.00	216	2.2	2.2	96.3
	9.00	139	1.4	1.4	97.7
	10.00	92	.9	.9	98.7
	11.00	66	.7	.7	99.3
	12.00	35	.4	.4	99.7
	13.00	17	.2	.2	99.8
	14.00	11	.1	.1	100.0
Very depressed	15.00	4	.0	.0	100.0
	-1.00	102	1.0	Missing	
	Total	10000	100.0	100.0	

Valid cases 9898 Missing cases 102

PB238 No.missing values in depression subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9646	96.5	96.5	96.5
	1.00	187	1.9	1.9	98.3
	2.00	13	.1	.1	98.5
	3.00	5	.1	.1	98.5
	4.00	38	.4	.4	98.9
	5.00	2	.0	.0	98.9
	6.00	4	.0	.0	99.0
	7.00	3	.0	.0	99.0
	8.00	102	1.0	1.0	100.0
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

CCEI Somatic subscales

Sum of variables PB211, PB216, PB222, PB213, PB219, PB227, PB225.

PB239 CCEI Somatic subscale I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not somatic	.00	1339	13.4	13.8	13.8
	1.00	2999	30.0	30.9	44.7
	2.00	2432	24.3	25.0	69.7
	3.00	1218	12.2	12.5	82.2
	4.00	802	8.0	8.3	90.5
	5.00	363	3.6	3.7	94.2
	6.00	243	2.4	2.5	96.7
	7.00	124	1.2	1.3	98.0
	8.00	80	.8	.8	98.8
	9.00	44	.4	.5	99.3
	10.00	32	.3	.3	99.6
	11.00	17	.2	.2	99.8
	12.00	15	.2	.2	100.0
	13.00	3	.0	.0	100.0
Very somatic	14.00	1	.0	.0	100.0
	-1.00	288	2.9	Missing	
Total		10000	100.0	100.0	
Valid cases	9712	Missing cases	288		

PB240 CCEI Somatic subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not somatic	.00	1363	13.6	13.8	13.8
	1.00	3078	30.8	31.1	44.8
	2.00	2475	24.8	25.0	69.8
	3.00	1239	12.4	12.5	82.3
	4.00	811	8.1	8.2	90.5
	5.00	368	3.7	3.7	94.3
	6.00	246	2.5	2.5	96.7
	7.00	126	1.3	1.3	98.0
	8.00	80	.8	.8	98.8
	9.00	48	.5	.5	99.3
	10.00	33	.3	.3	99.6
	11.00	17	.2	.2	99.8
	12.00	15	.2	.2	100.0
	13.00	3	.0	.0	100.0
Very somatic	14.00	1	.0	.0	100.0
	-1.00	97	1.0	Missing	
Total		10000	100.0	100.0	

Valid cases 9903 Missing cases 97
 PB241 No. missing values in somatic subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9712	97.1	97.1	97.1
	1.00	128	1.3	1.3	98.4
	2.00	25	.3	.3	98.7
	3.00	3	.0	.0	98.7
	4.00	3	.0	.0	98.7
	5.00	26	.3	.3	99.0
	6.00	6	.1	.1	99.0
	7.00	97	1.0	1.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

Total CCEI scores

Sum of Anxiety, Depression and Somatic subscales.

PB242 CCEI Total score I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	432	4.3	4.6	4.6
	1.00	410	4.1	4.3	8.9
	2.00	787	7.9	8.3	17.3
	3.00	750	7.5	8.0	25.2
	4.00	859	8.6	9.1	34.3
	5.00	760	7.6	8.1	42.4
	6.00	739	7.4	7.8	50.2
	7.00	707	7.1	7.5	57.7
	8.00	618	6.2	6.6	64.3
	9.00	480	4.8	5.1	69.4
	10.00	451	4.5	4.8	74.2
	11.00	386	3.9	4.1	78.3
	12.00	348	3.5	3.7	82.0
	13.00	252	2.5	2.7	84.6
	14.00	250	2.5	2.7	87.3
	15.00	201	2.0	2.1	89.4
	16.00	166	1.7	1.8	91.2
	17.00	132	1.3	1.4	92.6
	18.00	118	1.2	1.3	93.8
	19.00	94	.9	1.0	94.8
	20.00	80	.8	.8	95.7
	21.00	62	.6	.7	96.3
	22.00	51	.5	.5	96.9
	23.00	61	.6	.6	97.5
	24.00	34	.3	.4	97.9
	25.00	45	.5	.5	98.4
	26.00	37	.4	.4	98.7
	27.00	23	.2	.2	99.0
	28.00	11	.1	.1	99.1
	29.00	14	.1	.1	99.3
	30.00	13	.1	.1	99.4
	31.00	10	.1	.1	99.5
	32.00	11	.1	.1	99.6
	33.00	5	.1	.1	99.7
	34.00	4	.0	.0	99.7
	35.00	10	.1	.1	99.8
	36.00	6	.1	.1	99.9
	37.00	1	.0	.0	99.9
	38.00	3	.0	.0	99.9
	39.00	2	.0	.0	99.9
	40.00	1	.0	.0	100.0
	41.00	4	.0	.0	100.0
	-1.00	572	5.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9428	Missing cases	572		

PB243 CCEI Total score II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	447	4.5	4.5	4.5
	1.00	431	4.3	4.4	8.9
	2.00	823	8.2	8.3	17.2
	3.00	787	7.9	7.9	25.1
	4.00	892	8.9	9.0	34.1
	5.00	798	8.0	8.1	42.2
	6.00	772	7.7	7.8	50.0
	7.00	745	7.5	7.5	57.5
	8.00	651	6.5	6.6	64.1
	9.00	510	5.1	5.1	69.2
	10.00	480	4.8	4.8	74.1
	11.00	402	4.0	4.1	78.1
	12.00	366	3.7	3.7	81.8
	13.00	271	2.7	2.7	84.6
	14.00	262	2.6	2.6	87.2
	15.00	214	2.1	2.2	89.4
	16.00	173	1.7	1.7	91.1
	17.00	137	1.4	1.4	92.5
	18.00	123	1.2	1.2	93.7
	19.00	98	1.0	1.0	94.7
	20.00	86	.9	.9	95.6
	21.00	68	.7	.7	96.3
	22.00	52	.5	.5	96.8
	23.00	64	.6	.6	97.5
	24.00	36	.4	.4	97.8
	25.00	47	.5	.5	98.3
	26.00	38	.4	.4	98.7
	27.00	25	.3	.3	98.9
	28.00	14	.1	.1	99.1
	29.00	14	.1	.1	99.2
	30.00	16	.2	.2	99.4
	31.00	12	.1	.1	99.5
	32.00	13	.1	.1	99.6
	33.00	6	.1	.1	99.7
	34.00	4	.0	.0	99.7
	35.00	10	.1	.1	99.8
	36.00	6	.1	.1	99.9
	37.00	1	.0	.0	99.9
	38.00	3	.0	.0	99.9
	39.00	2	.0	.0	99.9
	40.00	1	.0	.0	100.0
	41.00	4	.0	.0	100.0
	-1.00	96	1.0	Missing	
Total		10000	100.0	100.0	
Valid cases	9904	Missing cases	96		

PB244 No.missing values in total score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9428	94.3	94.3	94.3
	1.00	359	3.6	3.6	97.9
	2.00	42	.4	.4	98.3
	3.00	13	.1	.1	98.4
	4.00	2	.0	.0	98.4
	6.00	2	.0	.0	98.5
	7.00	1	.0	.0	98.5
	8.00	4	.0	.0	98.5
	9.00	17	.2	.2	98.7
	10.00	1	.0	.0	98.7
	11.00	1	.0	.0	98.7
	13.00	1	.0	.0	98.7
	14.00	15	.2	.2	98.9
	15.00	4	.0	.0	98.9
	16.00	2	.0	.0	98.9
	17.00	1	.0	.0	98.9
	18.00	2	.0	.0	99.0
	19.00	2	.0	.0	99.0
	20.00	2	.0	.0	99.0
	21.00	4	.0	.0	99.0
	22.00	2	.0	.0	99.1
	23.00	95	1.0	1.0	100.0
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

Your feelings in the past week:

E24. I have been able to laugh and see the funny side of things:

As much as I always could

Not quite so much now

Definitely not so much now

Not at all

[When more than 1 box was ticked, the one with the higher code was taken]

PB250 Sense of humour in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As always	1	8403	84.0	85.1	85.1
Not as much	2	1206	12.1	12.2	97.3
Definitely less	3	205	2.1	2.1	99.4
Not at all	4	63	.6	.6	100.0
	-1	123	1.2	Missing	
	Total	10000	100.0	100.0	
Valid cases	9877	Missing cases	123		

E25. *I have looked forward with enjoyment to things:*

As much as I ever did

Rather less than I used to

Definitely less than I used to

Hardly at all

[When more than 1 box was ticked, the one with the higher code was taken]

PB251 Looked forward to things in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As always	1	8589	85.9	87.0	87.0
< usual	2	1025	10.3	10.4	97.4
lot < usual	3	184	1.8	1.9	99.2
hardly at all	4	75	.8	.8	100.0
	-1	127	1.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9873	Missing cases	127		

E26. *I have blamed myself unnecessarily when things went wrong:*

Yes, most of the time

Yes, some of the time

Not very often

No never

[When more than 1 box was ticked, the one with the lower code was taken]

PB252 Unnecessary self blame in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly	1	439	4.4	4.4	4.4
Y SMTS	2	2259	22.6	22.9	27.3
Not V often	3	3858	38.6	39.1	66.4
Never	4	3314	33.1	33.6	100.0
	-1	130	1.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9870	Missing cases	130		

E27. *I have been anxious or worried for no good reason:*

No, not at all

Hardly ever

Yes, sometimes

Yes, often

[When more than 1 box was ticked, the one with the higher code was taken]

PB253		Unnecessary anxiety or worry in past WK				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never		1	4865	48.7	49.3	49.3
Hardly ever		2	2319	23.2	23.5	72.8
Y SMTS		3	2378	23.8	24.1	96.9
Y often		4	308	3.1	3.1	100.0
		-1	130	1.3	Missing	
		Total		10000	100.0	
Valid cases	9870	Missing cases		130		

E28. *I have felt scared or panicky for no very good reason:*

Yes, quite a lot

Yes, sometimes

No, not much

No, not at all

[When more than 1 box was ticked, the one with the lower code was taken]

PB254		Unnecessary panic or fear in past WK				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
quite a lot		1	185	1.9	1.9	1.9
Y SMTS		2	770	7.7	7.8	9.7
Not much		3	1820	18.2	18.4	28.1
Never		4	7099	71.0	71.9	100.0
		-1	126	1.3	Missing	
		Total		10000	100.0	
Valid cases	9874	Missing cases		126		

E29. Things have been getting on top of me:

Yes, most of the time

Yes, sometimes

No, hardly ever

No, not at all

[When more than 1 box was ticked, the one with the lower code was taken]

PB255 Things getting too much in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly	1	262	2.6	2.7	2.7
Y SMTS	2	2547	25.5	25.8	28.5
Not V often	3	2946	29.5	29.8	58.3
Never	4	4116	41.2	41.7	100.0
	-1	129	1.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9871	Missing cases	129		

E30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

[When more than 1 box was ticked, the one with the lower code was taken]

PB256 Sleeping PROB due to sadness in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly	1	57	.6	.6	.6
Y SMTS	2	428	4.3	4.3	4.9
Not V often	3	1233	12.3	12.5	17.4
Never	4	8163	81.6	82.6	100.0
	-1	119	1.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9881	Missing cases	119		

E31. I have felt sad or miserable:

Yes, most of the time

Yes, quite often

Not very often

No, not at all

[When more than 1 box was ticked, the one with the lower code was taken]

PB257 Sad or miserable in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y mostly	1	79	.8	.8	.8
Y SMTS	2	530	5.3	5.4	6.2
Not V often	3	3026	30.3	30.6	36.8
Never	4	6239	62.4	63.2	100.0
	-1	126	1.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9874	Missing cases	126		

E32. I have been so unhappy that I have been crying:

Yes, most of the time

Yes, quite often

Only occasionally

No, never

[When more than 1 box was ticked, the one with the lower code was taken]

PB258 Crying due to unhappiness in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y most of time	1	10	.1	.1	.1
Y SMTS	2	40	.4	.4	.5
Occasionally	3	687	6.9	7.0	7.5
Never	4	9137	91.4	92.5	100.0
	-1	126	1.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9874	Missing cases	126		

E33. *The thought of harming myself has occurred to me:*

Yes, quite often

Sometimes

Hardly ever

Never

[When more than 1 box was ticked, the one with the lower code was taken]

PB259		Considered self harm in past WK				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
quite often		1	35	.4	.4	.4
SMTS		2	134	1.3	1.4	1.7
hardly ever		3	354	3.5	3.6	5.3
never		4	9350	93.5	94.7	100.0
		-1	127	1.3	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	9873	Missing cases	127			

Derived variables

The 10 items E24-E33 formed the depression scale of the Edinburgh Post-Natal Depression Scale (EPDS) developed by Cox et al. The items in this scale were specifically chosen by the authors because they did not involve somatic items. Each question had 4 response categories scored from 0 to 3 and referred to the feelings of the mother in the past week. Although the measure was developed specifically for use with puerperal women, none of the 10 items is specific to the post-natal experience. The principle feature of the scale that designates it as a post-natal scale is that it does not include somatic items because of the possibility of confounding somatic symptoms of depression with normal physiological symptoms at this time. The feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the post-partum years. During pregnancy, there is the possibility too of confounding normal physiological symptoms with those of depression. Both our own pilot studies and the study of Murray and Carrothers found the measure to be acceptable to respondents, producing high completion rates with little evidence of response error. Validation of the scale during pregnancy, the post-partum period and early parenthood has been examined using standardised psychiatric interviews as the validating measures and shown to have high sensitivity and specificity.

The variables were recoded: PB250, PB251, PB253 (1=0)(2=1)(3=2)(4=3); PB252, PB254-PB259 (1=3)(2=2)(3=1)(4=0) and summed. For EPDS I, if any item was missing, PB260 was put to missing, but PB261 (EPDS II) used the mode for that item unless all items were missing in which case PB262 was put to missing.

PB260 EPDS Score I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1700	17.0	17.4	17.4
	1.00	1238	12.4	12.7	30.1
	2.00	1136	11.4	11.6	41.7
	3.00	988	9.9	10.1	51.8
	4.00	898	9.0	9.2	61.0
	5.00	789	7.9	8.1	69.1
	6.00	645	6.5	6.6	75.7
	7.00	548	5.5	5.6	81.3
	8.00	447	4.5	4.6	85.9
	9.00	347	3.5	3.6	89.5
	10.00	283	2.8	2.9	92.4
	11.00	202	2.0	2.1	94.4
	12.00	147	1.5	1.5	95.9
	13.00	122	1.2	1.2	97.2
	14.00	82	.8	.8	98.0
	15.00	53	.5	.5	98.6
	16.00	35	.4	.4	98.9
	17.00	27	.3	.3	99.2
	18.00	26	.3	.3	99.5
	19.00	14	.1	.1	99.6
	20.00	9	.1	.1	99.7
	21.00	13	.1	.1	99.8
	22.00	8	.1	.1	99.9
	23.00	4	.0	.0	99.9
	24.00	1	.0	.0	100.0
	25.00	1	.0	.0	100.0
	26.00	1	.0	.0	100.0
	27.00	2	.0	.0	100.0
	-1.00	234	2.3	Missing	
Total		10000	100.0	100.0	
Valid cases	9766	Missing cases	234		

PB261 EPDS Score II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1716	17.2	17.3	17.3
	1.00	1267	12.7	12.8	30.1
	2.00	1148	11.5	11.6	41.7
	3.00	1007	10.1	10.2	51.8
	4.00	908	9.1	9.2	61.0
	5.00	804	8.0	8.1	69.1
	6.00	654	6.5	6.6	75.7
	7.00	557	5.6	5.6	81.3
	8.00	455	4.6	4.6	85.9
	9.00	354	3.5	3.6	89.5
	10.00	289	2.9	2.9	92.4
	11.00	206	2.1	2.1	94.5
	12.00	149	1.5	1.5	96.0
	13.00	122	1.2	1.2	97.2
	14.00	84	.8	.8	98.0
	15.00	53	.5	.5	98.6
	16.00	35	.4	.4	98.9
	17.00	27	.3	.3	99.2
	18.00	26	.3	.3	99.5
	19.00	15	.2	.2	99.6
	20.00	9	.1	.1	99.7
	21.00	13	.1	.1	99.8
	22.00	8	.1	.1	99.9
	23.00	4	.0	.0	99.9
	24.00	1	.0	.0	100.0
	25.00	1	.0	.0	100.0
	26.00	1	.0	.0	100.0
	27.00	2	.0	.0	100.0
	-1.00	85	.9	Missing	
Total		10000	100.0	100.0	
Valid cases	9915	Missing cases	85		

PB262 No.missing values in EPDS Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9766	97.7	97.7	97.7
	1.00	82	.8	.8	98.5
	2.00	10	.1	.1	98.6
	3.00	2	.0	.0	98.6
	4.00	23	.2	.2	98.8
	5.00	4	.0	.0	98.9
	6.00	17	.2	.2	99.0
	7.00	3	.0	.0	99.1
	8.00	2	.0	.0	99.1
	9.00	6	.1	.1	99.2
	10.00	85	.9	.9	100.0
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

E34. Since your partner became pregnant have you noticed any change in *your partner in*
any of the following:

Yes, increased a lot *Yes, change a little* *No decreased* *Yes decreased a little* *Yes a lot* *increased*

a) *How irritable she is*
[When more than 1 box was ticked, the one with the lower code was taken]

PB270		PTNR irritable since PREG				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot		1	1678	16.8	17.0	17.0
increased a bit		2	4499	45.0	45.6	62.6
N change		3	3089	30.9	31.3	94.0
decreased a bit		4	456	4.6	4.6	98.6
decreased a lot		5	139	1.4	1.4	100.0
		-1	139	1.4	Missing	
		Total		10000	100.0	
Valid cases	9861	Missing cases		139		

b) *How nervous she is*
[When more than 1 box was ticked, the one with the lower code was taken]

PB271		PTNR nervous since PREG				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot		1	430	4.3	4.4	4.4
increased a bit		2	2300	23.0	23.4	27.7
N change		3	6852	68.5	69.6	97.3
decreased a bit		4	209	2.1	2.1	99.5
decreased a lot		5	54	.5	.5	100.0
		-1	155	1.6	Missing	
		Total		10000	100.0	
Valid cases	9845	Missing cases		155		

c) *How healthy she is*
[When more than 1 box was ticked, the one with the higher code was taken]

PB272		PTNR healthy since PREG				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot		1	393	3.9	4.0	4.0
increased a bit		2	1518	15.2	15.4	19.4
N change		3	6875	68.8	69.9	89.3
decreased a bit		4	929	9.3	9.4	98.7
decreased a lot		5	123	1.2	1.3	100.0
		-1	162	1.6	Missing	
		Total		10000	100.0	
Valid cases	9838	Missing cases		162		

E34.d) How communicative she is

[When more than 1 box was ticked, the one with the higher code was taken]

PB273 PTNR communicative since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	173	1.7	1.8	1.8
increased a bit	2	749	7.5	7.6	9.4
N change	3	3884	38.8	39.4	48.8
decreased a bit	4	4189	41.9	42.5	91.3
decreased a lot	5	854	8.5	8.7	100.0
	-1	151	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9849	Missing cases	151		

e) How active she is

[When more than 1 box was ticked, the one with the higher code was taken]

PB274 PTNR active since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	397	4.0	4.0	4.0
increased a bit	2	1543	15.4	15.7	19.7
N change	3	5162	51.6	52.5	72.2
decreased a bit	4	2434	24.3	24.7	96.9
decreased a lot	5	305	3.1	3.1	100.0
	-1	159	1.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9841	Missing cases	159		

f) How able she is to think and concentrate

[When more than 1 box was ticked, the one with the higher code was taken]

PB275 PTNR able to think & CONC since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	100	1.0	1.0	1.0
increased a bit	2	330	3.3	3.4	4.4
N change	3	6360	63.6	64.6	69.0
decreased a bit	4	2709	27.1	27.5	96.5
decreased a lot	5	346	3.5	3.5	100.0
	-1	155	1.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9845	Missing cases	155		

E34.g) How physically attractive she is

[When more than 1 box was ticked, the one with the higher code was taken]

PB276 PTNR looking attractive since PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	768	7.7	7.8	7.8
increased a bit	2	1856	18.6	18.9	26.7
N change	3	5866	58.7	59.6	86.2
decreased a bit	4	1170	11.7	11.9	98.1
decreased a lot	5	185	1.9	1.9	100.0
	-1	155	1.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 9845 Missing cases 155

Derived variables: Change scores

For CHANGE I, PB270, PB271 were recoded (1=5)(2=4)(3=3)(4=2)(5=1) and PB270 to PB276 were summed.

CHANGE I has highest score meaning negative change, lowest score was positive change.

PB277 Partner change score I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Positive change	7.00	2	.0	.0	.0
	8.00	3	.0	.0	.1
	9.00	3	.0	.0	.1
	11.00	6	.1	.1	.1
	12.00	11	.1	.1	.3
	13.00	21	.2	.2	.5
	14.00	36	.4	.4	.8
	15.00	49	.5	.5	1.3
	16.00	90	.9	.9	2.3
	17.00	142	1.4	1.5	3.7
	18.00	238	2.4	2.4	6.2
	19.00	439	4.4	4.5	10.7
	20.00	703	7.0	7.2	17.9
	21.00	1497	15.0	15.4	33.3
	22.00	1626	16.3	16.7	50.0
	23.00	1518	15.2	15.6	65.6
	24.00	1261	12.6	12.9	78.5
	25.00	866	8.7	8.9	87.4
	26.00	520	5.2	5.3	92.7
	27.00	319	3.2	3.3	96.0
	28.00	209	2.1	2.1	98.2
	29.00	95	1.0	1.0	99.1
	30.00	42	.4	.4	99.6
	31.00	21	.2	.2	99.8
	32.00	10	.1	.1	99.9
	33.00	7	.1	.1	100.0
	34.00	2	.0	.0	100.0
Negative change	35.00	2	.0	.0	100.0
	-1.00	262	2.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	

Valid cases 9738 Missing cases 262

For CHANGE II, no recoding was undertaken, and PB270 to PB276 were summed.
CHANGE II has highest score meaning decrease in attributes, lowest score meaning increase.

PB278 Partner change score II						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increase		7.00	5	.1	.1	.1
		8.00	3	.0	.0	.1
		9.00	5	.1	.1	.1
		10.00	16	.2	.2	.3
		11.00	18	.2	.2	.5
		12.00	26	.3	.3	.7
		13.00	45	.5	.5	1.2
		14.00	82	.8	.8	2.1
		15.00	125	1.3	1.3	3.3
		16.00	211	2.1	2.2	5.5
		17.00	403	4.0	4.1	9.6
		18.00	676	6.8	6.9	16.6
		19.00	1097	11.0	11.3	27.8
		20.00	1578	15.8	16.2	44.1
		21.00	2119	21.2	21.8	65.8
		22.00	1568	15.7	16.1	81.9
		23.00	937	9.4	9.6	91.5
		24.00	489	4.9	5.0	96.6
		25.00	201	2.0	2.1	98.6
		26.00	88	.9	.9	99.5
		27.00	28	.3	.3	99.8
		28.00	13	.1	.1	99.9
		29.00	3	.0	.0	100.0
		30.00	1	.0	.0	100.0
Decrease		35.00	1	.0	.0	100.0
		-1.00	262	2.6	Missing	
		Total	10000	100.0	100.0	
Valid cases	9738	Missing cases	262			

E35. How frequently *during her pregnancy* has she been:

Always Often Sometimes Rarely Never

a) *Irritable*

[When more than 1 box was ticked, the one with the lower code was taken]

PB280 PTNR irritable during PREG						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always		1	301	3.0	3.1	3.1
often		2	2309	23.1	23.4	26.5
SMTS		3	4750	47.5	48.2	74.7
rarely		4	2019	20.2	20.5	95.2
never		5	477	4.8	4.8	100.0
		-1	144	1.4	Missing	
		Total	10000	100.0	100.0	
Valid cases	9856	Missing cases	144			

E35.b) Nervous

[When more than 1 box was ticked, the one with the lower code was taken]

PB281 PTNR nervous during PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	96	1.0	1.0	1.0
often	2	709	7.1	7.2	8.2
SMTS	3	2796	28.0	28.4	36.6
rarely	4	3354	33.5	34.1	70.6
never	5	2893	28.9	29.4	100.0
	-1	152	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9848	Missing cases	152		

c) Active

[When more than 1 box was ticked, the one with the higher code was taken]

PB282 PTNR active during PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	918	9.2	9.3	9.3
often	2	3093	30.9	31.5	40.8
SMTS	3	4063	40.6	41.4	82.2
rarely	4	1492	14.9	15.2	97.4
never	5	259	2.6	2.6	100.0
	-1	175	1.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9825	Missing cases	175		

d) In good health

[When more than 1 box was ticked, the one with the higher code was taken]

PB283 PTNR healthy during PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	2465	24.7	25.0	25.0
often	2	4823	48.2	49.0	74.0
SMTS	3	2018	20.2	20.5	94.5
rarely	4	459	4.6	4.7	99.2
never	5	78	.8	.8	100.0
	-1	157	1.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9843	Missing cases	157		

E35. e) Communicative

[When more than 1 box was ticked, the one with the higher code was taken]

PB284 PTNR communicative during PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	3045	30.5	31.1	31.1
often	2	4237	42.4	43.2	74.3
SMTS	3	2145	21.5	21.9	96.2
rarely	4	300	3.0	3.1	99.2
never	5	77	.8	.8	100.0
	-1	196	2.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9804	Missing cases	196		

f) Able to think and concentrate

[When more than 1 box was ticked, the one with the higher code was taken]

PB285 PTNR able to think & CONC during PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	2633	26.3	26.8	26.8
often	2	3898	39.0	39.7	66.6
SMTS	3	2729	27.3	27.8	94.4
rarely	4	465	4.7	4.7	99.1
never	5	88	.9	.9	100.0
	-1	187	1.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9813	Missing cases	187		

g) Looking attractive

[1st version said 'Feeling attractive']

[When more than 1 box was ticked, the one with the higher code was taken]

PB286 PTNR looking attractive during PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	3321	33.2	33.9	33.9
often	2	3669	36.7	37.5	71.4
SMTS	3	2128	21.3	21.7	93.1
rarely	4	537	5.4	5.5	98.6
never	5	137	1.4	1.4	100.0
	-1	208	2.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9792	Missing cases	208		

Derived variable: Feel Good score

Variables PB280-PB286 were recoded as follows (1=5)(2=4)(3=3)(4=2)(5=1), and the variables summed.

PB287 Partner feel good score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Positive	7.00	63	.6	.7	.7
	8.00	119	1.2	1.2	1.9
	9.00	227	2.3	2.3	4.2
	10.00	318	3.2	3.3	7.5
	11.00	448	4.5	4.6	12.1
	12.00	574	5.7	5.9	18.1
	13.00	729	7.3	7.5	25.6
	14.00	874	8.7	9.0	34.6
	15.00	992	9.9	10.3	44.9
	16.00	1017	10.2	10.5	55.4
	17.00	972	9.7	10.0	65.5
	18.00	810	8.1	8.4	73.8
	19.00	682	6.8	7.0	80.9
	20.00	589	5.9	6.1	87.0
	21.00	481	4.8	5.0	91.9
	22.00	289	2.9	3.0	94.9
	23.00	198	2.0	2.0	97.0
	24.00	120	1.2	1.2	98.2
	25.00	74	.7	.8	99.0
	26.00	37	.4	.4	99.4
	27.00	25	.3	.3	99.6
	28.00	11	.1	.1	99.7
	29.00	11	.1	.1	99.9
	30.00	5	.1	.1	99.9
	31.00	4	.0	.0	99.9
	32.00	2	.0	.0	100.0
	33.00	1	.0	.0	100.0
Negative	35.00	2	.0	.0	100.0
	-1.00	326	3.3	Missing	
Total		10000	100.0	100.0	
Valid cases	9674	Missing cases	326		

E36. Since your partner became pregnant have you noticed any change in:

<i>Yes, increased a lot</i>	<i>Yes, increased a little</i>	<i>No change</i>	<i>Yes decreased a little</i>	<i>Yes decreased a lot</i>
-------------------------------------	--	----------------------	---------------------------------------	------------------------------------

a) How irritable you are

[When more than 1 box was ticked, the one with the lower code was taken]

PB290 Irritability since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	269	2.7	2.7	2.7
increased a bit	2	2692	26.9	27.4	30.1
N change	3	6533	65.3	66.5	96.6
decreased a bit	4	282	2.8	2.9	99.5
decreased a lot	5	53	.5	.5	100.0
	-1	171	1.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9829	Missing cases	171		

E36.b) How nervous you are

[When more than 1 box was ticked, the one with the lower code was taken]

PB291 Nervousness since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	102	1.0	1.0	1.0
increased a bit	2	1228	12.3	12.5	13.5
N change	3	8378	83.8	85.3	98.8
decreased a bit	4	87	.9	.9	99.7
decreased a lot	5	30	.3	.3	100.0
	-1	175	1.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9825	Missing cases	175		

c) How healthy you are

[When more than 1 box was ticked, the one with the higher code was taken]

PB292 Healthiness since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	102	1.0	1.0	1.0
increased a bit	2	641	6.4	6.5	7.6
N change	3	8362	83.6	85.1	92.6
decreased a bit	4	681	6.8	6.9	99.6
decreased a lot	5	42	.4	.4	100.0
	-1	172	1.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9828	Missing cases	172		

d) *How communicative you are*

[When more than 1 box was ticked, the one with the higher code was taken]

PB293 Communicativeness since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	116	1.2	1.2	1.2
increased a bit	2	1254	12.5	12.8	14.0
N change	3	7817	78.2	79.7	93.6
decreased a bit	4	587	5.9	6.0	99.6
decreased a lot	5	40	.4	.4	100.0
	-1	186	1.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9814	Missing cases	186		

E36.e) How active you are

[When more than 1 box was ticked, the one with the higher code was taken]

PB294 Activeness since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	299	3.0	3.0	3.0
increased a bit	2	1562	15.6	15.9	19.0
N change	3	7183	71.8	73.1	92.1
decreased a bit	4	719	7.2	7.3	99.4
decreased a lot	5	57	.6	.6	100.0
	-1	180	1.8	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9820	Missing cases	180		

f) How able you are to think and concentrate

[When more than 1 box was ticked, the one with the higher code was taken]

PB295 Ability to think & CONC since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	138	1.4	1.4	1.4
increased a bit	2	518	5.2	5.3	6.7
N change	3	8547	85.5	87.0	93.7
decreased a bit	4	582	5.8	5.9	99.7
decreased a lot	5	34	.3	.3	100.0
	-1	181	1.8	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9819	Missing cases	181		

g) How physically attractive you are

[When more than 1 box was ticked, the one with the higher code was taken]

PB296 Physical attractiveness since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
increased a lot	1	184	1.8	1.9	1.9
increased a bit	2	321	3.2	3.3	5.2
N change	3	8716	87.2	89.2	94.4
decreased a bit	4	477	4.8	4.9	99.3
decreased a lot	5	71	.7	.7	100.0
	-1	231	2.3	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9769	Missing cases	231		

Derived variables:**CHANGE Score I**

Calculated in similar way to PB277

PB297 Change score I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Positive change	7.00	2	.0	.0	.0
	9.00	1	.0	.0	.0
	10.00	1	.0	.0	.0
	11.00	7	.1	.1	.1
	12.00	7	.1	.1	.2
	13.00	19	.2	.2	.4
	14.00	15	.2	.2	.5
	15.00	44	.4	.5	1.0
	16.00	66	.7	.7	1.7
	17.00	129	1.3	1.3	3.0
	18.00	231	2.3	2.4	5.4
	19.00	534	5.3	5.5	10.9
	20.00	1045	10.5	10.8	21.6
	21.00	4601	46.0	47.4	69.1
	22.00	1528	15.3	15.7	84.8
	23.00	786	7.9	8.1	92.9
	24.00	303	3.0	3.1	96.0
	25.00	158	1.6	1.6	97.7
	26.00	105	1.1	1.1	98.7
	27.00	55	.5	.6	99.3
	28.00	36	.4	.4	99.7
	29.00	15	.2	.2	99.8
	30.00	8	.1	.1	99.9
	31.00	4	.0	.0	99.9
	32.00	2	.0	.0	100.0
	33.00	1	.0	.0	100.0
	34.00	1	.0	.0	100.0
Negative change	35.00	1	.0	.0	100.0
	-1.00	295	2.9	Missing	
Total		10000	100.0	100.0	
Valid cases	9705	Missing cases	295		

CHANGE Score II

Calculated in similar way to PB278

PB298 Change score II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Increase	7.00	3	.0	.0	.0
	9.00	5	.1	.1	.1
	10.00	4	.0	.0	.1
	11.00	9	.1	.1	.2
	12.00	15	.2	.2	.4
	13.00	17	.2	.2	.5
	14.00	40	.4	.4	1.0
	15.00	75	.8	.8	1.7
	16.00	107	1.1	1.1	2.8
	17.00	227	2.3	2.3	5.2
	18.00	465	4.7	4.8	10.0
	19.00	1073	10.7	11.1	21.0
	20.00	2002	20.0	20.6	41.6
	21.00	4645	46.5	47.9	89.5
	22.00	581	5.8	6.0	95.5
	23.00	244	2.4	2.5	98.0
	24.00	108	1.1	1.1	99.1
	25.00	47	.5	.5	99.6
	26.00	23	.2	.2	99.8
	27.00	6	.1	.1	99.9
	28.00	3	.0	.0	99.9
	29.00	2	.0	.0	100.0
Decrease	35.00	4	.0	.0	100.0
	-1.00	295	2.9	Missing	
Total		10000	100.0	100.0	
Valid cases	9705	Missing cases	295		

E37. How frequently during the pregnancy have you been:

Always Often Sometimes Rarely Never

a) Irritable

[When more than 1 box was ticked, the one with the lower code was taken]

PB300 Irritable since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	57	.6	.6	.6
often	2	859	8.6	8.8	9.3
SMTS	3	5016	50.2	51.1	60.5
rarely	4	2734	27.3	27.9	88.3
never	5	1146	11.5	11.7	100.0
	-1	188	1.9	Missing	
Total		10000	100.0	100.0	
Valid cases	9812	Missing cases	188		

b) *Nervous*

[When more than 1 box was ticked, the one with the lower code was taken]

PB301 Nervous since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	40	.4	.4	.4
often	2	316	3.2	3.2	3.6
SMTS	3	1831	18.3	18.7	22.3
rarely	4	3063	30.6	31.2	53.5
never	5	4554	45.5	46.5	100.0
	-1	196	2.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9804	Missing cases	196		

E37.c) *Active*

[When more than 1 box was ticked, the one with the higher code was taken]

PB302 Active since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	2016	20.2	20.6	20.6
often	2	3846	38.5	39.3	60.0
SMTS	3	3192	31.9	32.7	92.6
rarely	4	490	4.9	5.0	97.6
never	5	231	2.3	2.4	100.0
	-1	225	2.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9775	Missing cases	225		

d) *In good health*

[When more than 1 box was ticked, the one with the higher code was taken]

PB303 Healthy since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	4512	45.1	46.1	46.1
often	2	3854	38.5	39.4	85.4
SMTS	3	1181	11.8	12.1	97.5
rarely	4	146	1.5	1.5	99.0
never	5	101	1.0	1.0	100.0
	-1	206	2.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9794	Missing cases	206		

e) *Communicative*

[When more than 1 box was ticked, the one with the higher code was taken]

PB304 Communicative since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	2539	25.4	26.0	26.0
often	2	4081	40.8	41.8	67.8
SMTS	3	2785	27.9	28.5	96.3
rarely	4	246	2.5	2.5	98.8
never	5	116	1.2	1.2	100.0
	-1	233	2.3	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9767	Missing cases	233		

E37.f) *Able to think and concentrate*

[When more than 1 box was ticked, the one with the higher code was taken]

PB305 Able to think & CONC since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	4096	41.0	41.8	41.8
often	2	3921	39.2	40.0	81.9
SMTS	3	1520	15.2	15.5	97.4
rarely	4	149	1.5	1.5	98.9
never	5	105	1.1	1.1	100.0
	-1	209	2.1	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9791	Missing cases	209		

g) *Feeling attractive*

[When more than 1 box was ticked, the one with the higher code was taken]

PB306 Feeling attractive since PTNR PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always	1	1476	14.8	15.3	15.3
often	2	2246	22.5	23.3	38.6
SMTS	3	4385	43.9	45.5	84.1
rarely	4	1043	10.4	10.8	94.9
never	5	489	4.9	5.1	100.0
	-1	361	3.6	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9639	Missing cases	361		

Derived variable: FEEL GOOD SCORE

Computed in a similar way to PB287.

PB307 Feel good score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Positive	7.00	214	2.1	2.2	2.2
	8.00	228	2.3	2.4	4.6
	9.00	370	3.7	3.9	8.5
	10.00	460	4.6	4.8	13.3
	11.00	615	6.2	6.4	19.8
	12.00	672	6.7	7.0	26.8
	13.00	824	8.2	8.6	35.5
	14.00	870	8.7	9.1	44.6
	15.00	1064	10.6	11.1	55.7
	16.00	975	9.8	10.2	65.9
	17.00	874	8.7	9.2	75.1
	18.00	680	6.8	7.1	82.2
	19.00	525	5.3	5.5	87.7
	20.00	404	4.0	4.2	92.0
	21.00	312	3.1	3.3	95.2
	22.00	166	1.7	1.7	97.0
	23.00	99	1.0	1.0	98.0
	24.00	63	.6	.7	98.7
	25.00	27	.3	.3	98.9
	26.00	18	.2	.2	99.1
	27.00	64	.6	.7	99.8
	28.00	8	.1	.1	99.9
	29.00	7	.1	.1	100.0
	30.00	1	.0	.0	100.0
	31.00	1	.0	.0	100.0
	32.00	1	.0	.0	100.0
Negative	35.00	1	.0	.0	100.0
	-1.00	457	4.6	Missing	
<hr/>					
Total		10000	100.0	100.0	
Valid cases	9543	Missing cases	457		

SECTION F: EDUCATION AND OCCUPATION

F1. † *What educational qualifications do you, your partner, your mother, and your father have? Please tick all that apply.*

(i)	(ii)	(iii)	(iv)
Your	Your	Your	Your
self	partner	mother*	father*

- a) *CSE or GCSE (D, E, F or G)*
- b) *O-level or GCSE (A, B or C)*
- c) *A-level*
- d) *Qualifications in shorthand/typing/or other skills, e.g hairdressing*
- e) *Apprenticeship*
- f) *State enrolled nurse*
- g) *State registered nurse*
- h) *City & Guilds intermediate technical*
- i) *City & Guilds final technical*
- j) *City & Guilds full technical*
- k) *Teaching qualification*
- l) *University degree*
- m) *No qualifications*
[Was labelled (n) in 1st version]
- n) *Qualifications not known*
[Was labelled (o) in 1st version]
- o) *Not applicable, no such person*
[Was labelled (p) in 1st version]
- p) *Other (please describe)*
[Was labelled (m) in 1st version]

[* by this we mean the mother figure or father figure who was mostly responsible for bringing you up]

[This footnote was missing from 1st version]

[The coders were instructed: the only options for these boxes are a tick, (which will get keyed as 1), a blank, or you putting in a 9 for Not Knowns, or a zero on F1p. Please ensure that any writing in the 'please describe' area is matched by a 'yes' tick on F1p. If it is not, please code a zero on F1p, to indicate information in the 'please describe' section]

YOUR EDUCATIONAL QUALIFICATIONS

PB310 CSE

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5107	51.1	51.1	51.1
	2	4893	48.9	48.9	100.0
	Total		10000	100.0	
Valid cases	10000	Missing cases	0		

PB311 O level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6135	61.4	61.4	61.4
	2	3865	38.7	38.7	100.0
	Total		10000	100.0	
Valid cases	10000	Missing cases	0		

PB312 A level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2907	29.1	29.1	29.1
	2	7093	70.9	70.9	100.0
	Total		10000	100.0	
Valid cases	10000	Missing cases	0		

PB313 Skill qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	542	5.4	5.4	5.4
	2	9458	94.6	94.6	100.0
	Total		10000	100.0	
Valid cases	10000	Missing cases	0		

PB314 Apprenticeship

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2409	24.1	24.1	24.1
	2	7591	75.9	75.9	100.0
	Total		10000	100.0	
Valid cases	10000	Missing cases	0		

PB315 SEN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	16	.2	.2	.2
	2	9984	99.8	99.8	100.0
	-----		-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB316 SRN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	72	.7	.7	.7
	2	9928	99.3	99.3	100.0
	-----		-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB317 C&G intermediate technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1645	16.5	16.5	16.5
	2	8355	83.6	83.6	100.0
	-----		-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB318 C&G final technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1145	11.5	11.5	11.5
	2	8855	88.6	88.6	100.0
	-----		-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB319 C&G full technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1234	12.3	12.3	12.3
	2	8766	87.7	87.7	100.0
	-----		-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB320 Teaching qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	405	4.1	4.1	4.1
	2	9595	96.0	96.0	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB321 University degree

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1924	19.2	19.2	19.2
	2	8076	80.8	80.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB322 No qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	794	7.9	7.9	7.9
	2.00	9206	92.1	92.1	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB323 Qualifications not known

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	164	1.6	1.6	1.6
	2.00	9836	98.4	98.4	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB324 Other qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1580	15.8	15.8	15.8
	2.00	8420	84.2	84.2	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

Derived variable

PB325 Highest ed qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	1517	15.2	16.5	16.5
Vocational	2.00	811	8.1	8.8	25.3
O level	3.00	2214	22.1	24.0	49.3
A level	4.00	2751	27.5	29.8	79.1
Degree	5.00	1924	19.2	20.9	100.0
	-1.00	783	7.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9217	Missing cases	783		

PB325A Highest ed qualification (recoded)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	2147	21.5	21.8	21.8
Vocational	2.00	811	8.1	8.2	30.0
O level	3.00	2214	22.1	22.5	52.5
A level	4.00	2751	27.5	27.9	80.5
Degree	5.00	1924	19.2	19.5	100.0
	-1.00	153	1.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9847	Missing cases	153		

PARTNER'S EDUCATIONAL QUALIFICATIONS (i.e. Mother)

PB326 PTNR has CSE

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5086	50.9	50.9	50.9
	2	4914	49.1	49.1	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB327 PTNR has O level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6311	63.1	63.1	63.1
	2	3689	36.9	36.9	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB328 PTNR has A level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	2724	27.2	27.2	27.2
	2	7276	72.8	72.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB329 PTNR has skill qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	3440	34.4	34.4	34.4
	2	6560	65.6	65.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB330 PTNR had apprenticeship

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	257	2.6	2.6	2.6
	2	9743	97.4	97.4	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing	0		

PB331 PTNR is SEN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	233	2.3	2.3	2.3
	2	9767	97.7	97.7	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB332 PTNR is SRN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	536	5.4	5.4	5.4
	2	9464	94.6	94.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB333 PTNR has C&G intermediate technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	321	3.2	3.2	3.2
	2	9679	96.8	96.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB334 PTNR has C&G final technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	169	1.7	1.7	1.7
	2	9831	98.3	98.3	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB335 PTNR has C&G full technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	211	2.1	2.1	2.1
	2	9789	97.9	97.9	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB336 PTNR has teaching qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	636	6.4	6.4	6.4
	2	9364	93.6	93.6	100.0
	Total		10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB337 PTNR has university degree

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1402	14.0	14.0	14.0
	2	8598	86.0	86.0	100.0
	Total		10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB338 PTNR has no qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	497	5.0	5.0	5.0
	2.00	9503	95.0	95.0	100.0
	Total		10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB339 PTNR's qualifications not known

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	310	3.1	3.1	3.1
	2.00	9690	96.9	96.9	100.0
	Total		10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB340 No PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	12	.1	.1	.1
	2	7899	79.0	79.0	79.1
	3	2089	20.9	20.9	100.0
	Total		10000	100.0	100.0
Valid cases	10000	Missing	0		

PB341 PTNR has other qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	726	7.3	7.3	7.3
	2.00	9274	92.7	92.7	100.0
	Total		10000	100.0	100.0
Valid cases	10000	Missing cases	0		

Derived variable

PB342 PTNR's highest ed qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	1289	12.9	14.6	14.6
Vocational	2.00	915	9.2	10.3	24.9
O level	3.00	3064	30.6	34.6	59.5
A level	4.00	2189	21.9	24.7	84.2
Degree	5.00	1402	14.0	15.8	100.0
	-1.00	1141	11.4	Missing	
	Total		10000	100.0	100.0
Valid cases	8859	Missing cases	1141		

PB342A PTNR's highest ed qualification(recoded)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	1977	19.8	20.7	20.7
Vocational	2.00	915	9.2	9.6	30.3
O level	3.00	3064	30.6	32.1	62.4
A level	4.00	2189	21.9	22.9	85.3
Degree	5.00	1402	14.0	14.7	100.0
	-1.00	453	4.5	Missing	
	Total		10000	100.0	100.0
Valid cases	9547	Missing cases	453		

YOUR MOTHER'S EDUCATIONAL QUALIFICATIONS

PB343 Mother has CSE

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	940	9.4	9.4	9.4
	2	9060	90.6	90.6	100.0
	Total		10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB344 Mother has O level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1884	18.8	18.8	18.8
	2	8116	81.2	81.2	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB345 Mother has A level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	710	7.1	7.1	7.1
	2	9290	92.9	92.9	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB346 Mother has skill qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1604	16.0	16.0	16.0
	2	8396	84.0	84.0	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB347 Mother had apprenticeship

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	120	1.2	1.2	1.2
	2	9880	98.8	98.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB348 Mother is SEN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	182	1.8	1.8	1.8
	2	9818	98.2	98.2	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing	0		

PB349 Mother is SRN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	320	3.2	3.2	3.2
	2	9680	96.8	96.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB350 Mother has C&G intermediate technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	63	.6	.6	.6
	2	9937	99.4	99.4	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB351 Mother has C&G final technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	38	.4	.4	.4
	2	9962	99.6	99.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB352 Mother has C&G full technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	41	.4	.4	.4
	2	9959	99.6	99.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB353 Mother has teaching qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	471	4.7	4.7	4.7
	2	9529	95.3	95.3	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB354 Mother has university degree

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	383	3.8	3.8	3.8
	2	9617	96.2	96.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB355 Mother has no qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1728	17.3	17.3	17.3
	2.00	8272	82.7	82.7	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB356 Mother's qualifications not known

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	2910	29.1	29.1	29.1
	2.00	7090	70.9	70.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB357 No mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	67	.7	.7	.7
	2.00	9933	99.3	99.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB358 Mother has other qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	195	2.0	2.0	2.0
	2.00	9805	98.1	98.1	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing	0		

Derived variable

PB359 Mother's highest ed qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	1949	19.5	35.9	35.9
Vocational	2.00	1086	10.9	20.0	55.9
O level	3.00	965	9.7	17.8	73.7
A level	4.00	1044	10.4	19.2	92.9
Degree	5.00	383	3.8	7.1	100.0
	-1.00	4573	45.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	5427	Missing cases	4573		

PB359A Mother's highest ed. qual. (recoded)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	4027	40.3	53.7	53.7
Vocational	2.00	1086	10.9	14.5	68.1
O level	3.00	965	9.7	12.9	81.0
A level	4.00	1044	10.4	13.9	94.9
Degree	5.00	383	3.8	5.1	100.0
	-1.00	2495	25.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	7505	Missing cases	2495		

YOUR FATHER'S EDUCATIONAL QUALIFICATION

PB360 Father has CSE

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	873	8.7	8.7	8.7
	2	9127	91.3	91.3	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB361 Father has O level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1942	19.4	19.4	19.4
	2	8058	80.6	80.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB362 Father has A level

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	987	9.9	9.9	9.9
	2	9013	90.1	90.1	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB363 Father has skill qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	321	3.2	3.2	3.2
	2	9679	96.8	96.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB364 Father had apprenticeship

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1929	19.3	19.3	19.3
	2	8071	80.7	80.7	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB365 Father is SEN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	13	.1	.1	.1
	2	9987	99.9	99.9	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB366 Father is SRN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	34	.3	.3	.3
	2	9966	99.7	99.7	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB367 Father has C&G intermediate technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	481	4.8	4.8	4.8
	2	9519	95.2	95.2	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB368 Father has C&G final technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	420	4.2	4.2	4.2
	2	9580	95.8	95.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB369 Father has C&G full technical

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	540	5.4	5.4	5.4
	2	9460	94.6	94.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB370 Father has teaching qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	365	3.7	3.7	3.7
	2	9635	96.4	96.4	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB371 Father has university degree

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	806	8.1	8.1	8.1
	2	9194	91.9	91.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB372 Father has no qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1379	13.8	13.8	13.8
	2.00	8621	86.2	86.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB373 Father's qualifications not known

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	2979	29.8	29.8	29.8
	2.00	7021	70.2	70.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB374 No father

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	128	1.3	1.3	1.3
	2.00	9872	98.7	98.7	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing	0		

PB375 Father has other qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	502	5.0	5.0	5.0
	2.00	9498	95.0	95.0	100.0
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

Derived variable

PB376 Father's highest ed qualification

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	1463	14.6	25.9	25.9
Vocational	2.00	1431	14.3	25.4	51.3
O level	3.00	775	7.8	13.7	65.1
A level	4.00	1163	11.6	20.6	85.7
Degree	5.00	806	8.1	14.3	100.0
	-1.00	4362	43.6	Missing	
	Total	10000	100.0	100.0	
Valid cases	5638	Missing cases	4362		

PB376A Father's highest ed. qual. (recoded)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
CSE	1.00	3369	33.7	44.7	44.7
Vocational	2.00	1431	14.3	19.0	63.6
O level	3.00	775	7.8	10.3	73.9
A level	4.00	1163	11.6	15.4	89.3
Degree	5.00	806	8.1	10.7	100.0
	-1.00	2456	24.6	Missing	
	Total	10000	100.0	100.0	
Valid cases	7544	Missing cases	2456		

F2. *What is the present employment situation of yourself and your partner?*
 [1st version used the word 'job' instead of 'employment']

Please tick all that apply.

[This instruction from 2nd version only]

(i)	(ii)
<i>Yourself</i>	<i>Your partner</i>

- | | | |
|----|--|------------------------------------|
| a) | <i>Working for an employer full-time</i> | <i>(more than 30 hours a week)</i> |
| b) | <i>Working for an employer part-time</i> | <i>(one hour or more a week)</i> |
| c) | <i>Self-employed, employing other people</i> | |
| d) | <i>Self-employed, not employing other people</i> | |
| e) | <i>On a government employment or training scheme</i> | |
| f) | <i>Waiting to start a job already accepted</i> | |
| g) | <i>Unemployed and looking for a job</i> | |
| h) | <i>At school or in other full-time education</i> | |
| i) | <i>Unable to work because of long- term sickness or disability</i> | |
| j) | <i>Retired from paid work</i> | |
| k) | <i>Looking after the home or family</i> | |
| l) | <i>Other (please describe)</i> | |

[For 1st version, the coders were told that if more than 1 box was ticked, 'other' should be coded and the numbers of the ticked boxes were written on the dotted line. For all other versions, instructions were : the only options for these boxes are a tick, (which will get keyed as a 1), a blank, or you putting in a 9 for Not Knowns, or a zero on F21. Please ensure that any writing in the 'please describe' area is matched by a 'yes' tick on F21. If it is not, please code a zero on F21, to indicate information in the 'please describe' section]

YOUR EMPLOYMENT SITUATION

PB380 Works full time for employer

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	7022	70.2	70.2	70.2
		2.00	2978	29.8	29.8	100.0
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0			

PB381 Works part time for employer

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	163	1.6	1.6	1.6
		2.00	9837	98.4	98.4	100.0
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0			

PB382 Self employed employing others

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	672	6.7	6.7	6.7
		2.00	9328	93.3	93.3	100.0
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0			

PB383 Self employed no employees

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	1071	10.7	10.7	10.7
		2.00	8929	89.3	89.3	100.0
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0			

PB384 On training scheme

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	89	.9	.9	.9
		2.00	9911	99.1	99.1	100.0
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	10000	Missing	0			

PB385 Waiting to start new job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	75	.8	.8	.8
	2.00	9925	99.3	99.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB386 Unemployed seeking job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	752	7.5	7.5	7.5
	2.00	9248	92.5	92.5	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB387 In full time education

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	84	.8	.8	.8
	2.00	9916	99.2	99.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB388 Unable to work for MED reasons

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	4	.0	.0	.0
	2.00	9996	100.0	100.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB389 Retired from paid work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	9	.1	.1	.1
	2.00	9991	99.9	99.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB390 Looks after home and family

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	220	2.2	2.2	2.2
	2.00	9780	97.8	97.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB391 Other employment situation

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	145	1.5	1.5	1.5
	2.00	9855	98.6	98.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PARTNER'S EMPLOYMENT SITUATION

PB400 PTNR works full time for employer

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	3655	36.6	36.6	36.6
		2.00	6345	63.5	63.5	100.0
			-----	-----	-----	
			Total	10000	100.0	
Valid cases	10000	Missing cases		0		

PB401 PTNR works part time for employer

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	1808	18.1	18.1	18.1
		2.00	8192	81.9	81.9	100.0
			-----	-----	-----	
			Total	10000	100.0	
Valid cases	10000	Missing cases		0		

PB402 PTNR self employed employing others

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	150	1.5	1.5	1.5
		2.00	9850	98.5	98.5	100.0
			-----	-----	-----	
			Total	10000	100.0	
Valid cases	10000	Missing cases		0		

PB403 PTNR self employed no employees

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	285	2.9	2.9	2.9
		2.00	9715	97.2	97.2	100.0
			-----	-----	-----	
			Total	10000	100.0	
Valid cases	10000	Missing cases		0		

PB404 PTNR on training scheme

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1.00	40	.4	.4	.4
		2.00	9960	99.6	99.6	100.0
			-----	-----	-----	
			Total	10000	100.0	
Valid cases	10000	Missing		0		

PB405 PTNR waiting to start new job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	9	.1	.1	.1
	2.00	9991	99.9	99.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB406 PTNR unemployed seeking job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	311	3.1	3.1	3.1
	2.00	9689	96.9	96.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB407 PTNR in full time education

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	72	.7	.7	.7
	2.00	9928	99.3	99.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB408 PTNR unable to work for MED reasons

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	71	.7	.7	.7
	2.00	9929	99.3	99.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB409 PTNR retired from paid work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	20	.2	.2	.2
	2.00	9980	99.8	99.8	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB410 PTNR looks after home & family

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	3421	34.2	34.2	34.2
	2.00	6579	65.8	65.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB411 PTNR other employment situation

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1.00	259	2.6	2.6	2.6
	2.00	9741	97.4	97.4	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

The questions below ask about your **current** occupation.

F3. As far as you can, please describe the actual job, occupation, trade or profession. (Use precise terms such as radio mechanic, woodworking machinist, toolroom foreman. If the occupation is known by a special name, please use that name. If in H.M. Forces, give the rank in addition

to the actual job. Please also describe the type of industry or service given:
i.e. give details of what is made, materials used, or services given.)

Your present job or last main job.

i) Actual job, occupation, trade or profession

[Keyed as text, not yet coded]

ii) Hours worked per week: (on average)

[Full-time, or hours >90 coded as 90; varies as 99; if a range given, the upper limit was coded]

PB415 HRS worked PWK in PRES or last job

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		0	11	.1	.1	.1
		1	1	.0	.0	.1
		3	1	.0	.0	.1
		4	2	.0	.0	.2
		5	1	.0	.0	.2
		7	1	.0	.0	.2
		8	10	.1	.1	.3
		9	1	.0	.0	.3
		10	15	.2	.2	.5
		12	8	.1	.1	.5
		13	2	.0	.0	.6
		14	1	.0	.0	.6
		15	7	.1	.1	.7
		16	5	.1	.1	.7
		17	2	.0	.0	.7
		18	4	.0	.0	.8
		19	4	.0	.0	.8
		20	35	.4	.4	1.2
		22	6	.1	.1	1.2
		23	4	.0	.0	1.3
		24	11	.1	.1	1.4
		25	20	.2	.2	1.6
		26	1	.0	.0	1.6
		27	2	.0	.0	1.7
		28	4	.0	.0	1.7
		29	4	.0	.0	1.7
		30	102	1.0	1.1	2.8
		31	2	.0	.0	2.9
		32	18	.2	.2	3.0
		33	2	.0	.0	3.1
		34	4	.0	.0	3.1
		35	323	3.2	3.4	6.6
		36	62	.6	.7	7.2
		37	728	7.3	7.8	15.0
		38	427	4.3	4.6	19.6
		39	527	5.3	5.6	25.2
		40	2092	20.9	22.3	47.5
		41	33	.3	.4	47.9
		42	302	3.0	3.2	51.1
		43	113	1.1	1.2	52.3
		44	110	1.1	1.2	53.5

PB415 (cont.)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	45	1038	10.4	11.1	64.6
	46	75	.8	.8	65.4
	47	62	.6	.7	66.0
	48	215	2.2	2.3	68.3
	49	39	.4	.4	68.7
	50	1303	13.0	13.9	82.7
	51	8	.1	.1	82.8
	52	61	.6	.7	83.4
	53	17	.2	.2	83.6
	54	41	.4	.4	84.0
	55	311	3.1	3.3	87.3
	56	36	.4	.4	87.7
	57	6	.1	.1	87.8
	58	20	.2	.2	88.0
	59	4	.0	.0	88.0
	60	610	6.1	6.5	94.6
	61	1	.0	.0	94.6
	62	7	.1	.1	94.6
	63	8	.1	.1	94.7
	64	6	.1	.1	94.8
	65	99	1.0	1.1	95.9
	66	6	.1	.1	95.9
	67	5	.1	.1	96.0
	68	6	.1	.1	96.0
	69	1	.0	.0	96.0
	70	160	1.6	1.7	97.8
	72	36	.4	.4	98.1
	73	1	.0	.0	98.2
	75	16	.2	.2	98.3
	76	2	.0	.0	98.3
	77	1	.0	.0	98.4
	78	5	.1	.1	98.4
	80	72	.7	.8	99.2
	82	2	.0	.0	99.2
	83	3	.0	.0	99.2
	84	18	.2	.2	99.4
	85	11	.1	.1	99.5
	86	2	.0	.0	99.6
	87	1	.0	.0	99.6
90+ HRS	90	40	.4	.4	100.0
	-1	637	6.4	Missing	
		-----	-----	-----	
Valid cases		Total	10000	100.0	100.0
		Missing cases	637		

iii) Please tick which of the following apply to you:

foreman

manager

supervisor

leading hand

self-employed

none of these

[When more than 1 box was ticked, the one with the lower code was taken]

PB416 Job status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
foreman	1	202	2.0	2.2	2.2
manager	2	1909	19.1	20.5	22.6
supervisor	3	799	8.0	8.6	31.2
leading hand	4	689	6.9	7.4	38.6
self employed	5	1720	17.2	18.4	57.0
none of these	6	4014	40.1	43.0	100.0
	-1	667	6.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9333	Missing cases	667		

iv) *Type of industry or service given (main things done in job):*
 [Keyed as text; not yet coded]

F4. † a) † ***The main job your mother did at around the time you left school***
(Please put HW if she was a housewife)

i) *Actual job, occupation, trade or profession:*
 [Keyed as text; not yet coded]

ii) *Type of industry or service given (main things done in job):*
 [Keyed as text; not yet coded]

b) † *How old was your mother when you were born?* years
(If you don't know, put 99)

PB420 Mothers age at birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	12	2	.0	.0	.0
	14	1	.0	.0	.0
	15	6	.1	.1	.1
	16	72	.7	.9	1.0
	17	100	1.0	1.2	2.2
	18	161	1.6	2.0	4.2
	19	257	2.6	3.2	7.4
	20	327	3.3	4.0	11.5
	21	460	4.6	5.7	17.1
	22	482	4.8	6.0	23.1
	23	541	5.4	6.7	29.8
	24	498	5.0	6.2	36.0
	25	588	5.9	7.3	43.2
	26	506	5.1	6.3	49.5
	27	453	4.5	5.6	55.1
	28	507	5.1	6.3	61.4
	29	374	3.7	4.6	66.0
	30	579	5.8	7.2	73.2
	31	264	2.6	3.3	76.4
	32	364	3.6	4.5	80.9
	33	256	2.6	3.2	84.1
	34	232	2.3	2.9	87.0
	35	227	2.3	2.8	89.8
	36	174	1.7	2.2	91.9
	37	129	1.3	1.6	93.5
	38	129	1.3	1.6	95.1
	39	100	1.0	1.2	96.4
	40	125	1.3	1.5	97.9
	41	45	.5	.6	98.5
	42	56	.6	.7	99.1
	43	25	.3	.3	99.5
	44	15	.2	.2	99.6
	45	15	.2	.2	99.8
	46	6	.1	.1	99.9
	48	3	.0	.0	99.9
	49	1	.0	.0	100.0
	50	4	.0	.0	100.0
	-1	1916	19.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	8084	Missing cases	1916		

Derived variable

PB421 NAT mother's age now					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
32.00			2	.0	.0 .0
33.00			4	.0	.1 .1
34.00			2	.0	.0 .1
35.00			4	.0	.1 .2
36.00			12	.1	.2 .3
37.00			11	.1	.2 .5
38.00			20	.2	.3 .8
39.00			33	.3	.5 1.2
40.00			46	.5	.6 1.8
41.00			48	.5	.7 2.5
42.00			73	.7	1.0 3.5
43.00			100	1.0	1.4 4.9
44.00			102	1.0	1.4 6.3
45.00			130	1.3	1.8 8.1
46.00			179	1.8	2.5 10.6
47.00			179	1.8	2.5 13.0
48.00			209	2.1	2.9 15.9
49.00			235	2.4	3.2 19.2
50.00			300	3.0	4.1 23.3
51.00			293	2.9	4.0 27.3
52.00			313	3.1	4.3 31.7
53.00			305	3.1	4.2 35.9
54.00			307	3.1	4.2 40.1
55.00			301	3.0	4.2 44.3
56.00			291	2.9	4.0 48.3
57.00			260	2.6	3.6 51.9
58.00			296	3.0	4.1 55.9
59.00			342	3.4	4.7 60.7
60.00			364	3.6	5.0 65.7
61.00			294	2.9	4.1 69.7
62.00			291	2.9	4.0 73.7
63.00			248	2.5	3.4 77.2
64.00			239	2.4	3.3 80.5
65.00			203	2.0	2.8 83.3
66.00			177	1.8	2.4 85.7
67.00			153	1.5	2.1 87.8
68.00			137	1.4	1.9 89.7
69.00			146	1.5	2.0 91.7
70.00			140	1.4	1.9 93.7
71.00			99	1.0	1.4 95.0
72.00			79	.8	1.1 96.1
73.00			57	.6	.8 96.9
74.00			42	.4	.6 97.5
75.00			43	.4	.6 98.1
76.00			32	.3	.4 98.5
77.00			26	.3	.4 98.9
78.00			18	.2	.2 99.1
79.00			19	.2	.3 99.4
80.00			10	.1	.1 99.5
81.00			10	.1	.1 99.7
82.00			7	.1	.1 99.8
83.00			7	.1	.1 99.8
84.00			2	.0	.0 99.9
85.00			4	.0	.1 99.9
86.00			2	.0	.0 100.0
87.00			2	.0	.0 100.0
89.00			1	.0	.0 100.0
Mother dead		-2.00	783	7.8	Missing
		-1.00	1968	19.7	Missing
		Total	10000	100.0	100.0
Valid cases	7249	Missing cases	2751		

F4.c) † Did she ever smoke cigarettes?

Yes *No*

PB422 Mother ever smoked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5482	54.8	56.9	56.9
N	2	4157	41.6	43.1	100.0
	-1	361	3.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9639	Missing cases	361		

i) If yes, did she smoke when she was expecting you?

Yes *No* *Don't know*

PB423 Mother smoked when expecting PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1742	17.4	18.1	18.1
N	2	5559	55.6	57.9	76.0
DK	9	2301	23.0	24.0	100.0
	-1	398	4.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9602	Missing cases	398		

F4.d) † Is she still alive?

Yes *No* *Don't know*

PB424 Mother still alive

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	8816	88.2	91.2	91.2
N	2	783	7.8	8.1	99.3
DK	9	63	.6	.7	100.0
	-1	338	3.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9662	Missing cases	338		

F5a) † The main job your father did at around the time you left school

i) *Actual job, occupation, trade or profession:*

[Keyed as text, not yet coded]

ii) *Please tick which of the following apply/applied to him*

foreman

manager

supervisor

leading hand

self-employed

none of these

[When more than 1 box was ticked, the one with the lower code was taken]

PB430 Fathers job status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
foreman	1	672	6.7	7.5	7.5
manager	2	1862	18.6	20.9	28.4
supervisor	3	849	8.5	9.5	37.9
leading hand	4	819	8.2	9.2	47.1
self employed	5	1423	14.2	15.9	63.0
none of these	6	3298	33.0	37.0	100.0
	-1	1077	10.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	8923	Missing cases	1077		

iii) *Type of Industry or service given (main things done in job):*
text, not yet coded]

[Keyed as

*F5.b) How old was your father when you were born?
(If you don't know, put 99)*

years

PB431 Fathers age at birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	13	1	.0	.0	.0
	14	1	.0	.0	.0
	15	4	.0	.1	.1
	16	2	.0	.0	.1
	17	22	.2	.3	.4
	18	50	.5	.6	1.0
	19	69	.7	.9	1.9
	20	137	1.4	1.8	3.7
	21	214	2.1	2.8	6.5
	22	259	2.6	3.4	9.9
	23	342	3.4	4.4	14.3
	24	403	4.0	5.2	19.6
	25	434	4.3	5.6	25.2
	26	473	4.7	6.1	31.3
	27	465	4.7	6.0	37.4
	28	476	4.8	6.2	43.6
	29	400	4.0	5.2	48.8
	30	611	6.1	7.9	56.7
	31	361	3.6	4.7	61.4
	32	409	4.1	5.3	66.7
	33	354	3.5	4.6	71.3
	34	308	3.1	4.0	75.3
	35	349	3.5	4.5	79.9
	36	244	2.4	3.2	83.0
	37	203	2.0	2.6	85.7
	38	179	1.8	2.3	88.0
	39	123	1.2	1.6	89.6
	40	194	1.9	2.5	92.1
	41	116	1.2	1.5	93.6
	42	103	1.0	1.3	95.0
	43	65	.7	.8	95.8
	44	54	.5	.7	96.5
	45	63	.6	.8	97.3
	46	38	.4	.5	97.8
	47	23	.2	.3	98.1
	48	19	.2	.2	98.4
	49	19	.2	.2	98.6
	50	29	.3	.4	99.0
	51	9	.1	.1	99.1
	52	18	.2	.2	99.4
	53	10	.1	.1	99.5
	54	7	.1	.1	99.6
	55	3	.0	.0	99.6
	56	3	.0	.0	99.6
	57	3	.0	.0	99.7
	58	6	.1	.1	99.8
	59	6	.1	.1	99.8
	60	5	.1	.1	99.9
	65	3	.0	.0	99.9
	68	2	.0	.0	100.0
	71	1	.0	.0	100.0
	78	1	.0	.0	100.0
	-1	2307	23.1	Missing	
Total		10000	100.0	100.0	
Valid cases	7693	Missing cases	2307		

Derived variable

PB432 NAT father's age now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	33.00	1	.0	.0	.0
	34.00	3	.0	.0	.1
	36.00	3	.0	.0	.1
	37.00	3	.0	.0	.2
	38.00	6	.1	.1	.3
	39.00	8	.1	.1	.4
	40.00	20	.2	.3	.7
	41.00	17	.2	.3	1.0
	42.00	38	.4	.6	1.6
	43.00	55	.5	.9	2.5
	44.00	61	.6	1.0	3.5
	45.00	79	.8	1.3	4.7
	46.00	71	.7	1.1	5.9
	47.00	104	1.0	1.7	7.5
	48.00	120	1.2	1.9	9.5
	49.00	145	1.5	2.3	11.8
	50.00	204	2.0	3.3	15.1
	51.00	202	2.0	3.2	18.3
	52.00	231	2.3	3.7	22.0
	53.00	236	2.4	3.8	25.8
	54.00	249	2.5	4.0	29.8
	55.00	270	2.7	4.3	34.1
	56.00	248	2.5	4.0	38.1
	57.00	268	2.7	4.3	42.4
	58.00	258	2.6	4.1	46.6
	59.00	290	2.9	4.7	51.2
	60.00	340	3.4	5.5	56.7
	61.00	273	2.7	4.4	61.1
	62.00	249	2.5	4.0	65.1
	63.00	233	2.3	3.7	68.8
	64.00	243	2.4	3.9	72.7
	65.00	251	2.5	4.0	76.8
	66.00	220	2.2	3.5	80.3
	67.00	172	1.7	2.8	83.1
	68.00	161	1.6	2.6	85.6
	69.00	122	1.2	2.0	87.6
	70.00	188	1.9	3.0	90.6
	71.00	135	1.4	2.2	92.8
	72.00	72	.7	1.2	93.9
	73.00	64	.6	1.0	95.0
	74.00	61	.6	1.0	96.0
	75.00	42	.4	.7	96.6
	76.00	52	.5	.8	97.5
	77.00	26	.3	.4	97.9
	78.00	39	.4	.6	98.5
	79.00	21	.2	.3	98.8
	80.00	18	.2	.3	99.1
	81.00	17	.2	.3	99.4
	82.00	13	.1	.2	99.6
	83.00	4	.0	.1	99.7
	84.00	3	.0	.0	99.7
	85.00	4	.0	.1	99.8
	86.00	4	.0	.1	99.9
	87.00	3	.0	.0	99.9
	88.00	1	.0	.0	99.9
	89.00	1	.0	.0	99.9
	91.00	1	.0	.0	100.0
	93.00	1	.0	.0	100.0
	102.00	1	.0	.0	100.0
	116.00	1	.0	.0	100.0

PB432 (cont)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Father dead	-2.00	1704	17.0	Missing	
	-1.00	2070	20.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	6226	Missing cases	3774		

F5.c)† *Did your father ever smoke?**No**Yes, cigarettes**Yes, cigars**Yes, a pipe**Yes, other (please describe)**Don't know*

[Coders were instructed: not being coded here. If more than one tick made, recode as 'other', and put the numbers of the boxes ticked on the 'please describe' line]

PB433 Father ever smoked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N	1	1909	19.1	21.4	21.4
Y CIGS	2	5382	53.8	60.3	81.7
Y cigars	3	314	3.1	3.5	85.2
Y pipe	4	415	4.2	4.7	89.9
Y other	5	901	9.0	10.1	100.0
	-1	1079	10.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	8921	Missing cases	1079		

d) † *Is he still alive?**Yes**No**Don't know*

PB434 Father still alive

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	7844	78.4	80.8	80.8
N	2	1704	17.0	17.6	98.4
DK	9	160	1.6	1.6	100.0
	-1	292	2.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9708	Missing cases	292		

F6. † How would you describe the race or ethnic group of yourself, your partner and your parents?

(i) (ii) (iii) (iv)
Yourself Partner Your mother* Your father*

white
black/Caribbean
black/African
black/other (please describe below)
Indian
Pakistani
Bangladeshi
Chinese
Any other ethnic group (please describe)

* (by this we mean the mother or father who was mostly responsible for bringing you up)

[Coders were instructed: usually, only one of the boxes in the column should be ticked. If two or more boxes are ticked here, tick box 9 instead, and cross the other ticks out. Write '1 + 3' (or whatever set of numbers were ticked) on the dotted line. Please ensure that any writing in the 'please describe' area is matched by a 'yes' tick on F6. If it is not, please code a zero on F6, to indicate information in the 'please describe' section]

PB440 Ethnic group

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
white	1	9500	95.0	97.1	97.1
black Caribbean	2	77	.8	.8	97.9
black African	3	13	.1	.1	98.0
black other	4	24	.2	.2	98.3
Indian	5	47	.5	.5	98.7
Pakistani	6	19	.2	.2	98.9
Bangladeshi	7	8	.1	.1	99.0
Chinese	8	19	.2	.2	99.2
other ethnic	9	78	.8	.8	100.0
	-1	215	2.2	Missing	
Total		10000	100.0	100.0	
Valid cases	9785	Missing cases	215		

PB441 PTNRs ethnic group

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
White	1	9523	95.2	97.6	97.6
Black Caribbean	2	44	.4	.5	98.0
Black African	3	10	.1	.1	98.1
Black other	4	17	.2	.2	98.3
Indian	5	41	.4	.4	98.7
Pakistani	6	16	.2	.2	98.9
Bangladeshi	7	8	.1	.1	99.0
Chinese	8	26	.3	.3	99.2
Other ethnic	9	74	.7	.8	100.0
	-1	241	2.4	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9759	Missing cases	241		

PB442 Mothers ethnic group

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
White	1	9430	94.3	97.4	97.4
Black Caribbean	2	75	.8	.8	98.2
Black African	3	10	.1	.1	98.3
Black other	4	8	.1	.1	98.4
Indian	5	47	.5	.5	98.9
Pakistani	6	17	.2	.2	99.0
Bangladeshi	7	8	.1	.1	99.1
Chinese	8	17	.2	.2	99.3
Other ethnic	9	67	.7	.7	100.0
	-1	321	3.2	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9679	Missing cases	321		

PB443 Fathers ethnic group

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
white	1	9355	93.6	97.0	97.0
black Caribbean	2	93	.9	1.0	97.9
black African	3	10	.1	.1	98.1
black other	4	11	.1	.1	98.2
Indian	5	48	.5	.5	98.7
Pakistani	6	20	.2	.2	98.9
Bangladeshi	7	8	.1	.1	99.0
Chinese	8	22	.2	.2	99.2
other ethnic	9	79	.8	.8	100.0
	-1	354	3.5	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9646	Missing cases	354		

Derived variable

The child's ethnic background was defined as non-white if either PB440 or PB441 had codes in range 2-9.

PB444 Child ethnic background						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
White		1.00	9370	93.7	96.0	96.0
Non-white		2.00	391	3.9	4.0	100.0
		-1.00	239	2.4	Missing	
		Total	10000	100.0	100.0	
Valid cases	9761	Missing cases	239			

SECTION G: YOUR OWN CHILDHOOD †

Please indicate if any of the following events happened to you **before you were 17** and how much it affected you.

<i>Yes affected me a lot</i>	<i>Yes moderately affected</i>	<i>Yes mildly affected</i>	<i>Yes but did not affect me</i>	<i>No did not happen</i>
--------------------------------------	--	------------------------------------	--	------------------------------

Before you were 17:

G1. † A parent died

[When more than 1 box was ticked, the one with the lower code was taken]

PB450 Before 17 parent died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	410	4.1	4.1	4.1
affected a bit	2	101	1.0	1.0	5.1
mild effect	3	42	.4	.4	5.5
no effect	4	55	.5	.5	6.1
did not happen	5	9392	93.9	93.9	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB450A Before 17 parent died, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	608	6.1	6.1	6.1
No	2.00	9392	93.9	93.9	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G2. † A brother or sister died

[When more than 1 box was ticked, the one with the lower code was taken]

PB451 Before 17 sibling died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	112	1.1	1.1	1.1
affected a bit	2	46	.5	.5	1.6
mild effect	3	51	.5	.5	2.1
no effect	4	135	1.4	1.4	3.4
did not happen	5	9656	96.6	96.6	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB451A Before 17 sibling died, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	344	3.4	3.4	3.4
No	2.00	9656	96.6	96.6	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G3. † A relative died

[When more than 1 box was ticked, the one with the lower code was taken]

PB452 Before 17 relative died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	699	7.0	7.0	7.0
affected a bit	2	1043	10.4	10.4	17.4
mild effect	3	2215	22.2	22.2	39.6
no effect	4	2176	21.8	21.8	61.3
did not happen	5	3867	38.7	38.7	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB452A Before 17 relative died, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6133	61.3	61.3	61.3
No	2.00	3867	38.7	38.7	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G4. † A friend died

[When more than 1 box was ticked, the one with the lower code was taken]

PB453 Before 17 friend died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	275	2.8	2.8	2.8
affected a bit	2	512	5.1	5.1	7.9
mild effect	3	793	7.9	7.9	15.8
no effect	4	568	5.7	5.7	21.5
did not happen	5	7852	78.5	78.5	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB453A Before 17 friend died, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2148	21.5	21.5	21.5
No	2.00	7852	78.5	78.5	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

G5. † A parent had a serious illness**[When more than 1 box was ticked, the one with the lower code was taken]**

PB454 Before 17 parent seriously ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	741	7.4	7.4	7.4
affected a bit	2	619	6.2	6.2	13.6
mild effect	3	557	5.6	5.6	19.2
no effect	4	375	3.8	3.8	22.9
did not happen	5	7708	77.1	77.1	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

PB454A Before 17 parent seriously ill, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2292	22.9	22.9	22.9
No	2.00	7708	77.1	77.1	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

G6. † A parent was in hospital**[When more than 1 box was ticked, the one with the lower code was taken]**

PB455 Before 17 parent in hospital

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	753	7.5	7.5	7.5
affected a bit	2	814	8.1	8.1	15.7
mild effect	3	1221	12.2	12.2	27.9
no effect	4	1335	13.4	13.4	41.2
did not happen	5	5877	58.8	58.8	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

PB455A Before 17 parent in hospital, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	4123	41.2	41.2	41.2
No	2.00	5877	58.8	58.8	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G7. † *You had a serious physical illness*

[When more than 1 box was ticked, the one with the lower code was taken]

PB456 Had serious physical illness before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	335	3.4	3.4	3.4
affected a bit	2	197	2.0	2.0	5.3
mild effect	3	278	2.8	2.8	8.1
no effect	4	249	2.5	2.5	10.6
did not happen	5	8941	89.4	89.4	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB456A Had serious phys. illness before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1059	10.6	10.6	10.6
No	2.00	8941	89.4	89.4	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G8. † *You were in hospital*

[When more than 1 box was ticked, the one with the lower code was taken]

PB457 In hospital before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	410	4.1	4.1	4.1
affected a bit	2	479	4.8	4.8	8.9
mild effect	3	939	9.4	9.4	18.3
no effect	4	2136	21.4	21.4	39.6
did not happen	5	6036	60.4	60.4	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB457A In hospital before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3964	39.6	39.6	39.6
No	2.00	6036	60.4	60.4	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

G9. † Brother or sister had a serious illness**[When more than 1 box was ticked, the one with the lower code was taken]**

PB458 Before 17 sibling seriously ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	174	1.7	1.7	1.7
affected a bit	2	200	2.0	2.0	3.7
mild effect	3	323	3.2	3.2	7.0
no effect	4	372	3.7	3.7	10.7
did not happen	5	8931	89.3	89.3	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

PB458A Before 17 sibling seriously ill, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1069	10.7	10.7	10.7
No	2.00	8931	89.3	89.3	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

G10. † Brother or sister was in hospital**[When more than 1 box was ticked, the one with the lower code was taken]**

PB459 Before 17 sibling in hospital

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	213	2.1	2.1	2.1
affected a bit	2	271	2.7	2.7	4.8
mild effect	3	571	5.7	5.7	10.5
no effect	4	1348	13.5	13.5	24.0
did not happen	5	7597	76.0	76.0	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

PB459A Before 17 sibling in hospital, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2403	24.0	24.0	24.0
No	2.00	7597	76.0	76.0	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

G11. † A parent had a serious accident

[When more than 1 box was ticked, the one with the lower code was taken]

PB460 Before 17 parent in serious accident

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	145	1.5	1.5	1.5
affected a bit	2	138	1.4	1.4	2.8
mild effect	3	184	1.8	1.8	4.7
no effect	4	172	1.7	1.7	6.4
did not happen	5	9361	93.6	93.6	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

PB460A Before 17 parent in serious accident, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	639	6.4	6.4	6.4
No	2.00	9361	93.6	93.6	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

G12. † You had a serious accident

[When more than 1 box was ticked, the one with the lower code was taken]

PB461 Had serious accident before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	209	2.1	2.1	2.1
affected a bit	2	183	1.8	1.8	3.9
mild effect	3	242	2.4	2.4	6.3
no effect	4	304	3.0	3.0	9.4
did not happen	5	9062	90.6	90.6	100.0
		-----	-----	-----	
Valid cases	10000	Total	10000	100.0	100.0
		Missing cases	0		

PB461A Had serious accident before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	938	9.4	9.4	9.4
No	2.00	9062	90.6	90.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

G13. † Brother or sister had a serious accident

[When more than 1 box was ticked, the one with the lower code was taken]

PB462 Before 17 sibling in serious accident

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	116	1.2	1.2	1.2
affected a bit	2	140	1.4	1.4	2.6
mild effect	3	217	2.2	2.2	4.7
no effect	4	219	2.2	2.2	6.9
did not happen	5	9308	93.1	93.1	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB462A Before 17 sib. in serious accident, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	692	6.9	6.9	6.9
No	2.00	9308	93.1	93.1	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

G14. † You acquired a physical deformity

[When more than 1 box was ticked, the one with the lower code was taken]

PB463 Acquired physical deformity before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	41	.4	.4	.4
affected a bit	2	36	.4	.4	.8
mild effect	3	39	.4	.4	1.2
no effect	4	40	.4	.4	1.6
did not happen	5	9844	98.4	98.4	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB463A Acquired phys. deformity before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	156	1.6	1.6	1.6
No	2.00	9844	98.4	98.4	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G15. † Your girlfriend became pregnant

[When more than 1 box was ticked, the one with the lower code was taken]

PB464 Before 17 girlfriend became PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	155	1.6	1.6	1.6
affected a bit	2	53	.5	.5	2.1
mild effect	3	58	.6	.6	2.7
no effect	4	67	.7	.7	3.3
did not happen	5	9667	96.7	96.7	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB464A Before 17 girlfriend became PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	333	3.3	3.3	3.3
No	2.00	9667	96.7	96.7	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G16. † A parent was imprisoned

[When more than 1 box was ticked, the one with the lower code was taken]

PB465 Before 17 parent imprisoned

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	38	.4	.4	.4
affected a bit	2	16	.2	.2	.5
mild effect	3	24	.2	.2	.8
no effect	4	61	.6	.6	1.4
did not happen	5	9861	98.6	98.6	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB465A Before 17 parent imprisoned, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	139	1.4	1.4	1.4
No	2.00	9861	98.6	98.6	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G17. † *A parent was physically cruel to you*

[When more than 1 box was ticked, the one with the lower code was taken]

PB466 Parent physically cruel before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	171	1.7	1.7	1.7
affected a bit	2	93	.9	.9	2.6
mild effect	3	131	1.3	1.3	4.0
no effect	4	99	1.0	1.0	4.9
did not happen	5	9506	95.1	95.1	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB466A Parent physically cruel before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	494	4.9	4.9	4.9
No	2.00	9506	95.1	95.1	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G18. † *Your parents separated*

[When more than 1 box was ticked, the one with the lower code was taken]

PB467 Before 17 parent separated

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	643	6.4	6.4	6.4
affected a bit	2	339	3.4	3.4	9.8
mild effect	3	315	3.2	3.2	13.0
no effect	4	262	2.6	2.6	15.6
did not happen	5	8441	84.4	84.4	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB467A Before 17 parent separated, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1559	15.6	15.6	15.6
No	2.00	8441	84.4	84.4	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G19. † Your parents divorced

[When more than 1 box was ticked, the one with the lower code was taken]

PB468 Before 17 parents divorced

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	464	4.6	4.6	4.6
affected a bit	2	268	2.7	2.7	7.3
mild effect	3	257	2.6	2.6	9.9
no effect	4	277	2.8	2.8	12.7
did not happen	5	8734	87.3	87.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB468A Before 17 parents divorced, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1266	12.7	12.7	12.7
No	2.00	8734	87.3	87.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G20. † A parent remarried

[When more than 1 box was ticked, the one with the lower code was taken]

PB469 Before 17 a parent remarried

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	246	2.5	2.5	2.5
affected a bit	2	184	1.8	1.8	4.3
mild effect	3	226	2.3	2.3	6.6
no effect	4	336	3.4	3.4	9.9
did not happen	5	9008	90.1	90.1	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB469A Before 17 a parent remarried, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	992	9.9	9.9	9.9
No	2.00	9008	90.1	90.1	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G21. † A parent was emotionally cruel to you

[When more than 1 box was ticked, the one with the lower code was taken]

PB470 Parent emotionally cruel before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	251	2.5	2.5	2.5
affected a bit	2	153	1.5	1.5	4.0
mild effect	3	214	2.1	2.1	6.2
no effect	4	88	.9	.9	7.1
did not happen	5	9294	92.9	92.9	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB470A Parent emotionally cruel before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	706	7.1	7.1	7.1
No	2.00	9294	92.9	92.9	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G22. † Your parents had serious arguments

[When more than 1 box was ticked, the one with the lower code was taken]

PB471 Before 17 parents had serious arguments

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	670	6.7	6.7	6.7
affected a bit	2	668	6.7	6.7	13.4
mild effect	3	947	9.5	9.5	22.9
no effect	4	818	8.2	8.2	31.0
did not happen	5	6897	69.0	69.0	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB471A Before 17 parents/serious arguments, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3103	31.0	31.0	31.0
No	2.00	6897	69.0	69.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G23. † You were sexually abused

[When more than 1 box was ticked, the one with the lower code was taken]

PB472 Sexually abused before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	53	.5	.5	.5
affected a bit	2	24	.2	.2	.8
mild effect	3	23	.2	.2	1.0
no effect	4	24	.2	.2	1.2
did not happen	5	9876	98.8	98.8	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB472A Sexually abused before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	124	1.2	1.2	1.2
No	2.00	9876	98.8	98.8	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G24. † A parent was mentally ill

[When more than 1 box was ticked, the one with the lower code was taken]

PB473 Parent mentally ill before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	124	1.2	1.2	1.2
affected a bit	2	85	.9	.9	2.1
mild effect	3	67	.7	.7	2.8
no effect	4	76	.8	.8	3.5
did not happen	5	9648	96.5	96.5	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB473A Parent mentally ill before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	352	3.5	3.5	3.5
No	2.00	9648	96.5	96.5	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G25. † *You discovered you were adopted*

[When more than 1 box was ticked, the one with the lower code was taken]

PB474 Discovery of adoption before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	43	.4	.4	.4
affected a bit	2	30	.3	.3	.7
mild effect	3	39	.4	.4	1.1
no effect	4	92	.9	.9	2.0
did not happen	5	9796	98.0	98.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB474A Discovery of adoption before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	204	2.0	2.0	2.0
No	2.00	9796	98.0	98.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G26. † *Your family moved to a new district*

[When more than 1 box was ticked, the one with the lower code was taken]

PB475 Moved to new district before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	397	4.0	4.0	4.0
affected a bit	2	507	5.1	5.1	9.0
mild effect	3	854	8.5	8.5	17.6
no effect	4	1426	14.3	14.3	31.8
did not happen	5	6816	68.2	68.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB475A Moved to new district before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3184	31.8	31.8	31.8
No	2.00	6816	68.2	68.2	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G27. † You were in trouble with the police

[When more than 1 box was ticked, the one with the lower code was taken]

PB476 Trouble with police before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	264	2.6	2.6	2.6
affected a bit	2	246	2.5	2.5	5.1
mild effect	3	524	5.2	5.2	10.3
no effect	4	930	9.3	9.3	19.6
did not happen	5	8036	80.4	80.4	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB476A Trouble with police before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1964	19.6	19.6	19.6
No	2.00	8036	80.4	80.4	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G28. † You were expelled or suspended from school

[When more than 1 box was ticked, the one with the lower code was taken]

PB477 Suspended from school before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	93	.9	.9	.9
affected a bit	2	82	.8	.8	1.8
mild effect	3	220	2.2	2.2	4.0
no effect	4	613	6.1	6.1	10.1
did not happen	5	8992	89.9	89.9	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB477A Suspended from school before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1008	10.1	10.1	10.1
No	2.00	8992	89.9	89.9	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G29. † You failed an important exam

[When more than 1 box was ticked, the one with the lower code was taken]

PB478 Failed important exam before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	212	2.1	2.1	2.1
affected a bit	2	318	3.2	3.2	5.3
mild effect	3	648	6.5	6.5	11.8
no effect	4	982	9.8	9.8	21.6
did not happen	5	7840	78.4	78.4	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB478A Failed important exam before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2160	21.6	21.6	21.6
No	2.00	7840	78.4	78.4	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G30. † Your family's financial circumstances got worse

[When more than 1 box was ticked, the one with the lower code was taken]

PB479 Before 17 family got poor

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	191	1.9	1.9	1.9
affected a bit	2	272	2.7	2.7	4.6
mild effect	3	448	4.5	4.5	9.1
no effect	4	606	6.1	6.1	15.2
did not happen	5	8483	84.8	84.8	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB479A Before 17 family got poor, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1517	15.2	15.2	15.2
No	2.00	8483	84.8	84.8	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

G31. † Other important happening (please tick & describe)

[When more than 1 box was ticked, the one with the lower code was taken]

[Coders were instructed: please ensure that any writing in the 'please describe' area is matched by a 'yes' tick on G31. If it is not, please code a zero on G31, to indicate information in the 'please describe' section]

PB480 Other important event before 17

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	188	1.9	1.9	1.9
affected a bit	2	46	.5	.5	2.3
mild effect	3	31	.3	.3	2.7
no effect	4	16	.2	.2	2.8
did not happen	5	9719	97.2	97.2	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

PB480A Other important event before 17, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	281	2.8	2.8	2.8
No	2.00	9719	97.2	97.2	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

Derived variables

Using similar rules to PB202 and PB203.

PB481 Weighted pre-17 life event scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	816	8.2	8.2	8.2
	1.00	400	4.0	4.0	12.2
	2.00	549	5.5	5.5	17.7
	3.00	628	6.3	6.3	23.9
	4.00	685	6.9	6.9	30.8
	5.00	593	5.9	5.9	36.7
	6.00	577	5.8	5.8	42.5
	7.00	554	5.5	5.5	48.0
	8.00	539	5.4	5.4	53.4
	9.00	462	4.6	4.6	58.0
	10.00	420	4.2	4.2	62.2
	11.00	404	4.0	4.0	66.3
	12.00	395	4.0	4.0	70.2
	13.00	333	3.3	3.3	73.6
	14.00	263	2.6	2.6	76.2
	15.00	240	2.4	2.4	78.6
	16.00	258	2.6	2.6	81.2
	17.00	211	2.1	2.1	83.3
	18.00	190	1.9	1.9	85.2
	19.00	146	1.5	1.5	86.6
	20.00	147	1.5	1.5	88.1
	21.00	136	1.4	1.4	89.5
	22.00	122	1.2	1.2	90.7
	23.00	103	1.0	1.0	91.7
	24.00	125	1.3	1.3	93.0
	25.00	73	.7	.7	93.7
	26.00	70	.7	.7	94.4
	27.00	72	.7	.7	95.1
	28.00	63	.6	.6	95.7
	29.00	50	.5	.5	96.2
	30.00	36	.4	.4	96.6
	31.00	40	.4	.4	97.0
	32.00	47	.5	.5	97.5
	33.00	25	.3	.3	97.7
	34.00	25	.3	.3	98.0
	35.00	27	.3	.3	98.2
	36.00	22	.2	.2	98.5
	37.00	23	.2	.2	98.7
	38.00	14	.1	.1	98.8
	39.00	9	.1	.1	98.9
	40.00	11	.1	.1	99.0
	41.00	15	.2	.2	99.2
	42.00	11	.1	.1	99.3
	43.00	7	.1	.1	99.4
	44.00	9	.1	.1	99.5
	45.00	6	.1	.1	99.5
	46.00	5	.1	.1	99.6
	47.00	6	.1	.1	99.6
	48.00	4	.0	.0	99.7
	49.00	3	.0	.0	99.7
	50.00	6	.1	.1	99.8
	51.00	5	.1	.1	99.8
	52.00	2	.0	.0	99.8
	53.00	5	.1	.1	99.9
	54.00	1	.0	.0	99.9
	56.00	2	.0	.0	99.9
	58.00	1	.0	.0	99.9
	59.00	1	.0	.0	99.9
	60.00	1	.0	.0	99.9
	62.00	1	.0	.0	99.9

PB481 (cont.)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	67.00	1	.0	.0	100.0
	68.00	1	.0	.0	100.0
	69.00	1	.0	.0	100.0
	74.00	1	.0	.0	100.0
	75.00	1	.0	.0	100.0
	78.00	1	.0	.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB482 Pre-17 life event scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	816	8.2	8.2	8.2
	1.00	886	8.9	8.9	17.0
	2.00	1152	11.5	11.5	28.5
	3.00	1355	13.6	13.6	42.1
	4.00	1350	13.5	13.5	55.6
	5.00	1074	10.7	10.7	66.3
	6.00	978	9.8	9.8	76.1
	7.00	693	6.9	6.9	83.0
	8.00	535	5.4	5.4	88.4
	9.00	383	3.8	3.8	92.2
	10.00	259	2.6	2.6	94.8
	11.00	171	1.7	1.7	96.5
	12.00	126	1.3	1.3	97.8
	13.00	85	.9	.9	98.6
	14.00	57	.6	.6	99.2
	15.00	39	.4	.4	99.6
	16.00	12	.1	.1	99.7
	17.00	10	.1	.1	99.8
	18.00	7	.1	.1	99.9
	19.00	4	.0	.0	99.9
	20.00	3	.0	.0	100.0
	21.00	3	.0	.0	100.0
	22.00	2	.0	.0	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

G32. *How many schools did you attend between the ages of 5 and 16?**schools*

PB490 Schools attended before 16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	4	.0	.1	.1
	1	113	1.1	1.6	1.7
	2	2802	28.0	40.1	41.8
	3	2518	25.2	36.0	77.8
	4	866	8.7	12.4	90.2
	5	366	3.7	5.2	95.4
	6	152	1.5	2.2	97.6
	7	64	.6	.9	98.5
	8	38	.4	.5	99.1
	9	20	.2	.3	99.3
	10	13	.1	.2	99.5
	11	5	.1	.1	99.6
	12	3	.0	.0	99.6
	13	1	.0	.0	99.7
	14	2	.0	.0	99.7
	15	2	.0	.0	99.7
	16	1	.0	.0	99.7
	17	1	.0	.0	99.7
	19	1	.0	.0	99.8
	22	3	.0	.0	99.8
	23	1	.0	.0	99.8
	27	1	.0	.0	99.8
	32	3	.0	.0	99.9
	33	2	.0	.0	99.9
	34	1	.0	.0	99.9
	50	3	.0	.0	100.0
	52	1	.0	.0	100.0
	53	1	.0	.0	100.0
	55	1	.0	.0	100.0
	-1	3011	30.1	Missing	
Total		10000	100.0	100.0	
Valid cases	6989	Missing cases	3011		

G33. † *Did you like school?**yes always**yes mostly**it was alright**no, not really**no, definitely not*

[When more than 1 box was ticked, the one with the higher code was taken]

PB491 Liked school

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y always	1	948	9.5	9.7	9.7
Y mostly	2	3565	35.7	36.5	46.1
it was alright	3	2988	29.9	30.6	76.7
not really	4	1520	15.2	15.5	92.2
definitely not	5	758	7.6	7.8	100.0
	-1	221	2.2	Missing	
Total		10000	100.0	100.0	
Valid cases	9779	Missing cases	221		

G34. † Was school a valuable experience for you?

*yes, very valuable**yes, generally valuable**I'm not sure**no, generally not valuable**no, of no value*

[When more than 1 box was ticked, the one with the higher code was taken]

PB492 School was a valuable experience

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y very	1	2401	24.0	24.6	24.6
Y generally	2	4293	42.9	43.9	68.5
not sure	3	1557	15.6	15.9	84.4
generally not	4	1032	10.3	10.6	94.9
N	5	495	5.0	5.1	100.0
	-1	222	2.2	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9778	Missing cases	222		

G35a† Were you frequently away from school?

*Yes**No**i) before age 11**ii) aged 11 or more*

[1st version stated 'after age 11']

PB493 FREQ absent from school before age 11

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	634	6.3	6.6	6.6
N	2	8952	89.5	93.4	100.0
	-1	414	4.1	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9586	Missing cases	414		

PB494 FREQ absent from school aged 11+

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1506	15.1	15.6	15.6
N	2	8148	81.5	84.4	100.0
	-1	346	3.5	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9654	Missing cases	346		

If yes,

G35.b) why was this?

Before age 11

Yes

No

After age 11

Yes

No

i) *illness*

ii) *truancy*

iii) *other (please tick)*

[Coders were instructed to: please ensure that any writing in the 'please describe' area is matched by a 'yes' tick on G35biii. If it is not, please code a zero on G35biii, to indicate information in the 'please describe' section]

PB495 Absent due to illness before 11

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	424	4.2	4.2	4.2
N	2	9576	95.8	95.8	100.0
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB496 Absent due to illness from 11+

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	289	2.9	2.9	2.9
N	2	9711	97.1	97.1	100.0
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB497 Absent due to truancy before 11

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	272	2.7	2.7	2.7
N	2	9728	97.3	97.3	100.0
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB498 Absent due to truancy from 11+

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	1266	12.7	12.7	12.7
N	2	8734	87.3	87.3	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB499 Absent due to other reason before 11

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	70	.7	.7	.7
N	2	9930	99.3	99.3	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

PB500 Absent due to other reason from 11+

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	106	1.1	1.1	1.1
N	2	9894	98.9	98.9	100.0
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

SECTION H: ABOUT YOU †

In general: *Very* *Moderately* *Moderately* *Very*
 like me *like me* *unlike me* *unlike me*

H1. † I feel insecure when I say goodbye to people

[When more than 1 box was ticked, the one with the lower code was taken]

PB510 Feel insecure when saying goodbye

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	125	1.3	1.3	1.3
Quite like me	2	516	5.2	5.4	6.7
Quite unlike me	3	864	8.6	9.0	15.6
V unlike me	4	8119	81.2	84.4	100.0
	-1	376	3.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9624	Missing cases	376		

H2. † I worry about the effect I have on other people

[When more than 1 box was ticked, the one with the lower code was taken]

PB511 Worry about effect on other people

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	650	6.5	6.8	6.8
Quite like me	2	2305	23.1	24.0	30.7
Quite unlike me	3	1878	18.8	19.5	50.3
V unlike me	4	4777	47.8	49.7	100.0
	-1	390	3.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9610	Missing cases	390		

H3. † I avoid saying what I think for fear of being rejected

[When more than 1 box was ticked, the one with the lower code was taken]

PB512 Avoid speaking out for fear of rejection

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	432	4.3	4.5	4.5
Quite like me	2	1544	15.4	16.1	20.6
Quite unlike me	3	2125	21.3	22.1	42.7
V unlike me	4	5505	55.1	57.3	100.0
	-1	394	3.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9606	Missing cases	394		

H4. † *I feel uneasy meeting new people***[When more than 1 box was ticked, the one with the lower code was taken]**

PB513 Feel uneasy meeting new people

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	894	8.9	9.3	9.3
Quite like me	2	2346	23.5	24.4	33.7
Quite unlike me	3	1999	20.0	20.8	54.4
V unlike me	4	4383	43.8	45.6	100.0
	-1	378	3.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9622	Missing cases	378		

H5. † *If others knew the real me, they would not like me***[When more than 1 box was ticked, the one with the lower code was taken]**

PB514 Others would not like true character

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	170	1.7	1.8	1.8
Quite like me	2	460	4.6	4.8	6.6
Quite unlike me	3	1299	13.0	13.7	20.3
V unlike me	4	7587	75.9	79.7	100.0
	-1	484	4.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9516	Missing cases	484		

H6. † *I feel secure when I'm in a close relationship***[When more than 1 box was ticked, the one with the lower code was taken]**

PB515 Feel secure in close relationship

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	5188	51.9	54.4	54.4
Quite like me	2	2548	25.5	26.7	81.2
Quite unlike me	3	537	5.4	5.6	86.8
V unlike me	4	1258	12.6	13.2	100.0
	-1	469	4.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9531	Missing cases	469		

H7. † I don't get angry with people for fear that I may hurt them

[When more than 1 box was ticked, the one with the lower code was taken]

PB516 Dont get angry as fear hurting others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1153	11.5	12.1	12.1
Quite like me	2	2374	23.7	24.9	36.9
Quite unlike me	3	2109	21.1	22.1	59.0
V unlike me	4	3917	39.2	41.0	100.0
	-1	447	4.5	Missing	
		-----	-----	-----	
Valid cases		Total	10000	100.0	100.0
		Missing cases	447		

H8. † After a fight with a friend, I feel uncomfortable until I have made peace

[When more than 1 box was ticked, the one with the lower code was taken]

PB517 After fight unease before peacemaking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	3232	32.3	34.3	34.3
Quite like me	2	3168	31.7	33.6	67.9
Quite unlike me	3	1061	10.6	11.3	79.2
V unlike me	4	1964	19.6	20.8	100.0
	-1	575	5.8	Missing	
		-----	-----	-----	
Valid cases		Total	10000	100.0	100.0
		Missing cases	575		

H9. † I am always aware of how other people feel

[When more than 1 box was ticked, the one with the lower code was taken]

PB518 Always aware of others feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	2207	22.1	23.1	23.1
Quite like me	2	4684	46.8	49.1	72.3
Quite unlike me	3	1571	15.7	16.5	88.7
V unlike me	4	1073	10.7	11.3	100.0
	-1	465	4.7	Missing	
		-----	-----	-----	
Valid cases		Total	10000	100.0	100.0
		Missing cases	465		

H10. † I worry about being criticised for things I have said or done

[When more than 1 box was ticked, the one with the lower code was taken]

PB519 Worry about others criticisms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1348	13.5	14.1	14.1
Quite like me	2	2989	29.9	31.3	45.4
Quite unlike me	3	2186	21.9	22.9	68.4
V unlike me	4	3020	30.2	31.6	100.0
	-1	457	4.6	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9543	Missing cases	457		

H11. † I always notice if someone doesn't respond to me

[When more than 1 box was ticked, the one with the lower code was taken]

PB520 Always notice others non response

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	3269	32.7	34.3	34.3
Quite like me	2	3813	38.1	40.0	74.4
Quite unlike me	3	1302	13.0	13.7	88.0
V unlike me	4	1138	11.4	12.0	100.0
	-1	478	4.8	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9522	Missing cases	478		

H12. † I worry about losing someone close to me

[When more than 1 box was ticked, the one with the lower code was taken]

PB521 Worry about losing someone close

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	3340	33.4	35.0	35.0
Quite like me	2	3000	30.0	31.5	66.5
Quite unlike me	3	1546	15.5	16.2	82.7
V unlike me	4	1652	16.5	17.3	100.0
	-1	462	4.6	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9538	Missing cases	462		

H13. † I feel that people generally like me

[When more than 1 box was ticked, the one with the lower code was taken]

PB522 Feel generally liked

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	3473	34.7	36.4	36.4
Quite like me	2	5101	51.0	53.5	90.0
Quite unlike me	3	547	5.5	5.7	95.7
V unlike me	4	408	4.1	4.3	100.0
	-1	471	4.7	Missing	
		-----	-----	-----	
Valid cases	9529	Total 10000	100.0	100.0	
		Missing cases 471			

H14. † I will do something I don't want to do rather than offend or upset someone

[When more than 1 box was ticked, the one with the lower code was taken]

PB523 Modify own behaviour to avoid offence

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1616	16.2	17.0	17.0
Quite like me	2	3459	34.6	36.3	53.3
Quite unlike me	3	2309	23.1	24.3	77.6
V unlike me	4	2134	21.3	22.4	100.0
	-1	482	4.8	Missing	
		-----	-----	-----	
Valid cases	9518	Total 10000	100.0	100.0	
		Missing cases 482			

H15. † I can only believe that something I have done is good when someone tells me

[When more than 1 box was ticked, the one with the lower code was taken]

PB524 Believe done well only when told

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	931	9.3	9.8	9.8
Quite like me	2	1954	19.5	20.5	30.3
Quite unlike me	3	2739	27.4	28.8	59.1
V unlike me	4	3900	39.0	40.9	100.0
	-1	476	4.8	Missing	
		-----	-----	-----	
Valid cases	9524	Total 10000	100.0	100.0	
		Missing cases 476			

H16. † I will go out of my way to please someone I am close to
 [When more than 1 box was ticked, the one with the lower code was taken]

PB525 Go out of way to please someone close

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	4275	42.8	44.7	44.7
Quite like me	2	4039	40.4	42.3	87.0
Quite unlike me	3	742	7.4	7.8	94.8
V unlike me	4	500	5.0	5.2	100.0
	-1	444	4.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9556	Missing cases	444		

H17. † I feel anxious when I say goodbye to people
 [When more than 1 box was ticked, the one with the lower code was taken]

PB526 Feel anxious when saying goodbye

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	174	1.7	1.8	1.8
Quite like me	2	724	7.2	7.6	9.4
Quite unlike me	3	1626	16.3	17.1	26.5
V unlike me	4	6997	70.0	73.5	100.0
	-1	479	4.8	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9521	Missing cases	479		

H18. † I feel happy when someone compliments me
 [When more than 1 box was ticked, the one with the lower code was taken]

PB527 Feel happy when complimented

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	5599	56.0	58.6	58.6
Quite like me	2	3331	33.3	34.9	93.4
Quite unlike me	3	295	2.9	3.1	96.5
V unlike me	4	332	3.3	3.5	100.0
	-1	443	4.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9557	Missing cases	443		

H19. † I fear that my feelings will overwhelm me

[When more than 1 box was ticked, the one with the lower code was taken]

PB528 Fear being overwhelmed by feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	335	3.4	3.5	3.5
Quite like me	2	1128	11.3	11.9	15.4
Quite unlike me	3	2495	25.0	26.3	41.7
V unlike me	4	5536	55.4	58.3	100.0
	-1	506	5.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9494	Missing cases	506		

H20. † I can make other people feel happy

[When more than 1 box was ticked, the one with the lower code was taken]

PB529 Can make others feel happy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	3139	31.4	33.0	33.0
Quite like me	2	5286	52.9	55.6	88.6
Quite unlike me	3	767	7.7	8.1	96.7
V unlike me	4	313	3.1	3.3	100.0
	-1	495	5.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9505	Missing cases	495		

H21. † I find it hard to get angry with people

[When more than 1 box was ticked, the one with the lower code was taken]

PB530 Find it hard to get angry with others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1710	17.1	18.0	18.0
Quite like me	2	3285	32.9	34.5	52.4
Quite unlike me	3	2576	25.8	27.0	79.5
V unlike me	4	1953	19.5	20.5	100.0
	-1	476	4.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9524	Missing cases	476		

H22. † I worry about criticising people

[When more than 1 box was ticked, the one with the lower code was taken]

PB531 Worry about criticising others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	795	8.0	8.4	8.4
Quite like me	2	2883	28.8	30.3	38.7
Quite unlike me	3	2942	29.4	30.9	69.6
V unlike me	4	2893	28.9	30.4	100.0
	-1	487	4.9	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9513	Missing cases	487		

H23. † If someone is critical of something I do, I feel bad

[When more than 1 box was ticked, the one with the lower code was taken]

PB532 Feel bad if criticised

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1727	17.3	18.2	18.2
Quite like me	2	3726	37.3	39.3	57.5
Quite unlike me	3	2094	20.9	22.1	79.5
V unlike me	4	1941	19.4	20.5	100.0
	-1	512	5.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9488	Missing cases	512		

H24. † If other people knew what I am really like, they would think less of me

[When more than 1 box was ticked, the one with the lower code was taken]

PB533 Others would think less of true self

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	241	2.4	2.6	2.6
Quite like me	2	851	8.5	9.1	11.6
Quite unlike me	3	2373	23.7	25.2	36.9
V unlike me	4	5936	59.4	63.1	100.0
	-1	599	6.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9401	Missing cases	599		

H25. † I always expect criticism

[When more than 1 box was ticked, the one with the lower code was taken]

PB534 Always expect criticism

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	799	8.0	8.4	8.4
Quite like me	2	2113	21.1	22.3	30.7
Quite unlike me	3	2939	29.4	31.0	61.7
V unlike me	4	3636	36.4	38.3	100.0
	-1	513	5.1	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9487	Missing cases	513		

H26. † I can never be really sure if someone is pleased with me

[When more than 1 box was ticked, the one with the lower code was taken]

PB535 Never sure if others pleased

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	573	5.7	6.1	6.1
Quite like me	2	2370	23.7	25.1	31.2
Quite unlike me	3	3227	32.3	34.2	65.4
V unlike me	4	3266	32.7	34.6	100.0
	-1	564	5.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9436	Missing cases	564		

H27. † I don't like people to really know me

[When more than 1 box was ticked, the one with the lower code was taken]

PB536 Dont like people to know true self

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	759	7.6	8.0	8.0
Quite like me	2	1764	17.6	18.7	26.7
Quite unlike me	3	2519	25.2	26.7	53.4
V unlike me	4	4408	44.1	46.6	100.0
	-1	550	5.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9450	Missing cases	550		

H28. † If someone upsets me, I am not able to put it easily out of my mind

[When more than 1 box was ticked, the one with the lower code was taken]

PB537 When upset cant easily forget

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	2212	22.1	23.3	23.3
Quite like me	2	3208	32.1	33.9	57.2
Quite unlike me	3	2012	20.1	21.2	78.4
V unlike me	4	2042	20.4	21.6	100.0
	-1	526	5.3	Missing	
		-----	-----	-----	
Valid cases	9474	Total 10000	100.0	100.0	
		Missing cases 526			

H29. † I feel others do not understand me

[When more than 1 box was ticked, the one with the lower code was taken]

PB538 Feel others dont understand

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	744	7.4	7.9	7.9
Quite like me	2	2024	20.2	21.4	29.2
Quite unlike me	3	2895	29.0	30.6	59.8
V unlike me	4	3803	38.0	40.2	100.0
	-1	534	5.3	Missing	
		-----	-----	-----	
Valid cases	9466	Total 10000	100.0	100.0	
		Missing cases 534			

H30. † I worry about what others think of me

[When more than 1 box was ticked, the one with the lower code was taken]

PB539 Worry what others think

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1015	10.2	10.7	10.7
Quite like me	2	2586	25.9	27.3	38.1
Quite unlike me	3	2300	23.0	24.3	62.4
V unlike me	4	3560	35.6	37.6	100.0
	-1	539	5.4	Missing	
		-----	-----	-----	
Valid cases	9461	Total 10000	100.0	100.0	
		Missing cases 539			

H31. † I don't feel happy unless people I know admire me

[When more than 1 box was ticked, the one with the lower code was taken]

PB540 Not happy unless admired

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	292	2.9	3.1	3.1
Quite like me	2	1279	12.8	13.5	16.6
Quite unlike me	3	2740	27.4	29.0	45.6
V unlike me	4	5135	51.4	54.4	100.0
	-1	554	5.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9446	Missing cases	554		

H32. † I am never rude to anyone

[When more than 1 box was ticked, the one with the lower code was taken]

PB541 Never rude to anyone

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1373	13.7	14.5	14.5
Quite like me	2	2924	29.2	31.0	45.5
Quite unlike me	3	3096	31.0	32.8	78.3
V unlike me	4	2053	20.5	21.7	100.0
	-1	554	5.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9446	Missing cases	554		

H33. † I worry about hurting the feelings of other people

[When more than 1 box was ticked, the one with the lower code was taken]

PB542 Worry about hurting others feelings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1947	19.5	20.6	20.6
Quite like me	2	4177	41.8	44.1	64.7
Quite unlike me	3	1982	19.8	20.9	85.6
V unlike me	4	1359	13.6	14.4	100.0
	-1	535	5.4	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9465	Missing cases	535		

H34. † *I feel hurt when someone is angry with me*

[When more than 1 box is ticked, the one with the lower code was taken]

PB543 Feel hurt when others are angry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	1273	12.7	13.4	13.4
Quite like me	2	3691	36.9	39.0	52.4
Quite unlike me	3	2396	24.0	25.3	77.7
V unlike me	4	2108	21.1	22.3	100.0
	-1	532	5.3	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9468	Missing cases	532		

H35. † *My value as a person depends enormously on what others think of me*

[When more than 1 box was ticked, the one with the lower code was taken]

PB544 Self value depends on what others think

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	739	7.4	7.8	7.8
Quite like me	2	2183	21.8	23.1	31.0
Quite unlike me	3	2577	25.8	27.3	58.3
V unlike me	4	3938	39.4	41.7	100.0
	-1	563	5.6	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9437	Missing cases	563		

H36. † *I care about what people feel about me*

[When more than 1 box was ticked, the one with the lower code was taken]

PB545 Care what people feel

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V like me	1	2028	20.3	21.4	21.4
Quite like me	2	4350	43.5	45.9	67.3
Quite unlike me	3	1500	15.0	15.8	83.2
V unlike me	4	1593	15.9	16.8	100.0
	-1	529	5.3	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9471	Missing cases	529		

INTERPERSONAL SENSITIVITY MEASURE

The 36 items in this scale formed the Inter-Personal Sensitivity Measure (IPMS) devised by Boyce & Parker. This measure has 5 sub-scales: inter-personal awareness, need for approval, separation anxiety, timidity and fragile inner-self. Each item has 4 categories of response in which the respondent indicates whether the description provided in each item is 'very like', 'moderately like', 'moderately unlike' or 'very unlike' themselves. Initial studies of the measure have indicated that it has a satisfactory split off and test-retest reliability and has concurrent validity with psychiatric interview. The measure correlates high with neuroticism scales from the Eysenck Personality Questionnaire (EPQ) but has been found to be a better predictor of post-natal depression scores as measured by the EPDS. The choice of this measure was based on a number of different considerations. First the alternative measure, the Eysenck Personality Inventory, proved to be an unsatisfactory measure within the context of our study, in that it had poor acceptability for the mothers. They reported finding many of the items objectionable or off-putting and the number of items excessive. Non-response or partial response was high. In contrast, the IPSM had a smaller number of more acceptable items. Secondly, the measure is more focused on neurotic rather than psychotic personality traits and more directly relevant to our interests. Although we acknowledge that from more established measures such as the EPQ far greater information on reliability, validity, norms and psycho-metric properties is available, the benefit of this was outweighed by the reduction in response rates attributed to the inclusion of the EPQ in our pilot studies.

Derived variables

The variables PB510 - PB544 were recoded (1=4)(2=3)(3=2)(4=1). If any item was missing, this was put to the mode, unless all values were missing in which case the score was put to -1.

Interpersonal awareness score

Calculated using above recodes as PB511 + PB513 + PB519 + PB532 + PB537 + PB539 + PB545.

PB546 Interpersonal awareness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	7.00	408	4.1	4.2	4.2
	8.00	189	1.9	2.0	6.2
	9.00	349	3.5	3.6	9.8
	10.00	445	4.5	4.6	14.4
	11.00	488	4.9	5.1	19.5
	12.00	541	5.4	5.6	25.1
	13.00	655	6.6	6.8	31.8
	14.00	647	6.5	6.7	38.5
	15.00	714	7.1	7.4	45.9
	16.00	736	7.4	7.6	53.5
	17.00	715	7.2	7.4	60.9
	18.00	661	6.6	6.8	67.8
	19.00	665	6.7	6.9	74.7
	20.00	574	5.7	5.9	80.6
	21.00	520	5.2	5.4	86.0
	22.00	381	3.8	3.9	89.9
	23.00	284	2.8	2.9	92.9
	24.00	250	2.5	2.6	95.5
	25.00	161	1.6	1.7	97.1
	26.00	127	1.3	1.3	98.4
	27.00	82	.8	.8	99.3
	28.00	68	.7	.7	100.0
	-1.00	340	3.4	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9660	Missing cases	340		

PB546M No. missing values for PB546

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9265	92.7	92.7	92.7
	1.00	210	2.1	2.1	94.8
	2.00	21	.2	.2	95.0
	3.00	43	.4	.4	95.4
	4.00	49	.5	.5	95.9
	5.00	58	.6	.6	96.5
	6.00	14	.1	.1	96.6
	7.00	340	3.4	3.4	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

Need for approval score

Calculated using above recodes as PB515 + PB517 + PB520 + PB522 + PB525 + PB527 + PB529 + PB943.

PB547 Need for approval

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	5	.1	.1	.1
	1.00	1	.0	.0	.1
	2.00	1	.0	.0	.1
	3.00	7	.1	.1	.1
	4.00	5	.1	.1	.2
	5.00	12	.1	.1	.3
	6.00	20	.2	.2	.5
	7.00	2	.0	.0	.5
	8.00	90	.9	.9	1.5
	9.00	7	.1	.1	1.6
	10.00	20	.2	.2	1.8
	11.00	38	.4	.4	2.2
	12.00	42	.4	.4	2.6
	13.00	30	.3	.3	2.9
	14.00	53	.5	.5	3.5
	15.00	67	.7	.7	4.1
	16.00	91	.9	.9	5.1
	17.00	126	1.3	1.3	6.4
	18.00	159	1.6	1.6	8.1
	19.00	243	2.4	2.5	10.6
	20.00	356	3.6	3.7	14.3
	21.00	460	4.6	4.8	19.0
	22.00	622	6.2	6.5	25.5
	23.00	834	8.3	8.7	34.1
	24.00	985	9.9	10.2	44.4
	25.00	1087	10.9	11.3	55.6
	26.00	1042	10.4	10.8	66.4
	27.00	979	9.8	10.2	76.6
	28.00	780	7.8	8.1	84.7
	29.00	673	6.7	7.0	91.7
	30.00	393	3.9	4.1	95.8
	31.00	265	2.7	2.7	98.5
	32.00	144	1.4	1.5	100.0
	-1.00	361	3.6	Missing	
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	9639	Missing cases	361		

PB547M No. missing values for PB547

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9106	91.1	91.1	91.1
	1.00	376	3.8	3.8	94.8
	2.00	50	.5	.5	95.3
	3.00	23	.2	.2	95.6
	4.00	19	.2	.2	95.7
	5.00	15	.2	.2	95.9
	6.00	27	.3	.3	96.2
	7.00	23	.2	.2	96.4
	8.00	361	3.6	3.6	100.0
		-----	-----	-----	
		Total	10000	100.0	100.0
Valid cases	10000	Missing cases	0		

Separation anxiety score

This was calculated using the above recodes as:

PB510 + PB521 + PB524 + PB526 + PB528 + PB534 + PB535 + PB538

PB548 Separation anxiety

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	60	.6	.6	.6
	1.00	3	.0	.0	.7
	2.00	11	.1	.1	.8
	3.00	9	.1	.1	.9
	4.00	5	.1	.1	.9
	5.00	10	.1	.1	1.0
	6.00	28	.3	.3	1.3
	7.00	11	.1	.1	1.4
	8.00	515	5.1	5.3	6.7
	9.00	312	3.1	3.2	10.0
	10.00	539	5.4	5.6	15.6
	11.00	861	8.6	8.9	24.5
	12.00	746	7.5	7.7	32.2
	13.00	813	8.1	8.4	40.6
	14.00	863	8.6	8.9	49.5
	15.00	851	8.5	8.8	58.3
	16.00	791	7.9	8.2	66.5
	17.00	744	7.4	7.7	74.2
	18.00	612	6.1	6.3	80.6
	19.00	444	4.4	4.6	85.2
	20.00	437	4.4	4.5	89.7
	21.00	270	2.7	2.8	92.5
	22.00	203	2.0	2.1	94.6
	23.00	183	1.8	1.9	96.5
	24.00	116	1.2	1.2	97.7
	25.00	82	.8	.8	98.5
	26.00	59	.6	.6	99.1
	27.00	28	.3	.3	99.4
	28.00	20	.2	.2	99.6
	29.00	18	.2	.2	99.8
	30.00	2	.0	.0	99.8
	31.00	13	.1	.1	100.0
	32.00	3	.0	.0	100.0
	-1.00	338	3.4	Missing	
Total		10000	100.0	100.0	
Valid cases	9662	Missing cases	338		

PB548M No. missing values for PB548

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9220	92.2	92.2	92.2
	1.00	229	2.3	2.3	94.5
	2.00	51	.5	.5	95.0
	3.00	27	.3	.3	95.3
	4.00	37	.4	.4	95.6
	5.00	9	.1	.1	95.7
	6.00	22	.2	.2	96.0
	7.00	67	.7	.7	96.6
	8.00	338	3.4	3.4	100.0
Total		10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

Timidity score

This was calculated using the above recodes as:

PB512 + PB516 + PB518 + PB523 + PB530 + PB531 + PB541 + PB542

PB549 Timidity

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3.00	1	.0	.0	.0
	6.00	4	.0	.0	.1
	7.00	2	.0	.0	.1
	8.00	192	1.9	2.0	2.1
	9.00	80	.8	.8	2.9
	10.00	213	2.1	2.2	5.1
	11.00	245	2.5	2.5	7.6
	12.00	310	3.1	3.2	10.9
	13.00	366	3.7	3.8	14.6
	14.00	466	4.7	4.8	19.5
	15.00	510	5.1	5.3	24.8
	16.00	650	6.5	6.7	31.5
	17.00	756	7.6	7.8	39.3
	18.00	740	7.4	7.7	47.0
	19.00	763	7.6	7.9	54.9
	20.00	850	8.5	8.8	63.7
	21.00	708	7.1	7.3	71.1
	22.00	677	6.8	7.0	78.1
	23.00	586	5.9	6.1	84.2
	24.00	472	4.7	4.9	89.0
	25.00	339	3.4	3.5	92.6
	26.00	250	2.5	2.6	95.1
	27.00	162	1.6	1.7	96.8
	28.00	125	1.3	1.3	98.1
	29.00	106	1.1	1.1	99.2
	30.00	43	.4	.4	99.7
	31.00	14	.1	.1	99.8
	32.00	18	.2	.2	100.0
	-1.00	352	3.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9648	Missing cases	352		

PB549M No. missing values for PB549

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9216	92.2	92.2	92.2
	1.00	243	2.4	2.4	94.6
	2.00	62	.6	.6	95.2
	3.00	17	.2	.2	95.4
	4.00	31	.3	.3	95.7
	5.00	25	.3	.3	95.9
	6.00	21	.2	.2	96.2
	7.00	33	.3	.3	96.5
	8.00	352	3.5	3.5	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000	Missing cases	0		

Fragile Inner-self score

This was calculated using the above recodes as:
 PB514 + PB533 + PB536 + PB540 + PB544

PB550 Fragile inner-self

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5.00	2031	20.3	21.1	21.1
	6.00	1029	10.3	10.7	31.8
	7.00	1266	12.7	13.2	44.9
	8.00	1341	13.4	13.9	58.9
	9.00	1109	11.1	11.5	70.4
	10.00	944	9.4	9.8	80.2
	11.00	704	7.0	7.3	87.5
	12.00	440	4.4	4.6	92.1
	13.00	289	2.9	3.0	95.1
	14.00	217	2.2	2.3	97.3
	15.00	103	1.0	1.1	98.4
	16.00	71	.7	.7	99.1
	17.00	49	.5	.5	99.6
	18.00	13	.1	.1	99.8
	19.00	7	.1	.1	99.9
	20.00	14	.1	.1	100.0
	-1.00	373	3.7	Missing	
		-----	-----	-----	
		Total	10000	100.0	
Valid cases	9627	Missing cases	373		

PB550M No. missing values for PB550

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	9169	91.7	91.7	91.7
	1.00	269	2.7	2.7	94.4
	2.00	57	.6	.6	95.0
	3.00	26	.3	.3	95.2
	4.00	106	1.1	1.1	96.3
	5.00	373	3.7	3.7	100.0
		-----	-----	-----	
		Total	10000	100.0	
Valid cases	10000	Missing cases	0		

Total Inter-personal sensitivity score

This was calculated using the above recodes by summing all variables PB510 to PB545

PB551 Total interpersonal sensitivity					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
28.00			1	.0	.0 .0
29.00			1	.0	.0 .0
30.00			2	.0	.0 .0
31.00			7	.1	.1 .1
32.00			8	.1	.1 .2
33.00			3	.0	.0 .2
34.00			14	.1	.1 .4
35.00			7	.1	.1 .4
36.00			75	.8	.8 1.2
37.00			11	.1	.1 1.3
38.00			14	.1	.1 1.5
39.00			15	.2	.2 1.6
40.00			14	.1	.1 1.8
41.00			13	.1	.1 1.9
42.00			13	.1	.1 2.0
43.00			16	.2	.2 2.2
44.00			22	.2	.2 2.4
45.00			20	.2	.2 2.6
46.00			16	.2	.2 2.8
47.00			15	.2	.2 3.0
48.00			31	.3	.3 3.3
49.00			26	.3	.3 3.6
50.00			28	.3	.3 3.8
51.00			32	.3	.3 4.2
52.00			22	.2	.2 4.4
53.00			45	.5	.5 4.9
54.00			44	.4	.5 5.3
55.00			37	.4	.4 5.7
56.00			56	.6	.6 6.3
57.00			55	.5	.6 6.9
58.00			79	.8	.8 7.7
59.00			72	.7	.7 8.4
60.00			80	.8	.8 9.2
61.00			77	.8	.8 10.0
62.00			96	1.0	1.0 11.0
63.00			119	1.2	1.2 12.3
64.00			103	1.0	1.1 13.3
65.00			119	1.2	1.2 14.6
66.00			132	1.3	1.4 15.9
67.00			114	1.1	1.2 17.1
68.00			163	1.6	1.7 18.8
69.00			150	1.5	1.6 20.3
70.00			145	1.5	1.5 21.8
71.00			159	1.6	1.6 23.5
72.00			219	2.2	2.3 25.8
73.00			189	1.9	2.0 27.7
74.00			213	2.1	2.2 29.9
75.00			223	2.2	2.3 32.2
76.00			239	2.4	2.5 34.7
77.00			203	2.0	2.1 36.8
78.00			254	2.5	2.6 39.4
79.00			207	2.1	2.1 41.6
80.00			216	2.2	2.2 43.8
81.00			273	2.7	2.8 46.6
82.00			263	2.6	2.7 49.3
83.00			247	2.5	2.6 51.9
84.00			238	2.4	2.5 54.4
85.00			260	2.6	2.7 57.0
86.00			270	2.7	2.8 59.8

PB551 (cont.)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	87.00	249	2.5	2.6	62.4
	88.00	240	2.4	2.5	64.9
	89.00	234	2.3	2.4	67.3
	90.00	225	2.3	2.3	69.6
	91.00	232	2.3	2.4	72.0
	92.00	219	2.2	2.3	74.3
	93.00	213	2.1	2.2	76.5
	94.00	185	1.9	1.9	78.4
	95.00	190	1.9	2.0	80.4
	96.00	151	1.5	1.6	82.0
	97.00	144	1.4	1.5	83.4
	98.00	120	1.2	1.2	84.7
	99.00	138	1.4	1.4	86.1
	100.00	113	1.1	1.2	87.3
	101.00	120	1.2	1.2	88.5
	102.00	94	.9	1.0	89.5
	103.00	127	1.3	1.3	90.8
	104.00	92	.9	1.0	91.8
	105.00	89	.9	.9	92.7
	106.00	77	.8	.8	93.5
	107.00	80	.8	.8	94.3
	108.00	63	.6	.7	95.0
	109.00	54	.5	.6	95.5
	110.00	61	.6	.6	96.1
	111.00	48	.5	.5	96.6
	112.00	45	.5	.5	97.1
	113.00	40	.4	.4	97.5
	114.00	29	.3	.3	97.8
	115.00	31	.3	.3	98.1
	116.00	30	.3	.3	98.4
	117.00	17	.2	.2	98.6
	118.00	28	.3	.3	98.9
	119.00	16	.2	.2	99.1
	120.00	14	.1	.1	99.2
	121.00	12	.1	.1	99.3
	122.00	11	.1	.1	99.5
	123.00	8	.1	.1	99.5
	124.00	5	.1	.1	99.6
	125.00	5	.1	.1	99.6
	126.00	3	.0	.0	99.7
	127.00	4	.0	.0	99.7
	128.00	6	.1	.1	99.8
	129.00	5	.1	.1	99.8
	130.00	2	.0	.0	99.9
	131.00	1	.0	.0	99.9
	132.00	2	.0	.0	99.9
	133.00	3	.0	.0	99.9
	134.00	1	.0	.0	99.9
	136.00	1	.0	.0	99.9
	137.00	2	.0	.0	100.0
	138.00	4	.0	.0	100.0
	-1.00	332	3.3	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9668				
Missing cases		332			

PB551M No. missing values for PB551

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8410	84.1	84.1	84.1
	1.00	782	7.8	7.8	91.9
	2.00	165	1.7	1.7	93.6
	3.00	61	.6	.6	94.2
	4.00	23	.2	.2	94.4
	5.00	14	.1	.1	94.6
	6.00	13	.1	.1	94.7
	7.00	6	.1	.1	94.7
	8.00	8	.1	.1	94.8
	9.00	10	.1	.1	94.9
	10.00	7	.1	.1	95.0
	11.00	8	.1	.1	95.1
	12.00	6	.1	.1	95.1
	13.00	4	.0	.0	95.2
	14.00	6	.1	.1	95.2
	15.00	8	.1	.1	95.3
	16.00	3	.0	.0	95.3
	17.00	10	.1	.1	95.4
	18.00	4	.0	.0	95.5
	19.00	13	.1	.1	95.6
	20.00	5	.1	.1	95.7
	21.00	6	.1	.1	95.7
	22.00	2	.0	.0	95.7
	23.00	6	.1	.1	95.8
	24.00	7	.1	.1	95.9
	25.00	2	.0	.0	95.9
	26.00	4	.0	.0	95.9
	27.00	7	.1	.1	96.0
	28.00	12	.1	.1	96.1
	29.00	7	.1	.1	96.2
	30.00	11	.1	.1	96.3
	31.00	9	.1	.1	96.4
	32.00	11	.1	.1	96.5
	33.00	5	.1	.1	96.6
	34.00	6	.1	.1	96.6
	35.00	8	.1	.1	96.7
	36.00	331	3.3	3.3	100.0
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	10000				
	Missing cases	0			

SECTION I: BEING A PARENT

Below are a number of statements about how some people think a parent should behave with a baby. Please indicate how much you agree with them.

Yes, I *I'm un-* *I'm un-* *No, I* *agree*
sure but *unsure but* *disagree*
 probably *probably*
 agree *disagree*

I1. Babies should be picked up whenever they cry

[When more than 1 box was ticked, the one with the higher code was taken]

PB560 Should pick up crying baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
agree	1	1455	14.6	15.0	15.0
unsure agree	2	2419	24.2	24.9	39.9
unsure disagree	3	2109	21.1	21.7	61.6
disagree	4	3736	37.4	38.4	100.0
	-1	281	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9719	Missing cases	281		

I2. It is important to develop a regular pattern of feeding and sleeping with a baby

[When more than 1 box was ticked, the one with the higher code was taken]

PB561 REG food & sleep important for baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
agree	1	7209	72.1	74.1	74.1
unsure agree	2	1721	17.2	17.7	91.8
unsure disagree	3	434	4.3	4.5	96.2
disagree	4	368	3.7	3.8	100.0
	-1	268	2.7	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9732	Missing cases	268		

I3. Babies should be fed whenever they are hungry

[When more than 1 box was ticked, the one with the higher code was taken]

PB562 Should always feed hungry baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
agree	1	5808	58.1	59.8	59.8
unsure agree	2	2656	26.6	27.3	87.1
unsure disagree	3	770	7.7	7.9	95.0
disagree	4	486	4.9	5.0	100.0
	-1	280	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9720	Missing cases	280		

14. Babies need to be stimulated if they are to develop well**[When more than 1 box was ticked, the one with the higher code was taken]**

PB563 Babies need stimulation to develop

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
agree	1	8031	80.3	83.3	83.3
unsure agree	2	1338	13.4	13.9	97.2
unsure disagree	3	182	1.8	1.9	99.1
disagree	4	85	.9	.9	100.0
	-1	364	3.6	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9636	Missing cases	364		

15. Babies need quiet secure surroundings and should not be disturbed too much**[When more than 1 box was ticked, the one with the higher code was taken]**

PB564 Babies should not be disturbed much

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
agree	1	3166	31.7	32.7	32.7
unsure agree	2	2648	26.5	27.4	60.1
unsure disagree	3	1929	19.3	19.9	80.0
disagree	4	1937	19.4	20.0	100.0
	-1	320	3.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9680	Missing cases	320		

16. Parents need to adapt their lives to the baby's demands**[When more than 1 box was ticked, the one with the higher code was taken]**

PB565 Parents should adapt life for baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
agree	1	3767	37.7	38.9	38.9
unsure agree	2	2297	23.0	23.7	62.6
unsure disagree	3	1517	15.2	15.7	78.3
disagree	4	2099	21.0	21.7	100.0
	-1	320	3.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9680	Missing cases	320		

17. *A baby should fit into its parents' routine*

[When more than 1 box was ticked, the one with the higher code was taken]

PB566 Babies should fit into parents routine						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
agree	1	2661	26.6	27.5	27.5	
unsure agree	2	2230	22.3	23.0	50.6	
unsure disagree	3	2132	21.3	22.0	72.6	
disagree	4	2652	26.5	27.4	100.0	
	-1	325	3.3	Missing		
		-----	-----	-----		
	Total	10000	100.0	100.0		
Valid cases	9675	Missing cases	325			

18. *Babies should be left to develop naturally*

[When more than 1 box was ticked, the one with the higher code was taken]

PB567 Babies development should be natural						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
agree	1	2088	20.9	21.9	21.9	
unsure agree	2	2027	20.3	21.3	43.3	
unsure disagree	3	2180	21.8	22.9	66.2	
disagree	4	3218	32.2	33.8	100.0	
	-1	487	4.9	Missing		
		-----	-----	-----		
	Total	10000	100.0	100.0		
Valid cases	9513	Missing cases	487			

19. *Talking, to even a very young baby, is important*

[When more than 1 box was ticked, the one with the higher code was taken]

PB568 Important to talk to babies of all ages						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
agree	1	9349	93.5	96.0	96.0	
unsure agree	2	357	3.6	3.7	99.6	
unsure disagree	3	14	.1	.1	99.8	
disagree	4	22	.2	.2	100.0	
	-1	258	2.6	Missing		
		-----	-----	-----		
	Total	10000	100.0	100.0		
Valid cases	9742	Missing cases	258			

10. *Cuddling a baby is very important*

[When more than 1 box was ticked, the one with the higher code was taken]

PB569 Cuddling baby is important

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
agree	1	9402	94.0	96.5	96.5
unsure agree	2	315	3.2	3.2	99.7
unsure disagree	3	11	.1	.1	99.8
disagree	4	18	.2	.2	100.0
	-1	254	2.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9746	Missing cases	254		

SECTION J: INFANT FEEDING

Below are some attitudes about infant feeding. Please indicate your views.

Strongly Agree Agree Unsure Disagree Strongly disagree

- J1. *Breast-feeding stops a mother from having the freedom to do what she wants***
[When more than 1 box was ticked, the one with the lower code was taken]

PB570 Breast feeding restricts mums freedom						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
strong agree		1	413	4.1	4.3	4.3
agree		2	1689	16.9	17.4	21.7
unsure		3	1843	18.4	19.0	40.7
disagree		4	3823	38.2	39.4	80.1
strong disagree		5	1924	19.2	19.9	100.0
		-1	308	3.1	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	9692	Missing cases		308		

- J2. *Breast-feeding gives the mother a special relationship with her baby***
[When more than 1 box was ticked, the one with the higher code was taken]

PB571 Breast feeding causes special bond					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
strong agree	1	4190	41.9	43.1	43.1
agree	2	3876	38.8	39.9	83.0
unsure	3	1120	11.2	11.5	94.5
disagree	4	439	4.4	4.5	99.1
strong disagree	5	91	.9	.9	100.0
	-1	284	2.8	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9716	Missing cases	284		

- J3. *Bottle feeding allows the father to share the child more***
[When more than 1 box was ticked, the one with the higher code was taken]

PB572 Bottle feeding lets dad share CH more						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
strong agree		1	1912	19.1	19.7	19.7
agree		2	4888	48.9	50.4	70.1
unsure		3	1193	11.9	12.3	82.3
disagree		4	1366	13.7	14.1	96.4
strong disagree		5	348	3.5	3.6	100.0
		-1	293	2.9	Missing	
			-----	-----	-----	
		Total	10000	100.0	100.0	
Valid cases	9707	Missing cases		293		

J4. Bottle feeding is more convenient for the mother**[When more than 1 box was ticked, the one with the lower code was taken]**

PB573 Bottle feeding more convenient for mum

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
strong agree	1	1006	10.1	10.4	10.4
agree	2	3558	35.6	36.7	47.1
unsure	3	2216	22.2	22.8	69.9
disagree	4	2273	22.7	23.4	93.3
strong disagree	5	646	6.5	6.7	100.0
	-1	301	3.0	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9699	Missing cases	301		

J5. A mother who does not breast feed is inferior**[When more than 1 box was ticked, the one with the lower code was taken]**

PB574 Mum inferior if not breast feeding

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
strong agree	1	121	1.2	1.3	1.3
agree	2	179	1.8	1.8	3.1
unsure	3	746	7.5	7.7	10.8
disagree	4	3265	32.7	33.7	44.5
strong disagree	5	5369	53.7	55.5	100.0
	-1	320	3.2	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9680	Missing cases	320		

J6. Breast-feeding is difficult**[When more than 1 box was ticked, the one with the lower code was taken]**

PB575 Breast feeding is difficult

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
strong agree	1	505	5.1	5.2	5.2
agree	2	2295	23.0	23.8	29.0
unsure	3	4310	43.1	44.7	73.7
disagree	4	1931	19.3	20.0	93.7
strong disagree	5	611	6.1	6.3	100.0
	-1	348	3.5	Missing	
		-----	-----	-----	
	Total	10000	100.0	100.0	
Valid cases	9652	Missing cases	348		

Derived variable: Attitude to breast feeding

$$PB576 = 10 - PB571 - PB573 + PB570 + PB574 + PB576$$

PB576 Attitude to breast feeding

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	6.00	9	.1	.1	.1
	7.00	18	.2	.2	.3
	8.00	24	.2	.3	.5
	9.00	72	.7	.8	1.3
	10.00	191	1.9	2.0	3.3
	11.00	349	3.5	3.6	6.9
	12.00	629	6.3	6.6	13.5
	13.00	945	9.5	9.9	23.4
	14.00	1254	12.5	13.1	36.4
	15.00	1300	13.0	13.6	50.0
	16.00	1373	13.7	14.3	64.3
	17.00	1119	11.2	11.7	76.0
	18.00	965	9.7	10.1	86.1
	19.00	631	6.3	6.6	92.7
	20.00	364	3.6	3.8	96.5
	21.00	180	1.8	1.9	98.4
	22.00	156	1.6	1.6	100.0
	-1.00	421	4.2	Missing	
		Total	10000	100.0	100.0
Valid cases	9579	Missing cases	421		

J7. How would you like the baby to be fed?*don't know**no strong feelings**undecided**want the baby to be breast fed**want the baby to be bottle fed*

[If the response is 'whatever she wants' or similar, 6 was coded]

PB580 Preferred method of feeding baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
DK	1.00	183	1.8	1.9	1.9
N strong feeling	2.00	2425	24.3	25.0	26.9
Undecided	3.00	781	7.8	8.1	34.9
Breast feeding	4.00	5125	51.2	52.8	87.8
Bottle feeding	5.00	1020	10.2	10.5	98.3
What mum wants	6.00	34	.3	.4	98.7
Breast & bottle	7.00	130	1.3	1.3	100.0
	-1.00	302	3.0	Missing	
		Total	10000	100.0	100.0
Valid cases	9698	Missing cases	302		

J8. Were you breast fed as a baby?

		<i>Yes</i>	<i>No</i>	<i>Don't know</i>		
PB581	Breast fed as baby				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
Y		1	4104	41.0	42.5	42.5
N		2	2075	20.8	21.5	64.0
DK		9	3476	34.8	36.0	100.0
		-1	345	3.5	Missing	
		-----		-----	-----	
		Total	10000	100.0	100.0	
Valid cases	9655	Missing cases	345			

SECTION K

K1. *Please put the date of completing this questionnaire:*

day month year 199

[Coders were instructed: if blank, copy month and year form was returned from the stamped receipt date on the front cover, and code the days as 99]

pb902 K1: Month of completion of 'Partner's' questionnaire: PB files

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1127	11.3	11.4	11.4
	2	1054	10.6	10.7	22.1
	3	977	9.8	9.9	31.9
	4	1032	10.4	10.4	42.4
	5	1067	10.7	10.8	53.2
	6	931	9.4	9.4	62.6
	7	883	8.9	8.9	71.5
	8	605	6.1	6.1	77.6
	9	523	5.3	5.3	82.9
	10	555	5.6	5.6	88.5
	11	558	5.6	5.6	94.2
	12	577	5.8	5.8	100.0
	Total	9889	99.3	100.0	
Missing	-1 Missing	68	.7		
Total		9957	100.0		

pb903 K1: Year of completion of 'Partner's' questionnaire: PB files

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	90	302	3.0	3.1	3.1
	91	5841	58.7	59.1	62.2
	92	3698	37.1	37.4	99.6
	93	36	.4	.4	100.0
	Total	9877	99.2	100.0	
Missing	-1 Missing	80	.8		
Total		9957	100.0		

K2. *Please give your date of birth:*

day month year 19

[Coders were instructed: any valid date has to be accepted here. People often put the baby's expected date, but there is nothing that can be done about it at this stage. Just check it according to the rules for dates]

pb600 Month of birth

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	841	8.4	8.6	8.6
	2	791	7.9	8.1	16.8
	3	930	9.3	9.6	26.3
	4	817	8.2	8.4	34.7
	5	886	8.9	9.1	43.8
	6	805	8.1	8.3	52.1
	7	776	7.8	8.0	60.1
	8	795	8.0	8.2	68.3
	9	791	7.9	8.1	76.4
	10	824	8.3	8.5	84.9
	11	705	7.1	7.2	92.1
	12	767	7.7	7.9	100.0
	Total	9728	97.7	100.0	
Missing	-1	229	2.3		
Total		9957	100.0		

PB900 Gestation on completion of questionnaire

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1	.0	.0	.0
	3.00	1	.0	.0	.0
	7.00	1	.0	.0	.0
	9.00	2	.0	.0	.1
	10.00	1	.0	.0	.1
	11.00	1	.0	.0	.1
	13.00	5	.1	.1	.1
	14.00	16	.2	.2	.3
	15.00	17	.2	.2	.5
	16.00	13	.1	.1	.6
	17.00	31	.3	.3	1.0
	18.00	3235	32.4	34.6	35.5
	19.00	1994	19.9	21.3	56.8
	20.00	1378	13.8	14.7	71.5
	21.00	842	8.4	9.0	80.5
	22.00	502	5.0	5.4	85.9
	23.00	333	3.3	3.6	89.4
	24.00	227	2.3	2.4	91.9
	25.00	146	1.5	1.6	93.4
	26.00	116	1.2	1.2	94.7
	27.00	84	.8	.9	95.6
	28.00	65	.7	.7	96.3
	29.00	58	.6	.6	96.9
	30.00	43	.4	.5	97.3
	31.00	33	.3	.4	97.7
	32.00	23	.2	.2	97.9
	33.00	13	.1	.1	98.1
	34.00	19	.2	.2	98.3
	35.00	28	.3	.3	98.6
	36.00	25	.3	.3	98.8
	37.00	42	.4	.4	99.3
	38.00	22	.2	.2	99.5
	39.00	16	.2	.2	99.7
	40.00	19	.2	.2	99.9
	41.00	6	.1	.1	100.0
	42.00	3	.0	.0	100.0
After delivery	-2.00	299	3.0	Missing	
	-1.00	340	3.4	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	9361	Missing cases	639		

PB901 Baby's age (wks); questionnaire done postnatally

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	20	.2	6.7	6.7
	1.00	19	.2	6.4	13.0
	2.00	21	.2	7.0	20.1
	3.00	30	.3	10.0	30.1
	4.00	39	.4	13.0	43.1
	5.00	34	.3	11.4	54.5
	6.00	26	.3	8.7	63.2
	7.00	28	.3	9.4	72.6
	8.00	18	.2	6.0	78.6
	9.00	8	.1	2.7	81.3
	10.00	6	.1	2.0	83.3
	11.00	11	.1	3.7	87.0
	12.00	3	.0	1.0	88.0
	13.00	3	.0	1.0	89.0
	14.00	1	.0	.3	89.3
	15.00	2	.0	.7	90.0
	17.00	1	.0	.3	90.3
	18.00	3	.0	1.0	91.3
	19.00	2	.0	.7	92.0
	23.00	1	.0	.3	92.3
	25.00	1	.0	.3	92.6
	28.00	1	.0	.3	93.0
	30.00	6	.1	2.0	95.0
	31.00	2	.0	.7	95.7
	32.00	2	.0	.7	96.3
	33.00	3	.0	1.0	97.3
	34.00	2	.0	.7	98.0
	35.00	2	.0	.7	98.7
	40.00	1	.0	.3	99.0
	44.00	1	.0	.3	99.3
	47.00	1	.0	.3	99.7
	74.00	1	.0	.3	100.0
	-1.00	9701	97.0	Missing	
		-----	-----	-----	
Total		10000	100.0	100.0	
Valid cases	299	Missing cases	9701		

PB910 Age of PTNR at completion of questionnaire

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	15.00	1	.0	.0	.0
	16.00	9	.1	.1	.1
	17.00	16	.2	.2	.3
	18.00	31	.3	.3	.6
	19.00	87	.9	.9	1.5
	20.00	115	1.2	1.2	2.7
	21.00	158	1.6	1.7	4.4
	22.00	193	1.9	2.0	6.4
	23.00	264	2.6	2.8	9.1
	24.00	378	3.8	3.9	13.1
	25.00	499	5.0	5.2	18.3
	26.00	585	5.9	6.1	24.4
	27.00	651	6.5	6.8	31.2
	28.00	806	8.1	8.4	39.6
	29.00	765	7.7	8.0	47.6
	30.00	770	7.7	8.0	55.7
	31.00	696	7.0	7.3	62.9
	32.00	586	5.9	6.1	69.0
	33.00	567	5.7	5.9	75.0
	34.00	475	4.8	5.0	79.9
	35.00	386	3.9	4.0	84.0
	36.00	295	2.9	3.1	87.0
	37.00	234	2.3	2.4	89.5
	38.00	210	2.1	2.2	91.7
	39.00	168	1.7	1.8	93.4
	40.00	107	1.1	1.1	94.6
	41.00	109	1.1	1.1	95.7
	42.00	96	1.0	1.0	96.7
	43.00	67	.7	.7	97.4
	44.00	58	.6	.6	98.0
	45.00	42	.4	.4	98.4
	46.00	26	.3	.3	98.7
	47.00	26	.3	.3	99.0
	48.00	27	.3	.3	99.3
	49.00	19	.2	.2	99.5
	50.00	7	.1	.1	99.5
	51.00	5	.1	.1	99.6
	52.00	5	.1	.1	99.6
	53.00	9	.1	.1	99.7
	54.00	5	.1	.1	99.8
	55.00	4	.0	.0	99.8
	56.00	2	.0	.0	99.9
	57.00	4	.0	.0	99.9
	58.00	2	.0	.0	99.9
	59.00	2	.0	.0	99.9
	60.00	2	.0	.0	100.0
	61.00	1	.0	.0	100.0
	63.00	1	.0	.0	100.0
	65.00	1	.0	.0	100.0
	70.00	1	.0	.0	100.0
	-1.00	427	4.3	Missing	
Total		10000	100.0	100.0	
Valid cases	9573	Missing cases	427		

Space for any comments you might like to make:

[N.B. No Questionnaires were completed with an interviewer]