Applied LATEX for Researchers

Lecture 1: Introduction and Basics

Daniel Sánchez, M.A.

Laboratorio de Investigación para el Desarrollo del Ecuador

Spring 2025

What is LATEX? Why even care?

- A typesetting system, widely used in academia.
- Allows for additional control over the structure and layout of documents other software does not easily provide.
- Free, open-source, and cross-platform.
- What you see is what you mean (WYSIWYM) vs. What you see is what you get (WYSIWYG).
- Allows for the creation and automation of complex, structured and consistent documents.

Outline

Getting started

Beginning a document

Math mode

Brief History

- Created by Leslie Lamport in 1983 while working at Stanford Research Institute.
- Based on Donald Knuth's TEX typesetting system (1978).
- LATEX is a set of macros for TEX.
- ullet Current version is LaTEX $2_{\mathcal{E}}$, released in 1994, replacing LaTEX 2.09.

Important keys

- Command keys: \
- Curly braces: { }
- Square brackets: []
- Percent sign: % (comments)
- **Dollar sign:** \$ (math mode)
- Underscore:
- Circumflex: ^
- Tilde: ∼
- Backslash:

Using LATEX locally

- You will need a TFX distribution.
- For Windows, MikTEX is a popular choice, or TEX Live.
- A LATEXeditor will also be needed.
 - TFXWorks
 - TFXMaker
 - TFXStudio
 - Sublime Text
 - VS Code



Using LATEX online

- Overleaf is a popular online LATEX editor.
- Share projects with collaborators.
- Real-time collaboration.
- Access to a wide range of templates.
- Free and paid versions.
- IMO great for starters and probably the best option for collaborative work and best-looking UI.

Basic structure

- A LATEX document is divided into two main parts: the preamble and the body.
- The preamble contains document-wide settings and commands.
- The body contains the content of the document (text, figures, tables, etc.).
- The document is enclosed in the document environment.

Document preamble

- The preamble is the first part of the document, containing configuration settings for the complete document.
- Technically, it is a TeXenvironment (more on that later)
- We can set the document class, font size, margins, packages, etc.
- The preamble is enclosed between documentclass and begin{document} commands.

Writing commands/code

- Commands start with a backslash (\).
- Commands can have arguments enclosed in curly braces ({ }).
- Some commands have optional arguments enclosed in square brackets ([]).
- Comments are preceded by a percent sign (%).
- Commands are case-sensitive.

Declaring the document class

- The document class defines the overall layout of the document.
- The most common document classes are article, report, book, and beamer.
- Declared with the documentclass command.
- We will typically work with the article class.
 - \documentclass{article}

Some basic options for the document class

- 10pt, 11pt, 12pt: Sets the font size. Default is 10pt.
- a4paper, letterpaper: Sets the paper size.
- Other options are available depending on the document class.
- Packages can be used to extend the functionality of the document class.
- Use comments to keep track of the options used!

The document environment

- The document environment is where the content of the document is placed.
- It is enclosed within the begin{document} and end{document} commands.
- All LaTEX environments require a begin and end command.
- Nothing should be written after the end{document} command.
- Before the begin{document} command, we have the preamble.

Writing some text

- Text is written directly in the document environment.
- LATEX ignores multiple spaces.
- Use the \\ command to start a new line.
- Use the \par command to start a new paragraph.
- Use the \newline command to start a new line.

Basic text management

- To italicize text, use the \textit{} command.
- To bold text, use the \textbf{} command.
- To underline text, use the \underline{} command.
- To change the font size, use the \tiny, \small, \large, etc.
 commands.

Special characters

- Some characters have special meanings in LATEX, hence, they need to be escaped to be printed in the document.
- The following characters are reserved: # \$ % ^ & _ { } ~.
- To print these characters, use the \#, \\$, \%, etc. commands.
- The \ itself is printed with \textbackslash.

Structure

- ETEX provides commands to structure the document with sections, subsections, and subsubsections.
- It is generally a good idea to use these commands to organize the content of the document.
- ETEX-produced PDFs generally bookmark the sections, making navigation easier (if the viewer supports it and a package is used, more on that later).

Structure commands

- \section{Section title}
- \subsection{Subsection title}
- \subsubsection{Subsubsection title}
- \paragraph{Paragraph title}
- \subparagraph{Subparagraph title}

Titles

- In the preamble of the document, one can define "document metadata" such as the title, author, and date.
- This information can be printed in the document using the \maketitle command.
- Use the \title{}, \author{}, and \date{} commands to define the metadata.
- The title commands are largely determined by the document class, but can be customized with packages

Packages

- Packages are used to extend the functionality of the document class.
- They can be loaded in the preamble with the \usepackage{}
 command.
- Some packages are included by default in the document class.
- Some common packages are graphicx, amsmath, hyperref, babel, inputenc, fontenc, geometry, fancyhdr, among others.

Common packages

- The geometry package can be used to set the margins of the document.
- The setspace package can be used to set the line spacing (single, 1.5, double).
- The lipsum package can be used to generate dummy text.

Why math mode?

- LATEX's math mode is where it truly shines.
- This synthax has become a standard for typesetting math, even beyond LATEX.
- While Microsoft Word's equation editor has come a long way,
 when things get complex, LATEX is the way to go
 - Aligning equations
 - Repetitive notation
 - Lemmas, theorems, proofs
 - Complex symbols



Enter Math Mode

- Math mode is entered with the \$ symbol.
- Inline math mode is entered with a single \$ symbol.
- Display math mode is entered with double \$ symbols. This will center the equation and do an automatic line break.

$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$

Some simple algebra

- Math mode changes the font of the text to the "math font".
- To create exponents, use the symbol ("caret" or "hat").
- To create subscripts, use the _ symbol ("underscore").
- To create fractions, use the \frac{}{} command.
- To create square roots, use the \sqrt{} command

$$x_1^2 + y_2^2 = z_1^2$$



Greek letters

- Greek letters can be written in math mode using their name preceded by a backslash.
- You will need the amsmath package for some of these (the package includes the amssymb package).
- ullet They are case sensitive. To write the uppercase version, capitalize the first letter of the command. For example, \delta for δ and \Delta for Δ .
- Some Greek letters have variants, such as \varphi and \phi.

Summations and integrals

- To write a summation, use the \sum command.
- To write an integral, use the \int command.
- Since these have limits, use the _ and symbols to denote the lower and upper limits. They are like subscripts and superscripts!

$$\int x^2 dx = \frac{x^3}{3} + C$$

Using text within math mode

- If you try to write text within math mode, it will be printed in the math font.
 - For example, where will be printed as where.
 - Spacing and formatting will be weird
- To write text within math mode, use the \text{} command.
- This will change the font back to the regular text font.
- This is useful for writing text within equations, such as units.

$$ln(income) = \beta_0 + \beta_1 education + other stuff + \epsilon$$