
Chapter 1.3 Practice Problems

EXPECTED SKILLS:

- Be able to determine limits at infinity especially for polynomials, rational functions, functions involving radicals, exponential functions, and logarithmic functions.
- Use algebraic techniques to help with indeterminate forms of $\frac{\pm \infty}{\pm \infty}$ and $\infty \infty$.
- Use substitutions to evaluate limits of compositions of functions.


PRACTICE PROBLEMS:

1. Based on the graph of F(x) shown below, compute the indicated limits. (Make reasonable assumptions about the behavior of the function outside of the shown region.)



- (a) $\lim_{x \to +\infty} F(x)$
- (b) $\lim_{x \to -\infty} F(x)$

2. Based on the graph of G(x) shown below, compute the indicated limits. (Make reasonable assumptions about the behavior of the function outside of the shown region.)



- (a) $\lim_{x \to +\infty} G(x)$
- (b) $\lim_{x \to -\infty} G(x)$

For problems 3-32, compute the limit. If the limit doesn't exist write $+\infty$, $-\infty$, or DNE (whichever is most appropriate).

- 3. $\lim_{x\to\infty} 1$
- $4. \lim_{x \to \infty} \left(x^2 + 1 \right)$
- 5. $\lim_{x \to \infty} x^2(x-7)(5-x)$
- 6. $\lim_{x \to \infty} \left(5 \frac{1}{x} + \frac{4}{x^3} \right)$
- $7. \lim_{x \to -\infty} \left(\frac{300}{x^{200}} \right)$
- 8. $\lim_{x \to \infty} \left(\frac{3x+2}{x} \right)$
- 9. $\lim_{x \to \infty} \left(\frac{-x+3}{x^2} \right)$
- 10. $\lim_{x \to \infty} \left(\frac{x^2}{x 1} \right)$

11.
$$\lim_{x \to \infty} \left(\frac{3x^5 - 4x}{2x^5 - 4x^3 - 4x + 5} \right)$$

12.
$$\lim_{x \to \infty} \left(\frac{x^4 - 3x^2 + 5}{100x^3 - 10} \right)$$

13.
$$\lim_{x \to -\infty} \left(\frac{x^2 - 4x + 6}{9 - x} \right)$$

14.
$$\lim_{x \to -\infty} \left(\frac{x^3 - 12x + 12}{x + 10} \right)$$

15.
$$\lim_{x \to \infty} \left(\frac{\sqrt{4+3x^2}}{2+2x} \right)$$

16.
$$\lim_{x \to -\infty} \left(\frac{\sqrt{4+3x^2}}{2+2x} \right)$$

17.
$$\lim_{x \to \infty} \left(\frac{2x^3 - 5x + 6}{8 - 9x^2 - x^3} \right)$$

18.
$$\lim_{x \to \infty} e^x$$

19.
$$\lim_{x \to -\infty} e^x$$

$$20. \lim_{x \to -\infty} \left(\frac{1}{e^x} \right)$$

21.
$$\lim_{x \to \infty} e^{1/x}$$

$$22. \lim_{x \to \infty} \left(\frac{7}{e^x - 8} \right)$$

23.
$$\lim_{x \to -\infty} \left(\frac{7}{e^x - 8} \right)$$

$$24. \lim_{x \to 0^+} \ln x$$

25.
$$\lim_{x \to \infty} \ln x$$

26.
$$\lim_{x \to \infty} \left(\frac{\ln 6x}{\ln 2x} \right)$$

27.
$$\lim_{x \to \infty} \left[\ln (x+2) - \ln (3x+5) \right]$$

28.
$$\lim_{x \to \infty} \left(\sqrt{x^2 + 8x - 15} - x \right)$$

$$29. \lim_{x \to \infty} \left(x + \sqrt{x^2 + 2x} \right)$$

$$30. \lim_{x \to -\infty} \left(x + \sqrt{x^2 + 2x} \right)$$

31.
$$\lim_{x \to \infty} \left(\sqrt{x^2 - x} - x \right)$$

32. A tank contains 5000 liters of pure water. Brine containing 30 grams of salt per liter of water is pumped into the tank at a rate of 25 liters per minute. It can be shown that the concentration of salt in the tank after t minutes is:

$$C(t) = \frac{30t}{200 + t}$$

What happens as $t \to \infty$?

Use the following two definitions to answer questions 33-36.

• **Definition:** A function f(x) has a <u>horizontal asymptote</u> of y = L if at least one of the following is true:

$$\circ \lim_{x \to \infty} f(x) = L$$

$$\circ \lim_{x \to -\infty} f(x) = L.$$

• **Definition:** A function f(x) has a <u>vertical asymptote</u> of x = a if at least one of the following is true:

$$\circ \lim_{x \to a^{-}} f(x) = +\infty$$

$$\circ \lim_{x \to a^{-}} f(x) = -\infty$$

$$\circ \lim_{x \to a^+} f(x) = +\infty$$

$$\circ \lim_{x \to a^+} f(x) = -\infty$$

33. Compute the equations of all horizontal asymptotes and vertical asymptotes, if any, for each of the following functions.

4

(a)
$$f(x) = \frac{4x}{x-3}$$

(b)
$$f(x) = \frac{x^2 - 5x + 4}{x^2 - 6x + 8}$$


- 34. Let y = f(x) satisfy the following:
 - $\bullet \lim_{x \to \infty} f(x) = \infty$
 - $\bullet \lim_{x \to -\infty} f(x) = -7$
 - $\bullet \lim_{x \to 6^+} f(x) = \infty$
 - $\bullet \lim_{x \to 6^-} f(x) = -\infty$

Based on this information, determine equations for the horizontal and vertical asymptotes of f(x).


- 35. Sketch a function y = f(x) which satisfies the following conditions. (There are many possible answers.)
 - f(2) = 0
 - $\lim_{x \to \infty} f(x) = \lim_{x \to -\infty} f(x) = 0$
 - $\lim_{x \to -3^-} f(x) = \infty$
 - $\bullet \lim_{x \to -3^+} f(x) = -\infty$
 - $\bullet \lim_{x \to 0} f(x) = -\infty$
- 36. Determine whether the following statement is true or false. If the statement is true, explain why. If the statement is false, provide a specific counterexample.

"A function y = f(x) can have at most two horizontal asymptotes."

- 37. Consider $f(x) = x^2 + 1$.
 - (a) Estimate the area between the graph of f(x) and the x-axis on the interval [0, 6] using 2 rectangles of equal width and right endpoints, as in the diagram below. Is your estimate an overestimate or an underestimate of the actual area?



(b) Estimate the area between the graph of f(x) and the x-axis on the interval [0,6] using 3 rectangles of equal width and right endpoints, as in the diagram below. Is your estimate an overestimate or an underestimate of the actual area? How does this estimate compare to your estimate from part (a)?



(c) It can be shown that an estimate of the area between the graph of f(x) and the x-axis on the interval [0,6] using n rectangles of equal width and right endpoints can be expressed as $A(n) = \frac{36(n+1)(2n+1)}{n^2} + 6$. Compute $\lim_{n \to +\infty} A(n)$ and interpret your answer.

Depicted below are n = 30 rectangles

