## Double Integrals Over Rectangular Regions

## SUGGESTED REFERENCE MATERIAL:

As you work through the problems listed below, you should reference Chapter 14.1 of the recommended textbook (or the equivalent chapter in your alternative textbook/online resource) and your lecture notes.

## EXPECTED SKILLS:

- Be able to compute double integral calculations over rectangular regions using partial integration.
- Know how to inspect an integral to decide if the order of integration is easier one way (y first, x second) or the other (x first, y second).
- Kow how to use a double integral as the volume under a surface or find the area or a region in the xy-plane.

## PRACTICE PROBLEMS:

For problems 1-4, evaluate the given iterated integral.

1. 
$$\int_0^1 \int_0^2 (3x^3 - y^2 + 2) dx dy$$

2. 
$$\int_{0}^{2} \int_{1}^{3} x^{2}y \, dy \, dx$$

3. 
$$\int_0^{\ln 4} \int_0^{\ln 5} e^{x+y} \, dy \, dx$$

4. 
$$\int_0^{\pi} \int_1^2 x \sin y \, dx \, dy$$

5. Consider 
$$f(x,y) = x^2 + y^2$$
 and  $R: [0,4] \times [0,4]$ .

- (a) Estimate the volume bounded between the graph of f(x, y) and the xy-plane over the region R using 4 subrectagles of equal area and choosing the lower left hand corners as the sample points.
- (b) Estimate the volume bounded between the graph of f(x, y) and the xy-plane over the region R using 4 subrectagles of equal area and choosing the upper right hand corners as the sample points.
- (c) Estimate the volume bounded between the graph of f(x, y) and the xy-plane over the region R using 4 subrectagles of equal area and choosing the middle of the rectangle as the sample points.

- (d) Compute the exact volume of the solid bounded between f(x, y) and the xy-plane over the region R using an appropriate double integral.
- 6. Each of the following iterated integrals represents the volume of a solid. Make a sketch of a solid whose volume is represented by the integral.

(a) 
$$\int_0^4 \int_1^3 5 \, dy \, dx$$
  
(b)  $\int_0^2 \int_0^2 (4 - x - y) \, dx \, dy$ 

- 7. Use a double integral to find the volume of the solid which is bounded by the circular paraboloid  $z = x^2 + y^2$  and the planes z = 0, x = 0, x = 4, y = 0, and y = 2.
- 8. Consider the rectangle R in the xy-plane which has vertices (0,1), (0,4), (3,1), and (3,4).
  - (a) Use a double integral to compute the area of R.
  - (b) Verify your answer from part (a) by using an appropriate formula from geometry.
- 9. By choosing a convenient order or integration, evaluate  $\iint\limits_R x \sec^2{(xy)} \sec^2{x} \, dA \text{ where }$   $R = \left\{ (x,y) : \frac{\pi}{4} \le x \le \frac{\pi}{3}, 0 \le y \le 1 \right\}$