

Content Management System

Submitted for partial fulfilment of the Degree
of
Bachelor of Technology
(Computer Science)



Submitted By:

Deepti Sharma

1410821

145021

Submitted To:

Sukhjit Singh Sehra

Training Coordinator

CSE Department

Department of Computer Science & Engineering

Guru Nanak Dev Engineering College

Ludhiana 141006

Acknowledgement

I, student of Guru Nanak Dev Engineering College, Ludhiana, have taken efforts in this project. However, it would not have been possible without the kind support and help of many individuals and organizations. I would like to extend my sincere thanks to all of them.

The author is highly grateful to Dr. Sehijpal Singh Principal, Guru Nanak Dev Engineering College, Ludhiana for providing her with the opportunity to carry out her Six month Training at Ishwerdas and internship at Coffee Table Softwares Inc, Ludhiana.

The author would like to whole heartedly thank Mr. Inderpreet Singh and Ms. Rachitta Dua who are a vast sea of knowledge and without whose constant and never ending support and motivation, it would never have been possible to complete the project and other assignments so efficiently and effectively.

Finally, I would thanks to all whoever have contributed in this report and project work. Without their encouragement, it would not have been possible to complete this project in such an efficient manner.

Deepti Sharma

Abstract

This project discusses mainly about Content Management System (CMS). Easy CMS is the best, lightest, most amazing CMS. It's fast, awfully quick and astoundingly light. It has been developed using the latest technologies. You don't have to be a techie to use Easy CMS. All you need to do is sip on your coffee and write. Easy CMS will manage all the content like a piece of cake..

Users can create different posts in this and are provided with a secure gateway to login. It provides many features like User creation and speech-recognition which makes it a little different.

Furthermore, coming back it has theme options to select from. Moreover, anyone can use this service and need not have dependencies installed on their systems and can use this service remotely.

Also, this project is completely open source and the entire code is available to the user as and when required. There is Complete developer's Documentation as well as User manual alongwith it that helps using it a lot easier.

Contents

1	Introduction To Organisation	1
1.1	Ishwerdas and TCC	2
2	Introduction to Project	4
2.1	Overview	4
2.1.1	What is CMS?	4
2.1.2	What CMS is not?	5
2.1.3	Who uses CMS?	5
2.1.4	Why CMS?	5
2.2	The Existing System	5
2.2.1	Limitations of previous system	6
2.2.2	Advantages of making the system using PHP:	6
2.3	User Requirement Analysis	6
2.4	Feasibility Study	7
2.5	Types of Feasibility	7
2.5.1	Technical Feasibility	7
2.5.2	Economic Feasibility	9
2.5.3	Safety Feasibility	10
2.5.4	Operational Feasibility	10
2.5.5	Legal Feasibility	10
2.5.6	Technological Feasibility	10
2.5.7	Behavioral Feasibility	10
2.6	Objective of Project	12
3	Project Design	13
3.1	Software Requirement Analysis	13
3.1.1	Functional Requirements	13
3.1.2	Non functional requirements	14
3.2	Other Specifications	15
3.3	DFDs	16
3.4	Flowchart	17
3.5	UI Flow Diagram	18
3.6	Database Design	19
3.7	Problem Formulation	20
3.8	Facilities required for proposed work	20

3.8.1	Hardware Requirements	20
3.8.2	Software Requirements	20
3.9	Methodology	20
3.10	Project Work	20
4	Development and Implementation	22
4.1	Introduction to Languages	22
4.1.1	HTML	22
4.1.2	CSS	23
4.1.3	PHP	24
4.1.4	Javascript	25
4.1.5	jQuery	25
4.1.6	BootStrap	26
4.1.7	MySQL	26
4.2	Ubuntu: An open source OS	27
4.3	Working with Experimental Server	28
4.4	Introduction to Doxygen	30
4.4.1	Features of Doxygen	30
4.4.2	Installation of Doxygen	31
4.5	Introduction to Reveal-js & Reveal-md	32
4.5.1	Installation of reveal-md	32
4.6	Introduction to L ^A T _E X	33
4.6.1	Typesetting	34
4.7	Introduction to Github	36
4.7.1	What is Git?	37
4.7.2	Installation of Git	38
4.7.3	Various Git Commands	38
4.7.3.1	Create Repositories	38
4.7.3.2	Make Changes	38
4.7.3.3	Group Changes	39
4.7.3.4	Synchronize Changes	39
4.8	Implementation	40
4.8.1	Login Panel	40
4.8.2	Admin Panel	41
4.8.3	Generated PDF	42
4.8.4	Users Control	43
4.8.5	Database	44
5	Experimental Results and Comparison	46
5.1	Experimental Results	46

5.1.1	Testing	48
6	Conclusion,Summary and Future Scope	49
6.1	Future Scope	49
6.2	Technical and Managerial Lesson Learnt	49

List of Figures

1.1	Coffee Table Softwares Inc.	1
1.2	Testing and Consultancy Cell	2
2.1	CMS	4
3.1	Data flow LEVEL 0	16
3.2	Data Flow LEVEL 1	17
3.3	Data Flow LEVEL 2	17
3.4	Flow diagram	18
3.5	Flow diagram	19
4.1	HTML5 logo	22
4.2	CSS logo	23
4.3	PHP logo	24
4.4	Javascript logo	25
4.5	jQuery logo	25
4.6	BootStrap logo	26
4.7	MySQL Database	26
4.8	Ubuntu	27
4.9	Server Communication	28
4.10	Doxygen logo	30
4.11	MD & JS	32
4.12	L ^A T _E X	33
4.13	Donald Knuth, Inventor Of T _E X typesetting system	34
4.14	Github Logo	36
4.15	Git Logo	37
4.16	EasyCMS	40
4.17	Login	40
4.18	Admin Panel	41
4.19	Posts	42
4.20	Sample PDF	42
4.21	Admin Role	43
4.22	Moderator Role	43
4.23	Users List	44
4.24	Database	44

5.1 EasyCMS 46

5.2 Posted Content 47

5.3 Contact 47

List of Tables

5.1	Easy CMS	48
5.2	Computational Analysis	48
5.3	Test case (general)	48

Introduction To Organisation



Figure 1.1: Coffee Table Softwares Inc.

I had my Internship at Coffee Table Softwares Inc, Ludhiana. The firm was started in 2013. Their motto is: Our clients are our highest priority. They've worked on a number of platforms and they always prefer using the latest technologies. They've got a great workforce of people who are passionate about everything that they do as a firm. They hold collective responsibility towards their work.

Well the name of the firm is Coffee Table Inc, while the website domain is coffeesoftwares.com. They started with such a different yet catchy name. Once you hear it, you'll never forget it. That's for sure. It was taking a lot of caffeine to keep everyone awake for nights while they were setting up everything and so they came up with this idea.

The main goal of this firm is:

- To build and promote their services globally.
- To promote quality work and undertake projects keeping in view their relevance to needs and requirements of technology in local industry.
- To work remotely.

- To build a team and produce great work.

Services are being rendered by different pillars of this firm working from different cities like Bangaluru, Ludhiana, Chandigarh etc. mainly in form of expert advice and work in designing, preparation of different business related softwares and many more.

Various assignments done by this firm are as follows:

- All kind of websites.
- Bill cutting softwares with GST feature updates.
- Restaurant management system
- Home Automation system
- Mail server application

1.1 Ishwerdas and TCC

My Training was done by me at Ishwerdas under the guidance of Mr. Inderpreet Singh and I also contributed in projects made under the guidance of Dr. H.S. Rai at GNDEC,TCC,Ludhiana.

At Ishwerdas, they love to create and educate. They believe in creating intelligent interfaces and training inquisitive minds. They help companies, brands and individuals build amazing, intelligent apps on web, mobile, desktop and beyond.

Few major projects done by Ishwerdas are:

- A CRM and Social Community Program (A Circle of Joy)
- A javascript based musical website (Replay)
- Technical blog that uses Jekyll (Webdioxide.com)



Figure 1.2: Testing and Consultancy Cell

TCC-Testing And Consultancy Cell, GNDEC Ludhiana. Guru Nanak Dev Engineering College was established by the Nankana Sahib Education Trust Ludhiana. The Nankana Sahib Education Trust i.e NSET was founded in memory of the most sacred temple of Sri Nankana Sahib, birth place of Sri Guru Nanak Dev Ji. With the mission of Removal of Economic Backwardness through Technology Shiromani Gurudwara Parbandhak Committee i.e SGPC started a Poly technical was started in 1953 and Guru Nanak Dev Engineering College was established in 1956.

Consultancy Services are being rendered by various Departments of the College to the industry, State Government Departments and Entrepreneurs and are extended in the form of expert advice in design, testing of materials & equipment, technical surveys, technical audit, calibration of instruments, preparation of technical feasibility reports etc.

It was established in the year 1979 with a basic aim to produce quality service for technical problems at reasonable and affordable rates as a service to society in general and Engineering fraternity in particular. This consultancy cell of the college has given a new dimension to the development programmers of the College. Consultancy projects of over Rs. one crore are completed by the Consultancy cell during financial year 2009-10.

Various Major Clients of the Consultancy Cell are as under:

- Northern Railway, Govt. of India
- Indian Oil Corporation Ltd.
- Larson & Turbo.
- Multi National Companies like AFCON & PAULINGS.
- Punjab Water Supply & Sewage Board
- Power Grid Corporation of India.
- National Building Construction Co.
- Punjab State Electricity Board.
- Punjab Mandi Board.
- Punjab Police Housing Corporation.
- National Fertilizers Ltd.
- GLADA, Ludhiana

Introduction to Project

2.1 Overview




Figure 2.1: CMS

2.1.1 What is CMS?

The Content Management System (CMS) is a graphical user interface (GUI) that allows the user to control the creation, modification and removal of content from a website without needing to know anything about HTML. Here, CMS is an open-source interactive software application that supports the creation and modification of digital content. It is particularly designed for multiple users to use this system in a collaborative environment.

In addition, CMS can display data in different ways like entering text and listening sound. It also has its own programming language which allows the system to be extended. It can be thought of as a very powerful, programmable, graphical content storage system.

CMS makes it easy to put a wide range of data at a place which could help for future references allowing you to spend time experimenting and thinking about the wider problem. Few famous CMS are: WordPress, Drupal, Joomla etc.

The first ever CMS was RAINMAN (Remote Automated Information Network Manager) which was developed around in 1992. It was one of the first systems to allow content publishers to directly place their content into a live navigation hierarchy. Dr. Glen Barry published the world's first blog in 1993 - "Forest

Protection Blog" The term "weblog" was coined by Jorn Barger in Dec. 1997 Shortened to "blog" in 1999 by Peter Merholz.

2.1.2 What CMS is not?

CMS is designed to allow users to change most of the text, images, audio, on your website without the need for a website developers assistance. Simple, everyday changes are now something you can do anytime, and anywhere you have an internet connection! Best of all, you don't need to know HTML or any code to use a CMS. This means that it can't ensure that your content is any good because it's job is just to manage the data. In terms of business, CMS can make executing your marketing plans easier and more efficient, but those plans still need to be conceived, created, and analyzed by a competent human. This does not make the text better or worse, its just used for storing.

2.1.3 Who uses CMS?

Content Management Systems are widely used by engineers and scientists, in both industry and academia for different purposes. Its even been used by business maintenance teams and various authors, for attracting the crowd and for promoting their work. There are way more reasons such as an income from blogs, common people's interest towards writing and much more.

For example, Many well-known sites that are there who are powered by CMS:

- Forbes and ebay.
- Sony and Microsoft news.
- CNN hosts blogs for their many on-air personalities and for breaking news.

2.1.4 Why CMS?

The reason why I thought of creating a CMS of my own because I wanted to get a very specific idea of what it should do, and how it should work. Content Management System is a necessity nowadays for students as they have to write blogs for sake of daily diary as a part of their academic curriculum. Institutions can use this system to deploy on their server so that they can have a record of daily diaries of all the trainees and interns. It will develop a habit of writing in students.

2.2 The Existing System

There are few existing systems which do the task like Wordpress or other softwares but they don't have few features which I have added in this system. These system were not open source and free web based software. All exiting system suffers from at least one of the following system.

2.2.1 Limitations of previous system

- No Speech Recognition Method.
- They are costly.
- Don't provide direct pdf or other file saving options.
- They need installation and a lot of system resources.

2.2.2 Advantages of making the system using PHP:

- PHP was specially designed for a websites, the facilities that web designers typically want in a scripting language are built into it.
- Another convenience is its handling of form input.
- Accessing databases is just as easy. There are built-in facilities in PHP to access MySQL, Dbase, Oracle, InterBase, and so on.
- When PHP scripts runs, If in case you get error then messages will be like pinpointing the offending lines in your code to help you locate the error.

2.3 User Requirement Analysis

1. Manage the content provided by user.
2. User can add text through both input and speech recognition method.
3. It can help many students, organisations, Institutions etc. to keep a track record of daily entries.
4. It provides a well secure method to add data.
5. It provides pdf document of the content added.

2.4 Feasibility Study

This study is made to see if the project on completion will serve the purpose of the organization for the amount of work, effort and the time that spend on it. Feasibility study lets the developer foresee the future of the project and the usefulness.

A feasibility study of a system proposal is according to its workability, which is the impact on the organization, ability to meet their user needs and effective use of resources. Carrying out a feasibility study involves information assessment, information collection and report writing. The information assessment phase identifies the information that is required to answer the three questions set out above.

Once the information has been identified, you should question information sources to discover the answers to these questions Thus when a new application is proposed it normally goes through a feasibility study before it is approved for development.

A feasibility study is designed to provide an overview of the primary issues related to a business idea. The purpose is to identify any make or break issues that would prevent your business from being successful in the marketplace. In other words, a feasibility study determines whether the business idea makes sense. A thorough feasibility analysis provides a lot of information necessary for the business plan. For example, a good market analysis is necessary in order to determine the project's feasibility. This information provides the basis for the market section of the business plan.

The objective of the feasibility study is to establish the reasons for developing the software that is acceptable to users, adaptable to change and conformable to established standards.

Objectives of feasibility study are listed below:

- To analyze whether the software will meet organizational requirements.
- To determine whether the software can be implemented using the current technology and within the specified budget and schedule.
- To determine whether the software can be integrated with other existing software.

2.5 Types of Feasibility

2.5.1 Technical Feasibility

Technical feasibility is one of the first studies that must be conducted after the project has been identified. In large engineering projects consulting agencies that have large staffs of engineers and technicians conduct technical studies dealing with the projects. In individual agricultural projects financed by local agricultural credit corporations, the technical staff composed of specialized agricultural engineers, irrigation and construction engineers, and other technicians are responsible for conducting such feasibility studies. The Technical feasibility assessment is focused on gaining an understanding of the present technical resources of the organization and their applicability to the expected needs of the proposed system.

It is an evaluation of the hardware and software and how it meets the need of the proposed system. This assessment is based on an outline design of system requirements, to determine whether the company has the technical expertise to handle completion of the project. When writing a feasibility report, the following should be taken to consideration:

- A brief description of the business to assess more possible factors which could affect the study.
- The part of the business being examined.
- The human and economic factor.
- The possible solutions to the problem.

The system must be evaluated from the technical point of view first. The assessment of this feasibility must be based on an outline design of the system requirement in the terms of input, output, programs and procedures. Having identified an outline system, the investigation must go on to suggest the type of equipment, required method developing the system, of running the system once it has been designed. Technical feasibility assesses the current resources (such as hardware and software) and technology, which are required to accomplish user requirements in the software within the allocated time and budget. For this, the software development team ascertains whether the current resources and technology can be upgraded or added in the software to accomplish specified user requirements. A Technical feasibility also performs the following tasks.

- Analyzes the technical skills and capabilities of the software development team members.
- Determines whether the relevant technology is stable and established.
- Ascertains that the technology chosen for software development has a large number of users so that they can be consulted when problems arise or improvements are required.

Technical issues raised during the investigation are:

- Does the existing technology sufficient for the suggested one?
- Can the system expand if developed?

The project should be developed such that the necessary functions and performance are achieved within the constraints. The project is developed within latest technology. Through the technology may become obsolete after some period of time, due to the fact that never version of same software supports older versions, the system may still be used. So there are minimal constraints involved with this project. The system has been developed using PHP the project is technically feasible for development.

2.5.2 Economic Feasibility

The purpose of the economic feasibility assessment is to determine the positive economic benefits to the organization that the proposed system will provide. It includes quantification and identification of all the benefits expected. This assessment typically involves a cost/ benefits analysis.

Economic feasibility is the cost and logistical outlook for a business project or endeavor. Prior to embarking on a new venture, most businesses conduct an economic feasibility study, which is a study that analyzes data to determine whether the cost of the prospective new venture will ultimately be profitable to the company. Economic feasibility is sometimes determined within an organization, while other times companies hire an external company that specializes in conducting economic feasibility studies for them. The developing system must be justified by cost and benefit. Criteria to ensure that effort is concentrated on project, which will give best, return at the earliest. One of the factors, which affect the development of a new system, is the cost it would require. Economic feasibility determines whether the required software is capable of generating financial gains for an organization. In addition, it is necessary to consider the benefits that can be achieved by developing the software. Software is said to be economically feasible if it focuses on the issues listed below.

- Cost incurred on software development to produce long-term gains for an organization.
- Cost required to conduct full software investigation (such as requirements elicitation and requirements analysis).
- Cost of hardware, software, development team, and training.

The following are some of the important financial questions asked during preliminary investigation:

- The costs conduct a full system investigation.
- The cost of the hardware and software.
- The benefits in the form of reduced costs or fewer costly errors.

Since the system is developed as part of project work, there is no manual cost to spend for the proposed system. Economic analysis is the most frequently used method to determine the cost/benefit factor for evaluating the effectiveness of a new system. In this analysis we determine whether the benefit is gained according to the cost invested to develop the project or not. If benefits outweigh costs, only then the decision is made to design and implement the system. It is important to identify cost and benefit factors, which can be categorized as follows:

- Development Cost
- Operation Cost

This System is Economically feasible with 0 Development and Operating Charges as it is developed in Qt Framework and Octave which is open source technology and is available free of cost on the internet.

2.5.3 Safety Feasibility

It refers to an analysis of whether a project is capable of being implemented and operated safely with minimum adverse effects on the environment.

2.5.4 Operational Feasibility

Operational feasibility is a measure of how well a project solves the problems, and takes advantage of the opportunities identified during scope definition and how it satisfies the requirements identified in the requirements analysis phase of system development. All the operations performed in the software are very quick and satisfy all the requirements.

2.5.5 Legal Feasibility

It investigates if the proposed system conflicts with legal requirements like data protection acts or social media laws.

2.5.6 Technological Feasibility

Technological feasibility is carried out to determine whether the project has the capability, in terms of software, hardware, personnel to handle and fulfill the user requirements. The assessment is based on an outline design of system requirements in terms of Input, Processes, Output and Procedures. Automated Building Drawings is technically feasible as it is built up using various open source technologies and it can run on any platform.

2.5.7 Behavioral Feasibility

Behavioral feasibility assesses the extent to which the required software performs a series of steps to solve business problems and user requirements. It is a measure of how well the solution of problems or a specific alternative solution will work in the organization. It is also measure of how people feel about the system. If the system is not easy to operate, than operational process would be difficult. The operator of the system should be given proper training. The system should be made such that the user can interface the system without any problem.

Operational feasibility is a measure of how well a proposed system solves the problems, and takes advantage of the opportunities identified during scope definition and how it satisfies the requirements identified in the requirements analysis phase of system development. The operational feasibility assessment focuses on the degree to which the proposed development projects fits in with the existing business environment and objectives with regard to development schedule, delivery date, corporate culture, and existing business processes.

To ensure success, desired operational outcomes must be imparted during design and development. These include such design-dependent parameters such as reliability, maintainability, supportability, usability, producibility, disposability, sustainability, affordability and others. These parameters are required

to be considered at the early stages of design if desired operational behaviors are to be realized. A system design and development requires appropriate and timely application of engineering and management efforts to meet the previously mentioned parameters. A system may serve its intended purpose most effectively when its technical and operating characteristics are engineered into the design. Therefore, operational feasibility is a critical aspect of systems engineering that needs to be an integral part of the early design phases. This feasibility is dependent on human resources (software development team) and involves visualizing whether the software will operate after it is developed and be operative once it is installed. Operational feasibility also performs the following tasks.

- Determines whether the problems anticipated in user requirements are of high priority.
- Determines whether the solution suggested by the software development team is acceptable.
- Analyzes whether users will adapt to a new software.
- Determines whether the organization is satisfied by the alternative solutions proposed by the software development team.

This includes the following questions:

- Is there sufficient support for the users?
- Will the proposed system cause harm?
- The project would be beneficial because it satisfies the objectives when developed and installed. All behavioral aspects are considered carefully and conclude that the project is behaviorally feasible.

2.6 Objective of Project

CMS is a web based software and the main objectives of this project is to -:

1. To inspire students to maintain a blog on daily basis and to keep a record of content.
2. To accept inputs from the user in both text and speech.
3. To make an open source project in which people can contribute and learn.
4. Manage and save the work in a private firm and Generates a PDF document.

This project saves almost everything in a database.

Project Design

3.1 Software Requirement Analysis

Software requirement analysis is a process of gathering and interpreting facts, diagnosing problems and the information to recommend improvements on the system. It is a problem solving activity that requires intensive communication between the system users and system developers. System analysis or study is an important phase of any system development process. The system is studied to the minutest detail and analyzed. The system analyst plays the role of the interrogator and dwells deep into the working of the present system. The system is viewed as a whole and the input to the system are identified. The outputs from the organizations are traced to the various processes. System analysis is concerned with becoming aware of the problem, identifying the relevant and decisional variables, analyzing and synthesizing the various factors and determining an optimal or at least a satisfactory solution or program of action.

A detailed study of the process must be made by various techniques like interviews, questionnaires etc. The data collected by these sources must be scrutinized to arrive to a conclusion. The conclusion is an understanding of how the system functions. This system is called the existing system. Now the existing system is subjected to close study and problem areas are identified. The designer now functions as a problem solver and tries to sort out the difficulties that the enterprise faces. The solutions are given as proposals. The proposal is then weighed with the existing system analytically and the best one is selected. The proposal is presented to the user for an endorsement by the user. The proposal is reviewed on user request and suitable changes are made. This is loop that ends as soon as the user is satisfied with proposal.

Preliminary study is the process of gathering and interpreting facts, using the information for further studies on the system. Preliminary study is problem solving activity that requires intensive communication between the system users and system developers. It does various feasibility studies. In these studies a rough figure of the system activities can be obtained, from which the decision about the strategies to be followed for effective system study and analysis can be taken.

3.1.1 Functional Requirements

- **Specific Requirements:** This phase covers the whole requirements for the system. After understanding the system we need the input data to the system then we watch the output and determine whether the output from the system is according to our requirements or not. So what we have to input and then what we'll get as output is given in this phase. This phase also describe the software and non-function requirements of the system.

- **Input Requirements of the System**

1. Addition of Users.
2. Good Content.
3. User can define his/her problem in Contact Section.

- **Output Requirements of the System**

1. Final output after addition of content in web module.
2. Generated pdf document.

- **Special User Requirements**

1. It can save data of every user.
2. It can take bulk input.

- **Software Requirements**

1. Framework: Bootstrap
2. software: L^AT_EX
3. Web Languages: PHP
4. Database: Mysql
5. Documentation: Doxygen 1.8.3
6. Text Editor: Vim
7. Operating System: Ubuntu 14.04 or up / Windows
8. Revision System: Git/ BitBucket

3.1.2 Non functional requirements

1. Scalability: System should be able to handle a number of users. For e.g., handling around thousand users at the same time.
2. Usability: Simple user interfaces that a layman can understand.
3. Speed: Processing input should be done in reasonable time

3.2 Other Specifications

A Software Requirements Analysis for a software system is a complete description of the behavior of a system to be developed. It include functional Requirements and Software Requirements. In addition to these, the SRS contains non-functional requirements. Non-functional requirements are requirements which impose constraints on the design or implementation.

- **Purpose:** CMS is a web based content management system and the main purpose of this project is to:
 1. Save User's content.
 2. Make it work in a private firm too.
 3. Help students to keep a record.
 4. Provide input in form of text aswell as sound.
 5. Generate PDF document.
- **Users of the System**
 1. Client : Clients are the end users that benefit from this software. They just provide input and gets output.Client of this system:
 - (a) Student-: They can use this to save their data.
 - (b) Institution-: They can have a personal CMS to keep a track on students updates on regular basis.
 - (c) Organisation-: Few firms need their private content management system.

3.3 DFDs

A data flow diagram (DFD) is a graphical representation of the "flow" of data through an information system, modeling its process aspects. A DFD is often used as a preliminary step to create an overview of the system, which can later be elaborated. DFDs of CMS is as following:-

1. Data flow LEVEL 0 fig 3.1
2. Data flow LEVEL 1 fig 3.2
3. Data flow LEVEL 2 fig 3.3

A level 0 data flow diagram (DFD), also known as a context diagram, shows a data system as a whole and emphasizes the way it interacts with external entities. This DFD level 0 example shows how such a system might function within a typical retail business.




Figure 3.1: Data flow LEVEL 0

DFD level 1 breaks down the main processes into subprocesses that can then be analyzed and improved on a more intimate level.

Now the Basic Data Flow:-




Figure 3.2: Data Flow LEVEL 1

A level 2 data flow diagram (DFD) offers a more detailed look at the processes that make up a system than a level 1 DFD does.

Further flow:-




Figure 3.3: Data Flow LEVEL 2

3.4 Flowchart

A flowchart is a type of diagram that represents an algorithm, work flow or process, showing the steps as boxes of various kinds, and their order by connecting them with arrows. Flowcharts are used in designing and documenting simple processes or programs. Like other types of diagrams, they help visualize what is going on and thereby help understand a process, and perhaps also find flaws, bottlenecks, and other less-obvious features within it. There are many different types of flowcharts, and each type has its own repertoire of boxes and notational conventions. The two most common types of boxes in a flowchart are:

1. A processing step, usually called activity, and denoted as a rectangular box.
2. A decision, usually denoted as a diamond.
3. The terminator symbol marks the starting or ending point of the system. It usually contains the word "Start" or "End".
4. A printed document or report is represented by a Document Symbol.

Following is flowchart of system showing flow of control and Data in the software:-




Figure 3.4: Flow diagram

3.5 UI Flow Diagram

User interface-flow diagrams - also called storyboards, interface-flow diagrams, windows navigation diagrams, and context-navigation maps - enable you to model the high-level relationships between major user interface elements and thereby ask fundamental usability questions. UI Flow diagram tells how user will perceive different interface on click of different buttons or trigger. The rectangular blocks represent entities and Arrow represents change of view from one to another on the bases of button clicked mentioned near arrow.

3.6 Database Design

```
+-----+
| Tables_in_easycms |
+-----+
| easy_pages |
| easy_posts |
| easy_roles |
| easy_users |
+-----+
4 rows in set (0.00 sec)

mysql> describe easy_posts;
+-----+
| Field      | Type          | Null | Key | Default | Extra          |
+-----+
| post_id    | int(11)       | NO   | PRI | NULL    | auto_increment |
| post_user  | varchar(20)   | YES  |     | NULL    |                |
| post_title | varchar(300)  | NO   |     | NULL    |                |
| post_text  | text          | NO   |     | NULL    |                |
| date_of_post | datetime     | YES  |     | NULL    |                |
| post_active | int(1)        | NO   |     | 1       |                |
| date_of_edit | datetime     | NO   |     | NULL    |                |
+-----+
7 rows in set (0.00 sec)

mysql> describe easy_users
-> ;
+-----+
| Field      | Type          | Null | Key | Default | Extra          |
+-----+
| user_id    | int(8)        | NO   | PRI | NULL    | auto_increment |
| user_name  | varchar(50)   | NO   | UNI | NULL    |                |
| user_password | text         | NO   |     | NULL    |                |
| user_role  | int(11)       | NO   |     | NULL    |                |
| user_fullname | varchar(70)  | NO   |     | NULL    |                |
| user_active | int(1)        | NO   |     | 1       |                |
+-----+
6 rows in set (0.00 sec)
```

Figure 3.5: Flow diagram

There are four tables created in a database which saves the data of respective posts, users, roles etc. The content which user adds in +Post is then saved in database and displayed in Posts section after fetching from there.

3.7 Problem Formulation

It can be hectic sometimes to write each and everything and thus, most of the people go for shortcuts. Even many students see this as waste of time which strictly it's not, as it can be a major help in long run. That's the reason many big companies maintain their blogs to attract crowd, to advertise the product and to keep a track on the things done. Hence, I came up with a solution to add speech-recognition module in this system which can reduce efforts of the users in writing. I also provided a direct method to save the content in pdf form for printing purpose.

3.8 Facilities required for proposed work

3.8.1 Hardware Requirements

- Operating System: Linux/Windows
- Processor Speed: 512KHz or more
- RAM: Minimum 256MB

3.8.2 Software Requirements

- Software: Mysql Database system
- Programming Language: PHP, Web development languages (HTML,CSS and JS)

3.9 Methodology

- A secure login method for users.
- Space to enter content. (text or speech)
- Admin can create users to give access in a private firm.
- Everything will be saved side by side in a database.
- Generate PDF document.

3.10 Project Work

Studied Previous System:

Before starting the project.

Learn Languages:

Before starting with project, we have to go through the basics of Web Development languages and PHP, Mysql, such that there should not be any problem proceeding with project.

Get Familiar with Bootstrap:

Bootstrap will make the project responsive and also provides various means through which implementation becomes easier.

Users:

Limited users can be given access of the system in a private firm and can even see a list of users with their

Posts:

User can add content through text or speech and can get a PDF document of the same. All the published posts will be seen on web module of the system.

Contact:

Contact details page has been made for any kind of suggestions or problems. You just have to drop a mail.

Output:

The CMS will manage and save your content for future reference and provide a method to edit the published content too.

Development and Implementation

4.1 Introduction to Languages

Front End languages are language that are used to give better user experience and user interface. These mainly include HTML, CSS, JS. Some Frameworks like Bootstrap are also used with these basic languages. Database used with this project is MySQL. At backend, I have used PHP.

4.1.1 HTML



Figure 4.1: HTML5 logo

HyperText Markup Language, commonly referred to as HTML, is the standard markup language used to create web pages. Along with CSS, and HTML is a cornerstone technology, used by most websites to create visually engaging webpages, user interfaces for web applications, and user interfaces for many mobile applications.

Web browsers can read HTML files and render them into visible or audible web pages. HTML describes the structure of a website semantically along with cues for presentation, making it a markup language, rather than a programming language.

HTML elements form the building blocks of all websites. HTML allows images and objects to be embedded and can be used to create interactive forms. It provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items.

```
<!DOCTYPE html>
<html>
  <head>
    <title>This is a title</title>
  </head>
  <body>
    <p>Hello world!</p>
```

```
</body>  
</html>
```

4.1.2 CSS



Figure 4.2: CSS logo

Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a markup language. Although most often used to set the visual style of web pages and user interfaces written in HTML and XHTML, the language can be applied to any XML document, including plain XML, SVG and XUL, and is applicable to rendering in speech, or on other media.

Along with HTML and JavaScript, CSS is a cornerstone technology used by most websites to create visually engaging webpages, user interfaces for web applications, and user interfaces for many mobile applications.

CSS is designed primarily to enable the separation of document content from document presentation, including aspects such as the layout, colors, and fonts.

This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple HTML pages to share formatting by specifying the relevant CSS in a separate .css file, and reduce complexity and repetition in the structural content, such as semantically insignificant tables that were widely used to format pages before consistent CSS rendering was available in all major browsers.

CSS makes it possible to separate presentation instructions from the HTML content in a separate file or style section of the HTML file. For each matching HTML element, it provides a list of formatting instructions

```
p {  
    color: red;  
    text-align: center;  
}
```




Figure 4.3: PHP logo

4.1.3 PHP

What is PHP?

- PHP is an acronym for "PHP: Hypertext Preprocessor"
- PHP is a widely-used, open source scripting language
- PHP scripts are executed on the server
- PHP is free to download and use

What is a PHP File?

- PHP files can contain text, HTML, CSS, JavaScript, and PHP code
- PHP code are executed on the server, and the result is returned to the browser as plain HTML
- PHP files have extension ".php"

What Can PHP Do?

- PHP can generate dynamic page content
- PHP can create, open, read, write, delete, and close files on the server
- PHP can collect form data
- PHP can send and receive cookies
- PHP can add, delete, modify data in your database
- PHP can be used to control user-access
- PHP can encrypt data

Why PHP?

- PHP runs on various platforms (Windows, Linux, Unix, Mac OS X, etc.)
- PHP is compatible with almost all servers used today (Apache, IIS, etc.)
- PHP supports a wide range of databases
- PHP is free. Download it from the official PHP resource: www.php.net
- PHP is easy to learn and runs efficiently on the server side

4.1.4 Javascript



Figure 4.4: Javascript logo

JavaScript is a high-level, dynamic, untyped, and interpreted programming language. It has been standardized in the ECMAScript language specification. Alongside HTML and CSS, it is one of the three essential technologies of World Wide Web content production; the majority of websites employ it and it is supported by all modern web browsers without plug-ins. JavaScript is prototype-based with first-class functions, making it a multi-paradigm language, supporting object-oriented, imperative, and functional programming styles. It has an API for working with text, arrays, dates and regular expressions, but does not include any I/O, such as networking, storage or graphics facilities, relying for these upon the host environment in which it is embedded.

4.1.5 jQuery



Figure 4.5: jQuery logo

jQuery is a cross-platform JavaScript library designed to simplify the client-side scripting of HTML. It is free, open-source software using the permissive MIT License. The purpose of jQuery is to make it much easier to use JavaScript on a website. jQuery takes a lot of common tasks that require many lines of JavaScript code to accomplish, and wraps them into methods that you can call with a single line of code.

4.1.6 BootStrap



Figure 4.6: BootStrap logo

Bootstrap is a free and open-source collection of tools for creating websites and web applications. It contains HTML and CSS-based design templates for typography, forms, buttons, navigation and other interface components, as well as optional JavaScript extensions.

It aims to ease the development of dynamic websites and web applications.

Bootstrap is a front end framework, that is, an interface for the user, unlike the server-side code which resides on the "back end" or server.

4.1.7 MySQL



Figure 4.7: MySQL Database

MySQL is an open-source relational database management system. Its name is a combination of "My", the name of co-founder Michael Widenius's daughter, and "SQL", the abbreviation for Structured Query Language.

SQL is a standard language for storing, manipulating and retrieving data in databases.

4.2 Ubuntu: An open source OS



Figure 4.8: Ubuntu

During my training, I also got familiar with a great and open source Operating System, Ubuntu. Firstly, it was quite difficult for a regular MS Windows user to port to Ubuntu. I did all of my project work using this vast operating system.

Ubuntu is a Debian-based Linux operating system, with Unity as its default desktop environment. It is based on free software and named after the Southern African philosophy of ubuntu (literally, "human-ness"), which often is translated as "humanity towards others" or "the belief in a universal bond of sharing that connects all humanity".

It came under Linux. A kernel normally used by many of the computer persons. You will rarely see a person who is unaware of the term Linux. From perspective of a computer simpleton the one who uses linux mostly shall be having a good knowledge regarding the working of shell, kernel etc.

Linux was created by Linus Torvalds. One of a gem of computer scientist who is popular for his OS. Linus was one of the student in Finland and had read a book Operating Systems: Design and Implementation by Andrew S. Tanenbaum.

In this book the professor explained about the working of Kernel. To my strange is that he had given the whole source code of his kernel named MINIX in that book. Its really weird but acts as a lucky draw for Linus who took interest in this and with the help of MINIX he created a new OS named Linux. He had told about Andrew in his acknowledgement.

Ubuntu's goal is to be secure "out-of-the box". By default user's programs run with low privileges and cannot corrupt the operating system or other user's files. For increased security, the sudo tool is used to assign temporary privileges for performing administrative tasks, which allows the root account to remain locked and helps prevent inexperienced users from inadvertently making catastrophic system changes or opening security holes.

4.3 Working with Experimental Server




Figure 4.9: Server Communication

I had also done the whole project on ubuntu experimental server and had also learnt about making your system a server.

What is a Remote Server?

In simple words its nothing much but a Computer that is not attached to a user's keyboard but over which he or she has some degree of control (like can see data of that computer, can retrieve or send data etc.)

For going deep you need to know about ssh (Secure Shell). I had written about it in my old blogs. You can Google it too.

I had done it using SSH. There are few terms related to this :

- SSH: It is a Secure Socket Shell, is a network protocol that provides administrators with a secure way to access a remote computer.
- MOSH: It is a software tool used to connect from a client computer to a server over the Internet, to run a remote terminal.
- Tmux: tmux is basically a terminal multiplexer. It is used so that within one terminal window we can open multiple windows and split-views.
- OpenSSH: It is a freely available version of the Secure Shell (SSH) protocol family of tools for remotely controlling or transferring files between computers. Traditional tools used to accomplish this is telnet which is not much secure.

In Unix, you can use SCP (the scp command) to securely copy files and directories between remote hosts without starting an FTP session or logging into the remote systems explicitly.

The scp command uses SSH to transfer data, so it requires a password.

Some of the useful commands in this for checking errors or for other purposes are:

- ll: This command is used to list the detail information of files and folder of a current directory.
- tail -f error.log: This is used for checking errors.
- sudo apt-get install openssh-server
- sudo vim /etc/ssh/sshdconfig
(To edit this as per your preferences. But first take a backup of this file for later default configurations if needed.)
- sudo restart ssh
(To check your ssh daemon is running or not.)
- ps -A | grep sshd
(This command should produce a line like this:
some-number ? 00:00:00 sshd)
- ssh user@hostip
(To enter into a remote server from some other system.)

4.4 Introduction to Doxygen



Figure 4.10: Doxygen logo

Doxygen is a documentation generator, a tool for writing software reference documentation. The documentation is written within code, and is thus relatively easy to keep up to date. Doxygen can cross reference documentation and code, so that the reader of a document can easily refer to the actual code.

Doxygen supports multiple programming languages, especially C++, C, C#, Objective-C, Java, Python, IDL, VHDL, Fortran and PHP.[2] Doxygen is free software, released under the terms of the GNU General Public License.

4.4.1 Features of Doxygen

Doxygen is a tool to create a documentation for your program/project written in the languages like C, C++, Java, python and so on. It reads the well formatted and special doxygen comments to create the required documentation. This documentation is very important for the new developers who want to help in the development of the project. Documentation is one of the main pillar of an open-source project.

- Requires very little overhead from the writer of the documentation. Plain text will do, Markdown is support, and for more fancy or structured output HTML tags and/or some of doxygen's special commands can be used.
- Cross platform: Works on Windows and many Unix flavors (including Linux and Mac OS X).
- Comes with a GUI frontend (Doxywizard) to ease editing the options and run doxygen. The GUI is available on Windows, Linux, and Mac OS X.
- Automatically generates class and collaboration diagrams in HTML (as clickable image maps) and \LaTeX (as Encapsulated PostScript images).
- Allows grouping of entities in modules and creating a hierarchy of modules.
- Doxygen can generate a layout which you can use and edit to change the layout of each page.
- Can cope with large projects easily.

4.4.2 Installation of Doxygen

Doxygen can be installed using following commands:

```
$ git clone https://github.com/doxygen/doxygen.git
```

```
$ cd doxygen
```

```
$ ./configure
```

```
$ make
```

This will install Doxygen on your pc or laptop.

You can create the documentation using the graphical user interface (GUI) or console mode.

While writing the comments we have to follow a pattern with the tags i.e. before every tag we should have something special so that Doxygen can understand what are we creating. Actually Doxygen read these tags and place them at special location in the generated output. So, we have to specify them explicitly.

4.5 Introduction to Reveal-js & Reveal-md



Figure 4.11: MD & JS

Reveal-js is one of the framework of Javascript. This can be used for presentations purpose. Now before going to reveal-md lets talk about some fundamental things.

What is a Markup language?

Markup languages are designed for the processing, definition and presentation of text. The language specifies code for formatting, both the layout and style, within a text file. HTML and Markdown is an example of a widely known and used markup language.

Markdown is a lightweight Markup Language with simple plain text formatting syntax designed so that it can be converted to HTML and many other formats. It is created by John Gruber. It had '.md' or '.markdown' extention.

"Markdown is a text-to-HTML conversion software tool written in Perl for web writers."

Moreover, to enable markdown feature of reveal.js, we need reveal-md. The Markdown feature of reveal.js is awesome, and has an easy (and configurable) syntax to separate slides. Use three dashes surrounded by two blank lines.

4.5.1 Installation of reveal-md

Installation of reveal-md is a very easy process. Type the commands in the terminal:

```
$ sudo apt-get install npm
```

```
$ sudo apt-get install nodejs-legacy
```

```
$ sudo npm install -g reveal-md
```

This will install reveal-md on your pc or laptop.

4.6 Introduction to L^AT_EX

L^AT_EX, I had never heard about this term before doing this project, but when I came to know about it's features, found it excellent. L^AT_EX is a document markup language and document preparation system for the T_EX typesetting program. Within the typesetting system, its name is styled as L^AT_EX.



Figure 4.12: L^AT_EX

Within the typesetting system, its name is styled as L^AT_EX. The term L^AT_EX refers only to the language in which documents are written, not to the editor used to write those documents. In order to create a document in L^AT_EX, a .tex file must be created using some form of text editor. While most text editors can be used to create a L^AT_EX document, a number of editors have been created specifically for working with L^AT_EX.

L^AT_EX is most widely used by mathematicians, scientists, engineers, philosophers, linguists, economists and other scholars in academia. As a primary or intermediate format, e.g., translating DocBook and other XML-based formats to PDF, L^AT_EX is used because of the high quality of typesetting achievable by T_EX. The typesetting system offers programmable desktop publishing features and extensive facilities for automating most aspects of typesetting and desktop publishing, including numbering and cross-referencing, tables and figures, page layout and bibliographies.

L^AT_EX is intended to provide a high-level language that accesses the power of T_EX. L^AT_EX essentially comprises a collection of T_EX macros and a program to process L^AT_EX documents. Because the T_EX formatting commands are very low-level, it is usually much simpler for end-users to use L^AT_EX.

To run L^AT_EX on your own computer, you need to use a latex distribution. A distribution includes a latex program and (typically) several thousand packages.

- On Windows: MikTEX or TEXLive
- On Linux: TEXLive
- On Mac: MacTEX

4.6.1 Typesetting



Figure 4.13: Donald Knuth, Inventor Of \TeX typesetting system

\LaTeX was first developed in 1985 by Leslie Lamport. In preparing a \LaTeX document, the author specifies the logical structure using familiar concepts such as chapter, section, table, figure, etc., and lets the \LaTeX system worry about the presentation of these structures. It therefore encourages the separation of layout from content while still allowing manual typesetting adjustments where needed.

```
\documentclass[12pt]{article}
\usepackage{amsmath}
\title{\LaTeX}
\date{}
\begin{document}
  \maketitle
  \LaTeX{} is a document preparation system
  for the \TeX{} typesetting program.
\end{document}
```

Apart from this `lat.pdf`; `lat.aux`, `lat.log`, `lat.pdf` files are created by default.

- AUX is a data file format used by LaTeX. AUX is a data file format used by LaTeX. LaTeX is a macro package which uses TeX typesetting language in its documents. AUX files contain information used for cross-referencing, and is also used to transport information from one compiler run to the next.
- Some of the compilers are pdf \TeX , Xe \LaTeX , Lua \LaTeX etc.

- A log file is usually a flat text file that contains a list of events that happen when a program was running, with one event on each line. Often times errors are recorded in log files.
- .pdf: The common output format for your document. Created by pdf_latex/ xelatex

Happy Texing :)

4.7 Introduction to Github



Figure 4.14: Github Logo

GitHub is a Git repository web-based hosting service which offers all of the functionality of Git as well as adding many of its own features. Unlike Git which is strictly a command-line tool, Github provides a web-based graphical interface and desktop as well as mobile integration. It also provides access control and several collaboration features such as wikis, task management, and bug tracking and feature requests for every project.

GitHub offers both paid plans for private repo handle everything from small to very large projects with speed and efficiency. ositories, and free accounts, which are usually used to host open source software projects. As of 2014, Github reports having over 3.4 million users, making it the largest code host in the world.

GitHub has become such a staple amongst the open-source development community that many developers have begun considering it a replacement for a conventional resume and some employers require applications to provide a link to and have an active contributing GitHub account in order to qualify for a job.

The Git feature that really makes it stand apart from nearly every other Source Code Management (SCM) out there is its branching model.

Git allows and encourages you to have multiple local branches that can be entirely independent of each other. The creation, merging, and deletion of those lines of development takes seconds.

This means that you can do things like:

- Frictionless Context Switching.
Create a branch to try out an idea, commit a few times, switch back to where you branched from, apply a patch, switch back to where you are experimenting, and merge it in.

- **Role-Based Code lines.**

Have a branch that always contains only what goes to production, another that you merge work into for testing, and several smaller ones for day to day work.

- **Feature Based Work flow.**

Create new branches for each new feature you're working on so you can seamlessly switch back and forth between them, then delete each branch when that feature gets merged into your main line.

- **Disposable Experimentation.**

Create a branch to experiment in, realize it's not going to work, and just delete it - abandoning the work—with nobody else ever seeing it (even if you've pushed other branches in the meantime).

Notably, when you push to a remote repository, you do not have to push all of your branches. You can choose to share just one of your branches, a few of them, or all of them. This tends to free people to try new ideas without worrying about having to plan how and when they are going to merge it in or share it with others.

There are ways to accomplish some of this with other systems, but the work involved is much more difficult and error-prone. Git makes this process incredibly easy and it changes the way most developers work when they learn it.

4.7.1 What is Git?



Figure 4.15: Git Logo

Git is a distributed revision control and source code management (SCM) system with an emphasis on speed, data integrity, and support for distributed, non-linear workflows. Git was initially designed and developed by Linus Torvalds for Linux kernel development in 2005, and has since become the most widely adopted version control system for software development.

As with most other distributed revision control systems, and unlike most client-server systems, every Git working directory is a full-fledged repository with complete history and full version-tracking

capabilities, independent of network access or a central server. Like the Linux kernel, Git is free and open source software distributed under the terms of the GNU General Public License version 2 to handle everything from small to very large projects with speed and efficiency.

Git is easy to learn and has a tiny footprint with lightning fast performance. It outclasses SCM tools like Subversion, CVS, Perforce, and ClearCase with features like cheap local branching, convenient staging areas, and multiple workflows.

4.7.2 Installation of Git

Installation of git is a very easy process. The current git version is: 2.0.4. Type the commands in the terminal:

```
$ sudo apt-get update
```

```
$ sudo apt-get install git
```

This will install the git on your pc or laptop.

4.7.3 Various Git Commands

Git is the open source distributed version control system that facilitates GitHub activities on your laptop or desktop. The commonly used Git command line instructions are:-

4.7.3.1 Create Repositories

Start a new repository or obtain from an exiting URL

```
$ git init [ project-name ]
```

Creates a new local repository with the specified name

```
$ git clone [url ]
```

Downloads a project and its entire version history

4.7.3.2 Make Changes

Review edits and craft a commit transaction

```
$ git status
```

Lists all new or modified files to be committed.

\$ git add [file]

Snapshots the file in preparation for versioning.

\$ git commit -m "[descriptive message]"

Records file snapshots permanently in version history.

4.7.3.3 Group Changes

Name a series of commits and combine completed efforts

\$ git branch

Lists all local branches in the current repository.

\$ git branch [branch-name]

Creates a new branch.

\$ git checkout [branch-name]

Switches to the specified branch and updates the working directory.

\$ git branch -d [branch-name]

Deletes the specified branch.

4.7.3.4 Synchronize Changes

Register a repository bookmark and exchange version history.

\$ git push [alias [branch]]

Uploads all local branch commits to GitHub.

\$ git pull

Downloads bookmark history and incorporates changes.

4.8 Implementation




Figure 4.16: EasyCMS

Easy CMS is the best, lightest, most amazing CMS. It's fast, awfully quick and astoundingly light. It has been developed using the latest technologies. You don't have to be a techie to use Easy CMS. All you need to do is sip on your coffee and write. Easy CMS will manage all the content like a piece of cake..

4.8.1 Login Panel





Figure 4.17: Login

This project is completely open source and the entire code is available to the user as and when required. There is Complete developer's Documentation as well as User manual alongwith it that helps using it a lot easier.

Moreover, anyone can use this service and need not have dependencies installed on their systems and can use this service remotely.

4.8.2 Admin Panel



The screenshot displays the 'Easy CMS' Admin Panel. At the top, the logo 'Easy CMS' is shown in a light blue font. To its right, a light blue button says 'Hello admin1'. Below the logo, there is a row of six buttons: 'Users', 'Posts', '+User', '+Post', '+Page', and 'Logout?'. The main content area contains three input fields: 'Page Title:', 'Page Description:', and 'Page Content:'. The 'Page Content:' field has a microphone icon on its right side. Below these fields are two buttons: 'Generate PDF' (light blue) and 'Reset' (green). At the bottom, a dark blue footer contains the text 'Designed, Developed and Driven by Deepti Sharma © 2017' and three links: 'About', 'Contact', and 'Admin'.

Figure 4.18: Admin Panel

Users can create different posts in this and are provided with a secure gateway to login. It provides many features like User creation and speech-recognition which makes it a little different.

An admin can add users to the CMS and can have a look at the list of active users from the dashboard itself. Admin also acts as a user and can post content and get a PDF document of that. Even published posts can be displayed under posts section for alteration.




Figure 4.19: Posts

4.8.3 Generated PDF




Figure 4.20: Sample PDF

Using EasyCMS, users can directly take a pdf document of their content saved in the system. It can even be useful to some firms who want to keep a hard copy of some important content or news.


4.8.4 Users Control



The screenshot shows the 'Easy CMS' admin interface. At the top, there's a logo and the title 'Easy CMS'. A user greeting 'Hello admin1' is displayed in the top right. Below the header, a navigation bar contains buttons for 'Users', 'Posts', '+User', '+Post', '+Page', and 'Logout?'. The main form area includes fields for 'Name:', 'Username:' (containing 'admin1'), 'Password:' (masked with dots), and 'Roles:' (a dropdown menu showing 'Administrator'). At the bottom of the form are 'Submit' and 'Reset' buttons. The footer contains the text 'Designed, Developed and Driven by Deepti Sharma © 2017' and links for 'About', 'Contact', and 'Admin'.

Figure 4.21: Admin Role

Using this feature, CMS can be used in a private firm who want to give access to their employees only. Only admin can have all these options. Others are there with Addition of posts option only.



The screenshot shows the 'Easy CMS' moderator interface. The header is identical to the admin role, but the user greeting is 'Hello d1'. The navigation bar is simplified, showing only '+Post', '+Page', and 'Logout?'. The main form area includes fields for 'Page Title:', 'Page Description:', and 'Page Content:'. At the bottom of the form are 'Generate PDF' and 'Reset' buttons. The footer is the same as the admin role, with the text 'Designed, Developed and Driven by Deepti Sharma © 2017' and links for 'About', 'Contact', and 'Admin'.

Figure 4.22: Moderator Role




Figure 4.23: Users List

4.8.5 Database




Figure 4.24: Database

MySQL database is used with this project to save the data.

GNU/Linux systems:

The working of Content Management System has been checked on various distributions of Linux such as several versions of Ubuntu including 12.04.5 and 14.04.5 (LTS). It was also checked on Fedora and Manjaro. Also a light weight operating system i.e Lubuntu.

OS X and Windows:

This project is operating system independent and will work even on Mac and Windows.

Sources:

Few sources which I considered while building this software are:

- Quora
- Online Channels
- Stack Overflow

Installation: Follow the steps below to install EasyCMS:

- Create a database.
- Access config/config.php.
- Enter the database details in the file.

Experimental Results and Comparison

5.1 Experimental Results

I had tried my project on different server also i.e Experimental Server here. I had tried it on both ubuntu 14.04 and 15.10. It works fine on both versions.

Below is one of the experimental result.

You may refer to my blogs also for detailed information.




Figure 5.1: EasyCMS

Here is the url:

<https://deepti96.wordpress.com/>

The interface of EasyCMS looks like this but can be changed using CSS file.

Contact page of the system:




Figure 5.2: Posted Content




Figure 5.3: Contact

5.1.1 Testing

Testing a program consists of providing the program with a set of test inputs (or test cases) and observing if the program behaves as expected. If the program fails to behave as expected, then the conditions under which failure occurs are noted for later debugging and correction.

This software had been taken through rigorous test to fully found potential causes of error and system failure and full focus have been given to cover all possible exceptions that can occur and cause failure of the software.

As this software is based on intensive background process it have been taken care that if correct input and email address are given then processing of user job can even continue or a least automatically restart even after server shuts down or even crash.

Overview of CMS	
Term	Meaning
+Users	Add Users to the Circle
+Posts	Addition of content by users
Users	List of Active Users
Posts	Display published posts.
+Page	Generate PDF
Logout	Logging out

Table 5.1: Easy CMS

Test cases for main page(index.html)			
Input	Desired Output	Actual Output	Status
Wrong Credentials	OOPS! Incorrect credentials	OOPS! Incorrect credentials	Pass
Incorrect User name	Please match the format requested	Please match the format requested	Pass
No connection	Mailer Error	SMTP connect() failed.	Pass
Email	Details not sent	Incomplete Email	Pass
Help needed	Hello Username	Leads to blog	Pass

Table 5.2: Computational Analysis

Test cases for possible source of problems			
Input	Desired Output	Actual Output	Status
URL refreshed	Stick to that page	Stick at that page only	Pass
server stops or rebooted	Login Credentials needed	Login Credentials needed	Pass

Table 5.3: Test case (general)

Conclusion, Summary and Future Scope

6.1 Future Scope

EasyCMS is an open source alternative to official record maintenance systems. A server having EasyCMS can be beneficial as it can be used for practicing purposes in colleges and also for work in organisations. Users can create different posts in this and are provided with a secure gateway to login. It provides many features like user creation and speech-recognition which makes it a little different. We can add more features like improving the login functionality and image features also.

6.2 Technical and Managerial Lesson Learnt

I learned a lot by doing this project. During this period I got to learn a vast number of technologies. These are listed below :

- **Operating system:** Ubuntu
- **Languages used:** PHP, HTML, CSS, MySQL
- **Framework:** Reveal.js, Reveal-md, Bootstrap
- **Typesetting:** LaTeX
- **Other Learnings:** AWS, Markdown

So during this project I learned all the above things. Above all I got to know how softwares are developed from the scratch. Planning, designing, developing code, working in a team, testing etc. These are all very precious things I got to learn during this period.

Bibliography

- [1] Stack Overflow, <https://stackoverflow.com/questions/2588107/why-to-build-own-cms>
- [2] \LaTeX Beginner's Guide By Stefan Kottwitz
- [3] Mailer, <https://github.com/PHPMailer/PHPMailer>
- [4] Doxygen, www.doxygen.org