

[All Domains](#) > [Algorithms](#) > [Implementation](#) > [Encryption](#)

Badge Progress



Points: 1112.00 Rank: 15181

# Encryption

by HackerRank

Problem

[Submissions](#)[Leaderboard](#)[Discussions](#)[Editorial](#)

An English text needs to be encrypted using the following encryption scheme.

First, the spaces are removed from the text. Let  $L$  be the length of this text.

Then, characters are written into a grid, whose rows and columns have the following constraints:

- $\lfloor \sqrt{L} \rfloor \leq \text{rows} \leq \text{column} \leq \lceil \sqrt{L} \rceil$ , where  $\lfloor x \rfloor$  is floor function and  $\lceil x \rceil$  is ceil function

For example, the sentence `if man was meant to stay on the ground god would have given us roots` after removing spaces is **54** characters long, so it is written in the form of a grid with 7 rows and 8 columns.

```

ifmanwas
meantt
tayonthe
groundgo
dwouldha
vegivenu
sroots

```

- Ensure that  $\text{rows} \times \text{columns} \geq L$
- If multiple grids satisfy the above conditions, choose the one with the minimum area, i.e.  $\text{rows} \times \text{columns}$ .

The encoded message is obtained by displaying the characters in a column, inserting a space, and then displaying the next column and inserting a space, and so on. For example, the encoded message for the above rectangle is:

```

imtgdvs fearwer mayoogo anouuio ntnnlvt wttddes aohghn sseoau

```

You will be given a message in English with no spaces between the words. The maximum message length can be **81** characters. Print the encoded message.

Here are some more examples:

**Sample Input:**

```

haveaniceday

```

**Sample Output:**

```

hae and via ecy

```

**Sample Input:**

```

feedthedog

```

**Sample Output:**

```
fto ehg ee dd
```

**Sample Input:**

```
chillout
```

**Sample Output:**

```
clu hlt io
```

[in](#) [twitter](#) [facebook](#)

Submissions: 21380

Max Score: 30

Difficulty: Medium

Rate This Challenge:

☆☆☆☆☆

[More](#)

Current Buffer (saved locally, editable)  

C#  

```
1 using System;
2 using System.Collections.Generic;
3 using System.IO;
4 using System.Linq;
5 class Solution {
6
7     static void Main(String[] args) {
8         string s = Console.ReadLine();
9     }
10 }
11
```

Line: 1 Col: 1

 [Upload Code as File](#)☐ Test against custom input[Run Code](#)[Submit Code](#)

Copyright © 2016 HackerRank. All Rights Reserved

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)