

Day-by-day Objectives for Math 300R

Danny Kaplan

Lessons 1-18

As done in Fall 2020. Possible revisions to those lessons is not a topic of this proposal.

Lesson 19: Decisions with data (nti)

1. Distinguish between the two settings for decision-making:
 - a. **Prediction:** predict an outcome for an individual
 - b. **Relationship:** characterize a relationship with an eye toward intervention or a better understanding of how a mechanism works.
2. Given a research question, identify whether it corresponds to a prediction setting or a relationship setting.

Lesson 20: Reality versus gaming (nti)

1. Gaming: Understand that gaming is a way of improving our skills and identifying potential opportunities and problems.
2. Distinguish between a sample, a summary of a sample, and a sample of summaries of samples.

Lesson 21: DAGs, noise, and simulation (nti)

1. Determine whether a proposed graph is directed and acyclic.
2. Read notation to identify response variable, explanatory variable, covariates, and effect sizes.
3. Characterize the magnitude of random noise.
4. Gaming: Generate data from simulations and use the data to model the relationships.

Lesson 22: Sampling variation (nti)

1. Gaming: Implement on the computer a procedure to generate a sample, calculate a regression model, and produce a summary.
2. Gaming: Iterate the procedure and collect the summaries across iterations. This collection is called the “sampling distribution.”
3. Graphically display the distribution of summaries and generate a compact numerical description (“confidence interval”) of the sampling distribution.
4. Understand and use scaling of confidence interval length as a function of n .

Lesson 23: Estimate sampling variation from a single sample (nti)

1. Use bootstrapping to estimate sampling variation.
2. Infer sampling variation from a regression table: “standard error” of a model coefficient.
3. Construct and interpret confidence intervals on a model coefficient.

Lesson 24: Effect size (nti)

1. Estimate an effect size from a regression model of the two variables.
2. Construct a confidence interval on the effect size.
3. Gaming: Evaluate whether confidence interval indicates that estimated effect size is consistent with simulation.

Lesson 25: Mechanics of prediction (nti)

1. Given a sample from a DAG simulation, construct a predictor function for a specified response variable.
2. Use the predictor function to estimate prediction error on a given DAG sample and summarize with root mean square (RMS) error.
3. Distinguish between in-sample and out-of-sample prediction estimates of prediction error.

Lesson 26: Constructing a prediction interval (nti)

1. Identify the two components that make up a prediction error, one that scales with n and the other that doesn't.

Lesson 27: Covariates (nti)

1. Show that including covariates in a prediction model always reduces in-sample mean square residual, but may not reduce residuals out-of-sample.
2. Given regression coefficients, calculate model degrees of freedom and residual degrees of freedom.
3. Calculate amount of in-sample mean square error reduction to be expected with a useless (random) covariate. (Residual sum of squares divided by residual degrees of freedom.)

Lesson 28: Covariates eat variance (nti)

1. Construct F statistic as ratio of incremental increase in model mean square due to model term(s) divided by residual mean square.
2. Use software to construct ANOVA report and correctly interpret F statistics for prediction model term selection.

Lesson 29: Confounding (nti)

1. Identify confounding in a DAG
2. Choose whether to include covariate depending on form of DAG

Lesson 30: Non-causal correlation (nti)

1. Distinguish “common cause” and “collider” forms of DAG.
2. Construct appropriate DAG to match a narrative hypothesis.

Lesson 31: Experiment and random assignment (nti)

1. Properly use nomenclature of experiment.
2. Correctly re-draw DAG for an ideal experimental intervention.
3. Use blocking to set assignment to treatment or control.

Lesson 32: Measuring and accumulating risk (nti)

1. Distinguish between absolute and relative risk and identify when a change in risk is being presented as absolute or relative.
2. Calculate and correctly interpret other presentations of differences in risk: population attributable fraction, NTT, odds ratio.
3. Interpret effect size as stated in log odds.

Lesson 33: Constructing a classifier (nti)

1. Build a classifier from case-control data.
2. Cross-tabulate classifier results versus true state. Evaluate false-positive rate, false-negative rate, accuracy.
3. Calculate different forms of conditional probability: $p(A|B)$ versus $p(B|A)$ and identify which form of conditional probability is useful for prediction of an individual's outcome.

Lesson 34: Accounting for prevalence (nti)

1. Explain why case-control data may not give an proper measure of “prevalence.”
2. Understand sensitivity and specificity as conditional probabilities.
3. Calculate false-positive and false-negative rates for a given prevalence.

Lesson 35: Hypothesis testing (nti)

1. Understand and use properly hypothesis testing nomenclature: test statistic, sampling distribution under the null, Type-1 and Type-2 error, rejection threshold, p-value
2. Contrast hypothesis testing versus Bayesian framework.

Lesson 36: Calculating a p-value (nti)

1. The permutation test
2. Interpret correctly from regression/ANOVA reports
3. Traditional names for hypothesis tests in different “textbook” settings.
4. Distinguish between p-value and effect size, that is, “significance” and “substance.”

Lesson 37: False discovery with hypothesis testing (nti)

1. Identify signs of false discovery in a research paper.
2. Estimate how overall p-value should change when study is replicated.

Alternative 1

Theme: Classifiers: ROC and loss function

Alternative 2

Theme: Accumulating risk: Logistic regression