

Smart Contracts for e-Learning



Tsz Yiu Lam

1443964

Supervisor: Dr. Brijesh Dongol

Department of Computer Science
Brunel University London

A report submitted in partial fulfillment of the requirements for the degree of
BSc (Hons) Business Computing

Academic Year 2017 - 2018

Abstract

The properties of a blockchain could bring new features to e-Learning. Properties such as immutability, provenance, and peer-executed Smart Contracts could bring a new level of security, trust, and transparency to the education market.

This project focused on features that would increase transparency in assessments, and facilitate curriculum personalisation. They were identified as two of the key concerns in the current UK higher education industry that could be improved by a blockchain-powered e-Learning platform.

The blockchain schema and Smart Contracts for such a platform has been designed. A working demonstrator system and applications have also been developed, based on the open source Hyperledger Composer project.

Acknowledgements

I would like to dedicate this paper to Mum, Dad, Vivien, Viviana, and Jorden.

The formatting of this report was done with Krishna Kumar's Cambridge University Engineering Department PhD thesis LaTeX template, and with reference to a Microsoft Word template provided by Dr. Simon Kent. The implementation of this project was done with many open-source dependencies. For the exhaustive list of these external packages used please go to Appendix B.

Thanks must be given to my supervisor, Dr. Brijesh Dongol, my second marker, Dr. Mark Perry, and to the other tutees in the same supervisory group, for their support and formative feedback throughout this project. I would also like to thank my coursemates and friends for their support throughout this year.

Declaration

I hereby declare that except where specific reference is made to the work of others, the contents of this dissertation are original and have not been submitted in whole or in part for consideration for any other degree or qualification in this, or any other university. This dissertation is my own work and contains nothing which is the outcome of work done in collaboration with others, except as specified in the text and Acknowledgements.

Tsz Yiu Lam

4th April 2018

Word count: 11378 words in main text, excluding appendixes

Table of contents

List of figures	vi
List of tables	viii
1 Introduction	1
1.1 Aims and Objectives	2
1.2 Project Approach	2
1.3 Dissertation Outline	3
2 Background	4
2.1 Literature Review in Education and e-Learning	4
2.2 Security and Privacy	7
2.3 Properties of Blockchain Technologies	7
2.4 Overview of Blockchain Development Toolkits	10
2.5 Existing Efforts in Blockchain for Education	12
3 Approach	15
3.1 Scope	15
3.2 Project Timeline	16
3.3 Lean Project Management	17
3.4 Agile Software Development	17
4 Requirements	19
4.1 Primary Data and Analysis	19
4.2 Formal Requirements	24
5 Design	27
5.1 Design Tool	27
5.2 Transaction Sequences	28
5.3 Data Models	31
5.4 Smart Contracts: Transaction Logic and Events	35
5.5 Access Control	38
5.6 Limitations	42
5.7 User Interfaces for Client Applications	42

6 Implementation	44
6.1 Development Environment and Tools	44
6.2 Architecture and Tech Stack	45
6.3 Blockchain Network Development	47
6.4 Automatic Marking Service Development	52
6.5 Client Applications Development	54
6.6 Test-Driven Development	61
6.7 Limitations, Outstanding Issues and Features	61
7 Evaluation	63
7.1 Requirement-based Testing	63
7.2 User Evaluation	64
7.3 Conclusion	68
8 Conclusion	69
8.1 Work Completed	69
8.2 Limitations	69
8.3 Future Work	70
References	71
Appendix A Reflection	74
A.1 Project Management	74
A.2 Research Skills	74
A.3 Technical Skills	75
Appendix B Demonstrator System Dependencies	76
B.1 Client Applications	76
B.2 Blockchain Network	76
B.3 Automatic Marking Service	77
Appendix C Requirements Gathering Interview Transcripts	78
C.1 On Assessments	78
C.2 On Curriculum Personalisation	79
C.3 Other Issues in Higher Education	80
C.4 Other Issues in E-Learning Systems	81
Appendix D User Evaluation Interview Transcripts	83
D.1 Structured Questions	83
D.2 Semi-Structured Questions	86
Appendix E Requirement-based Test Cases	88

List of figures

2.1	Learning Technology Systems Architecture	6
2.2	"Do you need a blockchain?" flowchart	9
2.3	How Blockcerts work	13
2.4	Assessment Smart Contracts Concept	13
3.1	Design Coverage of LTSA	15
3.2	Project Timeline	16
4.1	Affinity diagram for primary data	24
5.1	Hyperledger Composer	28
5.2	Assessment Use Case	29
5.3	Curriculum Personalisation Use Case	30
5.4	Participants Class Diagram	32
5.5	Assets Class Diagram	33
5.6	Concepts Class Diagram	34
5.7	Access Control Model of Hyperledger Composer	38
5.8	Client Application Sitemaps	43
6.1	Development Tools and Usage Statistics	44
6.2	Demonstrator Component Architecture	45
6.3	Demonstrator Technology Stack	46
6.4	Blockchain Startup Script Screenshot	48
6.5	Participant Loading Script Screenshot	49
6.6	Blockchain Teardown Script Screenshot	50
6.7	Hyperledger Composer Loopback REST API Screenshot	51
6.8	Postman API Testing example Screenshot	52
6.9	AutoAssessment Smart Contract Design Change	53
6.10	Learner Application Login page	55
6.11	Learner Application Course Catalogue page	55
6.12	Learner Application My Curriculum page	56
6.13	Learner Application Course Module Preview Dialogue	56
6.14	Learner Application example Ongoing Module page	57
6.15	Learner Application example Assessment Contract page	57
6.16	Learner Application example Submission page	58

6.17 Learner Application Access Control page	58
6.18 Teacher Application My Courses page	59
6.19 Teacher Application Curriculum Requests page	60
6.20 Teacher Application Marking Requests page	60

List of tables

2.1	Comparison of permissioned and permissionless blockchains	8
2.2	Comparison of key blockchain implementations, eg. Ethereum, Fabric, R3	11
2.3	Comparison of existing projects: Blockcerts, Sony GED, and OpenLearn	12
3.1	Mappings between LTSA elements and the BlockChain objects in this project	16
3.2	Implementation Kanban used for the project	17
3.3	Research Kanban used for the project	17
4.1	Participants in primary data collection interviews	20
4.2	Prioritised list of functional requirements for this project	25
4.3	Prioritised list of non-functional requirements for this project	26
5.1	The Reader access permutation model for Learner assets	39
5.2	The access control rules designed for the blockchain	40
5.3	Usability considerations for client applications	43
7.1	Participants in user evaluation interviews	65
7.2	Responses to structured questions in user evaluation	65
7.3	Conclusions drawn from user evaluation	68

Chapter 1

Introduction

The global e-Learning industry already generates US\$60 billion per year, and by 2019, over half of all courses will be taken online (Pantò and Comas-Quinn, 2013, p.17). This rising trend presents an opportunity to improve higher education.

Some current problems in higher education are related to transparency (more in Chapter 2.1.1). Tension exists between the educational provider and the learners over assessments. "There is abundant evidence that assessors are not particularly good at making exams valid, reliable, or transparent to students." (Brown Jr, 1999, p.62).

There is also a lack of curriculum personalisation for higher education learners in the UK (more in Chapter 4.1). Condie and Munro (2007) pointed out that the personalisation of the education curriculum for learners helps "overcome barriers, raising self-esteem and achievement".

This project envisions a future e-Learning marketplace that is open, trusted and autonomous, where assessments and the negotiation of personalised curriculum are conducted in a transparent, trustworthy way. This is where immediate value could be provided by blockchain systems and Smart Contracts.

A blockchain is a type of database that is spread across multiple sites, such as different institutions, companies or participants. A "block" of records is "chained" to the next with a cryptographic signature, creating permanent records through a consensus corroborated by all the operators (Walport, 2016, p.17). The verifiability of all actions on a blockchain gives systems an inherently high degree of integrity and transparency. Some types of blockchain can also have permissions that enable granular transparency and privacy (Walport, 2016, p.22), which fits well in the education paradigm where personal data can be highly sensitive.

Smart contracts are "contracts" that are "defined by the code and executed (or enforced) by the code" (Swan, 2015, p.16). They are self-executing programmes embedded in a blockchain that defines the rules and penalties around an agreement and could automatically enforce those obligations

(Gulhane, 2017), and can be used to exchange or transfer digital assets when certain conditions are met.

The potential of Smart Contracts in education has been noted by the community, with Swan (2015, p.62) proposing that “learning smart contracts could automatically confirm the completion of learning modules through standardized online tests”.

1.1 Aims and Objectives

The aim of the project is to provide improvements in assessments, personalisation, security and privacy for learners and teachers, with an e-Learning platform that fulfils educational assessments and personalised curricula with Smart Contracts on a blockchain. It will increase privacy by offering fine-grained access controls, and provide more trust in education processes and credentials by increasing transparency, provenance, and security.

To satisfy this aim, the following objectives are planned:

1. Identify issues in higher education and e-Learning that can be improved by a blockchain system.
2. Develop data models and Smart Contracts in the proposed blockchain for e-Learning.
3. Develop permission models for the e-Learning blockchain that balances appropriate access and privacy protection.
4. Build a demonstrator system that includes client-side applications for learners and teachers.
5. Evaluate whether the blockchain-based demonstrator tackles the issues in education and e-Learning identified in objective 1

1.2 Project Approach

1. Review literature on current issues in e-Learning and education, and existing work in blockchain in education.
2. Analyse popular blockchain development platforms that can be used to produce the desired solution.
3. Further gather requirements for a blockchain solution for e-Learning using a qualitative study.
4. Design data models, Smart Contracts and permission rules for assets and participants in the proposed blockchain solution.
5. Build the distributed ledger network and client-side applications for learners and teachers.

6. Evaluate the design of the deliverables using interviews with stakeholders and relevant subject matter experts.

1.3 Dissertation Outline

Here is a brief summary of the following chapters:

Chapter 2	Background	Literature review on e-Learning, blockchains, and existing projects
Chapter 3	Approach	Describing the scope and project management techniques used
Chapter 4	Requirements	Conducting a requirements gathering study, and presenting the list of formal requirements
Chapter 5	Design	Describing the design tools, process, and artifacts
Chapter 6	Implementation	Describing the phases of development and the limitations met
Chapter 7	Evaluation	Conducting requirement-based tests and a user evaluation study
Chapter 8	Conclusion	Summing up what has been achieved and future work

Chapter 2

Background

In this chapter, we will take a deeper dive into the issues around education and e-learning that is relevant to this project, further explore concepts related to blockchains, and look at existing projects in blockchain for education.

2.1 Literature Review in Education and e-Learning

Identifying issues in traditional higher education today that a blockchain-based system can better tackle is one of the objectives of this project. This informs the scope of the project and the design of the deliverables.

There is an abundant amount of pedagogy and learning method research, which focuses on the instruments and mode of delivery. These include methods such as "scaffolding", "constructivism", "problem-based learning", and "active learning" (Ali, 2005). However, this research area is considered out of the scope of discussion for this project, which does not aim to provide new insight into ICT-enhanced pedagogies. Instead, this project is interested in mapping components of e-learning, such as delivery, assessment, and record keeping in a more general purpose, pedagogically neutral manner to a blockchain.

2.1.1 Assessments and Transparency

Assessment is arguably the most important process in the business of education as it "drives what is learnt and taught" and "converts learning into credentials". (Campbell, 2010, p.160)

Brown Jr (1999, p.62-65) summarises examples of popular sentiments learners held about both continuous assessments and traditional exams, such as:

1. Assessment tasks do not increase students' want to learn, only their need to learn, promoting unhappiness;
2. Invalid and unreliable marking due to speed or fatigue of assessors, plagiarism and unwanted collaborations, etc.;
3. Sub-optimal levels of feedback after many types of assessments;
4. Students feel forced into surface learning.

The importance of assessments, coupled with popular unhappiness and mistrust amongst learners towards them, increases the tension between the teacher (or educational provider) and the learners.

Suhre et al. (2013) looked into motivation to study in a higher education setting by collecting data from 168 first-year university students for six months. The study found three main factors that motivated academic progress: intrinsic abilities, personal motivations (such as a need to achieve or fear of failure), and transparency in exams and assessments.

Transparency here refers to both the clarity of assessment goals and the procedures for assessing these goals. It should be clear to learners what knowledge is required for a sufficient level of mastery (Suhre et al., 2013). The difference this makes was significant:

- Students' perceptions of degree programme organisation and transparency of exams are significantly correlated with academic performance;
- Academic pressure is substantially influenced by the perceived transparency of assessments.

The earlier Bryan and Clegg (2006, p.100) research echoed the same findings, that students realise their full potential when they understand the assessment task, marking criteria and expected standards.

An improvement in the transparency of goals, procedures, knowledge required of assessments can directly tackle some of the negative sentiments listed above from Brown Jr (1999). The design of the blockchain schema and Smart Contracts should involve these as required parameters, and also an increase in feedback.

2.1.2 Personalisation in Education

Personalisation is regarded as the solution to traditional bureaucratic state education that is irresponsible, inflexible, over-regulated, with the 'one size fits all' approach (Bragg, 2014). Research points to a growing appreciation of the need to support and encourage learner control over the whole/entire learning process (Dron, 2007).

Current research into personalisation (or customisation) of education is broad and covers both the personalisation of pedagogy and curriculum.

Green et al. (2005) summarised four key areas pivotal to enabling personalised learning through digital technologies. The technologies should:

- ensure that learners are capable of making informed educational decisions;
- diversify and recognise different forms of skills and knowledge;
- create diverse learning environments; and
- include learner focused forms of feedback and assessment.

The design of a learning platform that aims at supporting personalisation must therefore focus on facilitating these actions. For example, providing support to students who are choosing their personalised curriculum, and providing maximal diversity in knowledge by creating an open, global course catalogue that is multi-disciplinary and cross-institutional.

2.1.3 e-Learning Systems

E-learning has been growing as an industry and research area, and the Learning Technology Standards Committee was set up within the IEEE Computer Society to devise relevant standards. In 1999, the Learning Technology Systems Architecture (LTSA) standard was published (See Figure 2.1) and was last revised in 2003.




Fig. 2.1 Learning Technology Systems Architecture (IEEE Computer Society, 2013, p.9)

LTSA is "pedagogically neutral, content-neutral, culturally neutral, implementation-neutral, and platform-neutral" (IEEE Computer Society, 2013, p.1). It provides a valuable way of organising the scope and discussion in this project. It identified four main components: learner entity, coach, delivery,

evaluation; two main stores: learning resources, learner records; and the information flows or actions between them.

Identifying the properties of a blockchain-based system that could improve these components, stores and flows is critical to this project. For example, the distributed, immutable storage of learner records could provide extra security.

2.2 Security and Privacy

The security of e-learning systems has also been a concern. For example, El-Khatib et al. (2003) wrote that “while many advances have been made in the mechanics of providing online instruction, the needs for privacy and security have to-date been largely ignored. At best they have been accommodated in an ad-hoc, patchwork fashion.”

The consequences of cybersecurity breaches have also become more and more expensive. For example, when the General Data Protection Regulation (GDPR) comes into effect across EU states in May 2018, the maximum fine for poor practices and data breaches will be £17 million or 4% of global turnover (Denham, 2017).

The scale and severity of historical breaches of internet services has been worrying. Most notably in the e-learning industry, the education platform Edmodo was hacked and 77M account details were lost and on sale on the dark web, endangering students, teachers and parents who are account holders (Opsecmonkey, 2017).

The sizable threat and consequences make a "security by design" and "privacy by design" approach for future systems very important. A secure data storage such as blockchain could add massive value to e-Learning systems.

2.3 Properties of Blockchain Technologies

The advent of cryptocurrencies made blockchains an overnight darling, set to make significant disruptions in several industries such as financial services, currency exchanges, supply chain management, retail advertising and identity management (Bessonov, 2017).

The blockchain data structure is a timestamped list of blocks, which stores data about transactions that occur within the blockchain network. It only allows the insertion of transactions, not the update or deletion of existing transactions. This ability to prevent tampering is known as "immutability". (Xu et al., 2016, p.182)

Blockchains can be classified into two types: one being a permissionless (public) blockchain which anyone can use and no central authority exist to allow or ban peers; the other a permissioned blockchain (can be public or private) where a central entity assigns read/ write rights to individual peers (Wüst and Gervais, 2017, p.1). Table 2.1 summarises the main differences in these two types of blockchain.

Table 2.1 Comparison of permissioned and permissionless blockchains, modified from Wüst and Gervais (2017, p.3)

Properties	Permissioned blockchains	Permissionless blockchains
Speed	Low throughput and slow latency	high throughput and medium latency
Peers	High number of both readers and writers	High number of readers, small group of writers
Consensus	Proof of work or proof of stake by miners	Practical Byzantine Fault Tolerance (PBFT) protocols, tolerating malicious peers and trusting the majority consensus
Central Authority	No	Yes
Privacy	Can be achieved using cryptographic techniques but typically comes at the cost of lower efficiency	Reading rights can be restricted by central authority, readers and writers can also run separated parallel blockchains that are interconnected
Verifiability	Observers can verify the state of the blockchain	
Redundancy	High, provided through replication across the peers	

Using blockchains as a data storage gives the system a very high degree of integrity. The public verifiability, redundancy and immutability of the blockchain makes it very difficult to corrupt or lose the data stored.

2.3.1 Decision Framework for Blockchain Solutions

Wüst and Gervais (2017, p.3) proposed a decision flowchart (Figure 2.2) to determine whether a blockchain is an appropriate solution for a problem, and which type of blockchain is the most appropriate. Here is an analysis of our problem at hand with the decision flowchart steps:

1. **Do you need a store state?** Yes. Records in an e-learning system require secure storage.
2. **Are there multiple writers?** Yes. There are many different authorities, institutions, educators and learners involved in an e-learning blockchain that demands write access into records.
3. **Can you use an always online Trusted Third Party (TTP)?** Wüst and Gervais (2017, p.2) described two options of using a TTP: delegate write operations completely to the TTP if it is




Fig. 2.2 "Do you need a blockchain?" flowchart (Wüst and Gervais, 2017, p.3)

always online so that it verifies all state transitions, or use a not always online TTP as a certificate authority in the setting of a permissioned blockchain.

In the e-learning context, a TTP could be the e-learning platform provider. However, the delegation of write operations to the platform goes against modern principles of autonomy and independence for higher education institutions. Most governmental education ministries audit and regulate higher education without writing student records or conferring degrees. An always online TTP should not be used in order to replicate the real world context. This project will answer no for this step.

4. **Are all writers known?** Yes. Users of the system should be registered and not be anonymous to the system administrators. For example, education credentials should be awarded to a real person.
5. **Are all writers trusted?** No. Malpractices from education institutions can occur, especially in the private, for-profit sector. In a future open e-learning market, it could also be possible for anyone to start offering education services. We cannot assume that all writers are trusted.
6. **Is public verifiability required?** Yes. One of the objectives of this project is to boost trust in e-learning credentials by increasing public verifiability of education journeys, increasing public accountability especially to stakeholders such as employers and postgraduate studies providers.

This process led to the recommendation of a **public permissioned blockchain** for this project.

2.3.2 Properties of Smart Contracts

Smart Contracts are self-executing programmes embedded in a blockchain that defines the rules and penalties around an agreement and could automatically enforce those obligations. They can effectively "cut out the middleman" to save time, and prevent disagreements about transactions (Gulhane, 2017). The term "chaincode" is also used interchangeably as a synonym for Smart Contracts (Valenta and Sandner, 2017, p.6).

There are three main properties of Smart Contracts (Swan, 2015, p.16):

- **Autonomous:** after launching and running, no further communication is required between a Smart Contract and its initiating agent;
- **Self-sufficient:** a Smart Contract should have the ability to keep itself alive when it needs to be, such as raising funds by providing services, and spending them on computing power or storage;
- **Decentralised:** a Smart Contract does not exist on a single server, they are distributed and self-executing across all of the blockchain peers.

These properties ensure effective operation of the logic defined. In an e-learning context, this can potentially be used to govern how teaching, evaluation and feedback take place, enhancing protection for the consumers/ learners. It could also automate more administrative work, reducing middlemen and manual errors.

An increasing amount of research has also been focused on automating the marking process. For example, Al-Yazeedi et al. (2012) have run an experiment on using a programme to grade university project proposals and provide formative feedback. The programme was able to give intensive feedback, with plagiarism and grammar checks, and a semantic analysis on the quality of ideas. This shows that as marking programs become more mature, they could have a place in assisting teachers and students. It could also make educational Smart Contracts extremely powerful.

By formalising assessments into a series of transparent steps executed by a peer network, this project also hopes to reduce the tension and disagreements between teachers and students.

2.4 Overview of Blockchain Development Toolkits

This project will involve the design of Smart Contracts for e-Learning transactions and building a demonstrator network and applications. A review of the popular blockchain implementations and

development toolkits on the market is necessary. See Table 2.2 for an overview and below for more commentary.

Table 2.2 Comparison of key blockchain implementations, adapted from IBM Blockchain (2018) and Valenta and Sandner (2017)

	Bitcoin	Ethereum	Hyperledger Fabric	R3 Corda
Governance	Bitcoin developers	Ethereum developers	Linux Foundation	R3
Cryptocurrency	bitcoin	ether, and user-created cryptocurrencies	none, or user-created cryptocurrencies	none
Network	permissionless, public	permissionless, public or private	permissioned, private	permissioned, private
Transactions	anonymous	anonymous or private	public or confidential	
Consensus	proof of work	proof of work	PBFT	PBFT
Smart Contracts	none	yes (Solidity, Serpent, LLL)	yes (chaincode)	yes (chaincode)
Language	C++	Golang, C++, Python	Golang, Java, JavaScript	Kotlin, Java, legal prose

Bitcoin is included in the Table only as a point of reference. Building with the bitcoin blockchain is not considered for this project because of its lack of support for Smart Contracts (any kind of embedded logic or programmes).

Ethereum

Ethereum is famous for its Turing-complete Smart Contracts capabilities, which allows entire decentralised applications (dApps) to run autonomously on its blockchain. It has a build-in cryptocurrency "Ether", which is used to reward miners that contribute to consensus, and to pay transaction fees. Developers of dApps can also issue their own currency inside their Smart Contracts.

Valenta and Sandner (2017, p.3-4) noted that compared with Ethereum, which makes records accessible to all participants, permissioned blockchains such as Fabric and Corda provide "more fine-grained access control to records and thus enhance privacy". They also achieve higher performance due to a faster consensus mechanism that does not involve mining.

For this project, another crucial consideration against the adoption of the Ethereum environment is the lack of a central authority, which makes it impossible for the platform to kick unscrupulous actors off the blockchain.

Hyperledger Fabric

Valenta and Sandner (2017, p.7) described Fabric as a highly flexible "versatile toolbox". It has different roles for peers within the network, where they can act as clients (end users), peers (record keepers), endorsers (transaction verifiers), or orderers (transaction requester). The consensus mechanism is by default a Byzantine fault-tolerant (BFT) algorithm and can be customised. A cryptocurrency is not required, but could be developed with chaincode.

R3 Corda

Built following use cases in the financial industry, Corda notably augmented Smart Contracts with legal prose, making it a great tool for highly regulated environments. The development of a cryptocurrency is not intended or supported. (Valenta and Sandner, 2017)

Education is not a highly regulated environment in most countries and this unique selling point of Corda is not attractive to this project.

2.5 Existing Efforts in Blockchain for Education

Several blockchain-based projects for education exist. Here we look at three that has attracted plenty of media attention: Blockcerts, Sony Global Education (GED) Blockchain, and the OpenLearn Blockchain. See Table 2.3 for a quick comparison.

Table 2.3 Comparison of existing projects: Blockcerts (blockcerts.org, 2018), Sony Global Education Blockchain (Sony Global Education, 2017), and the OpenLearn Blockchain (Open University, 2018)

Project	Based on	Features
Blockcerts by MIT Media Lab	Bitcoin	Education providers can store a batch of certificates by paying for a bitcoin transaction, storing data in the OP_RETURN transaction field on the global bitcoin blockchain.
Sony GED Blockchain	Hyperledger Fabric	Developers at education institutions can use their application program interface (API) to securely store learning history data and certificates, integrating with third party e-Learning systems.
OpenLearn Blockchain by Open University	Ethereum	An experimental plugin for Moodle, a popular course management system, has been developed. Achievement badges can be stored on the Ethereum blockchain. Students can register for courses and receive badges in a "Student Learning Passport".




Fig. 2.3 How Blockcerts work (blockcerts.org, 2018)




Fig. 2.4 Original diagram providing a high level view of how the project proposes automating assessments with Smart Contracts

2.5.1 Novelty of the Proposed Project

All of the above three notable efforts focus on identity management and record keeping for education. This project will aim to extend these efforts by proposing Smart Contracts that automate assessments (See Figure 2.4) and facilitate the negotiation of personalised curricula.

The vision of this project will also be to create an e-Learning marketplace that teachers can use directly, instead of a blockchain network that education providers will have to consume through APIs. This makes for a lower cost of entrance in terms of technological know-how and investment.

Summary

Combining the recommendation for a public permissioned blockchain from the framework provided by Wüst and Gervais (2017) (See Section 2.3), and the brief analysis above, Hyperledger Fabric stands out as the best platform which could allow for a lot of future work. Backed by the Linux Foundation, Hyperledger projects have extensive documentations and a large, active community.

The discussion following this chapter will now commit to using Hyperledger Fabric as the blockchain platform for this project.

Chapter 3

Approach

3.1 Scope

The aim of this project focuses on improving assessments and curriculum personalisation, and does not require coverage of all elements in the Learning Technology Systems Architecture (LTSA, Chapter 2.1.3). See Figure 3.1 for which parts of LTSA this project will attempt to cover, and Table 3.1 for the mappings from LTSA elements to the blockchain design objects in this project.




Fig. 3.1 The Learning Technology Systems Architecture (IEEE Computer Society, 2013), with components covered by this project highlighted in cyan stripes

Components such as delivery and the storage of learning resources will be out of the scope of this project. A blockchain is also not the ideal storage service for multimedia data such as learning content and delivery activities due to the inherent high latency in consensus. Security and redundancy of these data is also unnecessary.

Table 3.1 Mappings between LTSA elements and the BlockChain objects in this project

LTSA Elements	BlockChain Objects
Learner Entity (component)	Learner
Coach (component)	Teacher
Evaluation (component)	Assessment Results, Feedback
Behavior (flow)	Submission
Catalog Info (flow)	Course Modules, Module Units
Assessment (flow)	Assessment (Automatic Assessment, Assessor Assessment, etc.)
Learner Info (flow)	Curriculum (a collection of Course Modules)
Learning Parameters (flow)	Negotiation
Learner Records (component)	Certificates, Submission, Assessment Results

3.2 Project Timeline

The project largely follows a linear process, with key steps in planning, requirements elicitation, implementation and evaluation shown in Figure 3.2.




Fig. 3.2 A timeline of the stages of actions in this project and their dependencies if any

Some similar steps had significantly different timings. Requirement interviews took longer than evaluation interviews because of the Christmas academic schedule. Learner application took longer to implement than the teacher application, and the first iteration of the blockchain took longer than the second, because time was needed to learn and set up the technologies used.

3.3 Lean Project Management

Lean as an approach to project management was first developed by Toyota in the 1950s, later applied to software project management in the 1990s. Experiments have shown that it could (Middleton and Joyce, 2012, p.30):

- prevent workload from exceeding the capacity of the team;
- provide quick, high value, incremental deliverables;
- reduce technical and market risk;
- provide continuous improvements and reduce error rates.

Two kanbans were used to manage the project processes: a Kanban for implementation and a Kanban for research and writing. The implementation Kanban used a loose adaptation of the development phase Kanban from Middleton and Joyce (2012, p.25), without unnecessary stages such as ideation, user acceptance testing and release. See Table 3.2 and 3.3 for what the Kanban categories adopted are:

Table 3.2 Implementation Kanban used for the project

Minimum Marketable Function	Developing	Development Complete	Tested

Table 3.3 Research Kanban used for the project

Reading/Activity	Writing	Review	Completed

The Kanbans were kept on the online Kanban platform Trello. This is due to the good extensibility of Trello, with plugins allowing the attachment of links and documents from many other platforms.

Weekly meetings were held by the supervisor, which helped monitor progress and encouraged one-week sprints on a particular feature/ Trello card.

3.4 Agile Software Development

There are two main agile software development principles that this project has chosen to adopt:

- Working software over comprehensive documentation;
- Responding to change over following a plan.

Some clear limitations exist, for example, Beck et al. (2001)'s Agile Manifesto asks for daily collaboration between customer and developers, but contact with stakeholders for this project has only happen twice at the requirements gathering phase and the evaluation phase. Beck et al. (2001) also asks for "teamwork and interactions over processes and tools", but this project is an individual endeavour.

At the end of the implementation phase of this project, two main iterations were completed: the first iteration was based on requirements just from background research and literature, the second with requirements added from primary data collection.

Chapter 4

Requirements

Background literature review in Chapter 2.1 and 2.2 has driven the direction of the project and provided many ideas for functional requirements. This chapter describes the collection of primary data for further requirements, and provides the formal list of user requirements.

4.1 Primary Data and Analysis

Collecting primary data from shareholders of higher education e-learning systems would be able to:

- reaffirm and further develop requirements obtained from literature in Chapter 2, and
- obtain further requirements from real-world participants, their pain points and goals.

4.1.1 Methodology

A qualitative study was conducted with semi-structured, face-to-face interviews (open-ended questions).

The participants were gathered through directly emailing existing contacts (convenience sampling).

Stakeholders with lots of experience were targeted with these criteria:

- Teaching staff in higher education with 10+ years of experience, and
- Students in higher education who has academic liaison experience and are exposed to a wide range of student problems.

It was important that a qualitative, semi-structured method is used. This allowed for a flexible scope, encouraging the generation of new perspectives and ideas beyond that of the secondary research in Chapter 2. It also increased validity, as the interviewer can probe for a deeper understanding (McLeod, 2014).

An ethics submission was completed on BREO and approval was granted on 21st November. See Supporting Materials/Ethics/Requirements/ for the approval letter, participant information sheet, consent form, and example questions documents.

A total of five interviews were conducted between December 2017 and February 2018: two with teaching staff and three with student representatives. See table 4.1 for a more detailed description of these participants.

Table 4.1 Participants in primary data collection interviews

Participant	Characterisation
Educator A	lecturer in higher education for over 20 years, and an experienced higher education administrator
Educator B	lecturer in higher education for over 20 years, with research interests in e-learning interactions, effectiveness and acceptance
Student C	university course representative for 3 years, which involves collecting and communicating student feedback and attending staff-student liaison meetings
Student D	university peer-assisted learning leader for 2 years, helping out lower level students with their academic work by facilitating peer discussions, and escalating common problems to academic staff in debrief sessions
Student E	university course representative for 2 years, peer-assisted learning leader for 1 year

4.1.2 Interview Results and Analysis

The raw data from interviews (transcripts) were contextually analysed and grouped thematically using thematic analysis techniques from Clarke and Braun (2014). These themes are presented below as problem statements (PS). These problem statements were sorted into four affinity groups: statements about 1. assessments, 2. curriculum personalisation, 3. higher education, and 4. e-Learning systems.

Below you will find the leading questions asked for each group, the problem statements, explanations and discussions. For the relevant transcript snippets for each problem statements, please go to Appendix C.

On Assessments

Leading Question: What are the problems with assessments in higher education today? / Is there tension between students and teachers over assessments, and why?

	Problem Statement	Participants
PS1	Poor communication of assessment expectations	B, C, D, E
Four participants have independently confirmed that the problem with transparency in expectations for assessments (as described in Chapter 2.1.1) exists.		

PS2	Lack of practice and formative feedback	B, D
	Students transitioning from school to higher education would experience a drop in formative assessments (that do not affect their final grade) such as homework practices.	
PS3	Lack of standardisation in marking criteria	B, C, E
	Some assessments have clearly defined marking criteria forms for markers, but a high number of them do not.	
PS4	Oral defence may be necessary to validate assessments	A, E
	Concern was raised over the ease of cheating and incomplete learning, especially in automatic assessments. Vivas are proposed as a potential solution.	
PS5	Lack of feedback and procedural transparency in terminal assessments	C
	Students are unhappy with the lack of, or scarcity of feedback from terminal assessments and exams.	
PS6	The need for synoptic (cross-topics) assessments	B
	There is a concern that assessments are too compartmentalised into their modules, not relevant to industry, and not encouraging holistic critical thinking.	

The interviews have confirmed the problem of transparency on assessments (see PS1, PS3, PS5), while new user concerns have surfaced, namely the lack of practice (PS2), the need for assessment validations (PS4), and synoptic assessments (PS6).

Most of these problems can be tackled by a blockchain-based system. The transparent provenance of student and teacher inputs, and outputs guaranteed by Smart Contracts, can greatly improve transparency and trust in assessment processes and outcomes.

The lack of practice (PS2) however, is seen more as a human factor, as it depends heavily on how the module is designed by its teacher. Synoptic assessments (PS6) are considered a low priority feature, as it is a relatively new concept in higher education, and was only mentioned by one participant.

On Curriculum Personalisation

Leading Question: What do you think are the current roadblocks to offering more multi-disciplinary, personalised, or even multi-institutional arrangements for higher education?

PS7	There is a demand for multi-disciplinary degree offerings but only a few universities are capable of offering them	B, C, D
	A defined degree that encompasses two particular fields may not be economically viable, having free-to-choose credits is a more practical model; universities struggle with bureaucracy for curriculum personalisation; students like more freedom and sometimes dislike certain compulsory modules.	

PS8	Dedicated support and guidance is necessary for increased customisation	B, E
There are careers that require multi-disciplinary backgrounds, but there is a risk of students not making informed choices.		

PS9	National regulations requiring programme outcomes and specifications deter movement	A
The UK higher education academic infrastructure requires all degree programme to lay out programme outcomes and programme specifications, which deters movement.		

PS10	Managing study load for multi-disciplinary courses may be difficult	E
Switching between the mindsets for different disciplines could be hard. The number of credits for multi-disciplinary programs should not be higher.		

It was encouraging to see that three out of four participants described a clear demand for more freedom in curriculum personalisation (PS7). Also confirming the need for informed educational decisions (Chapter 2.1.2, Green et al. (2005)), participants have asked for dedicated curriculum personalisation support (PS8).

The present inflexible degree structures in markets such as the UK is an interesting point raised by participant A (PS9). This is actually what Smart Contracts can be very good at, automating administrative, regulatory work. For this proof-of-concept project, example administrative fields can be added to showcase such a potential.

Other Higher Education Issues

Leading Question: What else needs improving in higher education in general?

PS11	More support, interaction and engagement needed	D, E
Students have complained that institutions are not always good at supporting and engaging with all students.		

PS12	Administrative middlemen causing delays and bottlenecks in institutions	E
Students complained that feedback was not given on time due to administrative delays		

PS13	Lack of support on self-regulated learning skills	B
There is not enough help and guidance for students to make the transition to self-motivated learning		

Only the administrative bottleneck issue (PS12) is considered highly relevant to this project. A blockchain backend would not immediately be able to improve student engagement (PS11) or self-regulated learning skills (PS13).

e-Learning System Issues

Sample Questions: What other features would you like to see in a future e-Learning system for higher education?

PS14	Fine-grained access control for learning history needed to preserve privacy	D, E
	Students prefer to be as private as possible, and dislike data aggregation, even by their institution	

PS15	Poor mobile friendliness in many e-Learning systems	C
	Students want any new system to be built responsive and mobile friendly.	

PS16	Real-world learning activities not captured in course management systems	A
	For example, face-to-face contact time is not captured by most conventional systems.	

PS17	Systems cannot be customised to fit assessment and grading models	A
	assessment features and functions on e-learning systems are incompatible with institutional requirements, or even national requirements, giving staff extra work converting them manually.	

PS18	Multiple systems used in concoction without login integration	B
	No single sign-on for intranet, assessment, content management and student records systems.	

PS19	Lower trust and value associated with online institutions and programmes	C
	It is hard to bridge the gap in trust and reputation that comes with campus learning.	

Ease of use is a major theme in this group, with requests for mobile friendliness (PS15), flexibility in record types (PS16, 17), and single sign-on (PS18). It will be important to take these into account while designing our blockchain and client applications.

A blockchain has the potential to improve access control (PS14) and create trust (PS19) through provenance. These two user concerns discovered have been added to the aim of the project.

Summary

Overall, the study has been useful in extending our knowledge on higher education and e-Learning issues. The convenience sampling has likely been a limitation, since all participants were recruited from the same university, and the social circle of the interviewer.

An affinity diagram is also produced to give a high-level overview of all the problem statements. (See Figure 4.1 on the next page).




Fig. 4.1 Affinity diagram for problem statements devised from primary data

4.2 Formal Requirements

Table 4.2 lists the functional requirements (FR) adopted by this project going forward. They are related to one or more of the problem statements (PS) gathered above from primary data, or to the literature reviewed in Chapter 2.

Table 4.3 lists the non-functional requirements (NR) adopted by this project going forward. They are related to one or more of the problem statements (PS) gathered, or to usability heuristics.

These requirements have been ranked with the MoSCoW prioritisation framework, which specified four levels of priority: Must Have, Should Have, Could Have, and Won't Have this time (Agile Business Consortium, 2018). The MoSCoW levels are given from mainly a system engineering

perspective in planning the minimum viable product for the demonstrator of this project, and do not necessarily reflect the priorities of the stakeholders.

Table 4.2 Prioritised list of functional requirements for this project

	Requirement Statements	Related To	MoSCoW
FR1	The system would store learner records on a blockchain	Ch 2.2.1 (LTSA)	Must Have
FR2	Teachers would be able to create and edit learning resources	Ch 2.2.1 (LTSA)	Must Have
FR3	Teachers would be able to create and edit assessments	Ch 2.2.1 (LTSA)	Must Have
FR4	The system would enforce the provision of learning outcomes, knowledge required and assessment goals	Ch 2.1.1 (Transparency), PS1	Must Have
FR5	The system would enforce predefined assessments rules (eg. marking schemes, transparent procedures and feedback) with Smart Contracts	Ch 2.1.1 (Transparency), PS3, PS5	Must Have
FR6	The system would allow teachers to configure multiple assessments and formative assessments for modules	PS2	Could Have
FR7	The system would be able to facilitate vivas (oral defence) as a form of assessments	PS4	Could Have
FR8	The system would provide multiple ways to define grade schema	PS17	Could Have
FR9	Teachers would be able to negotiate a customised list of courses for a student within a fixed course credits budget, customising degree specifications	Ch 2.1.2 (Person-alisation), PS7, PS9, PS10	Must Have
FR10	The system should feature dedicated support channels between students and teachers or other advisors	PS8, PS11	Should Have
FR11	Students would be able to add assessment submissions on the blockchain	Figure 2.4 (Con-cept)	Must Have
FR12	The system would be able to generate certificates on the blockchain when a course has been completed	Figure 2.4 (Con-cept)	Must Have
FR13	The system would allow students to control access to their education history on the blockchain	PS14	Should Have
FR14	The system would provide one login for content delivery, assessment and record keeping	PS18	Should Have
Requirements targetting PS6, PS13, PS16			Won't Have

Table 4.3 Prioritised list of non-functional requirements for this project

Requirement Statements	Related To	MoSCoW
NR1 The client applications would have the same functionalities across devices and a responsive interface	PS15	Should Have
NR2 The client applications would fail safely and display error messages to the user		Should Have
NR3 The client applications would notify users of relevant events on the blockchain network		Should Have
NR4 The system should be able to reduce administrative work	PS12	Should Have
NR5 The system should be able to create more trust in online education providers and programmes	PS19	Should Have
NR6 The system should be highly usable, visually consistent and appealing		Should Have
NR7 The client applications should always display its navigation menu and status of the application		Should Have

Chapter 5

Design

Aligned with the aims of the project, the design of the blockchain network and applications will aim to:

- increase transparency in assessments,
- facilitate the negotiation of personalised curricula, and
- increase privacy and security of learner records.

As concluded in Chapter 2, this project will be using the Hyperledger Fabric blockchain, so the designs have to follow the specifications of this blockchain distribution. It was also clear that a blockchain specific, high-fidelity prototyping tool is needed to create system designs such as data models and transactions.

5.1 Design Tool

Hyperledger Composer is an open source development toolset and framework that aims to accelerate time to value for blockchain projects. It offers business-centric abstractions, allowing business owners and developers to rapidly develop use cases and model a blockchain network. The design tools offered take the forms of:

- An object-oriented modelling language (.cto file) to define data models in the blockchain network
 - JavaScript functions (.js file) to define logic for Smart Contracts triggered by transactions
 - An access control language (.acl file) to define access rules for records on the blockchain
- (The Linux Foundation, 2018)

See Figure 5.1 for a visual explainer of how Hyperledger Composer helps designers and developers create these high-level definitions.




Fig. 5.1 Components in the Hyperledger Composer framework and how it deploys to Hyperledger Fabric (Cuicapuza, 2017)

A significant advantage of using Hyperledger Composer is its ability to package these prototyped definitions and deploy it to Hyperledger Fabric, our target blockchain platform. This will speed up the implementation of the proposed demonstrator applications in the next stage.

Throughout the design process, the Hyperledger Composer notations are converted or drawn into UML sequence diagrams, class diagrams and flowcharts. PlantUML, an open source language-to-diagram drawing tool was used.

The discussion below may regularly refer back to the functional requirements (FR) and non-functional requirements (NR) defined in the previous Chapter 4.

5.2 Transaction Sequences

A transaction is the only activity that a peer can perform to alter the state of a blockchain. Designing the sequences of transactions for the demonstration user journeys will be able to provide a good overview of the work ahead. It will also shine a light on what data objects and properties must be defined. Two overarching use cases are considered: assessment and curriculum personalisation.




Fig. 5.2 A UML sequence diagram denoting the assets, transactions and events between Learner and Teacher participants on the blockchain for the assessment use case

5.2.1 Assessment Use Case

These four transactions are required to complete the assessment use case (see Figure 5.2):

- CreateModule: a transaction ordered by a teacher to store metadata about a course module, its units and assessments onto the blockchain;
- AddSubmission: a transaction ordered by a learner to store a submission (assessment attempt) on the blockchain, this could return the result of the assessment if the result is returned by an automatic (machine) marking service;
- SubmitResult: a transaction ordered by a teacher to store details of an assessor assessment for a submission on the blockchain;
- GenCertificate: a transaction ordered by a teacher to create a new certificate on the blockchain.

5.2.2 Curriculum Personalisation Use Case




Fig. 5.3 Sequence diagram denoting the assets, transactions and events between Learner and Teacher participants on the blockchain for the curriculum personalisation use case

Similarly, we looked at the transactions required to build a minimum viable product that facilitates curriculum personalisation. A curriculum here is simply a list of course modules attached to a learner and a teacher (a personal tutor for the learner).

- ProposeCurriculum: a transaction ordered by a learner or a teacher to propose a new curriculum, or to proposed edits to an existing curriculum on the blockchain.
- ApproveCurriculum: a transaction ordered by a teacher to enrol a learner to the course modules in the learner's curriculum. A teacher cannot change the list of modules with this transaction, that is reserved for ProposeCurriculum.

See Figure 5.3 for where these two transactions occur in a sequence diagram.

5.3 Data Models

Building a blockchain network requires a network-wide schema of what records are allowed to be created, updated and read. The Hyperledger Composer framework calls these resource definitions, and recommends defining objects inheriting three basic types: Participants, Assets and Concepts in its object-oriented modelling language (The Linux Foundation, 2018).

5.3.1 Participants

A participant is an actor in a blockchain network. A participant can create and exchange other assets by submitting transactions (The Linux Foundation, 2018). The network design for this project will allow the creation of three main types of participants:

- *Teacher*, which can be lecturers, teaching assistants, tutors, etc.
- *Learner*, which can be campus students, distant learners, etc.
- *Reader*, members of the public who are interested in querying or verifying records, such as employers and further education providers.

All three types of participants inherit an abstract (cannot be created) class *User*. The *nid* field that all *Users* must have would contain a one-way hash of their national identification number, which can be a driver's license number, social security number, etc. A hash is a form of cryptographical representation of data that is non-invertible. This allows the system to ensure that all writers in the system are known and unique, while protecting their privacy to the general public.

See Figure 5.4 for the detailed entity properties of all participant types in a class diagram.




Fig. 5.4 A UML class diagram describing the participants defined on the blockchain

A notable design consideration was the mechanism for allowing tiered access control of learner information. The *acLevels* and *privilegedReaderIds* fields in *Learner* store access control settings for two tiers of *Readers*, normal and privileged. This will be covered in more detail in the upcoming section 5.5.

5.3.2 Assets

Assets are "tangible or intangible goods, services, or property, and are stored in registries" (The Linux Foundation, 2018).

See Figure 5.5 for the detailed entity properties and relationships of these assets in a class diagram. The asset definitions were modelled carefully according to literature and user requirements. These special design considerations were included:

- Types of assessments: Online assessments could be grouped in four categories: self assessment, computer assessment, tutor assessment, and peer assessment (Paulsen, 2004, p.68). In this initial design, two of these types are considered: *AutoAssessment* (computer assessment), and *AssessorAssessment* (tutor assessment). They are daughter classes of the abstract *Assessment*.
- Transparency of assessment goals: the design contains mandatory fields to improve transparency in assessments, as identified by Suhre et al. (2013)'s research reviewed in Chapter 2.1.1. This includes the *knowledgeRequired* field in *Assessment* and *learningObjectives* in *CourseModule*, which encourages teachers to provide clarity over assessment goals.




Fig. 5.5 A UML class diagram describing the assets defined on the blockchain

- Transparency of assessment procedures: *Assessment* assets will be on the blockchain and visible to all participants, improving transparency of procedures. They include the *gradeDescriptors* and *criteria* fields that encourage teachers to provide clarity of assessment criteria, and give Smart Contracts the capabilities to enforce these criteria.

- Administrative Work for Personalisation: Primary data suggested that administrative and regulatory work required for curriculum personalisation could be daunting for institutions (Chapter 4.1.2.PS7). The *programmeOutcomes* field in the *Curriculum* asset was one of the suggested regulatory steps for the UK market (Chapter 4.1.2.PS9). Making these administrative data available on the blockchain could allow future Smart Contracts to automate approvals and other administrative steps. This has the potential to reduce bureaucracy by eliminating the middleman.
- Content flexibility: It was anticipated that many markets, institutions, teams and teachers will have their own requirements, formats and templates for what their e-Learning content should look like. To cater to this need for content and layout flexibility the blockchain accepts markdown syntax as input in fields such as *detailsMd* in *Assessment*, *materialMd* in *ModuleUnit* and *fineprintMd* in *Certificate*. Markdown is a popular text-to-HTML conversion tool for web writers (Gruber, 2004), with many internet forums and services releasing their own standards.

5.3.3 Concepts

Concepts are abstract classes that are not assets or participants. They are used to define custom properties contained by an asset or participant (The Linux Foundation, 2018).

For this project: five of these Concepts were designed. These are related to modelling the assessment results, grade descriptors and criteria. See figure 5.6 for their detailed entity properties.




Fig. 5.6 A UML class diagram describing the concepts (other abstract classes that are contained as a field) defined on the blockchain

A matrix/ grid of assessment criteria against grade definitions, a common format used in schools (Bryan and Clegg, 2006, p.102), was used to record grade breakdowns on the blockchain. The *MarkingCriterion* and *GradeDescriptors* fields were designed to fulfil this feature.

AssessmentResult stores the overall result of an assessment or course module, as an example of how flexible this can be, three example result formats are designed: *PassFailResult*, *GradeResult*, and *ScoreResult*.

5.4 Smart Contracts: Transaction Logic and Events

We have previously discussed the nature of Smart Contracts in Chapter 2.3.2. They are autonomous, self-sufficient and decentralised programmes that run on a blockchain.

In Hyperledger Composer, Smart Contracts are called chaincode. They run synchronously with a transaction order and a final output is required, to either accept the transaction, or reject it. Smart Contract chaincode can emit network-wide Events. These Events could be consumed by participants or applications.

The discussion below describes the six transactions previously planned in Figure 5.2 and 5.3. The Smart Contract chaincode triggered by the transactions are explained in pseudocode.

5.4.1 The CreateModule Transaction

The transaction for creating a course module was kept simple, as this project is more interested in the assessment experience than the content creation experience. A *CourseModule* asset has to be uploaded with all of its *ModuleUnits* and *Assessments*.

```
transaction CREATEMODULE(CourseModule mod, ModuleUnit[] units, Assessment[] assessments)
    if integrity checks of uploaded mod passed then
        Add mod, unit and assessment objects to blockchain
        Add relationships between these objects and the Teacher(s)
        return Transaction Accepted
    else
        return Transaction Rejected
    end if
end transaction
```

Transactions that allow content editing and course archiving (making courses unavailable to new students) will have to be designed for a fully-fledged real world system, but they were deferred to future work for this project.

5.4.2 The AddSubmission Transaction

This transaction would be ordered by a student to add a submission for the assessment of a module unit. The submission files will be compressed, converted into base64 data strings, and attached to the *content* parameter.

Every submission is stored on the blockchain network, providing extra data redundancy that ensures the submission is secure and immutable. In the case of an automatic assessment, peers on the blockchain network will each send the submission file and the test file pre-defined by the teacher to an external marking API, independently confirming the automated marking result.

```
transaction ADDSUBMISSION(Learner learner, ModuleUnit unit, String content, String comments)
  Assign a Teacher to the submission
  if unit.assessment.type is AutoAssessment then
    Get unit.assessment.testFile
    Post testFile and content to Marking API           ▷ content is the Submission file in base64
    Await return from Marking API
    Add returned result to Submission object
    Emit ResultAvailable Event (String submissionId, String unitId, String details)
  else if unit.assessment.type is AssessorAssessment then
    Emit SubmissionUploaded Event (String submissionId, String unitId, String teacherId)
  end if
  Add Submission object to blockchain
  Add relationship between Submission object and the Learner
  return Transaction Accepted
end transaction
```

5.4.3 The SubmitResult Transaction

Teachers would submit markings on a marking criteria against grade descriptor grid. This would be uploaded as the transaction parameter *marks*, a one dimensional array where the index correlates to the marking criteria number and the value correlates to the grade number.

The grades would be calculated by Smart Contracts according to pre-defined weightings and rules. Every peer will run the same chaincode and achieve a consensus over what the result is.

```
transaction SUBMITRESULT(Submission submission, Teacher assessor, Integer[] marks, String feedbackMd)
  if unit.assessment.type is AssessorAssessment then
    continue
  else return Transaction Rejected
  end if
  if assessor is submission.teacherAssigned then
    continue
  else return Transaction Rejected
  end if
  Calculate result based on grade descriptors and marking criteria
  Update the Submission object on the blockchain with result
  Emit ResultAvailable Event (String submissionId, String unitId, String details)
  if assessment.terminal is true then
    if the overall result of the module is a pass then
      Emit CourseModuleCompleted Event (Teacher teacherAssigned, String submissionId,
      String modId)
    end if
  end if
  return Transaction Accepted
end transaction
```

5.4.4 The GenCertificate Transaction

This transaction was designed to allow and encourage manual diligence over course completion evidences before issuing a certificate. It could also require multiple signatures for a certificate.

```
transaction GENCERTIFICATE(Teacher signatory, String[] subIds, String currId nullable, String certId nullable)
  if currId is not null then
    if Submissions in subIds are not all passed then return Transaction Rejected
    end if
    if Submissions do not fulfil Curriculum with currId then return Transaction Rejected
    end if
  else
    if Submissions in subIds are not all passed then return Transaction Rejected
    end if
    if Submissions do not fulfil a CourseModule then return Transaction Rejected
    end if
  end if
  if certId is not null then
    Update Certificate object with the new signatory on the blockchain
  else
    Create Certificate object on the blockchain
  end if
  if the required signatories have been added then
    Add relationship between Certificate object and the Learner
    Emit NewCertificate Event (String certId)
  end if
  return Transaction Accepted
end transaction
```

5.4.5 The ProposeCurriculum Transaction

```
transaction PROPOSECURRICULUM(Learner learner, Teacher teacher, String[] modIds, String currId nullable)
  if pre/co-requisites conflicts or repeated registrations exist then
    return Transaction Rejected
  end if
  if currId is not null then
    Overwrite Curriculum object with currId on the blockchain with new modIds
  else
    Create new Curriculum object on the blockchain with modIds
  end if
  return Transaction Accepted
end transaction
```

5.4.6 The ApproveCurriculum Transaction

```
transaction APPROVECURRICULUM(Teacher approver, String currId) Emit CurriculumApproved
Event (String currId, String learnerId)
if (thenLearner.balance of Curriculum with currId > cost of Curriculum)
    Deduct cost from Learner.balance all CourseModules in Curriculum to Learner.mods
    Add all CourseModules in Curriculum to Learner.mods
    Emit BalanceChanges Event (String learnerId, Double oldBalance, Double newBalance,
String details)
    return Transaction Accepted
else
    return Transaction Rejected
end if
end transaction
```

5.5 Access Control

The design of access control on the blockchain network was based on the Access Control Language of Hyperledger Composer. The language allows for the creation of access control rules that are conditional upon: the type of participant or asset, the use of a specific transaction, and the values of properties of the participant or asset.

This means the mode of access control for the blockchain is both role-based and attribute-based (transaction and condition). Figure 5.7 is a generic representation of what an access control rule deployed to the Hyperledger Fabric blockchain is composed of, drawn based on the style proposed by Poniszewska-Maranda et al. (2005) for extended role-based access controls.




Fig. 5.7 A flowchart representation of the Access Control model offered by Hyperledger Composer (The Linux Foundation, 2018).

Most of the rules are a form of Mandatory Access Controls across the network, enforced by the system and cannot be modified by users or client applications, where access to objects is restricted based on fixed security attributes (Yuan and Tong, 2005). Unless explicitly allowed by a defined access control rule, all operations are denied by default.

Some rules are more discretionary because the security-related attributes can be changed by users. For example, a *Learner* will be able to set its own *acLevels* and *privilegedReaderIds* fields to control

what records related to the *Learner* that *readers* can read. Integer values are stored in *acLevels* correlating to a permission permutation model inspired by UNIX file permissions.

Table 5.1 The Reader access permutation model for Learner assets

	0	1	2	3	4	5	6	7
Certificates (1)		✓		✓		✓		✓
Submissions (2)			✓	✓			✓	✓
Learner, Curriculums (4)					✓	✓	✓	✓

So an *acLevels* value of [1, 3] would mean all *Readers* can read your *Certificates*, while *Readers* included in *privilegedReaderIds* can read your *Certificates* and *Submissions*.

Table 5.2 lists all of the access control rules designed for the blockchain of this project. Note that a DELETE operation does not really delete records on the blockchain, it simply marks an asset in a registry as "deleted". Transactions records on the blockchain are immutable and cannot be deleted.

Table 5.2 The access control rules designed for the blockchain

Role	Transaction	Attribute-based Condition	Operation(s)	Object(s)
1 Learner, Teacher, Reader	-	-	READ	CourseModule, ModuleUnit, Assessment
2 Learner	-	user.ulId == object.ulId	UPDATE, READ	Learner
3 Learner	-	-	READ	Teacher, Reader
4 Learner	AddSubmission	user.ulId == object.learner.ulId	CREATE	Submission
5 Learner	-	user.ulId == object.learner.ulId	READ	Submission
6 Learner	ProposeCurriculum	user.ulId == object.learner.ulId	CREATE, UPDATE	Curriculum
7 Learner	-	user.ulId == object.learner.ulId	READ	Curriculum
8 Learner	-	user.ulId == object.learner.ulId	READ	Certificate
9 Teacher	-	user.ulId == object.ulId	UPDATE, READ	Teacher
10 Teacher	-	object.mods has (mod.teachers has (teacher.ulId == user.ulId))	READ	Learner
11 Teacher	-	-	READ	Reader
12 Teacher	CreateModule	object.teachers has (teacher.ulId == user.ulId)	CREATE	CourseModule, ModuleUnit, Assessment
13 Teacher	-	object.unit.mod.teachers has (teacher.ulId == user.ulId)	READ	Submission
14 Teacher	SubmitResult	user.ulId == object.teacherAssigned.ulId	UPDATE	Submission
15 Teacher	-	user.ulId == object.teacher.ulId	READ	Curriculum

(Continued on next page)

	Role	Transaction	Attribute-based Condition	Operation(s)	Object(s)
16	Teacher	ProposeCurriculum, ApproveCurriculum	user.ulId == object.teacher.ulId	UPDATE	Curriculum
17	Teacher	GenCertificate	user.ulId == transaction.signatory.ulId	CREATE, UPDATE	Certificate
18	Teacher	–	object.signatories has (signatory.ulId == user.ulId)	READ	Certificate
19	Reader	–	user.ulId == object.ulId	UPDATE, READ	Reader
20	Reader	–	–	READ	Teacher
21	Reader	–	n = object.learner.acLevels[0]	READ*	Certificate (n>=1), Submission (n>=3), Learner, Curriculum (n>=5)
22	Reader	–	object.learner.privilegedReaderIds has (id == user.ulId) AND n = object.learner.acLevels[1]	READ*	Certificate (n>=1), Submission (n>=3), Learner, Curriculum (n>=5)
23	ADMIN	–	–	CREATE, UPDATE, DELETE	composer.system.Participant
24	ADMIN	–	–	READ	ALL

5.6 Limitations

Some limitations have been discovered for the above blockchain network design. They have not been accounted for or patched because of either a desire to keep the design minimal and achievable, or a shortage of time to conduct background research. Here is a list of the notable limitations:

- The *Teacher* participant was not designed to have different tiers of privileges. In higher education, different roles such as module leader, module reviewer, supporting tutors exist. A module leader may also need the permissions to create new *Teacher* participants who are supporting tutors.
- There was no participant type for a higher education staff who is an institution administrator and not a teaching staff. They may require more permissions than a regular *Teacher* or *Reader*, and bespoke transactions.
- There was no further development around the *Reader* participant, with no transactions or client applications planned. This was to save design and development time as we already know from existing projects (Chapter 2.5) that public verification and visibility is possible.

5.7 User Interfaces for Client Applications

To demonstrate the improvements a blockchain back-end and Smart Contracts can bring to an e-Learning platform, a Learner client application and a Teacher client application will be built at the implementation stage.

While improving usability in e-Learning was not one of the objectives of this project, poor usability and interface designs could adversely affect the evaluation of improvements that this project aimed for.

Therefore, Nielsen (1995)'s famous five usability design goals and ten usability design heuristics were considered when developing the application prototypes. See Table 5.3:

To maximise learnability and user familiarity, the client applications will adopt a popular design language for their user interfaces. Material Design, a design system that combines theory, resources, and tools, is used by the most popular mobile operating system Android and many web applications (Google, 2018). Resources such as free-to-use icon packs and tools such as well-maintained user interface component libraries on various mobile and web development platforms will enable quick scaffolding of design compliant and highly usable applications.


Figure 5.8 shows the sitemap trees showing the contextual flow for users in the client applications:

No low fidelity prototypes for the two demonstrator applications were produced due to the lack of research need, since the usability design was driven by heuristics and not a more user-centred approach.

Table 5.3 Usability considerations for client applications in the Nielsen (1995) framework

Usability Goal	Usability Heuristic	Requirements from Ch. 4
Learnability	Match between system and the real world	Use common higher education glossary
	Visibility of system status	Notifications Area (NR3)
	Consistency and standards	Adopt a popular design language (NR6)
Efficiency	Flexibility and efficiency of use	Flexibility in results types (FR8)
Memorability	Recognition rather than recall	Always Visible Navigation Menu (NR7)
Error Reduction	Help users recognize, diagnose, and recover from errors	Error Messages on Transaction Failures (NR2)
Satisfaction	Aesthetic and minimalist design	The system should be highly usable and visually appealing (NR6)

Learner Client Application



Teacher Client Application




Fig. 5.8 Sitemap designs for the learner and teacher client applications with notes on the location of transaction ordering dialogues.

The next chapter will describe further how high fidelity, demonstration-ready web applications were built for this project.

Chapter 6

Implementation

6.1 Development Environment and Tools

Specific systems and tools were used to build the demonstrator network and client applications (as in Figure 6.1). These choices and their rationale are detailed below:




Fig. 6.1 A visual overview of the tools used and their usage statistics (Last Updated: 26th Mar 2018))

Operating System: The developer's guide for both Hyperledger Composer and Hyperledger Fabric recommends using Ubuntu or Mac OS as the host operating system for development. Ubuntu was selected for being the free, open source option. The development personal computer, which was originally a Windows machine, was set up to dual boot with the latest Ubuntu release.

Version Control: A version control system or software keeps track of source code modifications, so that developers can compare earlier versions of the code, revert changes, and minimise disruptions of mistakes (Atlassian, 2018). It is essential to medium to large scaled projects.

All work done at the implementation stage was tracked with the version control system Git. Git is a distributed version control system, where repositories can be backed up to a remote server, such as on the cloud. This is done with GitHub, a git-based version control, code hosting and project management service that offers free private repositories to verified students (GitHub, Inc., 2018).

Code Editor: The Hyperledger Composer framework does not require a dedicated integrated development environment and recommends using a text editor. Visual Studio Code, an open source text editor developed by Microsoft was chosen as it has an official syntax checking and beautifying plugin for Hyperledger Composer.

Community Support: Hyperledger Composer and Hyperledger Fabric have active communities on Stack Overflow, a popular online community forum for developers to discuss coding problems. Throughout the duration of the project, it has been a source of solutions to common problems faced and solved by many other users. Towards the end of the project, answer contributions were also made.

Several other tools were also used, for example, as previously mentioned in Chapter 3, Trello was used to manage feature prioritisation for the agile development process. The use of Docker containers, Node.js and npm will be explained in due course.

6.2 Architecture and Tech Stack




Fig. 6.2 Component architecture overview for the demonstrator system built (dashed lines components were not built)

The microservices architecture pattern is used to design the demonstrator system. Microservices is a pattern proposed by Richardson (2018) that structures a system as a set of loosely coupled, collaborating services, partitioned so that each service corresponds to a business capability.

In the demonstrator system (as in Figure 6.2), this is exemplified by the separation of teacher and student applications, the separation of content delivery and student records (blockchain), and the separation of different automatic marking services. They communicate through RESTful web protocols (HTTP and JSON). This also enables the use of different technologies, separate testing and deployment for each component.

Figure 6.3 shows an alternate overview of the demonstrator system with its technology stack. These main software packages are described further below.




Fig. 6.3 Technology Stack overview for the demonstrator system built

6.2.1 Client Applications

One way to develop applications that work across multiple platforms and devices (NR1) is to build a web application. The client applications for learners and teachers will have to be highly dynamic (non-static) web applications, with the JavaScript scripting language facilitating most of the user interactions.

Vue.js is a JavaScript-based framework for developing web interfaces. Vue.js was chosen over other popular frameworks such as React.js and Angular.js because it is focused on the view layer and is much simpler, and faster to learn. The Node.js JavaScript runtime was used to run the Vue.js

applications. The npm package manager was used to install and manage the packages used. See more package details such as version numbers in Appendix B.1.

6.2.2 Blockchain Network

Hyperledger Composer deploys to Hyperledger Fabric, which runs on Docker. Docker is a containerisation platform used to develop distributed systems. A container is a lightweight, stand-alone package of a piece of software that includes everything needed to run it from code and tools to system settings.

Docker can emulate multiple servers and run them separately on one development machine. This provides the peers that are needed to host the distributed ledger. A minimum of three docker containers are required to start a Fabric blockchain: the Central Authority server, a minimum of one peer server, and a CouchDB server, which is a database that stores the state of the blockchain in a queryable form.

See the full list of pre-requisites and dependencies in in Appendix B.2.

6.2.3 Automatic Marking Service

More automatic marking services were originally planned but due to time constraints only a simple JavaScript server that checks for file equivalence was implemented.

This was written with Express.js, a minimal Node.js web application framework and hosted on Heroku, a Node.js capable cloud platform with a free tier. See the full list of pre-requisites and dependencies in in Appendix B.3.

6.3 Blockchain Network Development

Beginning here, progress descriptions and evidence of implementation work will be presented. Github repository links are provided, alternatively a copy of the code is in Supporting Materials/Implementation/.

6.3.1 Command Line Interface

Using Docker, setup images of Hyperledger Fabric were downloaded, the basic three servers were set up and a certificate for the central authority administrator was generated. This allows Hyperledger Composer to later authenticate as the blockchain administrator and import custom network definitions.

The Hyperledger Composer notations from the design phase were packaged into a business network archive (.bna) file, and deployed to the Hyperledger Fabric blockchain.

Three bash shell scripts were written:

1. *start.sh*: this script starts Hyperledger Fabric, generates the minimum number of peers, and connects as the blockchain administrator. It then creates the .bna file (Hyperledger Composer definitions) and deploys it to Fabric. Figure 6.4 is a screenshot of the script running.

```

dtylam@gudebobu: ~/GitHub/moocon-beta
File Edit View Search Terminal Help
dtylam@gudebobu:~/GitHub/moocon-beta$ ./start.sh
starting local Hyperledger Fabric
Development only script for Hyperledger Fabric control
Running 'startFabric.sh'
FABRIC_VERSION is unset, assuming hlfv1
FABRIC_START_TIMEOUT is unset, assuming 15 (seconds)

#Detect architecture
ARCH=`uname -m`

# Grab the current directory
DIR="$( cd "$( dirname "${BASH_SOURCE[0]}" )" && pwd )"

#
cd "${DIR}"/composer
Creating network "composer_default" with the default driver
Creating ca.org1.example.com ...
Creating orderer.example.com ...
Creating couchdb ...
Creating orderer.example.com
Creating ca.org1.example.com
Creating couchdb ... done
Creating peer0.org1.example.com ...
Creating peer0.org1.example.com ... done

# wait for Hyperledger Fabric to start
# incase of errors when running later commands, issue export FABRIC_START_TIMEOUT=15
echo ${FABRIC_START_TIMEOUT}
15
sleep ${FABRIC_START_TIMEOUT}
re-generating and installing the .bna file
Creating Business Network Archive

Looking for package.json of Business Network Definition
Input directory: /home/dtylem/GitHub/moocon-beta

Found:
  Description: a network for MOOC contracts
  Name: moocon-beta
  Identifier: moocon-beta@0.1.3

Written Business Network Definition Archive file to
Output file: moocon-beta@0.1.3.bna

Command succeeded
✓ Installing runtime for business network moocon-beta. This may take a minute...
Command succeeded

starting network and pinging with admin identity
Starting business network from archive: moocon-beta@0.1.3.bna
Business network definition:
  Identifier: moocon-beta@0.1.3
  Description: a network for MOOC contracts

Processing these Network Admins:
  userName: admin

✓ Starting business network definition. This may take a minute...

```

Fig. 6.4 Screenshot of the start.sh script in action in a command line interface

2. *load_participant.sh*: this script connects as the blockchain administrator and creates three *Learner*, four *Teacher* and two *Reader* participants on the blockchain. A .card file is created for each participant, which contains the certificate they need to connect to the blockchain as themselves. In the final stages of development, this script is called by the previous *start.sh* to simplify the starting and loading process. See Figure 6.5 for a screenshot of the script running.

```

dtylam@gudebodu: ~/GitHub/moocon-beta
File Edit View Search Terminal Help
Successfully imported business network card
Card file: networkadmin.card
Card name: admin@moocon-beta

Command succeeded

The connection to the network was successfully tested: moocon-beta
version: 0.16.3
participant: org.hyperledger.composer.system.NetworkAdmin#admin

Command succeeded

creating learner user L01
Participant was added to participant registry.

Command succeeded

Issue identity and create Network Card for: L01
✓ Issuing identity. This may take a few seconds...

Successfully created business network card file to
Output file: L01.card

Command succeeded

```

Fig. 6.5 Screenshot of the *load_participant.sh* script in action in a command line interface

3. *destroy.sh*: at the end of every development session, the blockchain is completely erased and removed. This is because unwanted data entries or transactions may have occurred, and the blockchain schema can only be changed with a hard fork/ restart. See Figure 6.6 for a screenshot of the script running.

The GitHub source code repository used for the blockchain schema and command line scripting is hosted at github.com/dtylam/moocon-beta. Three branches (significant iterations) were created for this component, below in chronological order:

1. *moocon-alpha* branch: this is an archived repository of design work done with version 0.15.x of Hyperledger Composer, the project upgraded to version 0.16 in December, which contained breaking changes. The 0.16 upgrade was recommended by the Hyperledger developers because it was a long-term support release that was feature complete and stable, and added the useful .card file authentication protocol.

```

dtylam@gudebobu: ~/GitHub/moocon-beta
File Edit View Search Terminal Help
dtylam@gudebobu:~/GitHub/moocon-beta$ ./destroy.sh
Deleted Business Network Card: admin@moocon-beta
Command succeeded
Deleted Business Network Card: L01@moocon-beta
Command succeeded
Deleted Business Network Card: L02@moocon-beta
Command succeeded
Stopping peer0.org1.example.com ... done
Stopping couchdb ... done
Stopping ca.org1.example.com ... done
Stopping orderer.example.com ... done
Development only script for Hyperledger Fabric control
Running 'teardownFabric.sh'
Removing peer0.org1.example.com ... done
Removing couchdb ... done
Removing ca.org1.example.com ... done
Removing orderer.example.com ... done
Removing network composer_default

# remove the local state
#rm -rf ~/.composer-connection-profiles/hlfv1
#rm -f ~/.composer-credentials/*

# remove chaincode docker images
# docker rmi $(docker images dev-* -q)

# Your system is now clean
dtylam@gudebobu:~/GitHub/moocon-beta$ 

```

Fig. 6.6 Screenshot of the destroy.sh script in action in a command line interface

2. *master* branch: this is the original working branch on Hyperledger Composer 0.16, a bulk of design and development work was done, and changes to the schema and transactions were made based on literature review and background research.
3. *bcu* branch: this is the final, demonstration ready branch named after the proposed marketplace "Blockchain University". Changes were made to satisfy new requirements obtained through primary data (interviews in Chapter 4).

6.3.2 Application Program Interface

A readily available script connects the deployed blockchain to Loopback, an open source Node.js RESTful Application Program Interface (API) framework. The command used was:

```

composer-rest-server --card admin@moocon-beta --namespaces always
--websockets true --port 3000 --authentication true --multiuser true

```

This hosted a production-ready API at `localhost:3000`, connected to the server of the central authority administrator. Figure 6.7 shows the API explorer view generated by Loopback at `localhost:3000/explorer`.




Fig. 6.7 Screenshot of the auto-generated Loopback Explorer for the blockchain according to Hyperledger Composer definitions

Limitations existed for how multiple participants can use this same API. The API has to be authenticated as one peer at one time. It uses a construct called `wallet` to store `.card` files from participants and switches between them to create a "multiuser" API. So to switch between users in the client applications, a request must be made to `localhost:3000/wallet/{cardFileName}/setDefault`. This limitation was accepted for the demonstrator system, as it did not impact core requirements.

Postman, a popular API testing platform, was used to run tests against the API before and during the development of the client applications. This confirmed that the required API functionalities work well and prevented unexpected responses when building the client applications.

These tests were a form of grey-box testing. Knowledge about the API endpoints and parameters was required, but knowledge about how the Blockchain Network schema and transactions work was not required.




Fig. 6.8 Postman API Testing example Screenshot

6.4 Automatic Marking Service Development

The first iteration of the Blockchain Network had no automatic marking Smart Contract features. This was due to a limitation found during development of the original design. The original design of the Automatic Assessment Smart Contract would run a custom block of chaincode created by a Teacher for each assessment (See left-hand side of Figure 6.9).

However, the Hyperledger Composer framework did not allow chaincode to run code foreign to its main packages and vanilla JavaScript. This is due to the transpilation and deployment of Hyperledger Composer chaincode to the Hyperledger Fabric blockchain, a process which ordinary developers have no convenient controls over. It was not able to accept new snippets of code, created and uploaded to the blockchain by Teacher participants.

Understanding this limitation and after studying documentations further, a technically informed design was created (See right-hand side of Figure 6.9). The Hyperledger Composer framework allows chaincode to communicate with external APIs through a built-in method `post(url, data)` where `url` is the endpoint address of the desired API and `data` is a blockchain asset or concept serialised into JSON format.




Fig. 6.9 Flowchart of the original design (left) and the technically informed design (right) of how the Automatic Assessment Smart Contract should run

This limitation and subsequent redesign has actually inspired the microservices architectural approach covered in the previous section 6.1.

To use the `post(url, data)` functionality effectively, an extra asset `AutoAssessRequest` was added to the blockchain schema. `AutoAssessRequest` would contain the submission content file, the test file on the blockchain for this assessment, the test type of this assessment (eg. software testing, AI testing, etc), and an API response field. `AutoAssessRequest` packages all the information the external Automated Marking Services will need, and keeps the request and response records permanently on the blockchain.

To build an example automated marking service, a string equivalence test was created on a simple Express.js application server. Here is the simple code snippet used:

```

if (req.body.testFile === req.body.content) {
    res.json(true); // if the test file is equal to the submission file
} else { res.json(false); }

```

Even though this was just a simple equivalence test, it proved the blockchain's ability to conduct automated assessments, and more sophisticated assessment APIs could be called or routed to.

It was essential that this testing service was available on the world-wide web, because the peers were contained in Docker containers, where the normal workstation `localhost` address would not be easily reachable. Therefore, the Heroku Node.js hosting service was used and this example automated marking service is available at moocon-js-marking.herokuapp.com/.

The source code of this component is also tracked and hosted at github.com/dtylem/moocon-js-marking.

6.5 Client Applications Development

Before developing the client applications, some example data was created and imported into the network. This was nine courses modules, their module units and assessments. These data were created by loosely following the syllabuses of courses from several Massive Open Online Courses on EdX and Coursera offered by universities. You can see this data at github.com/dtyleam/moocon-beta/.../curl.

A video demonstration showcasing the user journeys across both applications was created and available on youtube.com/FUMBn6wPG5M.

An open source styling and component library, Vue-material, was used to create Material Design compliant user interfaces. Mozilla Firefox, a popular open-source browser, was used to debug the application. Notes on the development process are further detailed below.

6.5.1 Learner Application

The source code of this application was tracked and hosted at github.com/dtyleam/moocon-learner-client. Two branches (significant iterations) were created for this component, below in chronological order:

1. *master* branch: this is the first iteration made based on literature review and background research.
2. *bcu* branch: this is the final, demonstration ready branch. Changes were made to satisfy new requirements obtained through primary data (interviews in Chapter 4).

The switch from traditional static webpage development to component-driven development was a steep learning curve. Traditional web development focuses on the separation of concerns by file types, where markup (HTML), styling (CSS) and scripting (JavaScript) are in different files and folders.

JavaScript-based web applications, on the other hand, encourage organisation according to functional components. In Vue.js for example, components (.vue) files are used to write HTML, CSS and JavaScript in one file (Vue.js, 2017), which creates a component in the web application. .vue files are afterwards packaged to be production-ready webpages with build tools.

For example, the entire web application only used one main `index.html` page. Each main menu button such as "Ongoing Courses" swapped out the previous page component for another. Components can also be nested, the YouTube embedding view was its own component inside a page component, for example.

Below are some annotated screenshots of the application (Figures 6.10 to 6.17). They refer back to the requirements (FR and NR) in Chapter 4 where appropriate.




Fig. 6.10 Learner Application Login page (FR14)




Fig. 6.11 Learner Application Course Catalogue page




Fig. 6.12 Learner Application My Curriculum page

Fig. 6.13 Learner Application course module preview dialogue, with details such as learning objectives, assessment procedures and goals (FR4)

The screenshot shows a web browser window for 'Blockchain University - Mozilla Firefox' at 'localhost:8080'. The main content area is titled 'WEB001 Introduction to JavaScript (Ongoing)'. It features three main sections: 'Content / Materials' (with a video thumbnail titled 'Learn JavaScript in 12 Minutes'), 'Assessment Contract', and 'Submission'. On the left, a sidebar titled 'Learn' lists 'Ongoing Courses', 'My Submissions', 'Course Catalogue', 'My Curriculum', 'My Certificates', 'Access Control', 'My History', 'Refocus Session (dev)', and 'Log Out'.

Fig. 6.14 Learner Application example Ongoing Module page, where content for each module unit is embedded from external content delivery services (FR14)

The screenshot shows the same web browser window for 'Blockchain University - Mozilla Firefox' at 'localhost:8080'. The main content area is titled 'WEB001 Introduction to JavaScript (Ongoing)'. It includes sections for 'Content / Materials', 'Assessment Contract', and 'Submission'. Below these, detailed information is provided: 'KNOWLEDGE REQUIRED' (List 1. Primitive Data Types: What? When? How?, 2. Arrays: What? When? How?), 'WEIGHTING: 10 %', 'ASSESSMENT PROCEDURES: Auto Assessment' (with a 'VIEW TEST DETAILS' button), 'MARKING SCHEME:', 'Marking Criteria:', 'Equivalence 100% How alike is the test file compared with your submission', and 'Grade Descriptors:' (PASS: The test file is the same as your submission, FAIL: The test file is not the same as your submission). The left sidebar remains the same as in Fig. 6.14.

Fig. 6.15 Learner Application example Assessment Contract page (FR4, FR5)

The screenshot shows a web browser window for 'BlockChain University - Mozilla Firefox' at 'localhost:8080'. The main content area displays a course titled 'WEB001 Introduction to JavaScript (Ongoing)' with tabs for 'WEB001A DATA STRUCTURES', 'WEB001B CONDITIONALS AND LOOPS', 'WEB001C VIVA', 'CLASS FORUM', and 'DIRECT MESSAGE'. On the left, a sidebar for 'Jo Smith' lists 'Learn' (Ongoing Courses, My Submissions), 'Plan' (Course Catalogue, My Curriculum), 'Records' (My Certificates, Access Control, My History), and 'Logout'. The main content area has sections for 'Content / Materials', 'Assessment Contract', and 'Submission'. Under 'Submission', there are fields for 'Comments' and 'Attachments', with a note: 'Your latest submission will be used to attempt to satisfy the learning contract.' A red 'SUBMIT' button is at the bottom right.

Fig. 6.16 Learner Application example Submission page (FR11)

The screenshot shows a web browser window for 'BlockChain University - Mozilla Firefox' at 'localhost:8080'. The main content area displays an 'Access Control' section with tabs for 'All Readers' and 'Privileged Readers'. Under 'All Readers', there are three toggle buttons: 'Certificates' (off), 'Submissions' (off), and 'Registered Modules' (off). A 'Preview' section states: 'None of your data is visible to all readers.' Under 'Privileged Readers', there are three toggle buttons: 'Certificates' (on), 'Submissions' (on), and 'Registered Modules' (on). A 'Privileged Readers:' list includes 'Mo Ramen, PDC' and 'Graham Norton, BBC' with a '+' button. A 'Preview' section for 'Learning Profile' shows 'Learner' and 'Curriculum Result (if available)'. Below this are two boxes: 'Earned Certificates / Registered Modules' and 'Completed Modules: Units - Submissions - Grades - Dates'. At the bottom are fields for 'Date' and 'Personal Tutor (Teacher)'.

Fig. 6.17 Learner Application Access Control page (FR13)

6.5.2 Teacher Application

The Teacher application was created as a fork of the Learner application. The source code of this application was tracked and hosted at github.com/dtyleam/moocon-teacher-client. Only one iteration was completed by the end of the project, as this application was built after requirements gathering interviews.

Below are some annotated screenshots of this application (Figures 6.18 to 6.20). Again, requirements (FR and NR) from Chapter 4 are linked here where appropriate.




Fig. 6.18 Teacher Application My Courses page, uploaded course module data (.json files) would be checked to ensure adherence to blockchain schema (FR2, FR3, FR4)




Fig. 6.19 Teacher Application Curriculum Requests page (FR9)




Fig. 6.20 Teacher Application Marking Requests page, where teacher grade on a grid of marking criteria against grade descriptors (FR5)

6.6 Test-Driven Development

Support for unit testing is built-in for Hyperledger Composer with popular JavaScript testing frameworks Mocha and Chai. At the early stages of this project, an attempt at test-driven development was made. Unit tests were written before writing the code for transactions.

With the Hyperledger Composer 0.16 upgrade, the test scripts stopped working as the method for connecting to the blockchain network has changed. This complication rendered the previously written tests useless. Attempts were made to port the tests over to work in the updated framework but were not immediately successful. In the interest of time, test-driven development was abandoned.

At the time of abandoning these efforts, three unit tests were written targeting transactions, and two were passing. One asserts that a learner can subscribe to a course, and the other asserts that a learner can add a new submission. These tests can be found at: github.com/dtyleam/moocon-alpha/.../test_end2end.js.

6.7 Limitations, Outstanding Issues and Features

6.7.1 Limitations

The frameworks used have some notable limitations:

Limitation 1: Blockchain Events were broadcasted network-wide without access control filters.

Some Events were only targeted at a particular individual but all of the peers will receive it. For example, only the proposing *Learner* and their personal tutor *Teacher* should be receiving the notification that a curriculum has been proposed. Currently, all peers across the blockchain receive these notifications, they are only hidden at the client application level.

This is a limitation of Hyperledger Composer, which does not provide ways to limit the scope of an Event. It would cause privacy issues for a real-world system, as any actor on the blockchain could potentially listen to these Events and attempt to create a partial view of user histories.

Limitation 2: Client applications login sessions do not persist.

Built with the simple Vue.js framework, the applications did not have caching capabilities (that is included in a separate Vuex framework). When pages are reloaded the login session would automatically end. This could frustrate real-world users but was accepted as a limitation for this demonstrator.

6.7.2 Outstanding Issues

With a finite amount of time dedicated to development, a number of issues remain:

Issue 1: Notification icon in client applications are not changing when new notifications arrive.

The JavaScript function that receives Websocket messages (the web standard channel where new blockchain Events are broadcasted) was written in vanilla JavaScript, outside of the Vue.js framework. The Vue.js conditional block that controls the notification icon did not respond to new messages.

Issue 2: Main menu in learner application freezes after adding a new Viva booking submission.

This is a Heisenbug which appeared only sometimes when a full demonstration flow was performed. For a proof-of-concept demonstrator, the stability of the application was not the most important factor and priority was not given to solving this issue.

6.7.3 Outstanding Features

Several features were not built in time for the demonstrator system evaluation. Most of these features were not prioritised as "Must Have" previously in Chapter 4.2, aside from the certificate generation features.

- GenCertificate transaction (chaincode)
- My Certificate page for Learner application (UI)
- Certificate Requests page for Teacher application (UI)
- Feedback viewing dialogue for client applications (UI)

Summary

A working blockchain network, a client application for learners, and another for teachers were successfully built.

A demonstration workflow was created as the implementation phase came to an end to allow time for user evaluation. The previously mentioned video at youtube.com/FUMBn6wPG5M was recorded following the same steps as the user evaluation demonstration.

The following chapter will discuss evaluation further.

Chapter 7

Evaluation

Coming to the end of the project, evaluation was needed to measure and draw conclusions on its effectiveness. The project was evaluated in two ways: requirement-based testing and user evaluation.

7.1 Requirement-based Testing

One way to determine product quality is to evaluate the extent to which each stated requirement has been fulfilled (Bach, 1999). Since the requirements for this project addressed directly several of the problems found in literature and interviews with stakeholders, a high-quality product that satisfies these requirements would make the project more of a success.

This can be done with black box testing, with test cases that are traceable to one or more of the requirements as stated in Chapter 4.2.

The full list of requirement-based test cases run are listed in Appendix E. Overall, the results were positive. Out of the 19 requirement-based test cases developed, only 4 were not completely passing. They were all due to time limitations on implementation work. Remedial actions were carried out for the failed cases:

Test	Req	Requirement Statement	Status
2	FR2	Teachers would be able to create and edit learning resources	FAILED
3	FR3	Teachers would be able to create and edit assessments	FAILED
12	FR12	The system would be able to generate certificates on the blockchain when a course has been completed	FAILED
Explanations		Due to time limitation, features for editing existing courses and assessments, and features related to certificates have not been built.	
Remedial Action		During demonstrations, participants were told these features are possible and would be made available in future work.	

15	NR1	The client applications would have the same functionalities across devices and a responsive interface	FAILED
Explanations		A majority of pages have been optimised for smaller screens <u>but not all</u> . The applications work on all JavaScript enabled browsers across devices.	
Remedial Action		During demonstrations, the responsive design of webpages was showcased only on working pages.	

A limitation of these tests was that they were performed by the same person as the developer, and could lead to biased results. For example, no test cases have been developed for non-functional requirements NR4 and NR5, because they described criteria that cannot be objectively assessed by the developer.

7.2 User Evaluation

The aims of the project aimed to deliver benefits to students and teachers. It is therefore important to evaluate what these real-world stakeholders think about the project deliverables.

7.2.1 Methodology

Similar to the requirements gathering study in Chapter 4, a qualitative study was conducted with semi-structured, face-to-face interviews.

Another ethics submission was completed on BREO and approval was granted on 14th March. See Supporting Materials/Ethics/Evaluation/ for the approval letter, participant information sheet, consent form, and example questions documents.

The participants were gathered through directly emailing existing contacts (convenience sampling). The criteria were the same as the requirements study: higher education teaching staff with 10+ years of experience, and students with academic liaison experience.

A total of four interviews were conducted in March 2018. Three of the participants (A, C, E) are return participants from the requirements gathering interviews in Chapter 4. See table 7.1 for a more detailed description of these participants.

7.2.2 Interview Results and Analysis

To better draw conclusions on the aims and objectives of this project, a Likert-type scale was used for the first eight questions. They may look like structured questions, but participants were asked to give "How and Why?" follow-up responses after selecting an option on the scale.

Table 7.1 Participants in user evaluation interviews

Participant	Characterisation
Educator A	lecturer in higher education for over 20 years, and an experienced higher education administrator
Educator F	lecturer in higher education for over 10 years
Student C	university course representative for 3 years
Student E	university course representative for 2 years, peer-assisted learning leader for 1 year

The inclusion of the scale was to encourage participants to express an agree/ disagree opinion about the guiding statements, not for quantitative analysis. See Table 7.2 for the response values for these first eight questions, where 1 is for Strongly disagree, 2 for Disagree, 3 for Neither agree nor disagree, 4 for Agree, and 5 for Strongly agree.

Table 7.2 Responses to structured questions in user evaluation

	Statement	Participants			
		A	F	C	E
Q1	The features of the system communicate assessment expectations well	3	5	4	4
Q2	The features of the system improve transparency in assessment procedures	3	5	5	5
Q3	The features of the system make curriculum personalisation convenient	5	5	5	4
Q4	The system provides good (administrative/ pastoral) support for curriculum personalisation	5	5	4	3
Q5	The system can reduce tension and disagreements between educators and students	4	3	3	4
Q6	The system makes educational history more transparent and trustworthy	5	5	3	5
Q7	The access control features of the system preserve student privacy	4	5	5	5
Q8	The system increases trust in online education providers and credentials	4	5	4	4

Overall, the participants have rated the demonstrator system positively. None of the participants have disagreed with the above statements about the demonstrator, which was an encouraging sign. The lowest rated statement was Q5, where most participants have stated that they thought the system will help resolve conflicts and disagreements between teachers and students, but they could not say with great confidence that it could reduce the number of conflicts.

Moving on, the rest of the raw data ("How and Why" responses and open-ended questions) from interviews (transcripts) were analysed and grouped using thematic analysis techniques into observational statements (OS) and functionality suggestions (FS).

These statements and suggestions were sorted into three affinity groups: 1. assessments, 2. curriculum personalisation, and 3. privacy, security and trust. For the relevant transcript snippets for each evaluation question asked, please go to Appendix D. Here is a high-level discussion on the results:

On Assessments

	Statement or Suggestion	Participant
OS1	The system schema encourages communication of expectations, but the quality of communication depends on the course creators	A
OS2	The "assessment contract" is a good reminder for students before submission	E
OS3	The "assessment contract" could become a source of stress	E
OS4	Assessment feedback is enhanced by the transparency of marking criteria and grade split down	A, F, E
OS5	The system help resolve tension and disagreements, not necessarily reduce them	A, F, E
FS1	Links or further explanations for knowledge required	F
FS2	Assessment appeals and special circumstances requests should be logged on the blockchain	C
FS3	Teachers should be able to override calculated grades A grade override functionality that require a written reason could provide flexibility to teachers but still maintain transparency to students.	C

The participant reactions to the assessment features have been largely positive, with comments such as "that is more than what we offer to students right now" from Educator F. The "assessment contract" feature and the provision of marking criteria were praised (OS2, OS4).

Participants have suggested several interesting features. Teachers disliked the lack of control over the final grade output, and would like the ability to override the grade (FS3). Notably, assessment appeals (FS2) is an important area that a blockchain-based system could be great at facilitating, but unfortunately did not come up in the previous requirements gathering study.

On Curriculum Personalisation

OS6	The curriculum personalisation user interface was informative and easy to use	A, F, C, E
-----	--	------------

Curriculum personalisation features were also highly praised, with all participants noting that they liked the "My Curriculum" page in the learner application. The availability of support in the form of the direct message chat box was also unanimously praised (OS7).

OS7	The direct messages with tutors and advisors is a great channel for administrative and pastoral support	A, F, C, E
FS4	The learner-staff chat records could be kept on the blockchain	A
FS5	The approval process reduces the final say of the student. The approval of a curriculum is done by the teacher, which could produce a situation where a teacher refuses to approve a student's curriculum unless they change their modules. It is suggested that students should have the final decision on course selection, which is how module selection is more popularly done.	E

An important suggestion was raised by Student E, that current systems give students the final say over module choices, whereas the demonstrator system gave teachers the final say (FS5). To correct this, a future iteration of the design could separate the selection of modules (done by students), and the editing of programme specifications (done by teacher) into two transactions.

Privacy, Security and Trust

OS8	Access Controls previews are useful This feature was highly praised for giving control directly in the hands of students.	A, F, C
OS9	Secure storage of detailed records prevent future education history disputes	A

FS6	A crowdsourced reputation building model for course modules A module rating system for students and other academic staff could build trust in the quality of content and assessments.	A
-----	---	---

No red flags were raised by the participants about the access control rules the system used. The access control UI in the learner application was received very positively. The provenance and security of blockchain records would also add value in resolving disputes (OS5, OS9).

All of the participants thought that the added degree of transparency and provenance could increase trust in online education providers and credentials (Q8). This is very encouraging. A crowd-sourced/community-policing ratings feature was suggested (FS6) to further allow trust and reputation building on the system.

Throughout the demonstrations held, a lot of time and effort has to be put in describing how the blockchain was set up, and explaining the benefits of running assessments, and negotiating personalised curricula with Smart Contracts. This showed that the user interfaces and instructions were not effective enough in relaying the benefits of these features, and that public awareness of blockchain benefits was still quite primitive.

7.3 Conclusion

The demonstrator system has been a moderate success. 15 out of 19 of the requirement-based test cases have been passed and user evaluation feedback has been positive overall. All of the participants interviewed said they would enrol into a platform like this in the future (Appendix D.2.Q10), praising its transparency, security and user experience. Participants have also confirmed that the added provenance behind education processes and credentials could increase their trustworthiness.

Going back to the objectives of the design of the demonstrator system, Table 7.3 summarises how well these objectives have been achieved.

Table 7.3 Conclusions drawn from user evaluation

Objective	Conclusion from participant responses
Increase transparency in assessments	The system can achieve this, assuming that the human inputs are of high quality.
Facilitate curriculum personalisation	The system has been well designed to do this.
Increase security and privacy	The system has more access control features, more security, provenance, and redundancy built-in than regular systems.

Chapter 8

Conclusion

8.1 Work Completed

The main deliverables of this project have been the demonstrator system, the design work on blockchain data models, Smart Contracts and access control rules, and the primary data collected in requirements gathering and evaluation.

Going back to the aim of the project (as in Chapter 1.1), an e-Learning platform that fulfils educational assessments has been successfully designed and built. Both teachers and students have responded positively to the improvements made in assessments and curriculum personalisation. They have also agreed that it could improve privacy, security, trust, and help resolve conflicts in education.

The aim of the project has largely been satisfied, and it has been a good proof of the benefits that blockchain systems and Smart Contracts can bring to education.

8.2 Limitations

The potential improvements in communication provided by the system were limited by human actors. Quality of information and interactions are still dependant on individual teachers and students. For example, Bryan and Clegg (2006) noted that the explicit descriptions of learning outcomes, marking criteria and grade descriptors are not enough in higher education, that teachers should engage students in pre-assessment activities that create a social construct of what those statements mean.

The highly regulated and structured context of high education may have been limiting to this project. For example, institutions could be reluctant to liberalise their degree structures, or advocate automatic assessments, in order to protect their academic standards and reputation. A broader, general e-Learning platform for MOOCs or skill-sharing may have been a better fit for blockchain technologies.

Lastly, public awareness of the actual functionalities and benefits of blockchains and Smart Contracts seemed to stop at the belief that they are more secure. Properties such as peer execution and consensus were not well understood. The user interfaces of the demonstrator applications should have done more to illustrate these concepts through animations and descriptions.

8.3 Future Work

There are many directions in which future work can go. Some of the ideas are:

- **Create more higher education features:** several features were unfinished and many more were suggested in user evaluation. For example: certificates and transcripts; more assessment paradigms such as peer assessments, self assessments, double marking; features that support arbitration, appeals and extenuating circumstances for assessments.
- **Open-source development:** further develop the demonstrator system to create a versatile e-Learning software platform that any interested developers can clone and fork for their own purposes. This requires many improvements and may require changes to the current dependency on Hyperledger Composer and Vue.js to overcome technical limitations.
- **Create a proprietary MOOC platform:** changing some of the designs to fit the Massive Open Online Course market and productionising it, setting up a company to attract funding and content creators. This again will require many improvements to the system built so far.
- **Create a UI component and styling framework for blockchain applications:** the effectiveness of this project was partially dampened by the lack of an effective visual UI framework for blockchain and Smart Contract concepts/ features.
- **Investigate the role of cryptocurrency and micropayments in education:** Smart Contracts could also create a cryptocurrency and distribute it to participants, there could be value in creating a cryptocurrency in education.

Public interest in blockchains has continued to rise, and the use of blockchain in education continues to gain traction. Most recently in March 2018, a group of academics at Oxford University launched a for-profit online university using a blockchain back-end as a selling point (Pells, 2018). While not mainstream yet, it is certain that the use of blockchains and Smart Contracts will have a foothold in the education sector in the near future.

References

- Agile Business Consortium (2018). Moscow prioritisation | the dsdm agile project framework (2014 onwards). [online] <https://www.agilebusiness.org/content/moscow-prioritisation>.
- Al-Yazeedi, F., Payne, A., and Cribbon, T. (2012). Auto grading and providing formative feedback to students on documents submitted electronically. In *European Conference on e-Learning*, page 603. Academic Conferences International Limited.
- Ali, S. (2005). Effective teaching pedagogies for undergraduate computer science. *Mathematics and Computer Education*, 39(3):243.
- Atlassian (2018). What is version control. [online] <https://www.atlassian.com/git/tutorials/what-is-version-control>.
- Bach, J. (1999). Risk and requirements-based testing. *Computer*, (6):113–114.
- Beck, K., Beedle, M., Van Bennekum, A., Cockburn, A., Cunningham, W., Fowler, M., Grenning, J., Highsmith, J., Hunt, A., Jeffries, R., et al. (2001). Manifesto for agile software development. [online] <http://agilemanifesto.org/principles.html>.
- Bessonov, A. (2017). Five trends impacted by blockchain technology. [online] <https://www.forbes.com/sites/forbestechcouncil/2017/09/20/five-trends-impacted-by-blockchain-technology>.
- blockcerts.org (2018). Faq - blockcerts : The open initiative for blockchain certificates. [online] <https://www.blockcerts.org/guide/faq.html>.
- Bragg, S. (2014). Education, ‘consumerism’ and ‘personalisation’. 35.
- Brown Jr, J. (1999). *Assessment matters in higher education*. McGraw-Hill Education (UK).
- Bryan, C. and Clegg, K. (2006). *Innovative assessment in higher education*. Routledge.
- Campbell, A. (2010). Digital forms of assessment: Assessing what counts, the performance. *Curriculum, technology & transformation for an unknown future. Proceedings asilite Sydney*, 2010.
- Clarke, V. and Braun, V. (2014). Thematic analysis. In *Encyclopedia of critical psychology*, pages 1947–1952. Springer.
- Condie, R. and Munro, B. (2007). The impact of ict in schools: Landscape review.
- Cuicapuza, J. (2017). Hyperledger’s fabric composer: Simplifying business networks on blockchain. [online] <https://medium.com/@RichardCuica/hyperledgers-fabric-composer-simplifying-business-networks-on-blockchain-94313b979671>.
- Denham, E. (2017). Gdpr – sorting the fact from the fiction. [online] <https://iconewsblog.org.uk/2017/08/09/gdpr-sorting-the-fact-from-the-fiction/>.
- Dron, J. (2007). Designing the undesignable: Social software and control. *Educational Technology & Society*, 10(3):60–71.
- El-Khatib, K., Korba, L., Xu, Y., and Yee, G. (2003). Privacy and security in e-learning. *International Journal of Distance Education Technologies (IJDET)*, 1(4):1–19.

- GitHub, Inc. (2018). Github education. [online] <https://education.github.com/>.
- Google (2018). Material design. [online] <https://material.io/>.
- Green, H., Facer, K., Rudd, T., Dillon, P., and Humphreys, P. (2005). Futurelab: Personalisation and digital technologies.
- Gruber, J. (2004). Daring fireball: Markdown. [online] <https://daringfireball.net/projects/markdown/>.
- Gulhane, I. (2017). Create and execute blockchain smart contracts - ibm code.
- IBM Blockchain (2018). Ibm blockchain based on hyperledger fabric from the linux foundation. [online] <https://www.ibm.com/blockchain/hyperledger.html>.
- IEEE Computer Society (2013). Ieee standard for learning technology—learning technology systems architecture (ltsa). *IEEE Std*, 1484.1.
- McLeod, S. (2014). Structured and unstructured interviews. *Simply Psychology*. [online] <https://www.simplypsychology.org/interviews.html#unstructured>.
- Middleton, P. and Joyce, D. (2012). Lean software management: Bbc worldwide case study. *IEEE Transactions on Engineering Management*, 59(1):20–32.
- Nielsen, J. (1995). 10 usability heuristics for user interface design. *Nielsen Norman Group*, 1(1).
- Open University (2018). Open blockchain. [online] <http://blockchain.open.ac.uk/>.
- Opsecmonkey (2017). Edmodo education platform hit by hacker, 77m account details stolen. [online] <http://opsecmonkey.com/edmodo-education-platform-hit-by-hacker-77m-account-details-stolen/>.
- Pantò, E. and Comas-Quinn, A. (2013). The challenge of open education. *Journal of E-learning and Knowledge Society*, 9(1):11–22.
- Paulsen, M. F. (2004). Online education and learning management systems—global e-learning in a scandinavian perspective. *Education Review//Reseñas Educativas*.
- Pells, R. (2018). Oxford academics launch world's first 'blockchain university'. [online] <https://www.timeshighereducation.com/news/oxford-academics-launch-worlds-first-blockchain-university>.
- Poniszewska-Maranda, A., Goncalves, G., and Hemery, F. (2005). Representation of extended rbac model using uml language. In *International Conference on Current Trends in Theory and Practice of Computer Science*, pages 413–417. Springer.
- Richardson, C. (2018). Microservice architecture pattern. [online] <http://microservices.io/patterns/microservices.html>.
- Sony Global Education (2017). Sge education blockchain. [online] <https://blockchain.sonyged.com/>.
- Suhre, C. J., Jansen, E. P., and Torenbeek, M. (2013). Determinants of timely completion: the impact of bachelor's degree programme characteristics and student motivation on study progress. *Higher Education Research & Development*, 32(3):479–492.
- Swan, M. (2015). *Blockchain: Blueprint for a new economy*. " O'Reilly Media, Inc.".
- The Linux Foundation (2018). Introduction | hyperledger composer. [online] <https://hyperledger.github.io/composer/introduction/introduction.html>.
- Valenta, M. and Sandner, P. (2017). Comparison of ethereum, hyperledger fabric and corda. Technical report, FSBC Working Paper.
- Vue.js (2017). Single file components. [online] <https://vuejs.org/v2/guide/single-file-components.html>.
- Walport, M. (2016). Distributed ledger technology: beyond block chain. *UK Government Office for Science*.

- Wüst, K. and Gervais, A. (2017). Do you need a blockchain? *IACR Cryptology ePrint Archive*, 2017:375.
- Xu, X., Pautasso, C., Zhu, L., Gramoli, V., Ponomarev, A., Tran, A. B., and Chen, S. (2016). The blockchain as a software connector. In *Software Architecture (WICSA), 2016 13th Working IEEE/IFIP Conference on*, pages 182–191. IEEE.
- Yuan, E. and Tong, J. (2005). Attributed based access control (abac) for web services. In *Web Services, 2005. ICWS 2005. Proceedings. 2005 IEEE International Conference on*. IEEE.

Appendix A

Reflection

A.1 Project Management

This has been the biggest academic project I have ever undertaken and the risk of not completing enough on time was very high.

Care was taken to make sure that I managed the project in a lean and agile method (as mentioned in Chapter 3.3 and 3.4), which was very successful for the design and implementation stages. I was able to prioritise core features and finish them as soon as possible. This meant that at the latter half of the project, I was able to stop working on software at any point, and still have a viable product.

Managing writing progress has been less successful, as every section of this paper was important and indispensable. I had to plan and write in a structured order. This made the kanban for writing (Table 3.3) less effective than originally thought, as a kanban does not help plan dates and fixed deadlines, and prioritisations were not really meaningful in this case. If I were to do another research project like this, I would use a separate waterfall project management method to manage writing.

A.2 Research Skills

A lot has been learnt about qualitative research, how to conduct them and how to analyse them. Lots of great resources were available, such as academic guidelines and papers that critique qualitative research methods. They have certainly opened my eyes on how to best write questions and analyse responses.

My research skills have grown but still has a lot of room for improvement. For example, during the evaluation interviews, participants have complained that some questions were ambiguous. Thankfully due to the unstructured, face-to-face nature of the activity, I could explain and correct on the spot. Analysing qualitative data with thematic analysis techniques such as coding and theming (Clarke and Braun, 2014) was new to me as well.

I have also taken the time out to learn and use LaTeX, a preferred document markup language in academia, to typeset my report.

A.3 Technical Skills

When first approaching this project I had a lot of misconceptions about blockchains and Smart Contracts, but mostly I was under the impression that they are extremely complex and would be too technically challenging to achieve. This project has definitely demystified that, and reduced my fears about approaching new technologies in general. My ability to learn new software tools and coding languages from documentations have also improved.

I have also learnt a lot about building more complex web applications with JavaScript. Prior to this project, my level of understanding was very entry-level and JQuery was the only library I know of. Now I have a good understanding of Node.js, more complex frameworks and component driven development (see Chapter 6.5.1).

Appendix B

Demonstrator System Dependencies

B.1 Client Applications

1. **vuejs**: vue (2.5.11), vue-loader (13.0.5), vue-template-compiler (2.4.4)
the web development UI framework used
2. **vue-material** (1.0.0-beta-7)
a styling framework for Vue.js that follows the Google Material Design specifications
3. **vue-config** (1.0.0)
a plugin for Vue.js that allows simple caching of some configuration variables
4. **vue-youtube-embed** (2.1.3)
a plugin for Vue.js that makes embedding videos from youtube.com easier
5. **babel**: babel-core (6.26.0), babel-loader (7.1.2), babel-preset-env (1.6.0), babel-preset-stage-3 (6.24.1)
a tool that helps you write code in the latest version of JavaScript, compiling written code down to supported version if the environment does not run the latest.
6. **webpack**: webpack (3.6.0), webpack-dev-server (2.9.1), css-loader (0.28.7), file-loader (1.1.4)
a automatic bundling tool for developing JavaScript applications, transforming and organising assets such as images and CSS styling files

B.2 Blockchain Network

Hyperledger Fabric Pre-requisites:

1. **Ubuntu Linux** (17.10)
2. **Docker Engine** (17.12)
3. **Docker-Compose** (1.13.0)
4. **Node** (8.9.1)
5. **npm** (5.6.0)
6. **Python** (2.7.14)

Hyperledger Composer Pre-requisites and Dependencies:

1. **Node** (8.9.1)
2. **npm** (5.6.0)
3. **hyperledger composer** (0.16.3)
4. **mocha** (3.2.0)
javascript test framework for node.js
5. **chai** (3.5.0)
test driven development assertion framework for node.js
6. **moment** (2.17.1)
a package that help with parsing and displaying dates in JavaScript
7. **jsdoc** (3.5.5)
an API documentation generator

B.3 Automatic Marking Service

JavaScript Marking Service Dependencies:

1. **expressjs**: express (4.15.5), body-parser (1.18.2), serve-favicon (2.4.5), morgan (1.9.0)
2. **heroku-cli** (6.15.39)
3. **Node** (9.9.0)
4. **npm** (5.6.0)

Appendix C

Requirements Gathering Interview Transcripts

Below you will find the sample questions asked for each group, detailed descriptions and relevant transcript snippets for each problem statements. Any specifics regarding course, staff and event details have been anonymised. Here is the participant characterisations table again.

Participant	Characterisation
Educator A	lecturer in higher education for over 20 years, and an experienced higher education administrator
Educator B	lecturer in higher education for over 20 years, with research interests in e-learning interactions, effectiveness and acceptance
Student C	a university course representative for 3 years, which involves collecting and communicating student feedback and attending staff-student liaison meetings
Student D	a university peer assisted learning leader for 2 years, helping out lower level students with their academic work by facilitating peer discussions, and escalating common problems to academic staff in debrief sessions
Student E	a university course representative for 2 years and a peer assisted learning leader for 1 year

C.1 On Assessments

Sample Question: What are the problems with assessments in higher education today? / Is there tension between students and teachers over assessments, and why?

PS1: Poor communication of assessment expectations

Educator B: "Often it is not clear to the students what they have to do... staff [should be] making sure that it is clear what is expected of an assessment."

Student C: "Sometimes [assessments] are unfair because they are based on things you have not learnt in lectures but have to read around... so not knowing what is actually assessed..."

Student D: "Students have a lot of problem understanding what to do in assessments, it is not clear enough how you can prepare for it."

Student E: "[Teachers] did not put it out clearly... all of the students where just lost on what they are expecting from our coursework... people feel too stupid to ask those questions."

PS2: Lack of practice and formative feedback

Students transitioning from school to higher education would experience a drop in formative assessments (that do not affect their final grade) such as homework practices.

Educator B: "[Students] are not used to not practising what they have to do over and over again before [assessments]... and that's what they had done at school... and the students that I feel most need formative feedback also tends not to do them."

Student D: "[Students] really like past papers... Practice really helps... they are the best way of understanding what's coming in the exams."

PS3: Lack of standardisation in marking criteria and lack of automation in module review

Educator B: "In [our department] we have those assessment forms that we have to fill in, which ensures we at least but something for each of the [marking criteria] boxes... the marking scheme is sent to the module reviewer, who reads them and ensures they are clear. This is all manual... We are one of the few departments in the university that has anything like this. In lot of departments, these are not clearly defined by a long stretch."

Student C: "Having the marking criteria set in stone is actually the most important thing to students."

Student E: "[Assessments] are kind of fair, but it depends on who your tutor is... some tutors were giving As out way too easily... there should have been some sort of structure that the tutors followed."

PS4: Oral defence may be necessary to validate assessments

Educator A: "[Automated assessment] is problematic... to verify that is the viva (oral defence). When I talk to my group and ask what they got from that [automated] test they said they got 100... but when I ask them to explain it to me, they could not. So the final piece of validation that is needed before they move on from the level is to be able to question them on their answers. You can trust what's in the system but whether you trust the value of what's in a system depends on the viva."

Student E: "Some people that I know faked a whole coursework yet still got a banging grade even though they did not produce any [of their work]... no one is checking properly."

PS5: Lack of feedback and procedural transparency in terminal assessments

Student C: "One of the biggest issues is when you come out of the exams and you find out just the grade but you don't get to see the paper."

PS6: The need for synoptic (cross-topics) assessments

Educator B: "Assessments are very compartmentalised into their modules... that every module has its own assessments. This leads to students thinking that their learning in one module is irrelevant to another, whereas in the real world we draw knowledge from different areas."

C.2 On Curriculum Personalisation

Sample Question: What do you think are the current road blocks to offering more multi-disciplinary, personalised, or even multi-institutional arrangements for higher education?

PS7: There is a demand for multi-disciplinary degree offerings but only a few universities are

capable of offering them

It was argued by *Educator B* that having the freedom to choose is better than universities defining programmes that encompasses two particular fields, because these defined degrees could have a low intake and not be economically viable. However, universities today seem to struggle with bureaucracy with students who wish to choose modules outside of their programme.

Educator B: "Yes I do think there is a demand [for more multi-disciplinary offerings] and I know a lot of models that do work like this. The Open University and Oxford Brookes University do these style of degrees where students have some core modules that they have to do... surrounding that they can choose modules that then add up to a certain number of credits."

Student C: "Definitely if there is a bit more combination, or an allowance in terms of picking [modules] for your degree... I think there is definitely a demand."

Student D: "There is a range of students that you have to try and please... I did hear one complaint... they didn't understand how [one module] has anything to do with the course, that it wasn't that hands-on and practical. I [thought] it was really good personally."

PS8: Dedicated support and guidance is necessary for increased customisation

There are careers that require multi-disciplinary backgrounds, but there is a risk of students not making informed choices.

Educator B: "I think students need to be carefully guided through their choices and have good career advice... For example, the pharmaceutical industry is having a hard time finding people with a background in both IT and biology."

Student E: "There is no point if it is like doing two half degrees and they are missing out."

PS9: National regulations requiring programme outcomes and specifications deter movement

The UK higher education academic infrastructure requires all degree programme to lay out programme outcomes and programme specifications, which makes movement difficult.

Educator A: "If you want to move from [one institution] to somewhere else and you have 240 credits, the first thing I am going to ask you is, have you read my level 1 and level 2 outcomes? Are you in a place where you can, if you do level 3, meet the outcomes of the programme? ... [Our] credit model is not the same as the North American one, so actually movement between [institutions or programmes], despite the government always saying they want this, is mitigated against by the way we conceive education, which is about programmes representing... what you can do when you leave a programme."

PS10: Managing study load for multi-disciplinary courses may be difficult

Student E: "I don't think we have the time [to study many disciplines at once]... unless we have fewer modules... so their credits should be the same, they shouldn't take more credits because they chose to do another course."

C.3 Other Issues in Higher Education

Sample Questions: What else needs improving in higher education in general?

PS11: More support, interaction and engagement needed

Student D: "The way [teachers] interact sometimes is not that engaging... [they] could be giving out facts and information but they are not telling you... the interaction needs to be there... a lot of students

would just come out [thinking] I don't understand what's just been said."

Student D: "The contact time students and tutors have is not always as good as we think it is... face to face contact, that's what students are not getting enough of... the support you get can really change the outcome of assessments."

Student E: "Some students need a bit more help than others. Some people are embarrassed to face their learning difficulties."

PS12: Administrative middlemen causing delays and bottlenecks in institutions

Student E has complained that feedback was not given on time to students, and the excuse given was that the teaching staff has sent the feedback to administrative staff but it takes time for them to upload it onto respective systems.

PS13: Lack of support on self-regulated learning skills

Educator B: "[Students] don't realise the difference between school and university... the way they will be expected to learn... they have to do a lot of self-motivated learning and a lot of them find that a huge challenge. There is not enough help and guidance for students to make that transition."

C.4 Other Issues in E-Learning Systems

Sample Questions: What other features would you like to see in a future e-Learning system for higher education?

PS14: Fine grained access control for learning history needed to preserve privacy

Student D: "I don't think it's a good idea for all the records to be available to the public, not just anyone... I think students are very private... perhaps [the student could] allow employees and other institutions to view it."

Student E expressed concern over aggregated data, such as gender comparisons and class rankings, arguing that institutions do not have rights to disclose that data without permission.

PS15: Poor mobile friendliness in many e-Learning systems

Student C has pointed out that any new system should be built to be responsive and mobile friendly.

PS16: Real world learning activities not captured in course management systems

Educator A: "There will be things that were part of the education experience that are outside of the system such as face to face contact."

PS17: Systems cannot be customised to fit assessment and grading models

Many of the assessment features and functions on e-learning systems are incompatible with institutional requirements, or even national requirements. *Educator A* pointed out how there is no global standard in grade point averages, and gave examples of staff:

- taking assessments outside the system, then putting the results back in
- mapping grades from a system using North American points (back to British grades)
- incorporating an extra viva (oral defence) assessment step outside of e-learning systems
- modifying a Scandinavian system that requires double marking for all assessments to making double marking optional

PS18: Multiple systems used in concoction without login integration

Educator B: "[Teachers] have to log into all of them separately... which I find frustrating. Students find it frustrating as well... Blackboard Learn [a course management system] is one set of software, their intranet is another, Wiseflow [an e-Assessment system] is another, another login system entirely for e-Vision [a student record system]. Usability becomes a major pain point."

PS19: Lower trust and value associated with online institutions and programmes

Student C: "People tend to think online learning is a lot easier and it is devalued straight away. When you come to a campus to do it... it would probably be the same process as an online course but it would have more value because of the institution having a physical existence and not just a digital one."

Appendix D

User Evaluation Interview Transcripts

Below you will find the sample questions asked for each group, detailed descriptions and relevant transcript snippets for each problem statements. Any specifics regarding course, staff and event details have been anonymised. Here is the participant characterisations table again.

Participant	Characterisation
Educator A	lecturer in higher education for over 20 years, and an experienced higher education administrator
Educator F	lecturer in higher education for over 10 years
Student C	a university course representative for 3 years, which involves collecting and communicating student feedback and attending staff-student liaison meetings
Student E	a university course representative for 2 years and a peer assisted learning leader for 1 year

D.1 Structured Questions

These questions are structured as statements, which request for a response first on a Likert-type scale of 1 to 5:

1. Strongly disagree
2. Disagree
3. Neither agree nor disagree
4. Agree
5. Strongly agree

The participant then explains why and how they've come to this opinion, with reference to the demonstrator system.

Q1. The features of the system communicate assessment expectations very well.

Participant	A	F	C	E
Scale Given	3	5	4	4

Educator A: "It was clear what the assessment types were... I don't think (the demonstration) focused on the details of what the assessments required... but in terms of the features of the system, yes it does have the potential to communicate (the expectations) well. If (the assessment brief) is poorly written then it does not, if it is well written than it does, that is not down to the function of the system."

Educator F: "I think this is more than we currently provide to our students... it would be nice if (the list of knowledge required) has direct links to particular lectures or materials."

Student E: "When it shows the objectives... before they upload the submission... so they can't say they've forgotten about it. But it is a bit too much in your face, it would stress me out."

Q2. The features of the system improve transparency in assessment procedures.

Participant	A	F	C	E
Scale Given	3	5	5	5

Educator A: "Current systems can do it very badly or very well. It makes it more transparent than the systems that don't provide that level of transparency already now. Some of them already do. For example, you can build the criteria-based marking scheme in your system into other systems. If you force people to do that in a consistent way, yes it does."

Educator F: "It absolutely does... especially when a student can see what the assessor has picked (for each criteria)."

Student E: "I think the marking criteria, and seeing what we got from the marker is really useful because we don't have that currently. I think that is really good."

Q3. The features of the system make curriculum personalisation convenient.

Participant	A	F	C	E
Scale Given	5	5	5	4

Educator A: "Yes it does if what you are doing is collecting blocks. It was presented in a way that was easy to see what it was."

Student E: "(I like that) only your chosen modules are shown (in the Ongoing Modules page). At the moment, our system is very crowded."

Q4. The features of the system provide good (administrative/pastoral) support for curriculum personalisation.

Participant	A	F	C	E
Scale Given	5	5	4	3

Educator A: "I think the interesting thing is the ability to chat with advisors about them. There is also the potential for the chats to be stored. I think having that (chat) record that can be revisited is a good thing as long as (it is kept private)."

Educator F: "I like the fact that you can pick your modules while asking your tutor or support staff for more advice. It could be administrative issues as well to the support staff. When I see (my students) choose their modules they sometimes choose it blindly because they don't really have an idea what they want, so this could provide a lot more information and support. It is actually good for the organisation as well... having a more accurate headcount as the students are more confident about their choices."

Student C: "It's not a lot of admin work and it's a set of straightforward work, but you will need a few more people ready to support."

Student E: "I think it should be your decision what modules you want to do. The titles and programme outcomes... the system should just decide automatically based on the modules you chose. I don't want to give my supervisor the power to approve my decisions when I am paying (tuition)."

Q5. The system can reduce tension and disagreements between educators and students.

Participant	A	F	C	E
Scale Given	4	3	3	4

Educator A: "I think these things are best measured in practice. I think it would because of the focus on criteria-based statements... it doesn't stop people from arguing with the criteria, (students) are not really interested in criteria they are interested in grades. So it wouldn't get rid of disagreements and tension, but it would reduce it and focus the discussion on the criteria."

Educator F: "(The features) increase the provenance and transparency in how we grade and mark, that's a very good thing and that's what blockchain is all about, but I am not sure if this reduces the tension. I think it will most likely help people resolve disagreements, not to reduce them to begin with."

Student C: "If there is a disagreement, the student cannot report back in the system. The student should be able to start a conversation and argue their case... that should be on the blockchain."

Student E: "Somewhat, having the marking criteria and objectives on the page of submission means that they are the most recent version when you submit. The feedback on marking scheme also makes more sense when you read it. But it (could) stress students out more."

Q6. The features of the system make educational history more transparent and trustworthy.

Participant	A	F	C	E
Scale Given	5	5	3	5

Educator A: "Yes it does because you've got immutable records."

Student C: "If your conversations go wrong, you lose trust. Sometimes when people speak face to face it is a different interaction than what they do on a computer."

Student E: "It is very transparent. It is black and white. If you are a recruiter, you'd know it is official and not made up."

Q7. The access control features of the system preserve student privacy.

Participant	A	F	C	E
Scale Given	4	5	5	5

Educator A: "That depends on the security of the blockchain. Also, it is not private between you and the grader, or (institutional administrators)... privacy is not a right in all cases. (For the public readers,) I think that's a really great idea, some universities are starting to do systems where you could make your transcript available to people, (this system) puts you in control of it."

Educator F: "Yes because you are allowed to set different levels of access based on someone's role and that is essential."

Student C: "I like that you've got a preview of what others can see and you can tap on and off."

Q8. The features of the system increase trust in online education providers and credentials.

Participant	A	F	C	E
Scale Given	4	5	4	4

Educator A: "If you are aggregating content from anywhere, the quality of the content and assessments is the issue. The question is who is issuing the award, because often credibility and trust is about the award issuer. An institution might be more interested in protecting their reputation and use an instance of the blockchain instead of participating in the global marketplace blockchain. A MOOC platform like Coursera will have to issue their own awards. You cannot rely on the blockchain to give trust, unless you've got a crowd-sourced model, where students and academics can review and rate courses."

Educator F: "I think if you ask me a year ago I wouldn't (be convinced), but now with bitcoin and blockchain everywhere I think people are beginning to understand and it is becoming more mainstream in a way. People have developed trust because they can understand the technology better."

Student C: "There is clarity... and the simplicity of it. You can see everything. Some systems get rid of your records after a period of time."

D.2 Semi-Structured Questions

Q9. What are your thoughts on how the system conducts assessments and curriculum personalisation?

Educator A: "The system poses a lot of constraints on how assessment can be conducted. The assessor should be able to override grades the rubric has calculated with an explicit justification... that is transparent to the student."

Educator F: "I think it will not replace existing systems, but as universities start to offer more courses online to reduce cost and provide flexibility to students. I can see this system being extremely useful for that situation."

Educator F: "For traditional campus students, it could add value because it integrates functions of different systems, such as blackboard (a course content delivery platform) and Wiseflow (a digital assessment platform)."

Educator F: "There could be resistance from a lot of module leaders (on having detailed marking schemes)."

Student E: "I do want to see my supervisors face to face. If everything happens on the system, where is the trust in that? I want to know if they are behind that screen... a lot of students may not be comfortable with video chats and recordings."

Q10. Is the system useful? Would you consider enrolling into this marketplace platform in the future?

Educator A: "As a provider of content, yes. I think the market globally is going towards individual providers of content. I think the UK is not the place of such a market but the US is. Even for physical universities, that would be a good thing because they can recruit more students globally, and take the pressure off their estate."

Educator A: "I know of a case where a student from 20 years ago has came back to ask for his records and a transcript, but the department no longer has them (after moving systems and records several times). I think the student is trying to pull a fast one where he has never graduated. Recording assessments has massive value, and gives much greater security."

Educator F: "Potentially you can pick credits from Stanford and Harvard. It makes sense from the student's point of view, and also to people who may not have access to institutions. I would use it as a teacher as well."

Student C: "Yes, just because it is easier and more convenient."

Student E: "Yes I absolutely would. It makes you feel like every student has their own thing and only you could see this. And I like the user experience as well."

Appendix E

Requirement-based Test Cases

Below are the test cases run for the software testing evaluation in Chapter 7.1. Testing evidences such as screenshots are not included to reduce the length of this document.

Test	Req	Requirement Statement	Status	
1	FR1	The system would store learner records on a blockchain	PASSED	
2	FR2	Teachers would be able to create and edit learning resources	FAILED	
		The user interface and transaction for creating learning resources have been built, but not for editing.		
3	FR3	Teachers would be able to create and edit assessments	FAILED	
		The user interface and transaction for creating assessments have been built, but not for editing.		
4	FR4	The system would enforce the provision of learning outcomes, knowledge required and assessment goals	PASSED	
		Course modules, module units and assessments cannot be created without these fields.		
5	FR5	The system would enforce predefined assessments rules (eg. marking schemes, transparent procedures and feedback) with Smart Contracts	PASSED	
6	FR6	The system would enforce predefined assessments rules (eg. marking schemes, transparent procedures and feedback) with Smart Contracts	PASSED	
7	FR7	The system would be able to facilitate vivas (oral defence) as a form of assessments	PASSED	
		This feature is present but could be improved. For example, time selection fields are missing from the UI and blockchain schema.		
8	FR8	The system would provide multiple ways to define grade schema	PASSED	
		Support for pass/ fail, score, and grade result types.		
9	FR9	Teachers would be able to negotiate a customised list of courses for a student within a fixed course credits budget, customising degree specifications	PASSED	
10	FR10	The system should feature dedicated support channels between students and teachers or other advisors	PASSED	
		This is present in the form of a direct messaging UI.		
11	FR11	Students would be able to add assessment submissions on the blockchain	PASSED	

Test	Req	Requirement Statement	Status	
12	FR12	The system would be able to generate certificates on the blockchain when a course has been completed	FAILED	
		This feature has not been completed due to time limitation		
13	FR13	The system would allow students to control access to their education history on the blockchain	PASSED	
14	FR14	The system would provide one login for content delivery, assessment and record keeping	PASSED	
		Content delivery is embedded into this system, which facilitates assessment and record keeping, with a single sign-on with the .card file.		
15	NR1	The client applications would have the same functionalities across devices and a responsive interface	FAILED	
		The client applications work on all JavaScript enabled browsers and have the same functionalities across devices. A majority of pages have been optimised for smaller screens but not all.		
16	NR2	The client applications would fail safely and display error messages to the user	PASSED	
		A dialogue is created for every transaction and clear error messages are shown when transactions fail.		
17	NR3	The client applications would notify users of relevant events on the blockchain network	PASSED	
		A notification drawer is built for the client applications.		
18	NR6	The system should be highly usable, visually consistent and appealing	PASSED	
		A consistent UI design language framework is adopted for the client applications.		
19	NR7	The client applications should always display its navigation menu and status of the application	PASSED	
		A navigation menu is always present on the left edge, and a top title bar displays where the user is at.		

No test cases have been developed for non-functional requirements NR4 and NR5, because they describe criteria that cannot be objectively assessed by the developer.