

Groverize Monotone Local Search. (Short Note)

David Ponarovsky

April 25, 2023

1 Todo.

1. Write the table (sage script).
2. Add definitions. Problem description.
3. Complete the 'proof'.
4. Prove lower bound.


2 Introduction.

We follow the study of [Fom+15], who relate between the parametrized complexity to the general average case complexity. Crudely put, they shown that for particular wide range of **NP** hard problems, a solution which run exponentially at some complexity parameter, for example the tree-width of a graph, can be used to derive a batter than bruteforce solution for the general problem. We continue their work by plugin the Grover search [Gro96] routine instead the original sampling process.

$$\begin{aligned} \sum_{k' \leq k} \frac{1}{\sqrt{p(k')}} \cdot c^{k'-t} N^{\mathcal{O}(1)} &\leq \max_{k' \leq k} \left(\frac{\binom{n-|X|}{t}}{\binom{k'}{t}} \right)^{\frac{1}{2}} \cdot c^{k'-t} N^{\mathcal{O}(1)} = \\ \left(\max_{k' \leq k} \frac{\binom{n-|X|}{t}}{\binom{k'}{t}} \cdot c^{2(k'-t)} \right)^{\frac{1}{2}} N^{\mathcal{O}(1)} &= \left(\max_{k \leq n-|X|} \frac{\binom{n-|X|}{t}}{\binom{k}{t}} \right)^{\frac{1}{2}} \cdot c^{2(k-t)} N^{\mathcal{O}(1)} \leq \\ \Rightarrow \left(2 - \frac{1}{c^2} \right)^{\frac{n-|X|}{2}} N^{\mathcal{O}(1)} \end{aligned}$$

Problem Name	Parameterized	Groverize	New bound	Previous Bound
FEEDBACK VERTEX SET	3^k (r) [Cyg+11]	1.3744^k	1.6667^n (r)	
FEEDBACK VERTEX SET	3.592^k [KP14]	1.3865^k	1.7217^n	1.7347^n [FTV13]
SUBSET FEEDBACK VERTEX SET	4^k [Wahlstrom14]	1.3919^k	1.7500^n	1.8638^n [Fom+14]
FEEDBACK VERTEX SET IN TOURNAMENTS	1.6181^k [KL16]	1.2720^k	1.3820^n	1.4656^n [KL16]
GROUP FEEDBACK VERTEX SET	4^k [Wahlstrom14]	1.3919^k	1.7500^n	NPR
NODE UNIQUE LABEL COVER	$ \Sigma ^{2k}$ [Wahlstrom14]	1.3919^k	$(2 - \frac{1}{ \Sigma })^n$	NPR
VERTEX (r, ℓ) -PARTIZATION $(r, \ell \leq 2)$	3.3146^k [KolayP15; Bas+17]	1.3817^k	1.6984^n	NPR
INTERVAL VERTEX DELETION	8^k [Cao16]	1.3466^k	1.8750^n	$(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [BFP13]
PROPER INTERVAL VERTEX DELETION	6^k [tV13; Cao16]	1.4087^k	1.8334^n	$(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [BFP13]
BLOCK GRAPH VERTEX DELETION	4^k [Agr+16]	1.4044^k	1.7500^n	$(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [BFP13]
CLUSTER VERTEX DELETION	1.9102^k [Bor+14]	1.3919^k	1.4765^n	1.6181^n [Fom+10]
THREAD GRAPH VERTEX DELETION	8^k [Kan+15]	1.3919^k	1.8750^n	NPR
MULTICUT ON TREES	1.5538^k [Kan+14]	1.3138^k	1.3565^n	NPR
3-HITTING SET	2.0755^k [MagnusPhD07]	1.4087^k	1.5182^n	1.6278^n [MagnusPhD07]
4-HITTING SET	3.0755^k [Fom+10]	1.2593^k	1.6750^n	1.8704^n [Fom+10]
d -HITTING SET $(d \geq 3)$	$(d - 0.9245)^k$ [Fom+10]	1.1763^k	$(2 - \frac{1}{(d-0.9245)})^n$	$(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [Coc+16; Fom+10]
MIN-ONES 3-SAT	2.562^k [abs-1007-1166]	1.3296^k	1.6097^n	NPR
MIN-ONES d -SAT $(d \geq 4)$	d^k	1.3763^k	$(2 - \frac{1}{d})^n$	NPR
WEIGHTED d -SAT $(d \geq 3)$	d^k	1.3763^k	$(2 - \frac{1}{d})^n$	NPR
WEIGHTED FEEDBACK VERTEX SET	3.6181^k [Agr+16]	1.1763^k	1.7237^n	1.8638^n [Fom+08]
WEIGHTED 3-HITTING SET	2.168^k [SZ15]	1.3593^k	1.5388^n	1.6755^n [Coc+16]
WEIGHTED d -HITTING SET $(d \geq 4)$	$(d - 0.832)^k$ [Fom+10; SZ15]	1.3919^k	$(2 - \frac{1}{d-0.932})^n$	$(2 - \varepsilon)^n$ for $\varepsilon < 10^{-20}$ [Coc+16]

Table 1: Summary of known and new results for different optimization problems. NPR means that we are not aware of any previous algorithms faster than brute-force. All bounds suppress factors polynomial in the input size N . The algorithms in the first row are randomized (r).



References

- [Gro96] Lov K. Grover. *A fast quantum mechanical algorithm for database search*. 1996. arXiv: [quant-ph/9605043](https://arxiv.org/abs/quant-ph/9605043) [quant-ph].

- [Fom+08] Fedor V. Fomin et al. “On the minimum feedback vertex set problem: exact and enumeration algorithms”. In: *Algorithmica* 52.2 (2008), pp. 293–307. ISSN: 0178-4617. DOI: [10.1007/s00453-007-9152-0](https://doi.org/10.1007/s00453-007-9152-0). URL: <https://doi.org/10.1007/s00453-007-9152-0>.
- [Fom+10] Fedor V. Fomin et al. “Iterative compression and exact algorithms”. In: *Theoret. Comput. Sci.* 411.7-9 (2010), pp. 1045–1053. ISSN: 0304-3975. DOI: [10.1016/j.tcs.2009.11.012](https://doi.org/10.1016/j.tcs.2009.11.012). URL: <https://doi.org/10.1016/j.tcs.2009.11.012>.
- [Cyg+11] Marek Cygan et al. “Solving connectivity problems parameterized by treewidth in single exponential time (extended abstract)”. In: *2011 IEEE 52nd Annual Symposium on Foundations of Computer Science—FOCS 2011*. IEEE Computer Soc., Los Alamitos, CA, 2011, pp. 150–159. DOI: [10.1109/FOCS.2011.23](https://doi.org/10.1109/FOCS.2011.23). URL: <https://doi.org/10.1109/FOCS.2011.23>.
- [tV13] Pim van ’t Hof and Yngve Villanger. “Proper interval vertex deletion”. In: *Algorithmica* 65.4 (2013), pp. 845–867. ISSN: 0178-4617. DOI: [10.1007/s00453-012-9661-3](https://doi.org/10.1007/s00453-012-9661-3). URL: <https://doi.org/10.1007/s00453-012-9661-3>.
- [BFP13] Ivan Bliznets, Fedor V. Fomin, and Yngve Pilipczuk Michał and Villanger. “Largest chordal and interval subgraphs faster than 2^n ”. In: *Algorithms—ESA 2013*. Vol. 8125. Lecture Notes in Comput. Sci. Springer, Heidelberg, 2013, pp. 193–204. DOI: [10.1007/978-3-642-40450-4_17](https://doi.org/10.1007/978-3-642-40450-4_17). URL: https://doi.org/10.1007/978-3-642-40450-4_17.
- [Bor+14] Anudhyan Boral et al. “A fast branching algorithm for cluster vertex deletion”. In: *Computer science—theory and applications*. Vol. 8476. Lecture Notes in Comput. Sci. Springer, Cham, 2014, pp. 111–124. DOI: [10.1007/978-3-319-06686-8_9](https://doi.org/10.1007/978-3-319-06686-8_9). URL: https://doi.org/10.1007/978-3-319-06686-8_9.
- [Fom+14] Fedor V. Fomin et al. “Enumerating minimal subset feedback vertex sets”. In: *Algorithmica* 69.1 (2014), pp. 216–231. ISSN: 0178-4617. DOI: [10.1007/s00453-012-9731-6](https://doi.org/10.1007/s00453-012-9731-6). URL: <https://doi.org/10.1007/s00453-012-9731-6>.
- [Kan+14] Iyad Kanj et al. “Algorithms for cut problems on trees”. In: *Combinatorial optimization and applications*. Vol. 8881. Lecture Notes in Comput. Sci. Springer, Cham, 2014, pp. 283–298. DOI: [10.1007/978-3-319-12691-3_22](https://doi.org/10.1007/978-3-319-12691-3_22). URL: https://doi.org/10.1007/978-3-319-12691-3_22.
- [KP14] Tomasz Kociumaka and Marcin Pilipczuk. “Faster deterministic Feedback Vertex Set”. In: *Inform. Process. Lett.* 114.10 (2014), pp. 556–560. ISSN: 0020-0190. DOI: [10.1016/j.ipl.2014.05.001](https://doi.org/10.1016/j.ipl.2014.05.001). URL: <https://doi.org/10.1016/j.ipl.2014.05.001>.
- [Cao15] Yixin Cao. “Unit interval editing is fixed-parameter tractable”. In: *Automata, languages, and programming. Part I*. Vol. 9134. Lecture Notes in Comput. Sci. Springer, Heidelberg, 2015, pp. 306–317. DOI: [10.1007/978-3-662-47672-7_25](https://doi.org/10.1007/978-3-662-47672-7_25). URL: https://doi.org/10.1007/978-3-662-47672-7_25.
- [FTV15] Fedor V. Fomin, Ioan Todinca, and Yngve Villanger. “Large induced subgraphs via triangulations and CMSO”. In: *SIAM J. Comput.* 44.1 (2015), pp. 54–87. ISSN: 0097-5397. DOI: [10.1137/140964801](https://doi.org/10.1137/140964801). URL: <https://doi.org/10.1137/140964801>.
- [Fom+15] Fedor V. Fomin et al. *Exact Algorithms via Monotone Local Search*. 2015. arXiv: [1512.01621](https://arxiv.org/abs/1512.01621) [cs.DS].
- [Kan+15] Mamadou Moustapha Kanté et al. “An FPT algorithm and a polynomial kernel for linear rankwidth-1 vertex deletion”. In: *10th International Symposium on Parameterized and Exact Computation*. Vol. 43. LIPIcs. Leibniz Int. Proc. Inform. Schloss Dagstuhl. Leibniz-Zent. Inform., Wadern, 2015, pp. 138–150.
- [SZ15] Hadas Shachnai and Meirav Zehavi. “A multivariate approach for weighted FPT algorithms”. In: *Algorithms—ESA 2015*. Vol. 9294. Lecture Notes in Comput. Sci. Springer, Heidelberg, 2015, pp. 965–976. DOI: [10.1007/978-3-662-48350-3_80](https://doi.org/10.1007/978-3-662-48350-3_80). URL: https://doi.org/10.1007/978-3-662-48350-3_80.

- [Agr+16] Akanksha Agrawal et al. “A faster FPT algorithm and a smaller kernel for block graph vertex deletion”. In: *LATIN 2016: theoretical informatics*. Vol. 9644. Lecture Notes in Comput. Sci. Springer, Berlin, 2016, pp. 1–13. DOI: [10.1007/978-3-662-49529-2_1](https://doi.org/10.1007/978-3-662-49529-2_1). URL: https://doi.org/10.1007/978-3-662-49529-2_1.
- [Cao16] Yixin Cao. “Linear recognition of almost interval graphs”. In: *Proceedings of the Twenty-Seventh Annual ACM-SIAM Symposium on Discrete Algorithms*. ACM, New York, 2016, pp. 1096–1115. DOI: [10.1137/1.9781611974331.ch77](https://doi.org/10.1137/1.9781611974331.ch77). URL: <https://doi.org/10.1137/1.9781611974331.ch77>.
- [Coc+16] Manfred Cochefert et al. “Faster algorithms to enumerate hypergraph transversals”. In: *LATIN 2016: theoretical informatics*. Vol. 9644. Lecture Notes in Comput. Sci. Springer, Berlin, 2016, pp. 306–318. DOI: [10.1007/978-3-662-49529-2_23](https://doi.org/10.1007/978-3-662-49529-2_23). URL: https://doi.org/10.1007/978-3-662-49529-2_23.
- [KL16] Mithilesh Kumar and Daniel Lokshtanov. “Faster exact and parameterized algorithm for feedback vertex set in tournaments”. In: *33rd Symposium on Theoretical Aspects of Computer Science*. Vol. 47. LIPIcs. Leibniz Int. Proc. Inform. Schloss Dagstuhl. Leibniz-Zent. Inform., Wadern, 2016, Art. No. 49, 13.
- [Bas+17] Julien Baste et al. “Parameterized complexity dichotomy for (r, ℓ) -vertex deletion”. In: *Theory Comput. Syst.* 61.3 (2017), pp. 777–794. ISSN: 1432-4350. DOI: [10.1007/s00224-016-9716-y](https://doi.org/10.1007/s00224-016-9716-y). URL: <https://doi.org/10.1007/s00224-016-9716-y>.