

Chapter 11

Minimum Spanning Tree Recitation.

11.1 The Spanning Tree Problem.

Definition 11.1.1. A spanning tree T of a graph $G = (V, E)$ is a subset of edges in E such that T is a tree (having no cycles), and the graph (V, T) is connected.

Problem 11.1.1 (MST). Let $G = (V, E)$ be a weighted graph with weight function $w : E \rightarrow \mathbb{R}$. We extend the weight function to subsets of E by defining the weight of $X \subset E$ to be $w(X) = \sum_{e \in X} w(e)$. The minimum spanning tree (MST) of G is the spanning tree of G that has the minimal weight according to w . Note that in general, there might be more than one MST for G .

Definition 11.1.2. Let $U \subset V$. We define the cut associated with U as the set of outer edges of U , namely all the edges $(u, v) \in E$ such that $u \in U$ and $v \notin U$. We use the notation $X = (U, \bar{U})$ to represent the cut. We say that $E' \subset E$ respects the cut if $E' \cap X = \emptyset$.

Lemma 11.1.1 (The Cut-Lemma). *Let T be an MST of G . Consider a forest $F \subset T$ and a cut X that respects X (i.e. $F \cap X = \emptyset$). Then $F \cup \arg \min_e w(e)$ is also contained in some MST. Note that it does not necessarily have to be the same tree T .*

Result: Sorting A_1, A_2, \dots, A_n

```
1 for  $i \in [n]$  do
2   for  $j \in [n]$  do
3     if  $A_i < A_j$  then
4        $\text{swap } A_i \leftrightarrow A_j$ 
5     end
6   end
7 end
```

Algorithm 1: Kruskal alg.