## Quantum Information Theory - 67749 Guided Exercise on Recitation, June 12, 2025

## 1 CSS codes.

1. Prove that the relation  $C_X \subset C_Z^{\perp}$  implies  $H_Z H_X^{\perp} = 0$ , where  $H_Z$  and  $H_X$  are the parity check matrices of the codes  $C_X, C_Z$ .

[Solution.]  $H_X^{\top}$  is the generator matrix of the subspace spanned by its columns (True for any matrix), namely by  $H_X$  rows, which, by definition, are all the vectors perpendicular to codewords in  $C_X$ . Thus,  $H_X^{\top}$  is the generator matrix for the code  $C_X^{\perp}$ . Since  $C_X^{\perp} \subset C_Z$ , we get the relation  $H_Z H_X^{\top} = 0$ .

2. Prove that it cannot hold that both of the codes  $C_X$ ,  $C_Z$  are LDPC codes with non-constant distance, and that they compose a CSS code.

[Solution.] By the relation  $H_Z H_X^{\top} = 0$ , we have that any check of  $H_X$  is a codeword of  $C_Z$ , so requiring that  $C_X$  is an LDPC code implies that  $C_Z$  has codewords at weight O(1).

3. Take a minute to think about the result above. Try to understand why your TA believes that this should be the entry point to explain why the world that we see around us is classical and not quantum.