

Technical Documentation

Overall Architecture and Design

As is stated in the android programming tutorial, each activity represents a panel/ UI in the android app. At the same time, AndroidManifesto.xml governs the layout of the UIs, as well as the interactions and relative layouts between them.

The overall structure of app is elaborated in the following walk through of the app:

When a new user first opens the app, the app checks with the database to validate the user. This is done by MainActivity.java, LoginActivity.java, in conjunction with Backend.java class which helps facilitates interaction with the backend. The interaction with DreamFactory (provided by Bitnami, which wraps around the mySQL running on EC2 virtual machine) is then delegated to the DreamFactoryGetJob.java and other two class in the job packet. The models package, which contains models like UserDataModel.java, LoginModel.java is used to represent the Model View Control structure so that data and views can be encapsulated, which is also an encouraged design pattern. The classes in the models package interact with the DreamFactory JSON objects to receive and break down information from the database. The fromJson method in the SymptomDataModel.java class is an example of this functionality. They also help package information entered by the user into JSON objects to send to the database. The toJson method written in the SymptomDataModel class does exactly that.

After the user is validated via the database, the LockActivity.java comes into place, and prompts user to set a pin number. The purpose of the pin is to make it easier for user to re-login once he/she has logged out. After the pin is set, when user opens the app, the main activity will be presented.

The classes in the events package serve as a way to notify the system of when certain events take have taken place. For example, the SendSympDFEvent indicates that we are done trying to send medication data to DreamFactory. All the other events function in the same way.

The main activity is composed of the following four parts:

Components breakdown:

Symptom Data Module (upper right block)

1. When a user clicks on the upper right block, the SymptomsActivity.java class is called. This activity has a JobManager which invokes the classes in the jobs package that

eventually sent information to the DreamFactory database. This class contains the methods which facilitate the transfer of symptom data between the UI and the database. For example, the `getSymptomsData` method takes the information entered into the radio buttons in the upper right block, creates a `SymptomDataModel` object and then invokes its methods to put the data into a JSON object and eventually send the JSON object into the DF database. Events are sent from these activities when a request is finished sending or received.

Medication Data Module (upper left block)

1. This upper left block deals with the medications that a user is taking. The `MedicationActivity` has a method which fills in a list of which medication items the user takes. Each one of these items has the medication's name and a radio group that is filled in with the default number of medications the user is supposed to take during their current time interval. `MedicationActivity.java` sets up the block with a slightly different UI based on the time of day (morning, afternoon, evening). It also has methods which prepare the medication data to be send to the DreamFactory database by packaging the entered data into JSON objects.

Data Visualization Module (lower left block)

1. When user clicks on the lower left block, `LogActivity.java` is invoked. It will automatically pull recent records from the database and display it in a sorted list based on the alphabetical order and date.
2. On the upper right of the `DataVisualization` page, there is a button that leads to a calendar view, which is coded in `WebCalendarVisualizationActivity.java`. This activity renders the webpage that is used to graphically display the condition of the patients via various means `JHeatMap`, for example. The part of code that's responsible for website is not included in the MS101 packge.

PhotoSlideShow Module (lower right block)

1. `SlideShowActivity` is the Activity class for the slideshow, dealing with UI changes. The consistent updates on time and date is run on a background thread in the class, but each update would be sent to the UI thread for changes.
2. `WeatherFragment` is a fragment contained in the view of slide show. Once initiated, it would download the most updated weather data from the `OpenWeatherMap` provider in the back end thread, and sent to UI through intents.
3. `S3PhotoIntentService` class provides back-end photo managing services for the slideshow. It retrieves photos whenever user opens the view and/or manually clicks the update button in the menu. For every photo it has, it would send it to Activity class

through intents. It also has a photo caching mechanism (a concurrent HashMap data structure) so that memory taken by photos is under control.


It is also the class that handles the Amazon COGNITO connection. When S3Client instance is constructed, it will takes in the information provided by user -- account ID, account Hash, authorized and unauthorized policies, and region -- to get connected to the S3 elastic storage.

Upon request to download (which is handled by broadcast listener in the S3PhotoIntentService class), this backend service pulls photo from the remote storage in the format of bitmap, and stores that into ConcurrentHashMap. This map keeps growing as the worker thread continues to put bitmaps representation of the photos into the map, and stops when the thread finishes downloading the bitmap from the remote storage.

Technologies Our Code Depends On

1. **Dreamfactory API** that wraps around MySQL server which provides easier Database access.
2. **Amazon S3 (Elastic Storage)** that provides storage spaces for photo-sharing service
3. **Amazon COGNITO (Token Generating Machine)** that provides token for program to access to **S3** without exposing username and password of the Amazon account.
4. **The OpenWeatherMap APIs** for weather data retrieval

Graphical Representation of Overall Structure of Code, and Technologies Our Code Depends On



Dreamfactory Database Schema

user (id, email, password, year_birth)

taken (uid, medication_id, pills_taken, date_taken, id)

symptom (id, date, uid, body_location, symptom_type, duration)

subscribe (uid, medication_id, id)

medication (id, treatment, name, doses_per_day, pills_per_dose)
has (user_id, symptom_id)

Classes in the app used to connect send and retrieve information between the UI/Database

1. Backend.java has methods such as getFomDF and sendToDF that are used within the application to interact with the database. The DF url is hardcoded into this class.
2. All of the UI classes except for the photoslideshow classes mentioned previously use these methods to interact with the database (ie. Medication Activity, Symptoms Activity).