

LECTURER: Nghia Duong-Trung

DATA UTILIZATION

TOPIC OUTLINE

Introduction to Data Utilization

1

Pattern Recognition

2

Natural Language Processing (NLP)

3

Image Recognition

4

Detection and Sensing

5

TOPIC OUTLINE

Problem-Solving

6

Decision Support

7

Data Security and Data Protection

8

UNIT 7

DECISION SUPPORT




On completion of this unit, you will have learned ...

- ... the general process of decision making.
- ... types of decision-making problems according to level of control and type of decision.
- ... determinant, invariant, and alternatives.
- ... techniques and methods used to model a decision-making problem.
- ... the difference between correlation and causality.
- ... the concepts and applications of data dashboards.
- ... the structure and components of data warehouses and data cubes, as well as the operations defined on data cubes.
- ... the ETL process for extracting and integrating data from different sources into a data warehouse.



1. What are the four phases of a decision making process?
2. Name some well-known methods of building decision models.
3. Describe the difference between correlation and causation.

A model decision-making process includes four phases:



Decision-making problems may be represented in two dimensions according to:

- **type of decision-making:** structured, semi-structured, or unstructured
- **type of control:** operational, managerial, or related to strategic planning

Structured decision making is **an approach for careful and organized analysis of natural resource management decisions**. Based in decision theory and risk analysis, SDM encompasses a simple set of concepts and helpful steps, rather than a rigidly-prescribed approach for problem solving.

A semi-structured decision is **one in which most of the factors needed for making the decision are known but human experience and other outside factors may still impact the decision**. A good example of a semi-structured decision is the hiring process.

Unstructured decision making is **a dynamic process where an individual must create an alternative because one is not available or provided**. In this type of a decision, an individual may not have formed preferences or may not know the path to arrive at a solution.

DECISION-MAKING FRAMEWORK

| | Type of control | | | |
|---------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Types of decision-making | Operational control | Managerial control | Strategic planning | Technology support needed |
| Structures | Accounts receivable, accounts payable, and order entry | Budget analysis, short-term forecasting, personnel reports, and make-or-buy | Financial management (investment), warehouse location, and distribution systems | Management information systems, management science models, and transaction processing |
| Semi-structured | Production scheduling, inventory control | Credit evaluation, budget preparation, plant layout, project scheduling, reward system design, and inventory categorization | Building a new plant, mergers and acquisitions, new product planning, compensation planning, quality assurance planning, HR policies, and inventory planning | Decision support system (DSS), knowledge management system (KMS), group support system (GSS), customer relationship management (CRM), supply chain management (SCM) |
| Unstructured | Selecting a cover for a magazine, buying software, approving loans, and help desk | Negotiating, recruiting and executive, buying hardware, and lobbying | R&D planning, new technology development, and social responsibility planning | GSS, KMS, expert system (ES), neural networks |
| Technology support needed | Management information systems, management science | Management science, executive information system (EIS), SCM, CRM, GSS, DSS, ES | GSS, CRM, EIS, ES, neural networks, KMS | |

Source of the graphic: Turban et al., 2006.

DECISION MAKING WITH GENERATIVE AI

Generative AI

- is a type of AI that can be used to create content, such as images, music, and text.
- Allows users to prompt the AI to generate a response.
 - DALL-E: creating images from text
 - ChatGPT: creating response from prompt.
- Quickly gather relevant information.
- Receive feedback and explore consequences.
- Engage accelerated learning

FE

What are some ways to learn how to make better decisions?



There are several ways to improve your decision-making skills. Here are some effective strategies:


1. **Identify the problem:** The first step towards making better decisions is to identify the problem you are trying to solve. Be clear about the issue you are facing and the goal you want to achieve.
2. **Gather information:** Once you have identified the problem, gather as much information as possible about it. This will help you make an informed decision.
3. **Evaluate the options:** After gathering information, evaluate all the possible options available to you. Weigh the pros and cons of each option and assess their potential outcomes.
4. **Consider the consequences:** Before making a decision, consider the potential consequences of each option. Think about the short-term and long-term effects of your decision.
5. **Seek advice:** Seek advice from people you trust, who have experience or expertise in the area you are dealing with.
6. **Take a break:** Sometimes, taking a break from the decision-making process can help you gain a new perspective. Take some time to clear your mind and come back to the decision later.
7. **Learn from your mistakes:** Finally, learn from your mistakes. Reflect on past decisions and identify areas where you could have done better. This will help you improve your decision-making skills over time.

By practicing these strategies, you can improve your decision-making skills and make better choices in your personal and professional life.

Several parameters and variables may influence the outcome of a decision-making process like:

- **Invariants:** Those parameters in a problem that are unchangeable and treated as constraints in the decision-making process. In other words, we must find solutions that **stay within these constraints**.
- **Determinants:** Input variables in the decision-making process that have a direct impact on the final result (changeable variables).

Decision support system analysis models may be categorized into the following groups:



What-if analysis: how output variables (i.e., outcomes) are impacted if input variables (i.e., decision variables) are changed (What will be the market share if the advertising budget increases by 5 percent?)

Sensitivity analysis: identifies how much impact each decision variable has (or which decision variable has the most impact) on output variables. It enables us to single out those factors most important to the outcome. Sensitivity analysis is a must, particularly in uncertain situations where sudden, unforeseen changes to the input variables may occur.

Goal-seeking analysis: starts with output values and tries to determine the values of input variables which will result in desired outputs (What annual R&D budget is needed for an annual growth rate of 15 percent by 2005?)

Optimization analytics: aims to find the best values for a set of parameters in a given situation (linear and nonlinear programming, simulation, genetic algorithms, and game theory).

GOAL-ORIENTED DECISION MAKING: THE A.P.E. MODEL

<https://www.decisionskills.com/apc-model.html#:~:text=The%20APE%20model%20explores%20how,use%20of%20intuition%20and%20deliberation.>



LINEAR PROGRAMMING, SIMULATION & ANALYTIC HIERARCHY PROCESS

Other Famous Decision Support System Analysis Techniques



```
graph TD; A[Other Famous Decision Support System Analysis Techniques] --> B[Linear Programming]; A --> C[Simulation]; A --> D[Analytic Hierarchy Process];
```

Linear Programming

Solves linear optimization problems and consists of an objective function (which we want to optimize), a set of input variables (which we want to find values for that will optimize the objective function), and a set of constraints to be satisfied by the input variables.

Simulation

For solving complex decision-making problems. Simulation enables us to evaluate the response of a system to different input variables so we gain a better understanding of the behavior of the system in various circumstances.


Analytic Hierarchy Process

For group decision-making processes. AHP breaks down complex problems into simple sub-problems that are easier to solve. The goal is first transformed and broken down into several different criteria. Each criterion is then evaluated on its alternative solutions and makes the decision-making process much easier.

Distinguishing between the notions of correlation and causality is important in modelling and strategic decision-making. Misunderstanding these concepts can lead to erroneous conclusions and incorrect decisions.


| Correlation | Causality |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Correlation is a statistical term and measures the interdependence between two random variables. If changes in one variable are matched by changes in another variable, we say the two variables are correlated . correlation analysis tries to determine whether there is a linear or non-linear relationship between variables. The Pearson correlation coefficient is one of the most frequently used methods to identify a linear relationship between two variables. | Causality lies at a deeper level and is not easily detected. In a causal relationship, a change in one variable causes the other variable to change (or makes it happen) . For example, as the weather gets warmer, ice cream sales and the sale of sunglasses will both rise. When modelling or interpreting data, it is crucial to distinguish between the notions of correlation and causation in order to find the true nature of relationships between variables. |

Causation means one thing causes another—in other words, action A *causes* outcome B. On the other hand, **correlation is simply a relationship where action A *relates to* action B—but one event doesn't necessarily cause the other event to happen.**



DATA DASHBOARD AND DATA WAREHOUSE

- A data dashboard is a visual tool which can provide managers and business decision-makers with detailed reports on key performance indicators with a brief information panel.
- Data dashboards are often used in conjunction with a data warehouse. A data warehouse is an integrated repository of data which is used both as a mechanism for data integration and a supportive data repository for data dashboards.



DATA DASHBOARD AND DATA WAREHOUSE – SAMPLE DATA DASHBOARD PAGE




Source of the graphic: Klipfolio, 2019.

<https://www.datacamp.com/blog/power-bi-vs-tableau-which-one-should-you-choose>

ETL

- The first step of the data dashboard is to gather data from different internal and external sources (e.g., (ERP) systems, Excel files, (CRM) systems, (SCM) systems) and then extract and transform the data into a unified format before loading it onto the central repository. These three database functions are called ETL.
- Tools for ETL: Microsoft SQL Server, Oracle, Microsoft Integration Service, Oracle BI suite, and Spoon (Kettle)




DATA CUBE

A data cube is a multidimensional representation of data where each dimension corresponds to a query field, such as product, store, or year.

Operations on a data cube:

- drill-down: moving from summarized data to detailed data
- roll-up: summarizing the data along a dimension
- pivot: rotate a cube and analyze its various facets
- slice/dice: selecting a value of one dimension and then cutting the cube along that entry



TOOLS

Pentaho

A complete suite for data analytics and visualization which supports ETL and big data analytics.

Tools for Data Visualization and Dashboard Systems

Tableau

Suite of business analytics tools that help organizations manage and share their data and is completely integrated with Microsoft systems.

Microsoft Power BI

Provides facilities to query relational databases, OLAP, Spreadsheets and Cloud, and data visualization through various data graphs.



On completion of this unit, you will have learned ...

- ... the general process of decision making.
- ... types of decision-making problems according to level of control and type of decision.
- ... determinant, invariant, and alternatives.
- ... techniques and methods used to model a decision-making problem.
- ... the difference between correlation and causality.
- ... the concepts and applications of data dashboards.
- ... the structure and components of data warehouses and data cubes, as well as the operations defined on data cubes.
- ... the ETL process for extracting and integrating data from different sources into a data warehouse.

UNIT 8

DATA SECURITY AND DATA PROTECTION



On completion of this unit, you will have learned ...

- ... what kind of security issues threaten our data.
- ... what the main data security issues are.
- ... how data processing and the individual privacy are regulated in countries in the European Union.



1. What are two required measures for protecting personal data?
2. List three measures to protect the confidentiality of data.
3. Mention two cases where data collection and processing are not included in the GPDR.

SECURING DATA STORAGE METHODS

Accountability service

Considering logging all data access activities and traces events in the case of security violations.

Confidentiality service

Restricting access rights to data and information about data, such as time, frequency, and transmission methods to trusted users (password, encryption).

Integrity service

Unauthorized access to data is not limited to reading secured and sensitive data; the alteration of data can be just as harmful. Data from authenticated senders might be altered and convey unintended information.

Data Availability service

Providing reliable and effortless access to data and guarantees continuous availability of the data access service, even in the presence of hardware failure.

COMPLIANCE AND REGULATIONS: GPDR

- **GDPR: General Data Protection Regulation** (2016), is the regulation enforcing the protection of the privacy of individuals and their rights to grant or revoke access to their private data, the processing of that data, and the sharing of that data with third parties.
- The regulation considers all kinds of data processing where the data is either about an EU citizen or the processing is carried out by an organization within the EU.
- GDPR guarantees that the owner of the data will be informed of the type and extent of data collected about them and will be able to prevent the data from being processed if it is in violation of their privacy.
- Based on GDPR Personal data can be processed in cases where data owners have declared their consent or the processing is considered a legal obligation of the data controller.



On completion of this unit, you will have learned ...

- ... what kind of security issues threaten our data.
- ... what the main data security issues are.
- ... how data processing and the individual privacy are regulated in countries in the European Union.

SESSION 6

TRANSFER TASK

TRANSFER TASK

As mentioned, analytic hierarchy process (AHP) is a useful technique in decision-making, particularly when it concerns group decision-making. AHP breaks down complex problems into simple sub-problems that are easier to solve.

Define a situation that needs a group decision making process, use hierarchy of criteria and explain how this method can help you to make a better decision in that complex situation.

TRANSFER TASK

https://en.wikipedia.org/wiki/Analytic_hierarchy_process_%E2%80%93_car_example

<https://bpmsg.com/ahp-introduction/>

<https://bpmsg.com/ahp/ahp-examples.php>

<https://www.spicelogic.com/docs/ahpsoftware>

**TRANSFER TASK
PRESENTATION OF THE RESULTS**

Please present your
results.

The results will be
discussed in plenary.





1. Data collected for national security purposes...
 - a) ... is covered by the GDPR.
 - b) ... is not part of the GDPR.
 - c) ... is not considered personal data.
 - d) ... automatically available to all EU institutions.



2. The GDPR is monitored and enforced by...
- a) ... national supervisory agencies in each EU country.
 - b) ... a central EU agency.
 - c) ... a task-force within the companies.
 - d) ... independent advisors and experts.



3. Encryption and passwords are used to...
- a) ... strengthen the data privacy efforts.
 - b) ... strengthen both data security and data privacy efforts.
 - c) ... strengthen the data security efforts.
 - d) ... protect users from accidental exposure of sensitive data.

LEARNING CONTROL QUESTIONS

1. B
2. A
3. B



How did you
like the course?



LIST OF SOURCES

Han, J., Kamber, M. & Pei, J. (2011). *Data mining: Concepts and techniques* (3rd ed.). Morgan Kaufmann Publishers.

Klipfolio. (2019). *Executive dashboard* [article]. <https://www.klipfolio.com/resources/articles/what-is-data-dashboard>

O'Brien, J., & Marakas, G. (2011). Supporting decision making. In B. Gordon (ed.), *Management information systems 10e* (p. 409). McGraw-Hill Irwin.

Simon, H. A. (1977). *The new science of management decision*. Prentice Hall.

Strong, C. (2015). *Humanizing big data: Marketing at the meeting of data, social science and consumer insight*. London: Kogan Page.

Sultan, N. (2013). Knowledge management in the age of cloud computing and Web 2.0: Experiencing the power of disruptive innovations. *International Journal of Information Management*, 33, 160–165.

Tableau Software. (n.d.). *Software*. Retrieved from: <http://www.tableau.com/>

Turban, E., Aronson, J. E., Liang, T.-P. & Sharda, R. (2006). *Decision support and business intelligence systems* (8th ed.). Prentice Hall.

© 2021 IU Internationale Hochschule GmbH

This content is protected by copyright. All rights reserved.

This content may not be reproduced and/or electronically edited, duplicated, or distributed in any kind of form without written permission by the IU Internationale Hochschule GmbH.