PROBLEM STATEMENT 8=2700N/m3 24 cm diameter pipe, linear velocity profile. Find Q if Vmax = 20m/s 110011001100111001110 > Vmux = 20 m/s < - - -111-111-111-11-11-11 SKETCH. THAT PIPE IS CIRCULAR OBSTRUE dA = zmrdr k-24an->1 KNOWN. R, Vmax, Geometry UNKNOWN

GOVERNING PRINCIPLES

$$Q = VA; \quad Q = SdQ$$

$$dQ = V(r) dA = V(r) 2\pi r dr$$

$$V(r) = V_{max} - \frac{r}{R} V_{max} = V_{max} \left(1 - \frac{r}{R}\right)$$

$$V_{max} \left(\frac{R - r}{R}\right)$$

$$SOLUTION$$

$$= 2\pi V_{max} \int_{r}^{R} dr - 2\pi V_{max} \int_{r}^{R} dr$$

$$= 2\pi (20m/s) \frac{R^{2}}{2} - 2\pi (20m/s) \frac{R^{3}}{2}$$

$$= 2\pi(20m/s)\frac{R^2}{2} - 2\pi(20m/s)\frac{R^3}{R}$$

$$= 2\pi(20m/s)(0.12)^2 - 2\pi(20m/s)(0.12)^3$$

$$= 0.12 - 3$$

 $= 0.9047m^{3}/s - 0.6031m^{3}/s = 0.30/6m^{3}/s$ 

i) NEED TO RECOGNIZE CYLINDRICAL GEOMETRY ii) VELOCITY AS FUNCTION OF V MEASCACE FROM CENTERLINE.

$$Q = 2\pi \left(\frac{20m}{s}\right) \left(\frac{0.12m}{2}\right)^2 - \left(\frac{0.12m}{3}\right)^2$$

$$=2\pi(20 \text{ m/s})(0.02 \text{ m}^2)$$