# **Tools for Data Analysis**

Welcome to class!

### **Introductions**

Dusty White, PhD (Economics) University of Nebraska at Omaha

### **Introductions**

Data is my passion, and I use combined with Economics to

- Study risky/dangerous behaviors
- Explore the relationship between remote work and pay
- Learn about strategic choices in sports

What do YOU want to get out of this class?

# **MyCourses**

A quick tour

### **Github**

All the other files (the majority of the content) - https://github.com/dustywhite7/pythonMikkeli

### PyCharm Edu

Your workspace. We will learn more as we go through class!

- Install
- Load the zip file into PyCharm as a course
  - I'll show you how
- Read the lessons, and do the practice problems!

Let's get started!

## Introducing... Python!

- A dynamically typed language
- High-level
- Widely adopted in data analysis
- General-purpose language!
  - This means that we can use it for anything, not just for data analysis
- Emphasizes readability (you'll see what I mean)

### **Getting Started in Python**

- Open PyCharm, and let's explore
  - PyCharm is called an IDE, or Integrated Development Environment, and contains all the tools we will need to work with Python (and to help this class go smoothly!)
- Let's write some Python!

### A simple program in Python

Copy this program into your Python interpreter (follow my lead):

import numpy as np

import statements allow us to use pre-written (and typically optimized) code within our own programs

- numpy itself is an excellent mathematics library (NUM-eric PY-thon)
- imported libraries are often written in languages like C++ and Fortran, giving a tremendous speed advantage, as well!

Using the def keyword allows us to define **functions**, or reusable bits of code that perform some specific task.

Functions accept arguments, and can be made to **return** values, as well.

```
if len(coord1)==len(coord2):
    ...
else:
    ...
```

We can easily incorporate different kinds of conditions into our code using if statements. Here, we test for equality between two values and condition our response on the result of that test.

```
for i in range(len(coord1)):
...
```

For loops allow us to repeat code multiple times with minor variations, so that we can reduce the amount of code we need to write.

### A simple program

Every piece of code that we write will contain **logical statements** that allow the computer to perform tasks that we describe

• The computer/Python will only be as careful as our code!

### **Core Data Types in Python**

Core types are the base types that everything else in Python will be built upon:

- 1. Numbers, Strings, Booleans, None
- 2. Lists, Dictionaries, Tuples, Sets
- 3. Functions, Modules, Classes

### **Numbers**

#### Common

- 1. Integers: int()
- 2. Floating-point numbers: float()

#### Not so common

- 3. Complex numbers
- 4. Irrational numbers

### **Numbers**

Numbers support basic arithmetic like we are familiar with:

- Addition and subtraction: 15+3, 0-4
- Multiplication and division: 2\*4, 3/5
- Exponentiation: 2\*\*4 denotes  $2^4$

We will also be able to import greater functionality from modules like numpy.

### **Strings**

Strings are collections of characters with defined positions. Strings are also **immutable**, meaning that they cannot be modified, only replaced.

```
>>> myStr = 'DataScience!'
>>> len(myStr)
12
>>> myStr[0] # Using index values to select elements
'D'
```

**Note:** the first character in the string has position 0!

## **Strings**

We can access elements of strings using index values beginning at 0, **or** we can access them by giving negative index values to indicate that we are counting from the end of the string to the front. An index of -1 refers to the last element in the string.

```
>>> myStr = 'DataScience!'
>>> myStr[-1]
'!'
>>> myStr[-12]
'D'
```

## **Strings**

We can **slice** a string, selecting a series of elements from within the string together.

```
>>> myStr = 'DataScience!'
>>> myStr[4:11]
'Science'
>>> myStr[4:11:2] # Only taking every other character
'Sine' # 'step size of two'
```

We can also **concatenate** strings:

```
>>> myStr + 'YESSSS'
'DataScience!YESSSS'
```

#### **Booleans**

Booleans are data types that only permit storage of a binary value:

```
if lightsOff==True:
...
```

The two boolean values are True and False (case sensitive).

```
>>> 3==(2+1)
True
>>> 3==2
False
```

#### None

Python also has a None type that is frequently used to initialize objects. It can also be used to serve functions like determining whether or not information has been received

```
data = None
if data==None:
    raise runtimeError('No data yet!')
else:
    ...
```

Like strings, lists contain multiple elements. Unlike strings, these can be any type of data. Lists can also be modified in place (mutable).

```
>>> myList = [2, 3, 4, 5]
>>> myList[-2]
4
>>> myList[-2] = 10
>>> myList[-2]
10
```

Lists can be **iterated** on:

```
>>> myList = [2, 3, 4, 5]
>>> for i in myList:
... print(i**2)
4
9
16
25
```

They can be appended to:

```
>>> myList.append(6)
>>> myList
[2, 3, 4, 5, 6]
```

Lists can be "popped":

```
>>> myList = [2, 3, 4, 5]
>>> myList.pop()
5
```

Lists can be sorted:

```
myList.sort()
```

Or reversed:

```
myList.reverse()
```

Lists can also have lists as elements, and are then referred to as "a list of lists"

```
>>> listOfLists = [[2,3,4,5],[6,7,8,9]]
>>> listOfLists
[[2, 3, 4, 5], [6, 7, 8, 9]]
```

We can embed lists infinitely deep (list of lists of lists...), allowing us to create n-dimensional objects

 This becomes especially helpful when doing matrix computations, or in more advanced machine learning techniques

### **Tuples**

Tuples are **immutable** lists. They cannot be modified in place, and are useful when you don't want to accidentally change any values.

```
>>> myTuple = (2, 3, 4, 5)
>>> myTuple[0]=10
Traceback (most recent call last):
   File "<stdin>", line 1, in <module>
TypeError: 'tuple' object does not support item assignment
```

#### **Dictionaries**

While strings, lists and tuples have specific orders, dictionaries approach the organization of data differently, using a key:pair combination to store data that can be found using the index provided by the programmer to the dictionary.

```
>>> myDict = {"first": "Dusty", "last": "White"}
>>> myDict['first']
'Dusty'
>>> myDict[0]
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
KeyError: 0
```

#### **Dictionaries**

Like lists, dictionaries can be nested, iterated and are mutable.

#### **Dictionaries**

Two examples of iterating on a dictionary:

```
>>> for i in myDict:
... print(i)
first
last
hobbies
```

```
>>> for i in myDict:
... print(myDict[i])
Dusty
White
{1: 'Sleeping', 2: 'Food'}
```

#### **Modules**

Modules are pre-written code that can be imported to make your life easier.

In this case, the module is numpy, a numeric library already mentioned.

### What if I can't remember all this?

**DON'T PANIC!** 

This is a LOT of information! Fortunately, we have **DOCUMENTATION** to help us make sure that we are doing the right thing.

### **Reading Documentation**

To get started, let's look at the Numpy Random Sampling Documentation

Keep in mind, StackOverflow is a great website to help us figure out what to do when we have an error.

#### **Documentation Matters!**

Learning to read documentation is a critical component of becoming a programmer, or using programming for pretty much any purpose.

- Take your time
- Follow this link (Google is your friend!)
- REMEMBER: Don't Panic!

### For Lab Today

Complete the **Solve it** exercises in PyCharm!

- Experiment! The more you try different things, the quicker you will learn.
- You WILL break things!
- You CANNOT learn to program by just attending lecture!