Congratulations! You passed!

Grade received 100% **Latest Submission Grade** 100% **To pass** 100% or higher

Go to next item

O precision()

typeof()

1.	Look up the cbrt (cube root) function in the Hive Language Manual. For which of the following versions of Hive is this function available? Check all that apply.	1 / 1 poir
	✓ 1.2.0	
	Correct Correct. The Hive Language Manual specifies "as of 1.2.0," so this function was available for the first time in version 1.2.0.	
	✓ 2.0.0	
	Correct Correct. The Hive Language Manual specifies "as of 1.2.0," so this function is available in versions after version 1.2.0 (which includes version 2.0.0).	
	□ 0.13.0✓ 2.1.0	
	Correct Correct. The Hive Language Manual specifies "as of 1.2.0," so this function is available in versions after version 1.2.0 (which includes version 2.1.0).	
	□ 1.1.0	
2.	Suppose you have the expression 33.2 * 2.5 (which is equal to 83), and you want to know if Impala would consider the result an integer, a double, or some other numeric type. Which function would you use to return the data type of this expression? Consult the Impala documentation to help you answer this.	1/1 poir
	<pre>num_type()</pre>	
	O numerical()	
	O precision_type()	
	O type()	



⊘ Correct

Correct. This function will return the data type of the expression used as the argument.