

# Developing Hobbit

Yes, you can do it.

T.J. Yang

Global Computing Service  
IT Infrastructure Service  
Motorola Inc.

08/042008





# Hobbit is GNU opensource.

No more vendor lock-in .

- Hobbit Server can receive bb clients messages.
- Use `itemize` a lot.
- Hobbit is GNU license.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# C programming

Hobbit backbone is in ANSI C.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative. Use Uppercase Letters.

Subtitles are optional.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

# Fedora 6 in Virtual Box VDI image.

You can create overlays. . .

- using the `pause` command:
  - bittorrent.
  - iso images
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Fedora 6 in Virtual Box VDI image.

You can create overlays. . .

- using the `pause` command:
  - bittorrent.
  - iso images
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Fedora 6 in Virtual Box VDI image.

You can create overlays. . .

- using the `pause` command:
  - bittorrent.
  - iso images
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Fedora 6 in Virtual Box VDI image.

You can create overlays. . .

- using the `pause` command:
  - bittorrent.
  - iso images
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Fedora 6 in Virtual Box VDI image.

You can create overlays. . .

- using the `pause` command:
  - bittorrent.
  - iso images
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Fedora 6 in Virtual Box VDI image.

You can create overlays. . .

- using the `pause` command:
  - bittorrent.
  - iso images
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

# Make Titles Informative.



# GNU autotools for development.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Install with packaging is binary litte.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Install with packaging is binary litte.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



- Hobbit development is fun and rewarding.
- Hobbit development is fun and rewarding
- Outlook
  - Something you haven't solved.
  - Something else you haven't solved.