# Dixin Tang (totemtang@berkeley.edu)

#### **Research Areas**

User-Centered Data Management, Query Processing and Optimizations, Cloud Databases

# **Employment**

2021-present Postdoctoral Scholar - University of California, Berkeley

Advisor: Aditya G. Parameswaran, Associate Professor

### **Education**

2015-2020 Ph.D. in Computer Science - University of Chicago
Advisor: Aaron J. Elmore, Associate Professor

2011-2014 M.S. in Computer Science - Institute of Computing Technology, Chinese Academy of Sciences

Advisor: Wei Li, Associate Professor

2007-2011 B.S. in Software Engineering - Huazhong University of Science & Technology

#### **Recent Publications**

P1. Visualizing Spreadsheet Formula Graphs Compactly Fanchao Chen, **Dixin Tang**, Haotian Li, Aditya G. Parameswaran **VLDB 2023, Demo** 

- P2. Transactional Panorama: A Conceptual Framework for User Perception in Analytical Visual Interfaces **Dixin Tang**, Alan Fekete, Indranil Gupta, Aditya G. Parameswaran **VLDB 2023**
- P3. Efficient and Compact Spreadsheet Formula Graphs **Dixin Tang**, Fanchao Chen, Christopher De Leon, Tana Wattanawaroon, Jeaseok Yun,
  Srinivasan Seshadri, Aditya G. Parameswaran **ICDE 2023**
- P4. Flexible Rule-Based Decomposition and Metadata Independence in Modin: A Parallel Dataframe System Devin Petersohn\*, **Dixin Tang**\*, Rehan Durrani, Areg Melik-Adamyan, Joseph E. Gonzalez, Anthony D. Joseph, Aditya G. Parameswaran **VLDB 2022** (\*Equal contribution)
- P5. Lux: Always-on Visualization Recommendations for Exploratory Dataframe Workflows Doris Jung-Lin Lee, **Dixin Tang**, Kunal Agarwal, Thyne Boonmark, Caitlyn Chen, Jake Kang, Ujjaini Mukhopadhyay, Jerry Song, Micah Yong, Marti A. Hearst, Aditya G. Parameswaran **VLDB 2022**
- P6. Enhancing the Interactivity of Dataframe Queries by Leveraging Think Time Doris Xin, Devin Petersohn, **Dixin Tang**, Yifan Wu, Joseph E. Gonzalez, Joseph M. Hellerstein, Anthony D. Joseph, Aditya G. Parameswaran **IEEE Data Eng. Bull. 2021**
- P7. Resource-Efficient Shared Query Execution via Exploiting Time Slackness **Dixin Tang**, Zechao Shang, William Ma, Aaron J. Elmore, Sanjay Krishnan **SIGMOD 2021**

- P8. CIAO: An Optimization Framework for Client-Assisted Data Loading Cong Ding, **Dixin Tang**, Xi Liang, Aaron J. Elmore, Sanjay Krishnan **ICDE 2021, Short Paper**
- P9. CrocodileDB in Action: Resource-Efficient Query Execution by Exploiting Time Slackness **Dixin Tang**, Zechao Shang, Aaron J. Elmore, Sanjay Krishnan, Michael J. Franklin **VLDB 2020, Demo**
- P10. Thrifty Query Execution via Incrementability **Dixin Tang**, Zechao Shang, Aaron J. Elmore, Sanjay Krishnan, Michael J. Franklin **SIGMOD 2020**
- P11. CrocodileDB: Efficient Database Execution through Intelligent Deferment Zechao Shang, Xi Liang, **Dixin Tang**, Cong Ding, Aaron J. Elmore, Sanjay Krishnan, Michael J. Franklin **CIDR 2020**
- P12. Intermittent Query Processing
  Dixin Tang, Zechao Shang, Aaron J. Elmore, Sanjay Krishnan, Michael J. Franklin
  VLDB 2019
- P13. Socrates: The New SQL Server in the Cloud
  Panagiotis Antonopoulos, Alex Budovski, Cristian Diaconu, Alejandro Hernandez Saenz, Jack Hu,
  Hanuma Kodavalla, Donald Kossmann, Umar Farooq Minhas, Naveen Prakash, Hugh Qu,
  Chaitanya Sreenivas Ravella, Krystyna Reisteter, Sheetal Shroti, **Dixin Tang**, Vikram Wakade
  SIGMOD 2019
- P14. Toward Coordination-Free and Reconfigurable Mixed Concurrency Control **Dixin Tang**, Aaron J. Elmore **USENIX'ATC 2018**
- P15. Adaptive Concurrency Control: Despite the Looking Glass, One Concurrency Control Does Not Fit All **Dixin Tang**, Hao Jiang, Aaron J. Elmore **CIDR 2017**

### **Earlier Publications (Before Ph.D.)**

- P16. A Case Study of Optimizing Big Data Analytical Stacks Using Structured Data Shuffling **Dixin Tang**, Taoying Liu, Rubao Lee, Hong Liu, Wei Li **BigData Congress 2016**
- P17. SparkArray: An Array-Based Scientific Data Management System Built on Apache Spark Wenjuan Wang, Taoying Liu, **Dixin Tang**, Hong Liu, Wei Li, Rubao Lee **NAS 2016**
- P18. A Case Study of Optimizing Big Data Analytical Stacks Using Structured Data Shuffling **Dixin Tang**, Taoying Liu, Rubao Lee, Hong Liu, Wei Li **CLUSTER 2015, Short Paper**
- P19. RHJoin: A Fast and Space-Efficient Join Method for Log Processing in MapReduce **Dixin Tang**, Taoying Liu, Hong Liu, Wei Li **ICPADS 2014**
- P20. Optimizing the Join Operation on Hive to Accelerate Cross-Matching in Astronomy Liang Li, **Dixin Tang**, Taoying Liu, Hong Liu, Wei Li, Chenzhou Cui **IPDPS Workshops 2014**

#### **Professional Services**

**Program Committee:** 

SIGMOD'23, SIGMOD'22, SIGMOD'22 (Demo Track)

EDBT'24 HILDA'23

Conference Reviewer:

IEEE VIS'21

Journal Reviewer:

VLDB Journal

Distributed and Parallel Databases Journal

#### **Honors & Awards**

2018 USENIX ATC'18 Student Travel Grant

2016 University Unrestricted (UU) Fellowship - The University of Chicago
 2016 CERES 1st year Graduate Research Award - The University of Chicago

# **Teaching Assistants**

Winter 2020 CMSC 23500 - Introduction to Database Systems
Winter 2019 CMSC 23500 - Introduction to Database Systems
Winter 2018 CMSC 23500 - Introduction to Database Systems
Winter 2017 CMSC 23500 - Introduction to Database Systems
Spring 2016 MPCS 52040 - Distributed Systems

Fall 2015 MPCS 51040 - C Programming

# **Industry Experience**

#### ■ Internship at Microsoft Research

**Project: Benchmarking Socrates** 

Socrates is a new cloud-native database that decouples computation from storage. My internship involved testing the new database architecture of Socrates in an industrial setting, understanding its performance bottlenecks, and proposing optimization opportunities.

# Recent Research Projects (Detailed Descriptions)

#### R1. Data Shift Explaination

Sep. 2021-Present

June 2018-Sep. 2018

Mentor: Umar Farooq Minhas

ShiftXplain is a framework for explaining data shift. Data shift is ubiquitous in real-world datasets due to the natural evolution in the underlying data relationships and patterns, often leading to a degradation of the performance of data-dependent applications (e.g., an ML model). ShiftXplain explains the data shift between two datasets using a conjunction of predicates and proposes a novel metric, shiftIndex, to capture both general and unique shift patterns. More importantly, shiftIndex is partially monotonic and bounded, which is leveraged by our search algorithm to efficiently prune the search space without sacrificing the explanation quality.

#### **R2.** FormS: A Python Library for Scalable Spreadsheet Formula Execution

Mar. 2022-Jun. 2023

Code: https://github.com/forms-org/forms

FormS is a Python library for executing spreadsheet formulae in a distributed execution framework. In FormS, users write a list of formulae via a formula template based on autofill rules, as widely supported by today's spreadsheet systems. For example, applying a template SUM(A1:A2,B\$1:B2) to a column will

generate [SUM(A1:A2,B\$1:B2), SUM(A2:A3,B\$1:B3), ···], where the first range is generated similar to a sliding window while the second one is similar to an expanding window in databases. While a formula template is similar to a window operator in databases, efficiently executing a list of formulae is challenging due to two unique semantics in spreadsheets: 1) each spreadsheet function may accept multiple windows with different sizes and types; 2) spreadsheets support many functions that are not optimized by databases (e.g., SUMIF function) and require new optimizations to execute them efficiently. To address these challenges, I proposed novel logical and physical rewriting rules for executing a list of formulae efficiently in parallel. FormS now has support for over 50 popular spreadsheet functions; I am mentoring a few undergrads to support more functions for a public release.

# R3. **Transactional Panorama: Enhancing User Perception in Analytical Interfaces** Sep. 2021-Jun. 2023 Code: https://github.com/transactional-panorama/TP

I developed transactional panorama, a conceptual framework for user perception when the visualizations in a visual analytical interface (e.g., a dashboard or spreadsheet) are being refreshed. In such an interface, it is common for users to modify the source data or filters to explore different visualization results. With large datasets, it takes a long time to refresh the visualization results while users continue to explore the results simultaneously. In this context, existing tools either (i) hide away results that haven't been updated, hindering exploration; (ii) make the updated results immediately available to the user (on the same screen as old results), leading to confusion and incorrect insights; or (iii) present old—and therefore stale—results to the user during the update. I developed transactional panorama to discover new options for users and help users make appropriate trade-offs between the properties guaranteed for the visual results and the performance for presenting the updated results. Transactional panorama adopts database transactions to jointly model the system refreshing the visualization results and the user interacting with them, and considers three properties that are important for user perception: visibility (allowing users to continuously explore results), consistency (ensuring that results presented are from the same version of the data or filters), and monotonicity (making sure that results don't "go back in time"). I characterized all feasible property combinations, formally proved their relative orderings for various performance criteria (e.g., the total time when the user sees stale results), and discussed their use cases. With transactional panorama, the user can explore visual results with desired properties guaranteed while the visual interface is being refreshed.

#### R4. Taco: Efficient and Compact Spreadsheet Formula Graphs

Jan. 2021-Jun. 2023

Code: https://github.com/taco-org/taco

Taco is a framework for efficiently compressing, querying, and maintaining spreadsheet formula graphs to reduce the response time of spreadsheets. A formula graph is adopted to track the dependencies across spreadsheet formulae. When a spreadsheet cell is modified, the spreadsheet system needs to query the formula graph to find its dependents and calculate new formula results. Identifying dependents quickly is key to ensuring that users don't see stale or inconsistent results, and also helps spreadsheets return control early to users. Therefore, I proposed Taco to compress the formula graph by leveraging a key property, tabular locality, which means that cells close to each other are likely to have similar formula structures. Based on the analysis of real-world spreadsheets, I identified five tabular locality-based patterns and designed novel algorithms for querying the compressed representation without decompression. Our experiments on real-world spreadsheets show that the speedup of Taco over Excel on finding dependents is up to  $632\times$ .

#### R5. Modin: A Scalable Dataframe System

Jan. 2021-Present

Code: https://github.com/modin-project/modin

I led the effort in developing two key techniques for efficient parallel execution and metadata management in Modin. Pandas is a popular dataframe library widely embraced by data scientists and has been the defacto tool for doing exploratory data analysis in Python. However, building a scalable dataframe system that maintains the unique semantics of dataframes (e.g., supporting mixed types of data in a column and requiring a specific row order for the output dataframe of a function) and supports a large number of pandas functions (i.e., over 600) is challenging. Modin addresses the challenges by mapping pandas functions to 15 core operators, and efficiently parallelizing the core operators and managing the associated metadata (e.g., the type information per column). Specifically, I formally developed decomposition rules that decompose the execution of a core operator in row-wise, column-wise, and cell-wise ways to parallelize the core operator while maintaining its unique semantics. I then developed rewriting rules to choose the decomposition rules for efficient parallel execution. For efficient metadata management, I proposed metadata independence, a technique that always logically maintains the metadata and

lazily materializes the metadata when necessary. Modin has been adopted by many data scientists to accelerate their pandas execution. It has more than 7K daily downloads and 8K stars on GitHub.

#### **R6.** Lux: Always-on Visualization Recommendations

Jan. 2021-Present

Code: https://github.com/lux-org/lux

Lux is a visualization recommendation tool to reduce the programming overhead for generating visualizations. It proposes a novel data-centered intent language that allows users to use attributes and filters to specify the portion of data of interest without having to consider the visualization encodings, which are inferred by Lux automatically. In addition, Lux models the recommendation process as a state machine, where the state space is defined by the possible combinations of attributes and filters and each recommendation moves users from the current state to an adjacent one. For example, if a user specifies the intent on two attributes and we consider the attribute space, Lux will visualize the relationship between the two attributes (e.g., using a scatter plot) and additionally consider the visualizations that remove, add, or swap one of the original two attributes as candidates. For the candidate visualizations to be recommended, Lux ranks them based on pre-defined interestingness scores and choosees the top k visualizations, where k is configurable. Similar recommendations can be applied to the filter space. Lux is integrated into the pandas dataframe workflow, where users visualize their dataframe by simply printing the dataframe. Lux has 400K downloads and 4.2K stars on Github, and is adopted in many domains, including medicine, education, finance, and more.

#### **R7.** Client-Assisted Data Loading

July 2019-Dec. 2020

Data loading is time-consuming due to type parsing, integrity checking, and maintaining data structures. I mentored an undergraduate to leverage lazy data loading to make data quickly available without heavily sacrificing query performance. The idea is actively pushing predicates of prospective queries into the clients (e.g. edge devices) to generate bit-vectors that indicate whether a tuple is valid for a predicate. The system leverages the bit vectors to partially load data that is most frequently accessed by prospective queries. When queries access unloaded data, the system uses the bit-vectors as an index to accelerate the query execution by skipping irrelevant tuples.

#### R8. CrocodileDB: Resource-Efficient Database Execution

Nov. 2017-Mar. 2021

Code: https://github.com/orgs/crocodiledb/repositories

Scalable data systems, while performant, consume many computing and memory resources, introducing a high monetary cost if run on the cloud. I built a resource-efficient database, CrocodileDB, to reduce resource usage while meeting a performance goal. CrocodileDB supports scheduled queries over a stream of tuples (e.g., ETL jobs or recurring dashboard reports) and the performance goal is the maximally allowed query latency, which is defined as the time between when the full data is ready for one scheduled query (i.e., the last tuple arrives) and the query result is computed. The core idea for reducing resource consumption is regarding the performance goal as a time slackness and designing novel system strategies to exploit the slackness, including 1) selectively executing parts of a scheduled query lazily, 2) judiciously deciding the queries to share, and 3) intelligently choosing the intermediate states (e.g., a hash table for a hash join) to maintain in memory. Parts of the techniques in CrocodileDB are adopted in a system in Alibaba for reducing the resource consumption of recurring jobs for daily reports.

Specifically, I developed incrementability-aware query processing, or InQP, for reducing the CPU consumption for one scheduled query. To reduce the query latency and meet the performance goal, incremental execution is employed to compute the partial results early and incrementally maintain the previous results. The more eagerly we incrementally execute a query (e.g., perform one incremental execution for each new tuple), the higher query work and subsequent CPU consumption there will be, mainly because output tuples in earlier executions may be removed by later executions, increasing the query work. Interestingly, eager incremental execution of different parts of a query will increase different amounts of query work for the same amount of reduced latency. Therefore, I proposed incrementability, a novel metric for quantifying the cost-effectiveness of incremental execution for different parts of a query, and developed an algorithm for incrementally executing different sub-queries at different levels of eagerness based on their incrementability to reduce total query work while meeting the performance goal.

Next, I developed iShare, which selectively shares queries that execute on the same data and have different performance goals. Shared execution eliminates redundant computation to save CPU cycles. However, shared execution for different performance goals requires the shared plan to meet the hardest goal (i.e., the lowest latency constraint) and forces some participating queries to run more eagerly. Eager

incremental execution increases total query work, which may offset the benefits of shared execution. iShare considers the two factors together and finds efficient query plans that reduce redundant work across concurrent queries and avoid the cost of eager incremental execution.

Finally, I developed intermittent query processing, or IQP, for reducing memory consumption. Our observation is that the new data for a scheduled query may arrive intermittently, rather than continuously in some cases. Therefore, there may be a long time when the query does not incorporate new data. During this period, IQP selectively discards parts of the intermediate states to reduce memory consumption with respect to a memory budget and recomputes them from other saved intermediate states when necessary. I proposed an algorithm to decide which intermediate states to discard to best reduce the query latency based on the predictive information about the new data, such as the estimated size and distribution of the base tables having new data.

#### **R9.** Adaptive Concurrency Control for Main-Memory Databases

Sep. 2015-Nov. 2017

Code: https://github.com/totemtang/cc-testbed

I built a main-memory database that adaptively mixes multiple concurrency control protocols, where each protocol is optimized for a different type of workload. I implemented multiple protocols, developed a machine learning model to predict the ideal protocol for a workload, and developed a mediated protocol for switching protocols online. Our experimental results show that this approach has much higher transaction throughput than the best single protocol under varied workloads.

## **Earlier Projects (Before Ph.D.)**

#### R10. Structured Data Shuffling for Big Data Analytical Stacks

Nov. 2013-Jan. 2015

We build a structured data shuffling procedure that can leverage the semantics of SQL queries to apply efficient compression algorithms and discard unnecessary data during data shuffling.

#### R11. A Fast and Space-Efficient Join Method for Log Processing in MapReduce Sep. 2012-Nov. 2013

We design a join method that achieves high query performance with a small extra storage cost for log processing. It shuffles the log table to avoid huge storage consumption and optimizes the shuffle procedure to achieve high query performance.

#### Referees

Name Aditya G. Parameswaran

**Affiliation** University of California, Berkeley

**Position** Associate Professor

Contact adityagp@eecs.berkeley.edu

NameAaron J. ElmoreAffiliationUniversity of ChicagoPositionAssociate ProfessorContactaelmore@cs.uchicago.edu

Name Michael J. Franklin
Affiliation University of Chicago

**Position** Full Professor, Liew Family Chairman of Computer Science

Contact mjfranklin@uchicago.edu

NameSanjay KrishnanAffiliationUniversity of ChicagoPositionAssistant ProfessorContactskr@cs.uchicago.edu

Name Indranil Gupta

**Affiliation** University of Illinois Urbana-Champaign

PositionFull ProfessorContactindy@illinois.edu

NameUmar Farooq MinhasAffiliationApple Knowledge PlatformPositionEngineering LeaderContactumarfm13@gmail.com

Name Wei Li

**Affiliation** Institute of Computing Technology, Chinese Academy of Sciences

PositionAssociate ProfessorContactliwei@ict.ac.cn