

REA1

*

RXB Editor Assembler Version 2024

*

module. REA is a new completely re-written Editor Assembler

many Any code not needed was removed, and this left room for

the new features. TI BASIC support has been removed to add in
features like catalog a drive and set pathnames.

This is a copy of the REA title screen:

Rich Editor & Assembler V=2015

S SET PATHS NAMES

D DIRECTORY

A ASSEMBLER

E EDITOR

X XB PROGRAM

L LOAD and RUN

P PROGRAM FILE

. R X B

This is a copy of the REA Configure Paths:

* CONFIGURE PATHS *

- 1 DSK1.EDIT1
- 2 DSK1.ASSM1
- 3 DSK1.SOURCE
- 4 DSK1.OBJECT
- 5 DSK1.LIST
- 6 OPTIONS: L

CTRL 1 - 5 DRIVE SELECTION

ANY OTHER KEY TO MAIN MENU

PAGE

REA3

S SET PATH NAMES

Sets path of Editor, Assembler, source, object, and list files. Selection of 1 to 6 allows a input like as in previous Editor Assembler version including REA. Selection of CTRL 1 to 5 will allow single selection of drive number for that path. As an example is select CTRL 1 and the number 1 in path DSK1.EDIT1 will beep and ask for a drive number or letter. Another beep indicates selection made and shows the change.

E EDITOR

Has a arrow to indicate which option has been selected, thus the user will no longer make a mistake of saving a blank file over the original that he actually meant to load or save. Also

as Edit path is preset the loading is automatic for the Editor and the file to load. Save file still asks for a path name and file. Print also asks for device or path name.

i.e. DSK.VOLUMENAME.EDIT1 or WDS1.DIRECTORY.SUBDIRECTORY.EDIT1

The directory will load the selected file if this option is used. See Directory for features.

A ASSEMBLER

Assembler has no menu selection as CONFIGURE PATHS does this. The ASSM1 path from S SET PATH automatically loads Source, Object, List file paths and Options. A Assembler key press from main menu starts the Assembler, but SET PATH must be first.

i.e. DSK.VOLUMENAME.ASSM1 or WDS1.DIRECTORY.SUBDIRECTORY.ASSM1

The directory will replace the selected file if this option is used. See Directory for features.

L LOAD and RUN

The directory will load the selected file if this option is used. After loading a file all the link names will be

displayed

including all support routines. Using arrow keys the selected link name can be executed by pressing ENTER key. Up to 80 link names will be displayed on screen thus arrow keys to select a program name to run. See Directory for features.

P PROGRAM FILE

By pressing a single key then enter, DSK#.UTIL1 is displayed and executed. # indicates the key pressed A to Z or 1 to 9. Pressing 0 (zero) runs WDS1.UTIL1 at PROGRAM FILE. The

directory

will load the selected file if this option is used. The lower

8K

support routines normally only loaded by the EA3 option are

now

loaded by this option too. So users can load FORTH, FORTRAM,

and

C programs from the EA5 prompt.

X XB PROGRAM

New feature that prompts for a XB program file to run. If the file or device errors out, then a return to RXB command mode

is

done. The * R X B * and a flashing cursor indicates the XB command mode. By pressing a single key then enter, DSK#.LOAD

is

displayed and executed. # indicates the key pressed. The directory will load the selected file if this option is used. See Directory for new features.

REA4

D DIRECTORY

A new feature that prompts for a device name. EXAMPLE: DSK1. The period MUST be included if the full device name is used. Or type in a path name EXAMPLE: WDS1.DIRECTORY. The quicker

way

is to just type a number or letter then enter. Thus DSK#. is used and the key pressed represents the # used. While the catalog is being scrolled on screen, ANY KEY will pause the display and reading of a disk, an arrow will appear next to

the

file read and the ARROW KEYS will move the arrow up or down. (FCNT/CTRL optional). To page forward or backward a screen at a time press left and right arrow keys. The arrow last

pointing

to will stay at the top or bottom of the screen display. This is much better than other paging methods like DM1000 or Funnel Web Disk review to see single lines.

ONLY the SPACE BAR will pause the catalog until pressed again.

2015 added new keys to Directory: 1 = Editor.

A or a = Assembler file.

G or g = GPL Assembler file.

into

Use ENTER to select the filename so it will be placed into

a buffer, the cataloger will auto-load Dis/Fix 80 files into the EA3 menu, Programs will be EA5, and only Dis/Var 254 is considered to be XB programs. So to load XB programs use the SPACE BAR to buffer the filename, thus loading is automatic from there for XB programs. For DIS/VAR 80 or DIS/FIX 80 files to be edited or assembled use ENTER or SPACE BAR, then select the Edit or Assembler from the main menu. Loading is automatic from there.

Directory will automatically assume you wish to catalog a sub-directory if a Directory was selected. To buffer anything else you must use the SPACE BAR, to select a filename to be placed into a buffer, then auto return to REA main menu. Now select the option to be used from this buffer.

If you select D DIRECTORY again, the buffer will be used and

the

last device accessed will be used again. If you wish to clear the buffer just use FCTN BACK to the REA main menu.

NOTE:

SOURCE file name must be filled in as this is the default. But if you use DIRECTORY to flag a file it will be placed into S SET PATH NAMES for all uses.

. R X B

had

A previous feature that was optional since version 1000 but

no menu option on screen indicating it was a option. (Period)

.

will return to RXB menu screen.

PAGE

REA5

SYSTEM SUPPORT

supports

The modified version of the Editor/Assembler no longer

PEEKV,

the 99/4 computer. A 99/4A is required. All TI BASIC support routines (CALL INIT, CALL LINK, CALL LOAD,CALL PEEK, CALL

CALL POKEV, and CALL CHARPAT) have been removed from the Editor/Assembler. If you have a program that must be run from TI BASIC and requires these routines, you must plug an Editor/Assembler module into the cartridge connector. There are some assembly language programs that access data internal to the Editor/Assembler cartridge. These programs will not run correctly due to the re-structuring of the data in the Editor/Assembler module. For these programs you must use your Editor/Assembler cartridge. On the other hand like FunnelWeb REA loads the support routines before EA3 or EA5 loaders to engage, so C, FORTRAM, and FORTH will load from the EA5 prompt.

NO 32K NEEDED TO WHAT?

EXPANSION*

REA has been totally re-written so the user can now use some of the features of REA without that nasty *NO MEMORY

error turning up. The error routine only disallows the user from accessing those aspects of REA that absolutely needs 32K to work. The user may now use the REA EDITOR PRINT FILE menu, or use the x R X B file loader menu, or use D DIRECTORY menu. That means with RXB and REA the user can now print files, view files, load any BASIC or XB program and catalog from REA with or without a 32K memory.

EASTER EGGS

When on main menu of REA 2015 using keys 1 will still go to the Editor, 2 will still go to Assembler, 3 will still go to the Load and Run, and 5 will still go to RUN PROGRAM FILE. There are more to look for.