

EXP NO: 10

DATE:

SNORT IDS

AIM:

To demonstrate Intrusion Detection System (IDS) using snort tool.

ALGORITHM:

Step 1: Download and extract the latest version of daq and snort.

Step 2: Install development packages - libpcap and pcre.

Step 3: Install daq and then followed by snort.

Step 4: Verify the installation is correct.

Step 5: Create the configuration file, rule file, and log file directory.

Step 6: Create snort.conf and icmp.rules files.

Step 7: Execute snort from the command line.

Step 8: Ping to Yahoo website from another terminal.

Step 9: Watch the alert messages in the log files.

OUTPUT:

```
[root@localhost security lab]# cd /usr/src
[root@localhost security lab]# wget https://www.snort.org/downloads/snort/daq-2.0.7.tar.gz
[root@localhost security lab]# wget https://www.snort.org/downloads/snort/snort-2.9.16.1.tar.gz
[root@localhost security lab]# tar xvzf daq-2.0.7.tar.gz
[root@localhost security lab]# tar xvzf snort-2.9.16.1.tar.gz
[root@localhost security lab]# yum install libpcap* pcre* libdnet* -y
[root@localhost security lab]# cd daq-2.0.7
[root@localhost security lab]# ./configure
[root@localhost security lab]# make
[root@localhost security lab]# make install

[root@localhost security lab]# cd snort-2.9.16.1
[root@localhost security lab]# ./configure
[root@localhost security lab]# make
[root@localhost security lab]# make install
[root@localhost security lab]# snort --version
,,_      -*> Snort! <*-
```

o")~ Version 2.9.8.2 GRE (Build 335)

"" By Martin Roesch & The SnortTeam: <http://www.snort.org/contact#team>

Copyright (C) 2014-2015 Cisco and/or its affiliates. All rights reserved. Copyright
(C) 1998-2013 Sourcefire, Inc., et al.

Using libpcap version 1.7.3

Using PCRE version: 8.38 2015-11-23 Using ZLIB version: 1.2.8

```
[root@localhost security lab]# mkdir /etc/snort
```

```
[root@localhost security lab]# mkdir /etc/snort/rules
```

```
[root@localhost security lab]# mkdir /var/log/snort
```

```
[root@localhost security lab]# vi /etc/snort/snort.conf
```

add this line- include /etc/snort/rules/icmp.rules

```
[root@localhost security lab]# vi /etc/snort/rules/icmp.rules
```

alert icmp any any -> any any (msg:"ICMP Packet"; sid:477; rev:3;)

```
[root@localhost security lab]# snort -i enp3s0 -c /etc/snort/snort.conf -l
```

/var/log/snort/ Another terminal

```
[root@localhost security lab]# ping www.yahoo.com Ctrl + C
```

```
[root@localhost security lab]# vi /var/log/snort/alert
```

```
[**] [1:477:3] ICMP Packet [**] [Priority: 0]
```

10/06-15:03:11.187877 192.168.43.148 -> 106.10.138.240

ICMP TTL:64 TOS:0x0 ID:45855 IpLen:20 DgmLen:84 DF Type:8 Code:0

ID:14680 Seq:64 ECHO

```
[**] [1:477:3] ICMP Packet [**] [Priority: 0]
```

10/06-15:03:11.341739 106.10.138.240 -> 192.168.43.148

ICMP TTL:52 TOS:0x38 ID:2493 IpLen:20 DgmLen:84 Type:0 Code:0 ID:14680

Seq:64 ECHO REPLY

```
[**] [1:477:3] ICMP Packet [**] [Priority: 0]
```

10/06-15:03:12.189727 192.168.43.148 -> 106.10.138.240

ICMP TTL:64 TOS:0x0 ID:46238 IpLen:20 DgmLen:84 DF Type:8 Code:0

ID:14680 Seq:65 ECHO

[**] [1:477:3] ICMP Packet [**] [Priority: 0]
10/06-15:03:12.340881 106.10.138.240 -> 192.168.43.148
ICMP TTL:52 TOS:0x38 ID:7545 IpLen:20 DgmLen:84 Type:0 Code:0 ID:14680
Seq:65 ECHO REPLY

RESULT: