

My Final College Paper

A Thesis
Presented to
The Division of Mathematics and Natural Sciences
Reed College

In Partial Fulfillment
of the Requirements for the Degree
Bachelor of Arts

Dylan H. Huff

May 2019

Approved for the Division
(Computer Science)

Eric S. Roberts

Acknowledgements

I want to thank a few people.

Preface

This is an example of a thesis setup to use the reed thesis document class.

List of Abbreviations

You can always change the way your abbreviations are formatted. Play around with it yourself, use tables, or come to CUS if you'd like to change the way it looks. You can also completely remove this chapter if you have no need for a list of abbreviations. Here is an example of what this could look like:

CS	Computer Science
HTML	Hyper Text Markup Language
JS	JavaScript

Table of Contents

Introduction	1
Chapter 1: Algorithm Animation	3
1.1 What is Algorithm Animation?	3
1.2 Motivation for Algorithm Animation	3
1.3 Use in Computer Science Education	3
1.3.1 History	3
1.3.2 Current State of Algorithm Animation	4
Chapter 2: State of Computer Science Higher Education	5
2.1 Background	5
2.2 Problems facing Higher Education	5
2.2.1 Lack of PhDs	5
2.2.2 Increasing Demand from Students	6
2.3 Proposed Solutions	6
2.4 JavaPPTX	7
2.4.1 Background	7
2.4.2 Classroom Usage	8
2.4.3 Package Expansion	8
Chapter 3: JavaPPTX to JavaScript	9
3.1 Statement of Work	9
3.1.1 New Features	9
3.1.2 Uses of this Expansion	9
3.2 Internal Logic	10
3.2.1 JavaScript Framework	10
3.2.2 Cross Compilation	10
3.3 Future Work	11
3.3.1 New Features	11
3.3.2 Realtime JS Animation	11
Conclusion	13
Appendix A: The First Appendix	15
References	17

List of Tables

List of Figures

Abstract

The preface pretty much says it all.

Dedication

You can have a dedication here if you wish.

Introduction

Chapter 1

Algorithm Animation

This chapter is an overview of algorithm animation and where this thesis fits into that story.

1.1 What is Algorithm Animation?

Algorithm animation is the process of taking algorithms and giving them graphical representations.

1.2 Motivation for Algorithm Animation

Algorithm animation has benefits for teachers and students. Below are some of the most commonly cited benefits.¹

- It allows teachers to display algorithms in lectures easily.
- Another method for teaching students fundamental algorithms, pictures and code compared to just code.
- It allows for another avenue of debugging.

1.3 Use in Computer Science Education

1.3.1 History

Algorithm animation began in the 70's and has seen usage since. In the early days of algorithm animation, teachers used tools to make animations for their presentations. Often time these were predefined short films. As tools progressed, the animations no longer had to be used exclusively by teachers and didn't need to be predefined.² Tools became able to dynamically represent the algorithms that students made.

¹Hundhausen et al. (2002)

²Hundhausen et al. (2002)

One of the most famous and important contributions to algorithm animation was Balsa. Balsa was created in 1987 by Marc Brown. Balsa introduced several major innovations in the field. One major contribution was the addition of real time animations. Prior to Balsa, the animations wouldn't operate in real time, rather the animation would algorithm would run then the animation would be made, unlike real time animation which executes the animation and algorithm simultaneously. Another innovation was the introduction of scripts. Scripts were predefined PASCAL programs that would control the algorithm and could be executed in real time. This allows teachers to predefine how an animation will execute, then present the animation in real time.³

Along with this shift from predefined to dynamically defined tools, other features were added that improved the animations. One particularly notable improvement came in when animations transitioned from 2D to 3D. This shift from 2D to 3D allowed for more information to be simultaneously displayed. Along with this improvement, color and sound were both added to animations.⁴

1.3.2 Current State of Algorithm Animation

There are a few challenges facing modern day algorithm animation. One of these challenges is the lack of adoption of animation tools by instructors. Levy points out two main challenges of adoption from survey results of teachers. The first is that the tools being developed may be feature rich but not integrated well into the existing material or curriculum. This illuminates the fact that the tool developers aren't usually primarily concerned with integration, but rather features. Second, they cite "centrality" as the other major inhibition of teachers. They define centrality to be where the center of learning is for the students. By making animation tools that animate the students algorithms, the centrality is being moved from the teacher to the student. They note that this phenomenon is present with highly confident and experienced teachers through not confident inexperienced teachers.⁵ It's also worth noting that the teachers in this study are high school teachers and not college professors.

Along with low adoption rates by teachers, there is also a lack of work being published.⁶

³Brown (1987)

⁴Najork & Brown (1994)

⁵Levy & Ben-Ari (2007)

⁶Kucera (2018)

Chapter 2

State of Computer Science Higher Education

This chapter will be about the state of CS higher ed, its problems, some solutions and how JavaPPTX fits into that picture

2.1 Background

Talk about the history and formation. Talk about its periods of growth and bust. Talk about current growth and future growth.

2.2 Problems facing Higher Education

Talk about various problems, how they arose and what their effects on education are.

2.2.1 Lack of PhDs

One of the major issues facing CS higher education is the amount of PhDs being produced and the percentage of them going to industry versus professor positions. Currently, 57% of the new PhD graduates go to industry.¹ With wages in industry being considerably higher than wages for CS professors, there is no sign of this trend decreasing.

Currently about 30% of PhD graduates go into academia, but that doesn't mean they all take tenure track positions. About 10% of all graduates choose to go into Post Doctoral positions while another 2% go into research positions.² In the end, only 18% end up in teach positions. This translates to 320 graduates. To put that in perspective, there are currently 1577 open faculty positions in 2015. While those numbers seem bleak, the picture only gets worse. Consider that when large prestigious universities have openings, the graduates are much more likely to go there compared to smaller local universities with less prestige.

¹Zweben & Bizot (2018)

²Zweben & Bizot (2018)

2.2.2 Increasing Demand from Students

Between 2009 and 2015, the amount of people graduating with a bachelors degree from not-for-profit institutions has increased 74%. This is significantly higher than the general rate of increase in bachelors degrees awarded over the same period of time. This is the average increase. As the books notes, there is large variation between institutions, with some seeing rates much higher than the average. In particular, research institutions tend to see higher than average rates of increase. Another consideration with this average is that some institutions also work to cap the amount of prospective CS students they admit. It is worth noting that there have been major increases in the past, followed by sharp decreases. There is no one factor that can account for the historical decreases in the past. ³

On top of increased degree production, enrollment of CS courses from CS majors and non-majors has also increased since 2005. This trend also shows no sign of slowing down within the next few years, relative to 2018, without any institutional discouragement.

One of the major reasons for this increased demand is that in the U.S., the number of jobs related to computing have been increasing steadily for the past 40 years. Currently, there are not enough students graduating with degrees relating to the field to fill open the current open job positions. Looking down the road, the U.S. Bureau of Labor Statistics estimates that the number of jobs in this area is estimated to continue to grow rapidly through atleast 2026.⁴ Beyond the data predicting continued growth, given the increasing pervasiveness of computers in the world, it makes sense that the amount of jobs will continue to grow for the foreseeable future.

2.3 Proposed Solutions

Currently there is no definitive solution to the problems facing CS Higher Education. Most of the problems stem from the job market and there is no sign that the job market will ease up on the pressure that it is applying. There are a few solutions that have been proposed, none of which will be the sole answer.

Stanford recently implemented a program to retrain Ph.D.s from others disciplines.⁵ The program is a Masters of Education which will teach these people fundamental CS skills. The goal of this program is not to have these people teaching advanced CS courses, but rather have them be the teachers for some of the introductory courses. These retrained faculty also do not need to participate in outside research, rather their main focus would be teaching courses. This solution should help free up the faculty that has more advanced knowledge, allowing them to teach the high level courses and do their research. As an added benefit, it maybe the case that since the people being retrained are committed academics, they could be less likely to leave for industry.

³Committee on the Growth of Computer Science Undergraduate Enrollments et al. (2018)

⁴BLS (2018)

⁵Starkman & University (2016)

Another partial solution is the creation of supporting tools for existing faculty. In the next couple of years, there will not be enough professors to meet student demands. Even if a solution is found to get more professors, there will be years of delays before that solution is felt since it takes years to train people. Its obvious that more tools cannot replace faculty, but in terms of immediacy, tools have the advantage. There are existing auto grading tools for programming assignments which have been helpful. Another aspect of teaching that could be added is presenting. Tools could aid in the time it takes to create a presentation and the effectiveness that said presentation has. One tool in particular, JavaPPTX, will be the focus of this thesis.

2.4 JavaPPTX

JavaPPTx, created by Eric Roberts, is a library for Java that aids in the creation of PowerPoint Presentations. The package allows someone to write a program in Java that will create a PPTX file. This differs from the usual method of creating PowerPoints using Microsoft PowerPoint, which can become very cumbersome when making detailed animations that have specific movements or require many moving objects.

2.4.1 Background

The package supports many of the features in PowerPoint and adds functionality in other cases. Here are some of the features supported:

- Creation of many shapes, including rectangles, ovals, lines, and more.
- Creation of text objects, including titles and long form text.
- Animation of objects. This includes fades, appearing, disappearing, linear motion, and more. All of these can be event based (clicks or delays).
- Support for multiple slides and slide transitions.
- Importing of images.

Some of the extended functionality includes:

- An animated terminal function.
- Exact animations including bezier paths.
- An animated stack tracing function.

2.4.2 Classroom Usage

One of the major benefits of the package is that it unobtrusively saves professors time while allowing them to animate hard to understand concepts. The package fits in well because it doesn't require professors to change their teaching methods. Many professors already use PowerPoint during their lectures. While there is a learning curve associated with the package, it isn't particularly difficult to use and would save time in the long run. The package can be used to make simple slides, but the package was designed to, and excels at, making complicated PowerPoints. Some topics that can be more easily explained are recursion, loops, and debugging.

2.4.3 Package Expansion

Here I'll talk about ways that the package could be expanded and the benefits of the specific expansions. One will be my expansion.

Chapter 3

JavaPPTX to JavaScript

3.1 Statement of Work

3.1.1 New Features

The main addition of this work is the ability to export the animations to HTML and JS without having to add any additional logic. This means that a professor could use JavaPPTX to create a PowerPoint for lecture, and with only having to add the following two lines

```
PPSaveJS testSave = new PPSaveJS(ppt);  
  
testSave.save("../example.js");
```

the lecturer could create a web page that is identical to the PowerPoint. The newly created HTML file and JS file could be uploaded as is to create a web page, or could easily be embedded within an existing web page.

3.1.2 Uses of this Expansion

Having a native web output has two main benefits, the ease of viewing the animation and allowing new audiences to view the animation. PowerPoint is not web native, meaning that someone that wants to view the lecture needs to download a copy of the PowerPoint and have access to an application that can view the PPTX file. While this isn't too large of a burden on laptops or desktops, accessing the lecture on a phone is very cumbersome and often infeasible. This barrier is easily overcome with HTML and JS as an output as almost all phones, as well as laptops and desktops, can view a web page easily. This is very convenient for anyone trying to view the lecture, but it also allows people without access to a laptop or desktop to view the lecture.

3.2 Internal Logic

The process of building this feature set and making individual algorithms can be broken down into two parts, building the framework and cross compilation of the logic.

3.2.1 JavaScript Framework

The JS framework relies heavily on the Canvas API. This API is meant to make animating in JS and HTML much simpler. The framework that I built is built on top of that and offers more abstractions to the programmer while also storing objects to be animated in a hierarchical and object oriented manner. This makes animating shapes and text objects much simpler. As an example consider drawing 5 circles and having them move using Canvas vs this framework. Canvas doesn't provide any way to keep track of drawn objects. It doesn't provide a native way to make objects move. It doesn't provide native re-rendering of drawn objects which is a problem when trying to move an object since it forces a rerender. Using the framework, a programmer would only need to create the 5 circle objects by passing them a few starting attributes (position, color, etc) then call a move function on the desired circle.

The framework is created dynamically, only building the parts that are necessary for that particular algorithm. This allows the resulting JS to be as minimal and fast as possible. This is done at compilation every time. There is some boilerplate framework that is created every time.

3.2.2 Cross Compilation

After the framework is built, the logic is processed. The native JavaPPTX package stores all of the information passed by the programmer then creates the corresponding PowerPoint. Since all of the information is stored by the package prior to being compiled to a pptx file, the information can be stored in the same way but compiled to JS. After a save to JS function is called, the program will crawl through all of the stored data, and run the corresponding compilation to JS functions. This step was particularly tricky because the way that Java stores information is different from JS, so all the logic needed to be translated. Take storing color data as an example. Java may store the color as "RED" but JS would take a hex string as a color attribute. This logic translation was possibly the most difficult part of creating this extension. It required understanding how Java and JavaPPTX stored information, then figuring out the best way to store that in JS.

3.3 Future Work

3.3.1 New Features

What features did I miss? How can this overall be improved? This section will be quick to write once I know if/what features I was unable to get to.

3.3.2 Realtime JS Animation

As this work stands, the animations that can be made are not real time and aren't reflecting algorithms that a student makes. A meta study has shown that it maybe more effective to have the animations reflect the students algorithms rather than having a teacher animate an algorithm and use it in a lecture, but this is contentious.¹ A major contribution of this thesis is a JavaScript framework that allows for animations to be created more easily. In its current state, the animations are built based off of the logic given by the person creating the animation, which is intended to be an instructor. This framework could be used to reflect animations in real time that students create. Since the visual framework has been built, someone expanding on this work would have to figure out the logic behind creating animating the algorithms. The easiest expansion could be animating JS algorithms. Since JS is native to the web, it also maybe worthwhile to have other languages have animations done with this framework since the animations could easily be made into websites and shared. Since this package is written in Java, Java would be a logical language to expand this to.

¹Hundhausen et al. (2002)

Conclusion

Here's a conclusion

Appendix A

The First Appendix

References

- BLS, U. (2018). Computer and information technology occupations :occupational outlook handbook u.s. bureau of labor statistics. <https://www.bls.gov/ooh/computer-and-information-technology/home.htm>
- Brown, M. H. (1987). *Algorithm Animation*. Phd thesis, Brown University.
- Committee on the Growth of Computer Science Undergraduate Enrollments, Board on Higher Education and Workforce, Policy and Global Affairs, Computer Science and Telecommunications Board, Division on Engineering and Physical Sciences, & National Academies of Sciences, Engineering, and Medicine (2018). *Assessing and Responding to the Growth of Computer Science Undergraduate Enrollments*. National Academies Press. <https://www.nap.edu/catalog/24926>
- Hundhausen, C. D., Douglas, S. A., & Stasko, J. T. (2002). A meta-study of algorithm visualization effectiveness. *13*(3), 259–290. <http://www.sciencedirect.com/science/article/pii/S1045926X02902375>
- Kucera, L. (2018). Visualization of abstract algorithmic ideas. (p. 8).
- Levy, R. B.-B., & Ben-Ari, M. (2007). We work so hard and they don't use it: Acceptance of software tools by teachers. (pp. 246–250). Event-place: Dundee, Scotland. <http://doi.acm.org/10.1145/1268784.1268856>
- Najork, M. A., & Brown, M. H. (1994). A library for visualizing combinatorial structures. (pp. 164–171). Event-place: Washinton, D.C. <http://dl.acm.org/citation.cfm?id=951087.951119>
- Starkman, R., & University, C. S. (2016). Stanford computer science launches new masters of education. *HuffPost*. https://www.huffpost.com/entry/stanford-computer-science_b_9713220
- Zweben, S., & Bizot, B. (2018). Another year of record undergrad enrollment; doctoral degree production steady while master's production rises again. (p. 47).