

# Title

D. Zack Garza

Sunday 13<sup>th</sup> September, 2020

## Contents

<b>1</b>	<b>Sunday, September 13</b>	<b>1</b>
1.1	1.a . . . . .	1
1.2	3.a . . . . .	2

# 1 | Sunday, September 13

## 1.1 1.a

*Proof* ( $A \implies B$ ).

- Suppose  $\{a_n\}$  is not bounded above.
- Then any  $k \in \mathbb{N}$  is not an upper bound for  $\{a_n\}$ .
- So choose a subsequence  $a_{n_k} > k$ , then by order-limit laws,

$$a_{n_k} > k \implies \liminf_{k \rightarrow \infty} a_{n_k} > \liminf_{k \rightarrow \infty} k = \infty.$$

Note that  $\lim_{n \rightarrow \infty} a_n$  need not exist, but  $\liminf/\limsup$  always exist.

*Proof* ( $\neg A \implies \neg B$ ).

- Suppose  $\{a_n\}$  is bounded by  $M$ , so  $a_n < M < \infty$  for all  $n \in \mathbb{N}$ .
- Then if  $\{a_{n_k}\}$  is a subsequence, we have  $a_{n_k} \in \{a_n\}$ , so  $a_{n_k} < M$  for all  $k \in \mathbb{N}$ .
- But then

$$a_{n_k} < M \implies \limsup_{k \rightarrow \infty} a_{n_k} \leq M,$$

- Now note that if  $\lim_{k \rightarrow \infty} a_{n_k}$  exists,

$$\lim_{k \rightarrow \infty} a_{n_k} < \limsup_{k \rightarrow \infty} a_{n_k} \leq M < \infty,$$

so every subsequence is bounded and thus can not converge to  $\infty$ .



## 1.2 3.a

*Proof .*

- Suppose  $x_n \leq M$  for all  $n$ , we will show that every subsequential limit is also bounded by  $M$ .
- Let  $S := \{x \in \mathbb{R} \mid x \text{ is a subsequential limit of } \{x_n\}\}$  be the set of subsequential limits.
- Let  $\{x_{n_k}\} \in S$  be an arbitrary convergent subsequence (since we are only concerned about subsequences with well-defined limits).
- Then for every  $k$  we have  $x_{n_k} \in \{x_n\}$ , so

$$|x_{n_k}| \leq M.$$

- By order limit laws,

$$|x_{n_k}| \leq M \implies \lim_{k \rightarrow \infty} |x_{n_k}| \leq M,$$

- Since the map  $x \mapsto |x|$  is continuous, using the sequential definition of continuity we can pass the limit through the absolute value to obtain

$$\left| \lim_{k \rightarrow \infty} x_{n_k} \right| \leq M.$$

- Since the subsequence was arbitrary, we find that  $M$  is an upper bound for  $S$ .
- But  $\inf S$  is a *lower* bound for  $S$ , so  $\inf S \leq M$ .



*Proof (Using definition (ii)).*

- Suppose  $|x_n| \leq M$  for every  $n$ .
- Let  $\{x_{n_k}\}$  be an arbitrary subsequence, then since  $x_{n_k} \in \{x_n\}$  for all  $k$ ,  $|x_{n_k}| \leq M$  for all  $k$ .
- By order-limit laws, for every fixed  $n$  we have

$$|x_{n_k}| \leq M \implies \inf_{k > n} |x_{n_k}| \leq M.$$

- Again applying order limit laws,

$$\inf_{k > n} |x_{n_k}| \leq M \implies \lim_{n \rightarrow \infty} \inf_{k > n} |x_{n_k}| \leq M.$$

