

# Title

D. Zack Garza

August 19, 2019

## Contents

|                             |   |
|-----------------------------|---|
| 0.1 Exercises . . . . .     | 1 |
| 0.2 Qual Problems . . . . . | 2 |

### 0.1 Exercises

**Problem 1** (Hungerford 1.6.3).

If  $\sigma = (i_1 i_2 \cdots i_r) \in S_n$  and  $\tau \in S_n$ , then show that  $\tau\sigma\tau^{-1} = (\tau(i_1)\tau(i_2) \cdots \tau(i_r))$ .

**Solution 1.** Let

$$\sigma = (s_1 s_2 \cdots s_r) \in S_n$$

in cycle notation, and  $\tau \in S_n$  be arbitrary. Define  $t_j = \tau(s_j)$ ; we would then like to show that

$$\tau\sigma\tau^{-1} = (t_1 t_2 \cdots t_r) := (\tau(s_1)\tau(s_2) \cdots \tau(s_r))$$

To this end, it suffices to show that  $t_i$  maps to  $t_{i+1 \bmod r}$ , under  $\tau\sigma\tau^{-1}$ , which is to say

$$\tau\sigma\tau^{-1}(t_i) = \begin{cases} t_{i+1} & i+1 \leq r, \\ t_1 & i = r \end{cases}.$$

Bearing this in mind, we will immediately suppress notation and take all indices  $\bmod r$  for the rest of this problem.

The following then follows simply by definitions:

$$\begin{aligned} \tau\sigma\tau^{-1}(t_i) &= \tau\sigma(s_i) \\ &= \tau(s_{i+1}) \\ &= t_{i+1}. \end{aligned}$$

□

**Problem 2** (Hungerford 1.6.4).

Show that  $S_n \cong \langle (12), (123 \cdots n) \rangle$  and also that  $S_n \cong \langle (12), (23 \cdots n) \rangle$

**Problem 3** (Hungerford 2.2.1).

Let  $G$  be a finite abelian group that is not cyclic. Show that  $G$  contains a subgroup isomorphic to  $\mathbb{Z}_p \oplus \mathbb{Z}_p$  for some prime  $p$ .

**Problem 4** (Hungerford 2.2.12.b).

Determine all abelian groups of order  $n$  for  $n \leq 20$ .

**Problem 5** (Hungerford 2.4.1).

Let  $G$  be a group and  $A \trianglelefteq G$  be a normal abelian subgroup. Show that  $G/A$  acts on  $A$  by conjugation and construct a homomorphism  $\varphi : G/A \rightarrow \text{Aut}(A)$ .

**Problem 6** (Hungerford 2.4.9).

Let  $Z(G)$  be the center of  $G$ . Show that if  $G/Z(G)$  is cyclic, then  $G$  is abelian.

*Note that Hungerford uses the notation  $C(G)$  for the center.*

**Problem 7** (Hungerford 2.5.6).

Let  $G$  be a finite group and  $H \trianglelefteq G$  a normal subgroup of order  $p^k$ . Show that  $H$  is contained in every Sylow  $p$ -subgroup of  $G$ .

**Problem 8** (Hungerford 2.5.9).

Let  $|G| = p^n q$  for some primes  $p > q$ . Show that  $G$  contains a unique normal subgroup of index  $q$ .

## 0.2 Qual Problems

**Problem 9.**

Let  $G$  be a finite group and  $p$  a prime number. Let  $X_p$  be the set of Sylow- $p$  subgroups of  $G$  and  $n_p$  be the cardinality of  $X_p$ . Let  $\text{Sym}(X)$  be the permutation group on the set  $X$ .

1. Construct a homomorphism  $\rho : G \rightarrow \text{Sym}(X_p)$  with image a transitive subgroup (i.e. with a single orbit).
2. Deduce that  $G$  is simple and the order of  $G$  divides  $n_p!$ .
3. Show that for any  $1 \leq a \leq 4$  and any prime power  $p^k$ , no group of order  $ap^k$  is simple.

**Problem 10.**

Let  $G$  be a finite group and  $H < G$  a subgroup. Let  $n_H$  be the number of subgroups of  $G$  that are conjugate to  $H$ . Show that  $n_H$  divides the order of  $G$ .

**Problem 11.**

Let  $G = S_5$ , the symmetric group on 5 elements. Identify all conjugacy classes of elements in  $G$ , provide a representative from each class, and prove that this list is complete.