

# Title

D. Zack Garza

Sunday 13<sup>th</sup> September, 2020

## Contents

|          |                             |          |
|----------|-----------------------------|----------|
| <b>1</b> | <b>Sunday, September 13</b> | <b>1</b> |
| 1.1      | General Notes . . . . .     | 1        |
| 1.2      | 1.a . . . . .               | 1        |
| 1.3      | 3.a . . . . .               | 2        |

# 1 | Sunday, September 13

## 1.1 General Notes

- Say what you're assuming at the start of the proof.
- If using any flipped logic (contradiction, contrapositive, etc), then signpost that near the beginning of the proof.
- Put any important equations (i.e. major steps of the proof) on their own line.
- Use some whitespace to separate parts of the proof and increase readability.
- Remember that limits of sequences need not exist, but liminfs/limsups always do (but may be  $\pm\infty$ ).

## 1.2 1.a

*Proof* ( $A \implies B$ ).

- Suppose  $\{a_n\}$  is not bounded above.
- Then any  $k \in \mathbb{N}$  is not an upper bound for  $\{a_n\}$ .
- So choose a subsequence  $a_{n_k} > k$ , then by order-limit laws,

$$a_{n_k} > k \implies \liminf_{k \rightarrow \infty} a_{n_k} > \liminf_{k \rightarrow \infty} k = \infty.$$

Note that  $\lim_{n \rightarrow \infty} a_n$  need not exist, but liminf/limsup always exist.



*Proof* ( $A \implies B$ ).

- Suppose  $\{a_n\}$  is bounded by  $M$ , so  $a_n < M < \infty$  for all  $n \in \mathbb{N}$ .
- Then if  $\{a_{n_k}\}$  is a subsequence, we have  $a_{n_k} \in \{a_n\}$ , so  $a_{n_k} < M$  for all  $k \in \mathbb{N}$ .
- But then

$$a_{n_k} < M \implies \limsup_{k \rightarrow \infty} a_{n_k} \leq M,$$

- Now note that if  $\lim_{k \rightarrow \infty} a_{n_k}$  exists,

$$\lim_{k \rightarrow \infty} a_{n_k} < \limsup_{k \rightarrow \infty} a_{n_k} \leq M < \infty,$$

so every subsequence is bounded and thus can not converge to  $\infty$ .



### 1.3 3.a

*Proof (Using definition (i)).*

- Suppose  $x_n \leq M$  for all  $n$ , we will show that every subsequential limit is also bounded by  $M$ .
- Let

$$S := \left\{ x \in \mathbb{R} \mid x \text{ is a subsequential limit of } \{x_n\} \right\}$$

be the set of subsequential limits.

– Note that  $\inf S := \liminf_{n \rightarrow \infty} x_n$  by definition (i).

- Let  $\{x_{n_k}\} \in S$  be an arbitrary convergent subsequence (since we are only concerned about subsequences with well-defined limits).
- Then for every  $k$  we have  $x_{n_k} \in \{x_n\}$ , so

$$|x_{n_k}| \leq M.$$

- By order limit laws,

$$|x_{n_k}| \leq M \implies \lim_{k \rightarrow \infty} |x_{n_k}| \leq M,$$

- Since the map  $x \mapsto |x|$  is continuous, using the sequential definition of continuity we can pass the limit through the absolute value to obtain

$$\left| \lim_{k \rightarrow \infty} x_{n_k} \right| \leq M.$$

- Since the subsequence was arbitrary, we find that  $M$  is an upper bound for  $S$  and so  $\sup S \leq M$ .
- But

$$\inf S \leq \sup S \leq M \implies \inf S \leq M.$$

■

*Proof (Using definition (ii)).*

- Suppose  $|x_n| \leq M$  for every  $n$ , we will directly show that  $\left| \liminf_{n \rightarrow \infty} x_n \right| \leq M$ .
- Let  $\{x_{n_k}\}$  be an arbitrary subsequence, then since  $x_{n_k} \in \{x_n\}$  for all  $k$ ,  $|x_{n_k}| \leq M$  for all  $k$ .
- By order-limit laws, for every fixed  $n$  we have

$$|x_{n_k}| \leq M \iff -M \leq x_{n_k} \leq M \implies -M \leq \inf_{k > n} x_{n_k} \leq M.$$

- Again applying order-limit laws,

$$-M \leq \inf_{k > n} x_{n_k} \leq M \implies -M \leq \lim_{n \rightarrow \infty} \inf_{k > n} x_{n_k} \leq M \iff \left| \lim_{n \rightarrow \infty} \inf_{k \geq n} x_{n_k} \right| \leq M.$$

- But by definition (i), this precisely says that  $\left| \liminf_{n \rightarrow \infty} x_n \right| \leq M$ .

■