

Title

D. Zack Garza

Monday 31st August, 2020

Contents

1 Sunday, August 30	1
1.1 Base Extension	1

1 Sunday, August 30

1.1 Base Extension

Given some object A/k and $k \hookrightarrow \ell$ is a field extension, we would like some extended object A/ℓ .

Example 1.1.

An *affine variety* V/k is given by finitely many polynomials in $p_i \in k[t_1, \dots, t_n]$, and base extension comes from the map $k[t_1, \dots, t_n] \hookrightarrow \ell[t_1, \dots, t_n]$.

More algebraically, we have the affine coordinate ring over k given by $k[V] = k[t_1, \dots, t_n]/\langle p_i \rangle$, the ring of polynomial functions on the zero locus corresponding to this variety. We can similarly replace k by ℓ in this definition. Here we can observe that $\ell[V] \cong k[V] \otimes_k \ell$.

In general we have a map

$$\begin{aligned} \cdot \otimes_k \ell \\ \{k\text{-vector space}\} &\longrightarrow \{\ell\text{-vector spaces}\} \\ \{k\text{-algebras}\} &\longrightarrow \{\ell\text{-algebras}\}. \end{aligned}$$

Note that this will be an exact functor on the category $k\text{-Vect}$, i.e. ℓ is a flat module. Here everything is free, and free \implies flat, so things work out nicely.

What about for function fields?

Since k is a k -algebra, we can consider $k \otimes_k \ell$, however this need not be a field.

Note: tensor products of fields come up very often, but don't seem to be explicitly covered in classes! We'll broach this subject here.

Exercise 1.1.

If ℓ/k is algebraic and $\ell \otimes_k \ell$ is a domain, the $\ell = k$.

I.e. this is rarely a domain. Hint: start with the monogenic case, and also reduce to the case where the extension is not just algebraic but finite.

Tensor products of field extensions are still interesting: if ℓ/k is finite, it is galois $\iff \ell \otimes_k \ell \cong \ell^{[\ell:k]}$. So its dimension as an ℓ -algebra is equal to the degree of ℓ/k , so it splits as a product of copies of ℓ .

Remark 1.

We'd like the tensor product of a field to be a field, or at least a domain where we can take the fraction field and get a field. This hints that we should not be tensoring algebraic extensions, but rather transcendental ones.

Exercise 1.2.

For ℓ/k a field extension,

- Show $k(t) \otimes_k \ell$ is a domain with fraction field $\ell(t)$.
- Show it is a field $\iff \ell/k$ is algebraic.

Proposition 1.1 (FT 12.7, 12.8).

Let $k_1, k_2/k$ are field extensions, and suppose $k_1 \otimes_k k_2$ is a domain. Then this is a field \iff at least one of k_1/k or k_2/k is algebraic.

Reminder: for ℓ/k and $\alpha \in \ell$ algebraic over k , then $k(\alpha) = k[\alpha]$.

So we'll concentrate on when $K \otimes_k \ell$ is a domain. What's the condition on a function field K/k that guarantees this, i.e. when extending scalars from k to ℓ still yields a domain? If this remains a domain, we'll take the fraction field and call it the *base change*.

Exercise 1.3.

If K/k is finitely generated (i.e. a function field) and $K \otimes_k \ell$ is a domain, then $ff(K \otimes_k \ell)/\ell$ is finitely generated.

The point: if taking a function field and extending scalars still results in a domain, we'll call the result a function field as well.

Most of all, we want to base change to the algebraic closure. We'll have issues if the constant field is not just k itself:

Lemma 1.2.

If $K \otimes_k \bar{k}$ is a domain, then the constant field $\kappa(K) = k$.

Proof.

Use the fact that $\cdot \otimes_k V$ is exact. We then get an injection

$$\begin{array}{ccc}
 \kappa(K) \otimes_k \kappa(K) & \xrightarrow{\quad} & K \otimes_k \bar{k} \\
 & \searrow \quad \swarrow & \\
 & \kappa(K) \otimes_k \bar{k} &
 \end{array}$$

Here we use the injections $\kappa(K) \hookrightarrow \bar{k}$ and $\kappa(K) \hookrightarrow K$.

We now have an injection of k -algebras, and subrings of domains are domains. So apply the first exercise: the only way this can happen is if $\kappa(K) = k$. ■

Exercise 1.4.

The simplest possible case: describe $\mathbb{C}(t) \otimes_{\mathbb{R}} \mathbb{C}$, tensored as \mathbb{R} -algebras.

Won't be a domain by the lemma, some $\mathbb{C}(t)$ -algebra of dimension 2.

In order to have a good base change for our function fields, we want to constant extension to be trivial, i.e. $\kappa(K) = k$. This requires that the ground field be algebraically closed.

In this case, you might expect that extending scalars to the algebraic closure would yield a field again. This is true in characteristic zero, but false in positive characteristic.