

# Lake Powell Water Surface Elevations for Release Temperature Scenarios

David E. Rosenberg

November 1, 2020

## Overview

This is an R Markdown document. This document identifies Lake Powell water surface elevations for release temperature scenarios. Elevation ranges are estimated for release through the turbine (elevation 3490 feet) and release through the river outlets (3370 feet). Ranges for each outlet are plotted as stacked bar graphs. Ranges of water surface elevations are estimated using three data sets: Lake Powell turbine release temperature, water surface elevation, and temperature profiles. The three release temperature scenarios are temperatures less than 15oC, less than 18oC, and above 18oC. The scenario of release temperatures below 15oC represents historical conditions where warm-water native fish survive and possibly thrive. The scenario of release temperatures below 18oC represents a condition that has not yet occurred and for which we do not know the outcome for warm-water native fish. Warm-water native fish may survive. Or native water-water fish may fall prey to competitor warm-water non-native fish. For the third scenario of release temperatures above 18oC, temperatures are too warm for native warm-water fish. In this temperature scenario, native warm-water fish will be expatriated. This effort attempts to describe, visualize, and translate uncertainties in reservoir release temperatures into the language of reservoir elevations which are the mainstay of other Lake Powell operations such as equalization and Upper Basin drought contingency plan.

## Citation

Rosenberg, D. (2020). Lake Powell Water Surface Elevations for Release Temperature Scenarios. <https://github.com/dzeke/ColoradoRiverFutures/tree/master/LakePowellTemperatureScenarios>.

## Contents

Figure 1 - Temperature suitability for cold-water non-native, water-water native, and warm-water nonnative fish.

Figure 2 - Water Surface Elevation vs. Turbine release temperatures by month which is the Yackulic spreadsheet model output. One of my main takeaways from Yackulic model is that the data can be sliced by month.

Figure 3 - Figure 2 plus adds observed water surface elevations vs. turbine release temperature. The observed data is plotted as a range of daily min and max temperatures.

Figure 4 - Figure 3 plus adds transformed lake temperature profile data at the Wahweap station.

Figure 5 - Stacked bar plot shows ranges and uncertainty in water surface elevations by month for different scenarios of release temperatures. These ranges and errors are tabulated from the water surface elevation and release temperature data shown in Figure 4. The plot visualizes the reservoir surface elevations needed to achieve different turbine release temperature scenarios. The plot provides a way to describe, visualize,

and translate uncertainties in reservoir release temperatures into the language of reservoir elevations which are the mainstay of other Lake Powell operations. The ranges in water surface elevation are large.

Figure 6 - Observed and transformed water temperature profile data at Wahweap at river outlet elevation (3,370 feet). Similar to Figure 4 but for lower river outlet release elevation.

Figure 7 - Lake Powell water surface elevations for river outlet release temperature scenarios. Same as Figure 5 but for lower river outlet release elevation.

## Data sources

1. Fish temperature suitability - Table 2 from Valdez, R. A., Speas, D. W., and Kubly, D. M. (2013). "Benefits and Risks of Temperature Modification at Glen Canyon Dam to Aquatic Resources of the Colorado River in the Grand Canyon." U.S. Bureau of Reclamation, Salt Lake City, UT. [https://gcdamp.com/images\\_gcdamp\\_com/b/bf/GCD-Temp\\_Mod-Valdez\\_%26\\_Speas\\_9-17-2013.pdf](https://gcdamp.com/images_gcdamp_com/b/bf/GCD-Temp_Mod-Valdez_%26_Speas_9-17-2013.pdf).
2. Yackulic Spreadsheet model of monthly release temperature as a function of surface water elevation. TemperatureModel\_GrandCanyonStorage.xlsx (unpublished)
3. Time series of Glen Canyon Dam release temperature provided by Bryce M. 15-minute time step. GCD\_release\_water\_temp.csv
4. Time series of daily Glen Canyon Dam elevation - USBR (2020). Water Operations: Historic Data, Upper Colorado River Division, U.S. Bureau of Reclamation. <https://www.usbr.gov/rsrvWater/HistoricalApp.html>
5. Lake Powell Temperature Profiles. Vernieu, W. S. (2015). "Historical Physical and Chemical Data for Water in Lake Powell and from Glen Canyon Dam Releases, Utah-Arizona, 1964 –2013." Data Series 471, Version 3.0. <https://pubs.usgs.gov/ds/471/pdf/ds471.pdf>.

## Results





Figure 1. Grand Canyon fish temperature suitability: growth, incubation, and ovulation stages (Valdex et al, 2013)



**Figure 2. Yackulic spreadsheet model: turbine release temperature vs. water surface elevation by month**

One main take away is that the water surface-release temperature data can be sliced by month.





Figure 3. Compare spreadsheet model to observed penstock release temperature. Horizontal blue bars indicate daily min/max temperature.



**Figure 4. Compare spreadsheet model, observed penstock release temperature, and temperature profile data.**

Profile data was transformed twice.

- 1) Lower water surface elevation so depth reading is at the penstock elevation of 3490 feet. Two translation is used to plot the profile data at a lower water surface elevations. For example, a temperature profile point of 18oC 10 feet below (depth = 10 feet) an observed water surface elevation of 3610 feet is translated down to a water surface elevation of 3500 feet. 10 feet below the new water surface elevation fo 3500 feet is the turbine release elevation of 3490 feet and a temperature of 18oC. Similarly, a temperature profile point of 15oC measured 20 feet below an oserved water surface level of 3610 feet is translated down to a water water surface elevation of 3510 feet and turbine release temperature of 15oC (20 feet above the turbine elevation of 3490 feet). These translations assume that solar radiation is the primary driver of temperature in the reservoir epilimnium and that water temperatures at shallow depths will be similar regardless of whether the water surface elevation is 3490, 3500, 3520, etc. feet.
- 2) For Wahweap temperatures at turbine elevation above 11, 13, and 15oC, decrease the turbine release temperature by 0.5, 1, and 2oC. Comparing turbine release temperatures to temperatures at Wahweap at 3,390 feet shows the later is 1 to 2 oC cooler than the Wahweap temperature.

Turbine Release  
Temperature Scenario  
(oC)

■ < 15   ■ < 18   ■ > 18





Figure 5. Lake Powell water surface elevations for turbine release temperature scenarios. Elevation ranges consider uncertainty in observed and water profile data.



**Figure 6. Observed and transformed water temperature profile data at Wahweap at river outlet elevation (3,370 feet).**

Profile data were transformed to lower the water surface elevation so depth reading is at the river outlet elevation of 3,370 feet.



Wahweep Temperature (oC) ■ < 15 ■ < 18 ■ > 18  
 at River Outlet Elev.




Figure 7. Lake Powell water surface elevations for river outlet release temperature scenarios. Elevation ranges consider uncertainty in observed and water profile data.