```
1 <!-- Write a PHP function to check if an array contains only unique values -->
2 <?php
3    function is_unique($array) {
4        $unique_array = array_unique($array);
5        return sizeof($array) == sizeof($unique_array);
6    }
7
8    $array = array(1,2,2,3,4,5);
9    if (is_unique($array)) {
9        echo "Unique Array";
11    }else{
12        echo "Not Unique Array";
13    }
14 ?>
```

```
1 <!-- Write a PHP function to apply Max function to every element
2    in an array using array_map. -->
3 <?php
4
5 function apply_max_to_array($arr) {
6    return array_map('max', $arr);
7 }
8
9 $array = [[1, 5, 3], [10, 2, 8], [6, 7, 4]];
10 $result = apply_max_to_array($array);
11 print_r($result);
12
13 ?>
14
```

```
• • •
 1 <!-- Write a PHP function to count
 2 the number of occurrences of a specific value in an array -->
 3 <?php
                                                       function no_of_occurance($array, $value) {
                                                                                            count = 0;
                                                                                            foreach($array as $num){
                                                                                                                               if($num==$value){
                                                                                                                                                                  $count++;
 10
                                                                                            return $count;
 11
 12
 13
                                                        \frac{1}{2} \frac{1}
 14
                                                          echo no_of_occurance($array, 2);
 15 ?>
```

```
1 <!-- Write a PHP function to calculate the sum of all elements in an array. -->
2 <?php
3
4 function sum_of_array($array) {
5    $sum = 0;
6    foreach($array as $num){
7         $sum += $num;
8    }
9    return $sum;
10 }
11
12 $array = array(1, 2, 3, 4);
13 echo sum_of_array($array);
14
15 ?>
```

```
1 <!-- Write a PHP script to get the current page URL. -->
2 <?php
3    echo "the current url is: ".$_SERVER['REQUEST_URI'];
4 ?>
```

```
1 <!-- Write a PHP script to display the IP address of the client. -->
2 <?php
3 echo getenv("REMOTE_ADDR");
4 ?>
```

```
1 <!-- Write a PHP script to get the current file name -->
2 <?php
3    $curr_path = $_SERVER['SCRIPT_NAME'];
4    $parts = explode("/", $curr_path);
5    echo "current file name: ".end($parts);
6
7 ?>
```

```
. .
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Document</title>
7 </head>
8 <body>
      <form method="GET">
          <label for="">Enter a number </label>
          <input type="number" name="number">
11
12
          <input type="submit" value="submit">
13
      </form>
14
      <?php
          if ($_GET) {
15
              $num = $_GET['number'];
17
              for ($i=$num; $i >= 0; $i--) {
                  for ($j=0; $j <= $i; $j++) {
                      echo "*";
21
                  }echo"<br>";
22
24
              for ($i=0; $i <= $num; $i++) {
                  for ($j=0; $j <= $i; $j++) {
                      echo "*";
                  }echo"<br>";
29
              }
          }
32
      ?>
33 </body>
```


***** ****** *****