

# Cucumber Report

Aug 6, 2024, 10:36:52 AM

**Start : Aug 06, 10:34:11.632 AM**

**End : Aug 06, 10:36:51.067 AM**

**Duration : 2 m 39.435 s**

Features






PASSED - 3  
FAILED - 2  
SKIPPED - 0

Scenarios

PASSED - 5  
FAILED - 2  
SKIPPED - 0

Steps


PASSED - 24  
FAILED - 2  
SKIPPED - 4




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Login functionality for openCart E-commerce Webside</u>	24.457 s	1	1	0	0	4	4	0	0
<u>Add to cart</u>	46.241 s	2	1	1	0	10	7	1	2
<u>Search Functionality</u>	3.782 s	1	1	0	0	4	4	0	0
<u>checkout</u>	41.633 s	1	0	1	0	4	1	1	2
<u>View &amp; Edit my Shopping Cart</u>	43.098 s	2	2	0	0	8	8	0	0

#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>Add to cart</u>	<u>validate add to cart</u>
2	<u>checkout</u>	<u>Check out as a registered customer</u>

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke		7	5	2	0	5	3	2	0
@BSmoke		1	1	0	0	1	1	0	0
@Login		1	1	0	0	1	1	0	0
@confirmationmsg		1	1	0	0	1	0	1	0
@AddToCart		2	1	1	0	1	0	1	0
@validatecart		1	0	1	0	1	0	1	0
@validkeywordsearch		1	1	0	0	1	1	0	0
@Search		1	1	0	0	1	1	0	0
@checkoutascustomer		1	0	1	0	1	0	1	0
@checkout		1	0	1	0	1	0	1	0
@ViewEditMyShoppingCart		2	2	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login functionality for openCart E-commerce Webside</u>	1	1	0	0	24.457 s
2	<u>Add to cart</u>	2	1	1	0	46.241 s
3	<u>Search Functionality</u>	1	1	0	0	3.782 s
4	<u>checkout</u>	1	0	1	0	41.633 s
5	<u>View &amp; Edit my Shopping Cart</u>	2	2	0	0	43.098 s





#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Login functionality for openCart E-commerce Website</u>	<u>Successful login valid credentials</u>	4	4	0	0	24.451 s
2	<u>Add to cart</u>	<u>verify the confirmation message after adding to cart</u>	5	5	0	0	31.038 s
3		<u>validate add to cart</u>	5	2	1	2	15.183 s
4	<u>Search Functionality</u>	<u>Searching for a product by keyword</u>	4	4	0	0	3.782 s
5	<u>checkout</u>	<u>Check out as a registered customer</u>	4	1	1	2	41.633 s
6	<u>View &amp; Edit my Shopping Cart</u>	<u>Viewing my shopping cart</u>	4	4	0	0	37.781 s
7		<u>Changing the quantity of a product in the cart</u>	4	4	0	0	5.305 s



## Login functionality for openCart E-commerce Webside

PASSED	DURATION - 24.457 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:34:11.632 AM // 10:34:36.089 AM /					


### Successful login valid credentials

PASSED	DURATION - 24.451 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:34:11.638 AM // 10:34:36.089 AM /					
Login functionality for openCart E-commerce Webside					
@smoke @BSmoke @Login					


#	Step / Hook Details	Status	Duration
1	Given I am on the login page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	5.474 s
		PASSED	0.262 s
2	When I enter my email and password and click on the login button under the returning customer section  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	5.631 s
		PASSED	0.187 s

#	Step / Hook Details	Status	Duration
3	Then Click on login button AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	6.300 s
4	Then I should see a welcome message and a list of options for my account AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.020 s
		PASSED	0.168 s

### Add to cart




### verify the confirmation message after adding to cart





#	Step / Hook Details	Status	Duration
1	Given User navigates to Homepage AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	10.074 s
2	Then select a product to the cart from the product view page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	3.152 s
3	When the user clicks on add to cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	5.147 s
4	Then He should see a confirmation message that says: "Success: You have added [product name] to your shopping cart!" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	5.105 s
5	And the number of items in my cart should increase by one AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	5.118 s
		PASSED	0.220 s

#	Step / Hook Details	Status	Duration
			

**validate add to cart**

FAILED	DURATION - 15.183 s		Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	
/ 10:35:07.211 AM // 10:35:22.394 AM /				
Add to cart				
@AddToCart @smoke @validatecart				


#	Step / Hook Details	Status	Duration
1	Given User navigates to Homepage	PASSED	10.060 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	image 		
2	Then select a product to the cart from the product view page	PASSED	3.120 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	image 		
3	When validate the add to cart button should be enabled only if the product is in stock	FAILED	0.103 s
	java.lang.AssertionError: The 'Add to Cart' button should be disabled at org.junit.Assert.fail(Assert.java:88)		

#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertTrue(Assert.java:41) at org.junit.Assert.assertFalse(Assert.java:64) at com.pdl.pages.KcAddToCartPage.validateCart(KcAddToCartPage.java:95) at com.pdl.step_definitions.AddToCart_StepDef. validate_the_add_to_cart_button_should_be_enabled_only_if_the_product_is_in_stock(AddToCart_StepDef.java:74) at ? validate the add to cart button should be enabled only if the product is in stock(file:///C:/Intership_repo/EAL_QA_TeamA/src/test/resources/features/ManufacturerPortal/kcAddToCart.feature:17) * Not displayable characters are replaced by '?'.</pre>		
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b> 	PASSED	0.268 s
4	Then confirmation message should show the product name, image and price	SKIPPED	0.002 s
5	And Verify that available product is added to the cart	SKIPPED	0.004 s

## Search Functionality




## Searching for a product by keyword




#	Step / Hook Details	Status	Duration
1	Then I should see the search box AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.181 s
2	When I enter a valid keyword in the search box AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.196 s
3	And I click on the search button AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.985 s
4	Then I should see a list of products that match the keyword with their images, names and prices AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.261 s
		PASSED	0.212 s
		PASSED	0.214 s
		PASSED	0.196 s

**checkout**



### Check out as a registered customer



#	Step / Hook Details	Status	Duration
1	Given I have some products in my shopping cart and I am logged in to my account  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	20.527 s
2	When I click on the checkout button on the shopping cart page  org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5cf493cf95991ab55bc4b527dbe6821, actions {actions=[org.openqa.selenium.interactions.Sequence@5a7b309b]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51638}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51638/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5cf493cf95991ab55bc4b527dbe6821 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)	FAILED	20.094 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at java.base/java.util.Map.forEach(Map.java:713) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at com.pdl.utilities.CommonMethods.hover(CommonMethods.java:667) at com.pdl.pages.KcCheckoutPage.checkoutbtnclickable(KcCheckoutPage.java:61) at com.pdl.step_definitions.Checkout_StepDef.i_click_on_the_checkout_button_on_the_shopping_cart_page(Checkout_StepDef.java:84) at ?.I click on the checkout button on the shopping cart page(file:///C:/Intership_repo/EAL_QA_TeamA/src/test/resources/features/kathia/kcCheckout.feature:18) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431)      at org.openqa.selenium.json.Json.toJson(Json.java:131)      at org.openqa.selenium.json.Json.toJson(Json.java:119)      at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245)      at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111)      at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:178)      at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216)      at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:174)      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)      at org.openqa.selenium.interactions. Actions\$BuiltAction.perform(Actions.java:603)      at org.openqa.selenium.interactions.Actions.perform(Actions.java:568)      at com.pdl. utilities.CommonMethods.hover(CommonMethods.java:667)      at com.pdl.pages.KcCheckoutPage.checkoutbtnclickable(KcCheckoutPage. java:61)      at com.pdl.step_definitions.Checkout_StepDef.i_click_on_the_checkout_button_on_the_shopping_cart_page(Checkout_StepDef. java:84)      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)      at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. invoke(DelegatingMethodAccessorImpl.java:43)      at java.base/java.lang.reflect.Method.invoke(Method.java:568)      at io.cucumber.java. Invoker.doInvoke(Invoker.java:66)      at io.cucumber.java.Invoker.invoke(Invoker.java:24)      at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47)      at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)      at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)      at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63)      at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)      at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:81)      at io.cucumber.core.runner.TestStep.run(TestStep.java:53)      at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)      at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)      at io.cucumber.junit.PickleRunners\$NoStepDescriptions. lambda\$run\$0(PickleRunners.java:151)      at io.cucumber.core.runtime.CucumberExecutionContext. lambda\$runTest\$5(CucumberExecutionContext.java:136)      at io.cucumber.core.runtime.RethrowingThrowableCollector. executeAndThrow(RethrowingThrowableCollector.java:23)      at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:136)      at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)      at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner. java:28)      at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)      at org.junit.runners. ParentRunner\$1.schedule(ParentRunner.java:63)      at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)      at org.junit. runners.ParentRunner.access\$000(ParentRunner.java:53)      at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)      at org.junit.runners.ParentRunner.run(ParentRunner.java:309)      at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)      at io. cucumber.junit.Cucumber.runChild(Cucumber.java:196)      at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)      at org.junit. runners.ParentRunner\$3.run(ParentRunner.java:238)      at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)      at org. junit.runners.ParentRunner.runChildren(ParentRunner.java:236)      at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)      at io.cucumber.core.runtime.CucumberExecutionContext. lambda\$runFeatures\$6(CucumberExecutionContext.java:147)      at io.cucumber.core.runtime.CucumberExecutionContext. execute(CucumberExecutionContext.java:162)      at io.cucumber.core.runtime.CucumberExecutionContext. runFeatures(CucumberExecutionContext.java:145)      at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner.run(ParentRunner.java:309)      at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference. run(JUnit4TestReference.java:93)      at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)      at org.eclipse.jdt. internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)      at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. runTests(RemoteTestRunner.java:756)      at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)      at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect. InvocationTargetException       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)       at java.base/java.lang.reflect.Method.invoke(Method.java:568)       at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at java.base/java.util.Map.forEach(Map.java:713) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at com.pdl.utilities.CommonMethods.hover(CommonMethods.java:667) at com.pdl.pages.KcCheckoutPage.checkoutbtnclickable(KcCheckoutPage.java:61) at com.pdl.step_definitions.Checkout_StepDef.i_click_on_the_checkout_button_on_the_shopping_cart_page(Checkout_StepDef.java:84) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dlInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		


#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:          {"method":"xpath","selector":"//a[text()='Checkout']"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5cf493cf95991ab55bc4b527dbe6821, findElement {value=//a[text()='Checkout'], using&gt;xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51638}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51638/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5cf493cf95991ab55bc4b527dbe6821</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:259) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:208) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.208 s

#	Step / Hook Details	Status	Duration
			
3	Then I should see an option to check out with my account	SKIPPED	0.001 s
4	And I should be able to use my saved billing and delivery details or enter new ones, choose a delivery method, a payment method and confirm my order	SKIPPED	0.001 s




## View & Edit my Shopping Cart




## Viewing my shopping cart



#	Step / Hook Details	Status	Duration
1	Given I have added some products to the cart	PASSED	9.307 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.184 s

#	Step / Hook Details	Status	Duration
			
2	When I click on the cart icon on the top right corner of the page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.067 s
3	Then I should see a summary of the products in the cart with their images, names, quantities, prices and totals AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	19.437 s
4	And I should see the subtotal and total amount of my order AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	7.153 s

## Changing the quantity of a product in the cart



#	Step / Hook Details	Status	Duration
1	Given I am on the shopping cart page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.035 s
2	When I change the quantity of a product and click on the refresh button  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	3.003 s
3	Then I should see the updated quantity and price of the product  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.001 s
4	And I should see the updated subtotal and total amount of my order  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.001 s
		PASSED	0.299 s

#	Step / Hook Details	Status	Duration
			