

Cucumber Report

Jun 9, 2024, 11:01:50 AM

Start : Jun 09, 11:01:38.495 AM

End : Jun 09, 11:01:48.247 AM

Duration : 9.752 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 2
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	9.752 s	1	1	0	0	2	2	0	0

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@abc	1	1	0	0	1	1	0	0
@VerifyloginwithInvalidCredentials	1	1	0	0	1	1	0	0
@tag	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	1	1	0	0	9.752 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>running abc tag</u>	2	2	0	0	9.749 s

Title of your feature

PASSED	DURATION - 9.752 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 11:01:38.495 AM // 11:01:48.247 AM /					

running abc tag

PASSED	DURATION - 9.749 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 11:01:38.498 AM // 11:01:48.247 AM /				
Title of your feature				
@abc @VerifyloginwithInvalidCredentials @tag				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.616 s
	image 		
2	And some other precondition	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	1.704 s
	image 