	6.2 15 24	13.5 44 18		
	6.6 16 24	SWT		
	Reset	13.8 45 18		
	from 6.62	14.1 46 18		
	to 11.00	BR WT		
2023	11.0 27 6	14.4 47 18		
GREENBRIAR ENDURO	11.1 28 6	14.7 48 18		
LNDONO	RR BED	DOWN HILL		
	11.2 29 6	15.0 49 18		
0.0 00 30	11.3 30 6	15.3 50 18		
Reset	11.4 31 6	15.6 51 18		
from 0.30		15.9 52 18		
to 1.10	11.5 32 6			
1.0 02 24	11.6 33 6	16.2 53 18		
3.0 07 24	11.7 34 6	16.5 54 18		
RWT	11.8 35 6	16.8 55 18		
3.4 08 24	11.9 36 6	17.1 56 18		
3.8 09 24	RWT	17.4 57 18		
LWT	12.0 37 6	RWT		
LWT	12.1 38 6	17.7 58 18		
4.2 10 24	12.2 39 6	SWT		
4.6 11 24	12.3 40 18	18.0 59 18		
BR WT		18.3 00 18		
5.0 12 24	12.6 41 18	18.6 01 18		
SWT	LWT	ST WT		
5.4 13 24	12.9 42 18	18.9 02 18		
BL WT	13.2 43 18	19.2 03 18		
5.8 14 24	XXX BRIDGE	19.5 04 18		
RWT		13.3 04 10		

SI	WT		23.6	25	6	27.3	44	18
19.8	05	18	23.7		6	27.6		18
SI	WT							
20.1	06	18	23.8	21	6	27.9		18
SI	WT		23.9	28	6	SWT		
20.4	07	18	24.0	29	6	28.2	WT 47	18
R	WT		24.1	30	6		.]	10
20.7	08	18	S			28.5	NT 10	18
21.0	09	18	24.2	T	6		40 NT	10
21.3		18	24.3		6	28.8	1	18
	WT						NT	
21.6	1	18	24.4		6	SWT		
				DR DT		29.1	50	18
21.9		18	24.5	1	6	29.4	51	18
	WT aつ	40						
22.2			24.6		10	29.7		18
22.5	14	6	SI	00		30.0	53	18
22.6	15	6	24.9	36	18	30.3	54	18
22.7	16	6	25.2	37	18	SWT		
22.8	17	6	25.5	38	18	30.6	55	18
			SI	WT		SWT		
22.9	18	6	25.8	39	18	30.9	56	18
23.0	19	6	26.1	40	18	31.2	57	18
23.1	20	6	SWT	XX DI	R	31.5	58	18
SI	WT		26.4	41	18			18
23.2	21	6	SI	WT		31.8		10
23.3	22	6	26.7	42	18		WT 00	18
23.4	23	6	L۱	ΝT		_		
23.5		6	27.0	43	18	32.4	01 WR	18

BL WT	_ WT BL FC			49.0	39	24	
32.7 02	18	42.6	21	18	49.4		
33.0 03	18	42.9	22	18		BT	
33.3 04	18	SV	۷R		49.8	1	24
XXX GR		43.2	23	18	50.2		
33.6 05	18	43.5	24	18			
LWT		43.8	ļ. 	18	50.6		
33.9 06	r		— •		51.0	44	24
SWT		44.1		18	51.4	45	24
34.2 07	18	44.4	27	18	51.8	46	24
SWT		44.7	28	18	52.2	47	24
34.5 08	18		GR		52.6	48	
RWR			GR	24			
LGR		45.0			53.0	49	
34.8 09	18	45.4	30	24	53.4	50	24
35.1 10	6	ļ	NR		53.8	51	24
Free Zone)	45.8	FC 24	24	54.2	52	24
from 35.	10		ļ — <u> </u>		54.6	53	24
to 40.00)	46.2			55.0		
RBT		46.6	33	24		NR	24
RGR		47.0	34	24	55.4	1	24
40.0 59	l	47.4	35	24			
GAS STOR	-		NT		55.8		
from 40.00		R۱	ŅΤ		56.2	57	24
to 42.00		47.8	36	24		WT	
42.0 19		48.2	37	24	56.6		24
		R\	ΝT		57.0	59	24
42.3 20	18	48.6	38	24	SI	ΝT	
LBT		SI	NT		57.4	00	24
RFC							

R\	WT		63.0	20	6	67.3	43	18
57.8	01	24	63.1		6	67.9		
58.2	02	24	63.2		6	68.2		
SI	ΝT					SI		<u> </u>
58.6	03	24	63.3		6	68.5	· · · · · · · · · · · · · · · · · · ·	1
SV	۷R		63.4	24	6			
	WT		63.5	25	6	68.8		18
59.0	04	24	63.6	26	6	69.1	49	18
59.4	05	24	63.7	27	6	69.4	50	18
	NR		63.8	ļ — -	6		NT	
	WT OC	64				69.7	51	18
59.8			63.9		6		NT -	T
60.2	07	24	64.0	30	6	70.0	52	18
60.6	80	24	64.1	31	6	70.3	53	18
61.0	09	24	R	GR		SI	ΝT	ſ
SI	ΝT		64.2	32	6	70.6	54	18
61.4	10	24	64.3	33	6	70.9	55	18
61.8	11	24	64.4	34	6	BL	WT	T
62.2	12	6	64.5	35	6	71.2	56	18
62.3		6	64.6		6	71.5	57	18
	BT		64.7	-	6	l	ΝT	T
62.4	14	6		FC	0	71.8	58	18
	15	6	64.8	T	30		WT	T
				t Ctrl		72.1	59	18
62.6		6	64.8	1	[WT	T
62.7	17	6			50	72.4	00	18
62.8	18	6	SWT SWT				WT	
62.9	19	6	SWT			72.7		18
R	RBT RWT			L\	NT			

73.0	02	18
73.3	03	18
73.6	ит 04	18
73.9	05	18
74.2	06	18
74.5	07	18
	WR VT	
74.8	08	18
75.1	09	18
75.4	10 //T	18
75.7	11	18
76.0	12	6
R	BT	
76.1	13	6
76.2	14	6
76.3	15	6
76.4	16	6
76.5	17	6
76.6 76.7	18 19	6 6
76.7	19 20	6
	NT	•
76.9	21	6
Re	set	

from 76.90					
to 78.00					
78.0	32 30				
78.5	33 30				
LWT					
SWT					
RWR RWT					
BR					
LWT					
Known Ctrl					
81.5	39 30				
END					
at 81.50					