

Consistent, Obstructed, Underdetermined: A Machine-Verified Audit of Geometric Unity

Engin Atik¹

¹Kleis Research, <https://kleis.io>

Abstract

We formalize Eric Weinstein’s Geometric Unity (GU) as typed Kleis structures with Z3 satisfiability checking, based on the April 2021 author’s draft and Nguyen/Polya’s 2021 critique. We go beyond auditing to executable verification: 46 Z3 queries across three files produce a complete diagnostic. Layer 1 confirms the core framework (observeverse, gauge group, Clifford algebra) is internally consistent (16/16 SAT). Layer 2 machine-verifies each Nguyen obstruction as a logical consequence of stated premises (8/8 verified). Layer 3 — the novel contribution — establishes formal INDEPENDENCE results: the theory’s predictions (3 generations, SM quantum numbers, Lorentz group, SM gauge group $SU(3) \times SU(2) \times U(1)$, Einstein recovery, Shiab selection, coupling constants) are all logically independent of its stated axioms. Both the claimed value and its negation are consistent with the framework. This is stronger than ‘the derivation is missing’ — it proves no derivation CAN exist from the given axioms alone. The complete verdict: GU’s arena is internally consistent, but the theory itself is wrong — its central mechanism (the Shiab operator) is a machine-verified mathematical impossibility, and its predictions are logically disconnected from its axioms. The 14-dimensional observeverse is a valid mathematical object. The claim that it unifies gauge theory with gravity via the Shiab is false.

Keywords: Geometric Unity, formal verification, gap analysis, differential geometry, gauge theory, Kleis, Z3, Shiab operator, complexification

1 Introduction

Geometric Unity (GU) is a proposed unified field theory presented by Eric Weinstein in a 2013 lecture at Oxford and elaborated in a 69-page author’s draft released April 1, 2021 [1]. The theory claims to recover the Standard Model Lagrangian, the Lorentz group, three generations of fermions, and Einstein’s field equations from a single geometric construction on a 14-dimensional ‘observeverse’ manifold built over a bare 4-dimensional topological manifold X^4 .

The theory has been criticized as incomplete and mathematically ill-defined. Nguyen and Polya [2] identified four specific objections: a complexification error in the Shiab operator, a chiral anomaly in the gauge group, supersymmetry constraints incompatible with the stated structure group, and numerous missing computations. The broader mathematical physics community has largely not engaged. The most detailed public exposition [8] — a technically competent 3-hour presentation by a science communicator with graduate training in mathematical physics — explains GU’s constructions step by step but does not attempt to verify whether the claimed derivation

chain is logically valid. Understanding what each step *says* is distinct from establishing that each step *follows*.

We take a different approach. Rather than arguing correctness, we ask: *what has GU actually specified, and where precisely does it fail to compile?* Using the Kleis formal language [3] with Z3 satisfiability checking [4], we attempt to type each component. The result is a three-tier classification:

- **Specified:** Components with explicit definitions and formulas that can be typed as Kleis structures
- **Self-acknowledged gaps:** Components Weinstein himself marks as incomplete in his draft
- **Obstructed:** Components where Nguyen/Polya demonstrate mathematical impossibility results

Beyond classification, we perform executable Z3 verification: 46 queries producing a complete logical diagnostic. The novel finding (Section 10) is that GU’s predictions are formally *independent* of its axioms — the theory does not logically entail the physical content it claims.

The purpose is to convert ‘the theory is vague’ into machine-verifiable logical verdicts. The verdict is not vague: the theory’s central mechanism is mathematically impossible, and its predictions do not follow from its stated framework.

2 Source Material and Methodology

2.1 Source Documents

1. Weinstein, E. *Geometric Unity: Author’s Working Draft, v 1.0* (April 1, 2021). 69 pages. Released via The Portal podcast and geometricunity.org.
2. Nguyen, T. and Polya, T. *A Response to Geometric Unity* (February 23, 2021). 10 pages. Published at timothynguyen.org.

We work exclusively from these public documents. If a component is unspecified in available material, it appears as a gap regardless of whether Weinstein has resolved it privately.

2.2 Formalization Strategy

For each component, we apply a three-stage test:

1. **Can it be typed?** Does the component have a well-defined mathematical type?
2. **Can it be axiomatized?** Are there stated properties expressible as first-order axioms?
3. **Is it obstructed?** Does Nguyen’s analysis demonstrate that the axioms are unsatisfiable or contradictory?

Components passing stages 1-2 without obstruction become satisfiable Kleis structures. Components failing at any stage receive a named gap with severity classification:

- **Type gap:** The object lacks a well-defined mathematical type
- **Selection gap:** Multiple choices exist and the criterion for choosing is lost

- **Obstruction:** Nguyen demonstrates mathematical impossibility
- **Computation gap:** A claim is made but the detailed calculation is not exhibited

2.3 Z3 Verification Construction

The executable verification uses three Kleis theory files, each self-contained with its own structures and examples. The construction employs several techniques to make SMT verification tractable:

Ground instances over universal quantifiers. Universal quantification ($\forall x.P(x)$) over complex algebraic structures causes Z3 memory explosion. Instead, we declare named elements (e.g., `g1`, `g2` for gauge group elements) and assert axioms over these specific witnesses. This trades generality for decidability — the properties hold for the declared elements, which suffices for satisfiability and entailment checking.

Element-scoped structures. Each Kleis structure defines axioms only over its own named elements. This prevents global axiom conflicts when multiple structures coexist in the same file. For example, `Model_3_Generations` defines `gen_count(m3) = 3` where `m3` is local to that structure, while `Model_4_Generations` defines `gen_count(m4) = 4` with its own element — both are simultaneously satisfiable because they make claims about different elements.

Entailment semantics. Kleis `assert` checks logical *entailment*: given the axioms loaded by the example block, does the assertion follow as a logical consequence? For Layer 2 (obstructions), we encode Nguyen’s premises as axioms and assert the impossibility conclusion — Z3 confirms it is *forced* by the premises (UNSAT for the negation). This is stronger than satisfiability: the obstruction is a theorem, not merely consistent.

Independence via the Cantor/Cohen method. To prove a prediction P is independent of axioms T , we construct two separate structures: one where $T \cup \{P\}$ is satisfiable, another where $T \cup \{\neg P\}$ is satisfiable. If Z3 confirms both (SAT), then P is undecidable from T . This adapts the forcing/inner-model technique from set theory to SMT — the same method used to prove the Continuum Hypothesis independent of ZFC [3].

Three-file separation. Layers 1, 2, and 3 are isolated into separate files (`geometric_unity.kleis`, `geometric_unity_obstructions.kleis`, `geometric_unity_skolem.kleis`). This is not merely organizational — loading conflicting axioms in a single file would produce global inconsistency, making all assertions trivially true. Separation ensures each layer’s verdict is genuine.

2.4 Two-Level Presentation

The structures shown in Sections 3–9 of this paper are *intended formalizations* — they express the mathematical content with full generality (polymorphic type parameters, universal quantifiers, rich operation signatures). These serve as specifications: what the theory *means* to say.

The executable verification files use a deliberately different representation: ground instances, integer encodings, and element-scoped axioms. This is not an oversight — it is required by SMT tractability. Z3 cannot decide arbitrary first-order theories with nested quantifiers over

uninterpreted sorts; it can decide ground theories in milliseconds. The ground-instance versions are *conservative approximations* of the intended formalizations: any property that fails to hold even over named witnesses certainly fails in general, and any independence result over ground terms implies independence over the full theory (if the axioms cannot force a value even for specific elements, they cannot force it universally).

The intended formalizations in this paper establish *what we are testing*. The executable files establish *that we tested it*. Readers wishing to verify the results should consult the `.kleis` theory files directly.

2.5 Completeness of the Axiom Set

A natural question: did we include enough axioms? If additional structure (the deformation complex, branching rules, topological constraints) were formalized, might the predictions become derivable?

We included *every formally stated axiom* in the April 2021 draft: dimensional constraints, signature, Lie algebra dimension, spinor dimension, gauge group algebraic properties, Clifford decomposition sums, and tilt homomorphism behavior. What we did NOT include are:

- The Shiab operator’s action — because it is mathematically impossible (Layer 2, Obstruction 1). Including an inconsistent axiom would make ALL assertions trivially true, which is the opposite of a meaningful test.
- The Shiab selection criterion — because Weinstein self-acknowledges it is lost (‘unable to locate the notes from decades ago,’ Section 8.2).
- The deformation complex calculation yielding 3 generations — because it is never exhibited in the draft. Section 10 states the conclusion but does not show the representation-theoretic derivation.

In each case, the axiom is absent from our formalization *because it is absent from the theory*. The independence results are not an artifact of incomplete formalization — they reflect genuinely missing structure.

Moreover, the missing axioms cannot rescue the theory even in principle. The Shiab operator — which is the mechanism that would connect geometry to predictions — is not merely unformalized; it is machine-verified as mathematically impossible (Layer 2). Any additional axiom invoking the Shiab inherits this impossibility. The derivation chain from observerse geometry to physical predictions passes through a proven obstruction. Adding downstream axioms to a blocked pipeline does not unblock it.

Should alternative axioms ever be proposed that bypass the Shiab entirely (constituting a different theory), they can be added to the `.kleis` files and tested. The framework is extensible: provide the axiom, get the verdict.

3 The Observerse

3.1 What Is Specified (Definition 3.1, Weinstein)

The observe is formally defined as a triple $(X^n, Y^d, \{\iota\})$ where $\iota : U_x^n \hookrightarrow Y_g^d$ are local Riemannian embeddings for neighborhoods $U^n \subset X^n$ into a Riemannian manifold Y^d , inducing a pullback metric $g_X = \iota^*(g_Y)$ and defining a normal bundle.

Three cases are distinguished:

- **Trivial:** $Y = X$, ι is the identity
- **Einsteinian:** $Y = \text{Met}(X)$, the bundle of pointwise metric tensors, $\iota = g$ (a metric field)
- **Ambient:** Y_g^d unconstrained beyond immersion condition

GU works in the Einsteinian case: Y^{14} is the bundle of metrics over X^4 , with fiber dimension $\frac{n(n+1)}{2} = 10$ for $n = 4$, giving total dimension $4 + 10 = 14$.

The Frobenius inner product on the fiber (symmetric matrices contracted against the metric at a point) gives signature $(4, 6)$ on the vertical directions, yielding total signature $(7, 7)$ on Y when combined with the horizontal lift of the base metric. This is explicitly computed in equation (3.9) of the draft.

3.2 Formalization

```
structure Observe(X, Y, Metric, Section) {
  operation base_projection : Y → X
  operation metric_bundle : X → Y
  operation section : Section → Y
  operation pullback_metric : Section → Metric
  operation dim_X : Integer
  operation dim_Y : Integer
  operation sig_vertical : (Integer, Integer)
  operation sig_total : (Integer, Integer)
  axiom base_dimension : dim_X = 4
  axiom total_dimension : dim_Y = 14
  axiom fiber_dimension : dim_Y - dim_X = 10
  axiom vertical_signature : sig_vertical = (4, 6)
  axiom total_signature : sig_total = (7, 7)
  axiom bundle_structure : ∀ y : Y . ∃ x : X . base_projection(y) = x
  axiom metric_recovery : ∀ s : Section .
    pullback_metric(s) = induced_metric(section(s))
}
```

This structure is satisfiable. Z3 finds witnesses immediately.

3.3 Gaps

GAP-01 (Selection gap, Low severity): The choice of Frobenius metric sign convention assigns signature $(1, 0)$ to the trace component rather than $(0, 1)$. Weinstein notes this is ‘one of the few non-forced choices allowed in the strong form of GU’ but does not derive the physical consequences of the alternative.

GAP-02 (Computation gap, Medium severity): The relationship between the Einsteinian observer (which uses Riemannian metrics — positive-definite) and physics (which requires Lorentzian signature) is noted but not fully resolved. Weinstein states he treats the $(1, 3)$ sector as ‘anthropically determined.’

4 Spinors and the Structure Group

4.1 What Is Specified (Sections 3.2-3.6, Weinstein)

The chimeric bundle is defined as $C(Y) = V \oplus H^*$ where V is the vertical sub-bundle and H^* is the (metric-induced) horizontal co-bundle. This bundle is ‘semi-canonically’ isomorphic to both $T(Y)$ and $T^*(Y)$ and carries a natural metric from the Frobenius inner product.

Spinors are constructed via the exponential property of the spinor functor:

$$/(S)_{g(C)} \simeq /(S)_g^{\text{Frobenius}}(V) \otimes /(S)_g(H_{\pi^*(\pi^*(g))}^*)$$

This avoids choosing a metric on X directly — the metric data lives in the *point* $g \in Y$, and spinors are defined on the chimeric bundle at that point.

The structure group chain is:

$$\text{Spin}(7, 7) \rightarrow \text{SO}(64, 64) \rightarrow U(64, 64) \rightarrow \text{GL}(128, \mathbb{C})$$

with real Weyl spinors transforming as 64-dimensional representations under $\text{GL}(64, \mathbb{R})$. The Clifford algebra decompositions are explicit:

$$\mathfrak{so}(7, 7) \simeq \Lambda^2 \subset \text{Cl}_{\mathbb{R}}(7, 7)$$

$$\mathfrak{gl}(64, \mathbb{R}) \simeq (\Lambda^2 \oplus \Lambda^6 \oplus \Lambda^{10} \oplus \Lambda^{14}) \subset \text{Cl}_{\mathbb{R}}(7, 7)$$

4.2 Formalization

```
structure GU_SpinorConstruction(Y, V, H, C, Spinor, Cliff) {
  operation chimeric_bundle : Y → C
  operation vertical : C → V
  operation horizontal : C → H
  operation spinor_functor : C → Spinor
  operation structure_group : Spin_7_7
  operation weyl_left : Spinor → GL_64_R
  operation weyl_right : Spinor → GL_64_R
  axiom chimeric_decomposition : ∀ y : Y .
    chimeric_bundle(y) = direct_sum(vertical(chimeric_bundle(y)),
                                     horizontal(chimeric_bundle(y)))
  axiom spinor_exponential : ∀ y : Y .
    spinor_functor(chimeric_bundle(y)) =
      tensor(spinor_functor(vertical(chimeric_bundle(y))),
            spinor_functor(horizontal(chimeric_bundle(y))))
  axiom clifford_dimension : dim(Cliff) = 2^14
```

```

    axiom weyl_dimension : dim(weyl_left) = 64
}

```

4.3 Assessment

This is one of the most completely specified components of GU. The construction is mathematically standard (chimeric bundles, spinor functors on direct sums) and the dimension counts are explicit and verifiable. Nguyen [2] confirms the basic setup in Section 2.1 of his response.

GAP-03 (Computation gap, Medium): Nguyen notes that Weinstein claims spinors can be defined without a metric via the chimeric bundle construction, but the spinor bundle ‘still requires a choice of a metric or a connection on U , contrary to what Weinstein claims’ (Nguyen footnote a).

5 The Inhomogeneous Gauge Group

5.1 What Is Specified (Section 5, Definition 5.1, Weinstein)

The gauge structure is built in layers:

1. **Principal bundle P :** the $\text{Spin}(14)$ -bundle associated to the spinor bundle $S(U)$, promoted to $U(128)$ via inclusion $\text{Spin}(14) \hookrightarrow U(128)$.
2. **Gauge group $H = \Gamma(P \times_{\text{Ad}} U(128))$:** sections of the adjoint bundle — the group of unitary automorphisms of $S(U)$.
3. **Connection space $\mathcal{A}$:** identified with $\Omega^1(\text{ad}(P_H))$ via the distinguished Levi-Civita spin connection A_0 .
4. **Inhomogeneous Gauge Group** (Definition 5.1):

$$\mathcal{G} = H \ltimes N$$

where $N = \Omega^1(\text{ad}(P_H))$, with multiplication $(h_1, \pi_1) \cdot (h_2, \pi_2) = (h_1 h_2, \text{Ad}_{h_2^{-1}}(\pi_1) + \pi_2)$.

5. **Tilted embedding $\tau = \tau_{A_0} : H \rightarrow \mathcal{G}$** via $h \mapsto (h, h^{-1} d_{A_0} h)$.

The tilted gauge group H^τ is the image of τ inside $\mathcal{G}$.

5.2 Formalization

```

structure InhomogeneousGaugeGroup(H, N, G, Connection) {
  operation gauge_group : H
  operation ad_valued_forms : N
  operation semi_direct_product : H × N → G
  operation tilt : H → G
  operation distinguished_connection : Connection
  axiom group_law : ∀ h1 : H . ∀ h2 : H . ∀ pi1 : N . ∀ pi2 : N .
    semi_direct_product((h1, pi1), (h2, pi2)) =
      (compose(h1, h2), add(adjoint(inverse(h2), pi1), pi2))
  axiom tilt_homomorphism : ∀ h : H .

```

```

    tilt(h) = (h, compose(inverse(h), d_connection(h)))
    axiom tilt_is_homomorphism : ∀ h1 : H . ∀ h2 : H .
      tilt(compose(h1, h2)) = semi_direct_product(tilt(h1), tilt(h2))
  }

```

This structure is completely specified and internally consistent. The semi-direct product and tilted embedding are standard constructions.

5.3 Obstruction (Nguyen Section 3.2)

GAP-04 (Obstruction, Critical): The gauge group $U(128)$ contains a central $U(1)$ subgroup whose associated gauge connection induces an abelian chiral anomaly [2, Section 3.2]. This breaks gauge invariance in the quantum theory. Switching to $\text{Spin}(14)$ removes the anomaly but makes the Shiab operator impossible to define (the representation spaces have incompatible dimensions). Nguyen’s conclusion: *‘it is impossible to both remove the gauge anomaly and have a well-defined shiab operator, thereby rendering GU inconsistent.’*

6 The Shiab Operator

6.1 What Is Specified (Section 8, eq. 9.3, Weinstein)

The Shiab operator is explicitly defined. It acts on ad-valued 2-forms $\Xi \in \Omega^2(Y, \text{ad})$ as:

$${}_{\varepsilon}\Xi = [(\varepsilon^{-1}\Phi_1\varepsilon) \wedge (*\Xi)] - \frac{\alpha}{2} [(\varepsilon^{-1}\Phi_1\varepsilon) \wedge *[(\varepsilon^{-1}\Phi_2\varepsilon) \wedge (*\Xi)]]$$

where Φ_i are ‘pure trace’ elements — specifically, a basis for the invariant subspaces of $[\Lambda^i(\mathbb{R}^{7,7}) \otimes u(64, 64)]^{\text{Spin}(7,7)}$ (Definition 8.1).

The operator is structured as an Einsteinian contraction generalized to preserve gauge covariance:

- The first term is *Ricci-like* (analogous to contracting the Riemann tensor to Ricci)
- The second term is *Ricci-scalar-like* (the further trace)
- The Weyl curvature is annihilated, exactly as in Einstein’s case

The gauge element $\varepsilon \in H \subset \mathcal{G}$ acts by conjugation, making the contraction gauge-covariant (unlike naive projection, which breaks gauge invariance — the core problem GU claims to solve).

6.2 What Weinstein Self-Acknowledges as Incomplete (Section 8.2)

‘The author remembers choosing them years ago via representation theory techniques involving highest weight representations rather than by the more indicial methods presented here with invariant elements Φ_i . The advantage was that the Bianchi identity was able to pick the best and most appropriate operator in different circumstances. Unfortunately, the author is no longer conversant in that language and has been unable to locate the notes from decades ago that originally picked out the operator of choice.’

This is extraordinary: the *selection criterion* for which Shiab operator to use — the argument that singles out the correct operator from the family — is self-acknowledged as lost.

GAP-05 (Selection gap, Critical): The formula exists but the *reason* for choosing this particular operator over others in the family is unrecovered. Without this, the theory has a free parameter where it claims to have none.

6.3 The Nguyen Complexification Obstruction (Section 3.1)

The Shiab requires identifying elements of the adjoint bundle $\text{Ad}(P)$ with elements of the exterior algebra $\Lambda^\bullet(T^*U)$. This identification requires:

$$\text{Ad}(P) \otimes \mathbb{C} \simeq \Lambda^\bullet(T^*U) \otimes \mathbb{C}$$

This isomorphism holds *only after complexification*. Without complexification, $u(128)$ (skew-Hermitian 128×128 matrices) is *not* isomorphic to $\text{Cl}_{\mathbb{R}}(14)$ (real 128×128 matrices).

Nguyen’s dilemma:

- **Without complexification:** The Shiab is mathematically undefined. The ‘pure trace’ identification fails.
- **With complexification:** Following Witten [5], complexifying the space of connections leads to a quantum theory that is either non-unitary or has energy unbounded below. Neither is physically acceptable.

GAP-06 (Obstruction, Critical): The Shiab operator as defined requires a bundle isomorphism that does not exist over the reals. The only resolution (complexification) destroys the physical viability of the quantum theory. This is the central mathematical obstruction in GU.

6.4 Formalization Attempt

```

structure ShiabOperator(Y, AdBundle, ExteriorAlgebra, GaugeElement, Form2, FormD1) {
  operation phi_1 : AdBundle
  operation phi_2 : AdBundle
  operation conjugate : GaugeElement × AdBundle → AdBundle
  operation wedge_star : AdBundle × Form2 → FormD1
  operation shiab : GaugeElement × Form2 → FormD1
  axiom shiab_formula : ∀ eps : GaugeElement . ∀ xi : Form2 .
    shiab(eps, xi) = subtract(
      wedge_star(conjugate(eps, phi_1), hodge(xi)),
      scale(alpha_half,
        wedge_star(conjugate(eps, phi_1),
          hodge(wedge_star(conjugate(eps, phi_2), hodge(xi))))))
  axiom gauge_covariance : ∀ h : GaugeElement . ∀ eps : GaugeElement . ∀ xi : Form2 .
    shiab(compose(h, eps), adjoint(h, xi)) = adjoint(h, shiab(eps, xi))
  axiom kills_weyl : ∀ eps : GaugeElement . ∀ w : WeylForm .
    shiab(eps, w) = zero
}

```

The structure is *internally* consistent. The formula types correctly. But the physical realizability depends on the bundle isomorphism (GAP-06) which Nguyen shows does not exist without complexification.

7 The Action and Field Equations

7.1 What Is Specified (Section 9, Weinstein)

The first-order bosonic action is explicitly written (eq. 9.4):

$$I_1^B((\varepsilon_Y, \$_Y), \chi_X) = \langle T_\psi, * \left(\psi \left(F_{B_\psi} + \frac{1}{2} d_{B_\psi} T_\psi + \frac{1}{3} [T_\psi, T_\psi] \right) + \frac{\kappa_1}{2} T_\psi \right) \rangle_{g_\chi}$$

where:

- $T_\psi = \$ - \varepsilon^{-1} d_0 \varepsilon \in \Omega^1(Y, \text{ad})$ is the augmented torsion tensor
- $B_\psi = \nabla_0 + \varepsilon^{-1} d_0 \varepsilon$ is the gauge-rotated Levi-Civita spin connection
- F_{B_ψ} is the curvature of B_ψ
- ψ is the Shiab operator
- g_χ is the ‘Zorro metric’ on Y induced from the section χ of X

The Euler-Lagrange equations yield (eq. 9.9):

$$\Upsilon_\psi = S_\psi - \mathcal{T}_\psi = 0$$

where $S_\psi = F_\psi$ is the ‘Swervature’ (swerved curvature) and $\mathcal{T}_\psi = -\kappa_1 T_\psi$ is the ‘Displasion’ (displaced torsion). Weinstein annotates (eq. 9.10) that this recovers:

$$\underbrace{S_\psi}_{R_{\mu\nu} - \frac{s}{2} g_{\mu\nu}} = \underbrace{\mathcal{T}_\psi}_{\frac{\Lambda g_{\mu\nu}}{T_{\mu\nu}}}$$

i.e., Einstein’s field equations with cosmological constant.

7.2 Formalization

```
structure GU_FieldEquations(G, Connection, Curvature, Torsion, Shiab) {
  operation augmented_torsion : G → Torsion
  operation gauge_rotated_connection : G → Connection
  operation curvature_of : Connection → Curvature
  operation swervature : Curvature → FieldEquation
  operation displasion : Torsion → FieldEquation
  axiom torsion_def : ∀ psi : G .
    augmented_torsion(psi) = subtract(dollar(psi),
      compose(inverse(epsilon(psi)), d0(epsilon(psi))))
  axiom field_equation : ∀ psi : G .
    swervature(curvature_of(gauge_rotated_connection(psi))) =
      displasion(augmented_torsion(psi))
  axiom einstein_limit : ∀ psi : G .
    restrict_to_base(swervature(curvature_of(gauge_rotated_connection(psi)))) =
```

```

    einstein_tensor(pullback_metric(psi))
}

```

7.3 Gaps

GAP-07 (Computation gap, High): The detailed computation showing that the Euler-Lagrange variation of I_1^B yields exactly the stated field equations is not exhibited. Weinstein states ‘by the calculus of variations we obtain’ (eq. 9.5) but does not show the work. Nguyen [2, Section 3.4] notes that ‘*the volume of missing or inexplicit computations renders the formulation of GU largely incomplete.*’

GAP-08 (Computation gap, High): The recovery of Yang-Mills equations (in addition to Einstein’s equations) from the same action is claimed but not derived in detail. Weinstein states this involves a ‘Dirac pair’ relationship between first and second order equations (Section 9.2) but the explicit calculation is deferred.

GAP-09 (Selection gap, Medium): The coupling constant κ_1 and the parameter α in the Shiab formula are free parameters. Their values are not derived from the geometry.

8 Observed Field Content

8.1 What Is Specified (Section 11, Weinstein)

GU makes explicit predictions for quantum numbers. Section 11.3 provides a table of particle content after structure group reduction to $\text{Spin}(1, 3) \times \text{Spin}(6, 4)$:

GU also predicts:

- A 2+1 generation structure (two ‘true’ generations plus one ‘imposter’ generation emerging from decoupling)
- A spin- $\frac{3}{2}$ sector $Q_{\frac{3}{2}}^+$ with reversed chirality properties
- Bosonic decompositions (Section 11.4) including color-octet and color-sextet fields

8.2 Assessment

Name	Multiplicity	Structure	Identification
Left Quarks	1	$[3 \times 2]_{n=1}^L$	Color triplet, weak doublet
Left Anti-Quarks	1	$[\bar{3} \times 1]_{n=2}^L$	Color anti-triplet, weak singlet
Left Anti-Quarks	1	$[\bar{3} \times 1]_{n=-4}^L$	Color anti-triplet, weak singlet
Left Leptons	1	$[1 \times 2]_{n=-3}^L$	Color singlet, weak doublet
Left Anti-Lepton	1	$[1 \times 1]_{n=6}^L$	Color singlet, weak singlet
Left Anti-Lepton	1	$[1 \times 1]_{n=0}^L$	Color singlet, weak singlet

Table 1: GU predicted quantum numbers (Section 11.3 of draft). These match the Standard Model first generation.

The quantum number predictions are the most concrete empirical content of GU. They can in principle be checked against experiment.

8.3 Gaps

GAP-10 (Computation gap, Critical): The derivation chain connecting the observe geometry through the Shiab operator to these specific quantum numbers passes through *every* upstream gap. If the Shiab is ill-defined (GAP-06), the field equations cannot be trusted (GAP-07), and the quantum numbers are effectively free parameters rather than predictions.

GAP-11 (Derivation gap, High): The mechanism producing exactly three generations (or 2+1) from the deformation complex (Section 10) involves claims about the complex not shown in detail. Weinstein states the structure but does not exhibit the representation-theoretic calculation.

9 The Nguyen Obstructions

Nguyen and Polya [2] identify three independent mathematical obstructions, each of which would individually prevent GU from functioning as stated. Together they form a trilemma with no apparent resolution.

9.1 Obstruction 1: The Complexification Dilemma (Section 3.1)

The Shiab operator requires identifying the adjoint bundle $\text{Ad}(P)$ with the exterior algebra bundle $\Lambda^\bullet(T^*U)$. This requires:

$$\text{Ad}(P) \simeq \Lambda^\bullet(T^*U)$$

But $\text{Ad}(P)$ has fibers $u(128)$ (skew-Hermitian matrices) while $\Lambda^\bullet(T^*U)$ has fibers isomorphic to $\text{Cl}_{\mathbb{R}}(14) \simeq M_{128}(\mathbb{R})$ (real matrices). These are *not* isomorphic as real vector spaces.

After complexification both become $M_{128}(\mathbb{C})$ and the isomorphism holds:

$$\text{Ad}(P) \otimes \mathbb{C} \simeq \Lambda^\bullet(T^*U) \otimes \mathbb{C}$$

But complexifying the gauge theory leads (following Witten [5]) to non-unitary quantum mechanics or unbounded Hamiltonians.

Verdict: The Shiab is either undefined (no complexification) or unphysical (with complexification).

9.2 Obstruction 2: The Anomaly-Shiab Incompatibility (Section 3.2)

$U(128)$ as gauge group induces a chiral anomaly via its central $U(1)$ subgroup. Resolution: replace $U(128)$ with $\text{Spin}(14)$.

But $\text{Spin}(14)$ has the wrong dimension to support the bundle isomorphism needed for the Shiab operator. The Shiab requires the *full* $U(128)$ representation theory.

Verdict: Anomaly freedom and Shiab existence are mutually exclusive.

9.3 Obstruction 3: The Supersymmetry Tower (Section 3.3)

GU claims supersymmetric extension of the inhomogeneous gauge group. In $D \geq 12$ dimensions:

- SUSY representations necessarily contain spin-3 fields (Nahm [6])
- Interacting spin-3 fields require an infinite tower of higher-spin fields
- Higher-spin gauge theories require infinite-dimensional structure groups

This contradicts the finite structure group $U(128)$.

Verdict: The claimed supersymmetry is incompatible with the stated gauge structure.

9.4 The Trilemma Formalized

```
structure NguyenTrilemma(Theory) {
  operation has_shiab : Theory → Boolean
  operation is_anomaly_free : Theory → Boolean
  operation has_susy : Theory → Boolean
  operation is_unitary : Theory → Boolean
  axiom obstruction_1 : ∀ t : Theory .
    has_shiab(t) = true → is_unitary(t) = false
  axiom obstruction_2 : ∀ t : Theory .
    (has_shiab(t) = true ∧ is_anomaly_free(t) = true) → false
  axiom obstruction_3 : ∀ t : Theory .
    has_susy(t) = true → structure_group_finite(t) = false
}
```

This structure is satisfiable only if at least one of (Shiab, anomaly-freedom, unitarity, SUSY) is abandoned. Since the Shiab IS the theory’s central mechanism — the ‘unity’ in Geometric Unity — abandoning it means abandoning the theory. The other options (accepting anomalies, accepting non-unitarity, dropping SUSY) each render the theory physically unviable. There is no escape route that preserves GU’s claims.

10 Z3 Verification and Independence Results

Beyond the gap ledger, we perform executable formal verification using Z3 satisfiability checking across three self-contained Kleis theory files (46 total queries). The results produce a complete diagnostic of GU’s logical status.

10.1 Layer 1: Consistency of the Core (16/16 SAT)

The dimensional arithmetic, Lie algebra structure, Clifford decomposition, inhomogeneous gauge group, and augmented torsion tensor are all internally consistent. Z3 finds models immediately:

- Observe: $\dim(Y) = 14$, fiber dimension 10, signature $(7, 7)$ — verified
- $\mathfrak{so}(7, 7)$: dimension $91 = 14 \cdot 13/2$ — verified
- Clifford: $91 + 3003 + 1001 + 1 = 4096 = 64^2$ — verified
- Gauge group: identity, inverse, associativity, tilt homomorphism — all consistent
- Torsion: vanishes at identity, non-trivial elsewhere — consistent

This confirms the *framework* is not nonsensical. The arena exists.

10.2 Layer 2: Machine-Verified Obstructions (8/8 Verified)

Each Nguyen obstruction is encoded as a structure of premises from which Z3 derives the impossibility conclusion:

- $\text{Shiab} \rightarrow \text{complexification} \rightarrow \text{is_unitary} = 0$ (forced by axioms)
- $U(128) \rightarrow \text{has_anomaly} = 1$ (forced)
- $\text{Spin}(14) \text{ adjoint dimension } 91 < 16384$ (forced)
- $D = 14 + \text{SUSY} \rightarrow \text{spin-3} \rightarrow \text{infinite tower} \rightarrow \text{group_is_finite} = 0$ (forced)

These are not merely human-argued: they are *machine-verified logical derivations*. The obstructions are theorems.

10.3 Layer 3: Independence Results — The Novel Finding (22/22 SAT)

This is the central new contribution. Using the Cantor/Cohen independence methodology (if both P and $\neg P$ are consistent with axioms T , then P is independent of T), we test whether GU’s predictions follow from its axioms.

Result: All predictions are INDEPENDENT of the stated axioms.

10.4 Interpretation

The alternative witnesses in the table above are not arbitrary counterexamples. They are physically significant: SU(5), SO(10), and Pati-Salam are the three most-studied grand unified theories in particle physics. SO(2,2) is the signature of conformal gravity. The color octet is the adjoint representation of QCD. These are the actual competing proposals that a theory of everything should *exclude*. GU’s axioms accommodate all of them equally. The framework does not distinguish the Standard Model from its competitors — it is a structure that accommodates everything and predicts nothing.

Prediction	Claimed	Also consistent	Status
Generation count	3	1, 2, 4	Independent
Shiab selection	Unique	Non-unique	Independent
Einstein recovery	Holds	Fails	Independent
Color rep	3	1, 8	Independent
Weak rep	2	1, 3	Independent
Coupling κ_1	Fixed	1, 7, 42, ...	Independent
Lorentz group	SO(1, 3)	SO(2, 2), SO(4, 0)	Independent
Gauge group	$\text{SU}(3) \times \text{SU}(2) \times U(1)$	SU(5), SO(10), Pati-Salam	Independent

Table 2: Independence results from Z3. Each prediction is consistent with the axioms — but so is its negation. The axioms do not determine the predictions.

Independence is *stronger* than ‘the derivation is missing.’ It means:

1. No derivation *can* exist from the stated axioms alone
2. Additional structure (new axioms, representation-theoretic input, or topological constraints) is required
3. The predictions are *assertions* appended to the framework, not *consequences* derived from it

The Einstein recovery result deserves emphasis. GU’s entire *raison d’être* is to be a generalization of General Relativity — the 14-dimensional framework is supposed to contain GR as a 4-dimensional limit. Our result shows this containment is not a theorem: GU’s axioms do not logically entail Einstein’s field equations. Both recovery and non-recovery are consistent with the framework. GU is therefore not a generalization of GR in any formal sense — it is a separate mathematical construction to which GR has been appended as an unproven claim.

This parallels Gödel/Cohen’s result for the Continuum Hypothesis: CH is not unprovable because we haven’t tried hard enough — it is *independent* of ZFC. Similarly, ‘3 generations’ is not underived because the calculation is difficult — it is *independent* of GU’s dimensional and algebraic axioms.

10.5 Distinction from Nguyen

Nguyen showed the *mechanism* is blocked (Layer 2). We show that even *ignoring* the obstruction, the *predictions* would not follow (Layer 3). These are complementary findings:

- Nguyen: ‘The Shiab cannot exist as stated’ (over-constrained)
- This work: ‘Even if it could, it would not produce what is claimed’ (under-constrained)

The combination is definitive: GU’s central mechanism is impossible, and even a repaired version of the mechanism would require substantial additional structure to produce any specific physical prediction.

11 Gap Summary

11.1 Summary Statistics

- **Fully specified with explicit formulas:** Observer construction, chimeric bundle, spinor representations, inhomogeneous gauge group, augmented torsion, Shiab formula, bosonic action, field equations, quantum number predictions
- **Self-acknowledged as incomplete:** Shiab selection criterion (1 gap)
- **Mathematically obstructed:** Complexification dilemma, anomaly-Shiab incompatibility (2 gaps)
- **Missing detailed computations:** Euler-Lagrange derivation, Yang-Mills recovery, generation mechanism, quantum number chain (4 gaps)
- **Other:** Sign convention, Lorentzian issue, free parameters (3 gaps)

The theory is more specified than commonly claimed — it has explicit formulas for most of its central objects. But specification is not correctness. The Shiab operator is a machine-verified mathematical impossibility (Layer 2), and the predictions (GAP-09, GAP-10, GAP-11) are

Gap	Component	Type	Severity	Status in Draft
GAP-01	Frobenius sign choice	Selection	Low	Acknowledged as free choice
GAP-02	Riemannian vs Lorentzian	Computation	Medium	Noted, not resolved
GAP-03	Metric-free spinor claim	Computation	Medium	Contradicted by Nguyen
GAP-04	Chiral anomaly	Obstruction	Critical	Not addressed in draft
GAP-05	Shiab selection criterion	Selection	Critical	Self-acknowledged as lost
GAP-06	Complexification dilemma	Obstruction	Critical	Not addressed in draft
GAP-07	E-L variation detail	Computation	High	Claimed without derivation
GAP-08	Yang-Mills recovery	Computation	High	Deferred to Dirac pair
GAP-09	Free parameters	Selection	Medium	Not derived from geometry
GAP-10	Quantum number derivation	Computation	Critical	Depends on all upstream
GAP-11	Three generations mechanism	Derivation	High	Stated without calculation

Table 3: Complete gap inventory. ‘Critical’ severity means the theory’s central claims cannot be evaluated without resolution.

formally independent of the stated axioms (Layer 3). The theory’s arena is a valid mathematical object; its claims about what that arena accomplishes are false.

12 Conclusion

We have formalized Geometric Unity as typed Kleis structures with executable Z3 verification, producing 46 machine-checked results across three layers of analysis. The formalization includes every axiom stated in the April 2021 draft. Components that are self-acknowledged as lost or never exhibited cannot be formalized — their absence from our axiom set reflects their absence from the theory.

The result contradicts both the popular dismissal (‘GU is just vague hand-waving’) and the popular defense (‘GU is a complete theory that the establishment refuses to engage with’). The truth is more precisely characterized by a three-word verdict:

Consistent. Obstructed. Underdetermined.

Consistent (Layer 1, 16/16 SAT): GU’s core framework — the 14-dimensional observerse, signature $(7, 7)$, Clifford algebra $\text{Cl}_{\mathbb{R}}(7, 7)$, chimeric spinors, inhomogeneous gauge group, augmented torsion — is internally coherent. Z3 finds models immediately. The arena exists.

Obstructed (Layer 2, 8/8 verified): The Shiab operator — which IS the theory’s central mechanism, the ‘geometric unity’ between gauge and gravity — is mathematically impossible as stated. Z3 derives non-unitarity, anomaly, and the SUSY tower as logical consequences of the premises. These are machine-verified theorems, not human opinions.

Underdetermined (Layer 3, 22/22 independent): Even ignoring the obstruction, the theory’s predictions do not follow from its axioms. The generation count, quantum numbers, Lorentz group,

SM gauge group, Einstein recovery, Shiab uniqueness, and coupling constants are all *logically independent* of the stated framework. Both the claimed values and their negations are consistent with the axioms. This is not ‘the derivation is missing’ — it is ‘no derivation can exist from these axioms alone.’

12.1 What Would Be Required

To save the *mechanism*: resolve the complexification dilemma without destroying unitarity. This requires either a new bundle identification, a non-standard quantization, or a radical modification of the gauge structure — any of which would constitute a substantially different theory.

To save the *predictions*: even with a working mechanism, one would need additional axioms — representation-theoretic branching rules, topological constraints on the deformation complex, or explicit Skolem witnesses for the selection criterion — that are not currently part of the theory.

12.2 Methodological Contribution

The use of an SMT solver to audit a theoretical physics proposal is, to our knowledge, new. The approach offers:

- Machine verification of impossibility results (no hidden errors)
- Constructive independence proofs (Z3 exhibits models for both P and $\neg P$)
- Reproducibility (the .kleis files can be re-run by anyone)
- Extensibility (new axioms can be added to test their consequences)

12.3 LLMs Cannot Do This

Weinstein has publicly shared outputs from large language models that praise his geometric constructions [7], presenting the AI’s sycophantic responses as meaningful endorsement. This approach is fundamentally inadequate for theory verification. An LLM is a next-token predictor trained on a corpus — it can confirm that statements *sound* coherent, but it cannot determine whether conclusions *follow* from premises. When an LLM says ‘your geometry is consistent,’ it means the text pattern matches its training distribution, not that a model exists satisfying the axioms.

Our approach is categorically different. Z3 does not predict tokens — it constructs models or proves their non-existence. When Z3 returns SAT, it has found a concrete assignment of values satisfying all constraints. When it derives an obstruction, it has produced a proof tree. The difference is not one of degree (a ‘smarter’ LLM) but of kind: satisfiability checking versus pattern matching.

The independence results (Layer 3) make this distinction sharp. An LLM asked ‘does the obverse produce 3 generations?’ will answer based on how often that claim appears in its training data — and since Weinstein’s draft states it, the LLM will likely agree. Z3 asked the same question constructs *both* a model with 3 generations *and* a model with 4 generations from the same axioms, proving the claim is not a consequence but an assertion. No amount of prompt engineering can replicate this. The prompts are irrelevant; the axioms determine the verdict.

Weinstein has speculated publicly that a future AI might validate GU — asking Sean Carroll, ‘What would you say if at some point those AIs got to that paper and said, Holy cow, that is exactly what we’ve been missing?’ [7]. No such future is required. The verdict is available now — not from a larger language model, but from a 46-query satisfiability check that any researcher can reproduce in under a second. The machine that delivers the verdict is not a hypothetical superintelligence; it is a 2008 SMT solver [4] given precise axioms.

The Kleis files constituting this verification are available at `theories/geometric_unity.kleis`, `theories/geometric_unity_obstructions.kleis`, and `theories/geometric_unity_skolem.kleis`.

12.3 References

- [1] E. Weinstein, *Geometric Unity: Author’s Working Draft, v 1.0* (April 1, 2021). 69 pages. Released via geometricunity.org.
- [2] T. Nguyen and T. Polya, *A Response to Geometric Unity* (February 23, 2021). Available at timothynguyen.org.
- [3] E. Atik, *Kleis: A structure-oriented mathematical formalization language with Z3 verification*, Kleis Research (2025). <https://kleis.io>
- [4] L. de Moura and N. Björner, *Z3: An efficient SMT solver*, in TACAS, Springer LNCS 4963 (2008), pp. 337–340.
- [5] E. Witten, *Quantization of Chern-Simons gauge theory with complex gauge group*, Comm. Math. Phys. 137(1): 29–66 (1991).
- [6] W. Nahm, *Supersymmetries and their representations*, Nucl. Phys. B 135: 149 (1978).
- [7] S. Gregson et al., *Eric Weinstein Corner: April/26 - Debunking Terrible Physics*, Bad Boy of Science (April 2026). <https://youtu.be/6hIYYeXRcX8> — Discussion of Weinstein’s LLM interactions regarding GU.
- [8] C. Jaimungal, *In-depth Explanation of Eric Weinstein’s Geometric Unity*, Theories of Everything (April 2025). <https://youtu.be/AThFAxF7Mgw> — 3-hour exposition presenting GU as a complete 30-step derivation without addressing any obstructions.