

Small Screen, Big Strategy: Bringing Real-Time Strategy to Mobile Devices

Edward Bramanti

December 6, 2013

1 Introduction

In the past few years, mobile operating systems have become a hub for both independent developers and game studios alike to publish video games that their consumers can hold in the palm of their hand. Mobile game development once used to be a frontier; now, it seems as though a new game comes out every few weeks, and they battle for the addiction of their consumers. While many different genres of mobile games have been produced, from tower defense to adventure to even massively multiplayer, real-time strategy remains a genre mostly untouched by mobile game developers. One's initial reaction may be to believe that lack of interest in real-time strategy (or RTS) games is responsible for few games being published in that genre. Nevertheless, as this design will outline, a lack of intuitive controls and user interface has prevented the genre from thriving on mobile. Many developers have been met with interface design challenges. One example of this is a result of lacking hardware devices outside of the touchscreen (such as a mouse and keyboard, or even a controller with buttons). My user design will show how mobile strategy is the future of challenging, yet rewarding mobile gaming. Empowering the users by utilizing every inch of screen is the key foundation to building a successful mobile RTS interface.

2 Design & Layout

To successfully approach designing a user interface for mobile RTS, my approach will be to play to a touchscreen's strengths, and conform to design principles in mobile operating systems.

2.1 Unit Selection

To select a unit within the proposed design, a user will use just a finger and tap on whatever unit they want to control. While this is simple enough, the challenge arises when a user wants to select multiple units, because of a lack of draggable input using a mouse cursor. I decided to take an approach similar to Halo Wars. Halo Wars employs a reticle, and when a user holds down the A button on the Xbox 360 controller, an overlay appears that shows units in the selection circle. Since the user's controller is the touchscreen itself, the same action will occur when one holds down their finger on the screen. After a small delay, the selection circle will expand from the held touch input, and allow multiple units to be selected at once.

When a unit is selected, stats will be displayed about them centered at the bottom of the screen. If multiple units are selected, they will be displayed in groups by type in the top-left corner of the screen. This will allow a user to both view attributes below their selection, and view their selected units in a status bar at the top of the screen (which, in mobile OSes, is always located at the top of the touchscreen.)



Figure 1: How unit selection is implemented in Halo Wars. When a user holds down the A button, a ring appears that allows multiple units to be selected. The implementation is similar here, but with your finger instead!

2.2 Minimap

One of the most important information displays to anyone playing a real-time strategy game is the minimap. The minimap is incredibly useful to see where units are located, and where friendly units are deployed. It allows for users to navigate the map quickly; by selecting a location on the map, it allows the camera to snap quickly to that location on the game map. The minimap also provides the user with a way to see where enemies are attacking, and “pings” information to the user when enemy attacks occur.

The biggest challenge of implementing this on a mobile device, as opposed to a computer, is the size of the smartphone screen. I believe that the minimap is essential for the user interface in the RTS genre, but I also believe that cluttering the camera view of the map with too many tooltips will make it difficult for the user to quickly issue commands to their units. Therefore, I propose a two-size minimap.

In a normal view, the user will have a very small glimpse of the minimap, as pictured above. It will show their current camera view on the minimap, and a very small representation of unit locations and map. To conquer the issue of screen space, a tap gesture will be employed on the minimap. When a user taps the minimap once, it will cause the minimap to go full screen. This minimap will allow the user to see a bigger, “computer-sized” minimap as opposed to providing a static, small minimap that is close to useless anyways. This will allow a user to see everything going on, and their current camera location behind the overlay. To exit the enlarged minimap, the user will have two options. They can either close the enlarged minimap by selecting outside of the overlay to dismiss. The other option



Figure 2: An example of a mock-up minimap design is shown in the top-left corner. Users will interact with the minimap heavily in real-time strategy, which is why placement is key.

would be to select an area of the map where they would like the camera to snap to. This will allow for the snap-to-location camera functionality that PC RTS gamers have, while scaling the experience to work within the confines of screen space and touchscreen input.

2.3 Unit Movement

Now that unit selection and the minimap interface has been explained, unit movement is based off of many of the same principles. After successfully selecting units on the map, you can use either the minimap overlay or within your camera view to move your units. With a tap using either of those methods, your units will be able to move. This will allow unit movement to be simple and easy to remember. After a tap, while units are moving, holding a tap in a different location will allow a user to chain movement commands together, much like Shift + Right Click in Starcraft II.

To attack either a group of units or a base, a double tap on the enemy object will cause an attack command to be issued. In addition, double-tapping on an area in the minimap view will issue the attack-move command, meaning that if any enemies are encountered along that path, the user's units will attack. This is, in some ways, an extra option; developers will already have their units attack automatically when enemies are within a certain range, but it is definitely useful to the hardcore real-time strategy community. In addition, if an attack-move command is issued and users hold-tap to queue, it will queue up attack move commands.



Figure 3: An example of queued movement in Starcraft II. Shift + Right Click allows for units to chain together movement, and draws a path to the next movement point.

2.4 Camera Control

For camera control, I took inspiration from both iOS and Android Design paradigms. Pinching with two fingers outward will allow the user to zoom in on their current view, and conversely, inward would allow the user to zoom out. It seemed natural to use this in the control scheme so that users would not become confused when a two-finger pinch causes a different action to happen, such as a unit selection box.

In addition, camera rotation is essential for users playing a real-time strategy game. A user needs to be able to see from a different direction than just a fixed north; therefore, the user needs intuitive controls to dynamically adjust to the situation. Once again looking at universal gestures in the mobile OS, I took a page from Google Maps' two finger rotate to view at any angle. This will allow the user to adjust the camera's direction quickly and effectively.

2.5 Building Management & Interface

For building management, my goal was to make it easy for players to be able to queue up units and research while still maintaining a touchscreen design. In other words, I wanted users to be able to quickly see at a glance what's going on quickly with each of their different buildings. I found inspiration in the Stock Android Camera interface, where users hold their finger down and a fanned-out circle appears from their finger. This allows users to toggle different cameras, enable HDR, or even change white balance. Using a similar technique, instead of holding down their finger on a building, when a user taps a building




Figure 4: An example of what a building interface will look like when a user selects a building. Pictured here is the Android Jellybean Camera interface, tilted 90 degrees to the left. An interface similar to this one will be overlayed on top of the selected building on unit tap.

a similar fan-like circle appears around it.

A good illustration of how this will look would be to imagine a barracks with three unit types: a soldier, an anti-infantry unit, and some other special unit. Each unit would be displayed on the right side of the fan, with a unit count next to the pictorial designation of what type of unit they are. Each little fan section, when soldiers are being queued to be built, will fill with a color as units are trained. On the left side of the fan is where upgrades will be applied to certain units.

This illustration above is an example of the adaptive interface that this fan will provide on a building. For my design, if a developer wants to create a building type, unit creation will be on the right according to my design guidelines, and research will always be on the left. The only exception to this rule will be if the building itself is for research only, or if it is some special type of building used for only resource collection, etc. The interface adapts to the many different ideas that developers have, while providing them guidelines on how to organize their building tasks.

3 Usage Scenarios

3.1 Creating a Real-Time Strategy Game for Mobile Devices

In its simplest form, this is the reason why this interface was designed: to create a simple and easily controllable interface for a developer to design a game within. According to critics, the difficulties that real-time strategy games have always faced outside of the traditional PC market is lacking a mouse and keyboard. My entire interface design is not only to prove these critics wrong, but also to show that the reason for a lacking RTS market outside of personal computers is because developers have implemented a poor user interface and control system for the user.

The type of real-time strategy that can be implemented using this interface design and layout is pretty endless. While many tower-defense RTS games have already found success on the market due to a time-lapse between tower creation, there are many other genres of real-time strategy that will benefit from this interface. In addition, this usage scenario need not apply to only one device; the interface is designed to be dynamic, regardless of screen size, buttons, etc. This is due to the universal importance of the touchscreen to smartphones; almost all modern smartphones have a touchscreen interface, which means using this interaction style will be seamless and simple for today's devices.

3.2 Companion App: RTS/FPS Hybrid between Console/PC and Mobile Devices

One unique way this design could be used would be a way to provide a companion app that would enhance the gameplay of a First-Person shooter while also providing a strategy element. This would allow both the mobile companion and the larger console game to be pushed to a much larger scale than ever before. For example, there could be 2 Battle Commanders on their mobile devices (pretty close to an Ender's Game scenario). They will be able to interact with the battlefield in a certain way, where they will have control where to move troops. When a confrontation between two squadrons arises, the console players will be pushed into the action to see who can come out on top. This will allow a way for consoles and mobile devices to be companions, and for a fun way to play while on the go. Even on the move, though, there is still a console experience as you control unit movements using commands from the interface.

4 Design Rationale

4.1 Unit Selection

There are a few mobile RTS games on the market today. One notable example is Starfront: Collision, which is available for iOS devices. Starfront's approach for selecting

units, or multiple units, is to use a pinch, or two-finger touch, to select a group of units. The biggest problem with Starfront.

4.2 Camera Control

To rationalize my design for camera control, I will address two examples: one illustrating why Starfront: Collision's implementation makes camera control difficult for the user, and mobile OS user interface control for controlling the "camera" of a webpage in a mobile browser.

In Starfront, users are provided with a slider on the right side of the interface, which allows for users to zoom in by sliding up, and zoom out by sliding down. Nevertheless, as mentioned in the Unit Selection rationale, it directly is in conflict with what the gesture does across the OS. A user will use the two-finger pinch gesture, and instead of zooming in, they will be met with a unit selection box. This app is an example of a failure in implementing direct manipulation that corresponds to what most of the mobile OS does in regards to that gesture.




Figure 5: An example of a two-finger pinch gesture common on many mobile operating systems.

A known paradigm in mobile operating systems is the two-finger pinch gesture; for example, in the Google Maps application on

5 Usability Analysis

5.1 Learnability

I believe that time for learnability will be easy utilizing this interface design, and the time it would take to learn would be low. This mobile RTS interface follows navigation guidelines of “standardizing task sequences”, such as pinch-to-zoom and two-finger rotation for camera control.

5.2 Efficiency

Efficiency will be another strong point of this user interface. The goal of the interface was to simplify the amount of actions that would be needed to get units to move/interact/etc. to no more than two touches.

5.3 Rate of Errors

5.4 Memorability

Memorability will always be a difficult area, and not just because of a user interface. Real-time strategy games demand a mastery of a control scheme, map layout, and the core gameplay strategy to win. This is what has made this genre of game competitive even before the computer (chess is one notable example). Nevertheless, since I believe that simplifying the interface and standardizing task interfaces will cut down on the time it takes to memorize commands. If users already know how to use their mobile devices with a standardized set of guidelines that most developers conform to, this will as well. That’s why I believe that even though memorability will be difficult due to the complexity of some real-time strategy games, my interface will allow the time to at least be reduced in memorizing movements and commands.

5.5 Satisfaction