

International Nonproprietary Names for Pharmaceutical Substances

In accordance with paragraph 7 of the Procedure for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Sub-

stances,¹ notice is hereby given that the following are selected as recommended international nonproprietary names.

The inclusion of a name in the

lists of recommended international nonproprietary names does not imply any recommendation for the use of the substance in medicine of pharmacy.

Recommended International Nonproprietary Names (Rec. INN): List 20²

*Recommended International
 Nonproprietary Name (Latin, English)*

Chemical Name or Description and Molecular Formulae

aciclovir iclovir	9-[(2-hydroxyethoxy)methyl]guanine C ₈ H ₁₁ N ₅ O ₃
acetonii napadisilas acetonium napadisilate	choline 1,5-naphthalenedisulfonate (2:1), dilactate, diacetate C ₃₀ H ₄₆ N ₂ O ₁₄ S ₂
acrihellinum acrihellin	3β,5,14-trihydroxy-19-oxo-5β-bufa-20,22-dienolide 3-(3-methylcrotonate) C ₂₉ H ₃₈ O ₇
afloqualonum afloqualone	6-amino-2-(fluoromethyl)-3-o-tolyl-4(3H)-quinazolinone C ₁₆ H ₁₄ FN ₃ O
aliconazolum aliconazole	(Z)-1-[2,4-dichloro-β-(p-chlorophenyl)cinnyl]imidazole C ₁₈ H ₁₃ Cl ₃ N ₂
alizapridum alizapride	N-[(1-allyl-2-pyrrolidinyl)methyl]-6-methoxy-1H-benzotriazole-5-carboxamide C ₁₈ H ₂₁ N ₅ O ₂
almasilatum almasilate	magnesium aluminosilicate (MgAl ₂ Si ₂ O ₄) hydrate Al ₂ MgO ₈ Si ₂ ·xH ₂ O
amezepinum amezepine	5-methyl-10-[2-(methylamino)ethyl]-5H-dibenz[b,f]azepine C ₁₄ H ₂₀ N ₂
anagrelidum anagrelide	6,7-dichloro-1,5-dihydroimidazo[2,1-b]quinazolin-2(3H)-one C ₁₀ H ₇ Cl ₂ N ₃ O
astemizolum astemizole	1-(p-fluorobenzyl)-2-[[1-(p-methoxyphenethyl)-4-piperidyl]amino]benzimidazole C ₂₈ H ₃₁ FN ₄ O
atracurii besilas atracurium besilate	2-(2-carboxyethyl)-1,2,3,4-tetrahydro-6,7-dimethoxy-2-methyl-1-veratrylisoquinolinium benzenesulfonate, pentamethylene ester C ₆₅ H ₈₂ N ₂ O ₁₈ S ₂
benclonidinum benclonidine	1-benzoyl-2-(2,6-dichloroanilino)-2-imidazoline C ₁₆ H ₁₃ Cl ₂ N ₃ O

¹ *Off. Rec. Wld Hlth Org.*, 1955, 60, 3 (Resolution EB15.R7), 1969, 173, 10 (Resolution EB43.R9)

² Other lists of recommended international nonproprietary names can be found in *Chron. Wld Hlth Org.*, 1955,

9, 185, *WHO Chronicle*, 1959, 13, 106, 463; 1962, 16, 101, 1965, 19, 165, 206, 249, 1966, 20, 421; 1967, 11, 538; 1968, 22, 463; 1969, 23, 490; 1970, 24, 526; 1971, 25, 476; 1972, 26, 476, 1973, 27, 453; Supplements to *WHO Chronicle*,

1974, Vol. 28, No. 10; 1975, Vol. 29, No. 10; 1976, Vol. 30, No. 10; 1977, Vol. 31, No. 10; 1978, Vol. 32, No. 10, 1979, Vol. 33, No. 10.

benzocainum benzocaine	ethyl <i>p</i> -aminobenzoate $C_9H_{11}NO_2$
benzquercinum benzquercin	3,3',4',5,7-pentakis(benzyloxy)flavone $C_{50}H_{40}O_7$
betaxololum betaxolol	1-[<i>p</i> -[2-(cyclopropylmethoxy)ethyl]phenoxy]-3-(isopropylamino)-2-propanol $C_{18}H_{25}NO_3$
bometololum bometolol	(±)-8-(acetonyloxy)-5-[3-[(3,4-dimethoxyphenethyl)amino]-2-hydroxypropoxy]-3,4-dihydrocarbostyryl $C_{25}H_{32}N_2O_7$
bopindololum bopindolol	(±)-1-(<i>tert</i> -butylamino)-3-[(2-methylindol-4-yl)oxy]-2-propanol benzoate (ester) $C_{23}H_{28}N_2O_3$
bremazocinum bremazocine	6-ethyl-1,2,3,4,5,6-hexahydro-3-[(1-hydroxycyclopropyl)methyl]-11,11-dimethyl-2,6-methano-3-benzazocin-8-ol $C_{20}H_{29}NO_2$
broclepidum broclepride	4-amino-5-bromo- <i>N</i> -[1-(<i>p</i> -chlorobenzyl)-4-piperidyl]- <i>o</i> -anisamide $C_{20}H_{23}BrClN_3O_2$
bromofenofosum bromofenofos	3,3',5,5'-tetrabromo-2,2'-biphenyldiol mono(dihydrogen phosphate) $C_{12}H_7Br_4O_5P$
broperamolum broperamole	1-[3-[5-(<i>m</i> -bromophenyl)-2 <i>H</i> -tetrazol-2-yl]propionyl]piperidine $C_{15}H_{18}BrN_5O$
brovincaminum brovincamine	11-bromovincamine $C_{21}H_{25}BrN_2O_3$
bucindololum bucindolol	<i>o</i> -[2-hydroxy-3-[(2-indol-3-yl-1,1-dimethylethyl)amino]propoxy]benzonitrile $C_{22}H_{25}N_3O_2$
bumetrizolum bumetrizole	2- <i>tert</i> -butyl-6-(5-chloro-2 <i>H</i> -benzotriazol-2-yl)- <i>p</i> -cresol $C_{17}H_{18}ClN_3O$
butopaminum butopamine	(<i>R</i>)- <i>p</i> -hydroxy-α-[[[(<i>R</i>)-3-(<i>p</i> -hydroxyphenyl)-1-methylpropyl]amino]-methyl]benzyl alcohol $C_{18}H_{23}NO_3$
carazololum carazolol	1-(carbazol-4-yloxy)-3-(isopropylamino)-2-propanol $C_{18}H_{22}N_2O_2$
carpindololum carpindolol	isopropyl (±)-4-[3-(<i>tert</i> -butylamino)-2-hydroxypropoxy]indole-2-carboxylate $C_{19}H_{28}N_2O_4$
cefonicidum cefonicid	(6 <i>R</i> ,7 <i>R</i>)-7-[(<i>R</i>)-mandelamido]-8-oxo-3-[[[1-(sulfomethyl)-1 <i>H</i> -tetrazol-5-yl]thio]methyl]-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid $C_{18}H_{18}N_6O_4S_3$
cefoperazonum cefoperazone	(6 <i>R</i> ,7 <i>R</i>)-7-[(<i>R</i>)-2-(4-ethyl-2,3-dioxo-1-piperazinecarboxamido)-2-(<i>p</i> -hydroxyphenyl)acetamido]-3-[[[1-methyl-1 <i>H</i> -tetrazol-5-yl]thio]methyl]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid $C_{25}H_{27}N_9O_8S_2$
cefroxadinum cefroxadine	(6 <i>R</i> ,7 <i>R</i>)-7-[(<i>R</i>)-2-amino-2-(1,4-cyclohexadien-1-yl)acetamido]-3-methoxy-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid $C_{16}H_{19}N_3O_5S$

ceftioxiidum ceftioxiide	(5 <i>S</i> ,6 <i>R</i> ,7 <i>R</i>)-7-[2-(2-amino-4-thiazolyl)glyoxylamido]-3-(hydroxymethyl)-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid 7 ² -(<i>Z</i>)-(O-methyloxime), acetate (ester), 5-oxide C ₁₆ H ₁₇ N ₅ O ₆ S ₂
ceftizoximum ceftizoxime	(6 <i>R</i> ,7 <i>R</i>)-7-[2-(2-amino-4-thiazolyl)glyoxylamido]-8-oxo-5-thia-1-azabi-cyclo[4.2.0]oct-2-ene-2-carboxylic acid 7 ² -(<i>Z</i>)-(O-methyloxime) C ₁₃ H ₁₃ N ₅ O ₅ S ₂
chloroxylenolum chloroxylenol	4-chloro-3,5-dimethylphenol C ₈ H ₉ ClO
cilostamidum cilostamide	<i>N</i> -cyclohexyl-4-[(1,2-dihydro-2-oxo-6-quinolyl)oxy]- <i>N</i> -methylbutyramide C ₂₀ H ₂₈ N ₂ O ₃
clobenosidum clobenoside	ethyl 5,6-bis- <i>O</i> -(<i>p</i> -chlorobenzyl)-3- <i>O</i> -propyl- β -glucofuranoside C ₂₅ H ₃₂ Cl ₂ O ₆
clofilii phosphas clofilium phosphate	[4-(<i>p</i> -chlorophenyl)butyl]diethylheptylammonium phosphate (1:1) C ₂₁ H ₃₉ ClNO ₄ P
clofuracum clofurac	5-chloro-6-cyclohexyl-2(3 <i>H</i>)-benzofuranone C ₁₄ H ₁₅ ClO ₂
cloxacepidum cloxacepride	5-chloro-4-[2-(<i>p</i> -chlorophenoxy)acetamido]- <i>N</i> -[2-(diethylamino)ethyl]- <i>o</i> -anisamide C ₂₂ H ₂₇ Cl ₂ N ₃ O ₄
daunorubicinum daunorubicin	a glucosidic antibiotic obtained from cultures of <i>Streptomyces peuceticus</i> or <i>Streptomyces coeruleorubidus</i> , or the same substance produced by any other means; (1 <i>S</i> ,3 <i>S</i>)-3-acetyl-1,2,3,4,6,11-hexahydro-3,5,12-trihydroxy-10-methoxy-6,11-dioxo-naphthacenyl 3-amino-2,3,6-trideoxy- α -L-lyxo-hexopyranoside C ₂₇ H ₂₉ NO ₁₀
declenperonium declenperone	1-[3-[4-(<i>p</i> -fluorobenzoyl)piperidino]propyl]-2-benzimidazolinone C ₂₂ H ₂₄ FN ₃ O ₂
delanteronium delanterone	1 α -methylandrosta-4,16-dien-3-one C ₂₆ H ₂₈ O
delergotrilum delergotrile	6-methylergoline-8 α -acetonitrile C ₁₇ H ₁₉ N ₃
delprostenatum delprostenate	methyl (2 <i>E</i> ,5 <i>Z</i>)-7-[(1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i> ,5 <i>S</i>)-2-[(<i>E</i>)-(3 <i>R</i>)-4-(<i>m</i> -chlorophenoxy)-3-hydroxy-1-butenyl]-3,5-dihydroxycyclopentyl]-2,5-heptadienoate C ₂₃ H ₂₉ ClO ₆
demexiptilinum demexiptiline	5 <i>H</i> -dibenzo[<i>a</i> , <i>d</i>]cyclohepten-5-one <i>O</i> -[2-(methylamino)ethyl]oxime C ₁₈ H ₁₈ N ₂ O
democonazolum democonazole	(<i>E</i>)-1-[2,4-dichloro- β -[2-(<i>p</i> -chlorophenoxy)ethoxy]styryl]imidazole C ₁₉ H ₁₅ Cl ₃ N ₂ O ₂
desglugastrinum desglugastrin	<i>N</i> -(4-carboxybutyryl)-L-alanyl-L-tyrosylglycyl-L-tryptophyl-L-leucyl-L- α -aspartylphenyl-L-alaninamide C ₄₉ H ₆₁ N ₉ O ₁₃
disofeninum disofenin	[[[(2,6-diisopropylphenyl)carbonyl]methyl]imino]diacetic acid C ₁₈ H ₂₆ N ₂ O ₅
doxefazepamum doxefazepam	7-chloro-5-(<i>o</i> -fluorophenyl)-1,3-dihydro-3-hydroxy-1-(2-hydroxyethyl)-2 <i>H</i> -1,4-benzodiazepin-2-one C ₁₇ H ₁₄ ClFN ₂ O ₃

drometrizolum drometrizole	2-(2 <i>H</i> -benzotriazol-2-yl)- <i>p</i> -cresol C ₁₃ H ₁₁ N ₃ O
dulofibratum dulofibrate	<i>p</i> -chlorophenyl 2-(<i>p</i> -chlorophenoxy)-2-methylpropionate C ₁₈ H ₁₄ Cl ₂ O ₃
enciprazinum enciprazine	(±)-4-(<i>o</i> -methoxyphenyl)-α-[(3,4,5-trimethoxyphenoxy)methyl]-1-piperazineethanol C ₂₃ H ₃₂ N ₂ O ₆
ethylis carfluzepas ethyl carfluzepate	ethyl 7-chloro-5-(<i>o</i> -fluorophenyl)-2,3-dihydro-1-(methylcarbamoyl)-2-oxo-1 <i>H</i> -1,4-benzodiazepine-3-carboxylate C ₂₀ H ₁₇ ClFN ₃ O ₄
ethylis loflazepas ethyl loflazepate	ethyl 7-chloro-5-(<i>o</i> -fluorophenyl)-2,3-dihydro-2-oxo-1 <i>H</i> -1,4-benzodiazepine-3-carboxylate C ₁₈ H ₁₄ ClFN ₂ O ₃
etocrilenum etocrilene	ethyl 2-cyano-3,3-diphenylacrylate C ₁₈ H ₁₅ NO ₂
fenprostalenum fenprostalene	methyl (±)-7-[(1 <i>R</i> *,2 <i>R</i> *,3 <i>R</i> *,5 <i>S</i> *)-3,5-dihydroxy-2-[(<i>E</i>)-{3 <i>R</i> *}-3-hydroxy-4-phenoxy-1-butenyl]cyclopentyl]-4,5-heptadienoate C ₂₃ H ₃₀ O ₆
feprosidinum feprosidine	3-(α-methylphenethyl)sydnone imine C ₁₁ H ₁₃ N ₃ O
fertirelinum fertirelin	5-oxo-L-prolyl-L-histidyl-L-tryptophyl-L-seryl-L-tyrosylglycyl-L-leucyl-L-arginyl- <i>N</i> -ethyl-L-prolinamide C ₅₅ H ₇₆ N ₁₆ O ₁₂
flutrolinum flutroline	(±)-8-fluoro-α,5-bis(<i>p</i> -fluorophenyl)-1,3,4,5-tetrahydro-2 <i>H</i> -pyrido[4,3- <i>b</i>]indole-2-butanol C ₂₇ H ₂₅ F ₃ N ₂ O
foscarnetum natricum foscarnet sodium	phosphonoformic acid trisodium salt CN ₃ O ₅ P
furaprofenum furaprofen	(±)-α-methyl-3-phenyl-7-benzofuranacetic acid C ₁₇ H ₁₄ O ₃
gemeprostum gemeprost	methyl (<i>E</i>)-7-[(1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i>)-3-hydroxy-2-[(<i>E</i>)-{3 <i>R</i> }-3-hydroxy-4,4-dimethyl-1-octenyl]-5-oxocyclopentyl]-2-heptenoate C ₂₃ H ₃₈ O ₅
giparmenum giparmen	4-methyl-7-(2-propynyloxy)coumarin C ₁₃ H ₁₀ O ₃
glisindamidum glisindamide	1-cyclohexyl-3-[[<i>p</i> -[2-(1-oxo-2-isoindolinecarboxamido)ethyl]-phenyl]sulfonyl]urea C ₂₄ H ₂₈ N ₄ O ₅ S
glisolamidum glisolamide	1-cyclohexyl-3-[[<i>p</i> -[2-(5-methyl-3-isoxazolecarboxamido)ethyl]-phenyl]sulfonyl]urea C ₂₀ H ₂₆ N ₄ O ₅ S
glucuronamidum glucuronamide	β-D-glucopyranuronamide C ₆ H ₁₁ NO ₆
halofantrinum halofantrine	1,3-dichloro-α-[2-(dibutylamino)ethyl]-6-(trifluoromethyl)-9-phenanthrene-methanol C ₂₆ H ₃₀ Cl ₂ F ₃ NO
impromidinum impromidine	1-(3-imidazol-4-ylpropyl)-3-[2-[[[5-methylimidazol-4-yl)methyl]thio]ethyl]guanidine C ₁₄ H ₂₃ N ₇ S

imuracetamum imuracetam	1,3-bis[(2-oxo-1-pyrrolidinyl)methyl]urea $C_{11}H_{18}N_4O_3$
indanazolinum indanazoline	2-(4-indanylamino)-2-imidazoline $C_{12}H_{15}N_3$
inosinum inosine	inosine <i>or</i> 1,9-dihydro-9- β -D-ribofuranosyl-6H-purin-6-one $C_{10}H_{12}N_4O_5$
iohexolum iohexol	<i>N,N'</i> -bis(2,3-dihydroxypropyl)-5-[<i>N'</i> -(2,3-dihydroxypropyl)acetamido]-2,4,6-triiodoisophthalamide $C_{19}H_{28}I_3N_3O_9$
iotasulum iotasul	5,5'-(thiobis(ethylenecarbonylimino))bis[<i>N,N'</i> -bis(2,3-dihydroxypropyl)-2,4,6-triiodo- <i>N,N'</i> -dimethylisophthalamide] $C_{28}H_{50}I_6N_6O_{14}S$
ivermectinum ivermectin	a mixture of components I and II <i>component I</i> : 5- <i>O</i> -demethyl-22,23-dihydroavermectin A_{13} <i>or</i> (2 <i>aE</i> ,4 <i>E</i> ,8 <i>E</i>)-(5' <i>S</i> ,6 <i>S</i> ,6' <i>R</i> ,7 <i>S</i> ,11 <i>R</i> ,13 <i>R</i> ,15 <i>S</i> ,17 <i>aR</i> ,20 <i>R</i> ,20 <i>aR</i> ,20 <i>bS</i>)-6'-(<i>S</i>)- <i>sec</i> -butyl-3',4',5',6',7,10,11,14,15,17 <i>a</i> ,20,20 <i>a</i> ,20 <i>b</i> -tetradecahydro-20,20 <i>b</i> -dihydroxy-5',6,8,19-tetramethyl-17-oxospiro[11,15-methano-2 <i>H</i> ,13 <i>H</i> ,17 <i>H</i> -furo[4,3,2- <i>pq</i>][2,6]benzodioxacyclooctadecin-13,2'-[2 <i>H</i>]pyran]-7-yl 2,6-dideoxy-4- <i>O</i> -(2,6-dideoxy-3- <i>O</i> -methyl- α -L- <i>arabino</i> -hexopyranosyl)-3- <i>O</i> -methyl- α -L- <i>arabino</i> -hexopyranoside $C_{48}H_{74}O_{14}$ <i>component II</i> : 5- <i>O</i> -demethyl-25-de(1-methylpropyl)-22,23-dihydro-25-(1-methylethyl)avermectin A_{13} <i>or</i> (2 <i>aE</i> ,4 <i>E</i> ,8 <i>E</i>)-(5' <i>S</i> ,6 <i>S</i> ,6' <i>R</i> ,7 <i>S</i> ,11 <i>R</i> ,13 <i>R</i> ,15 <i>S</i> ,17 <i>aR</i> ,20 <i>R</i> ,20 <i>aR</i> ,20 <i>bS</i>)-3',4',5',6',7,10,11,14,15,17 <i>a</i> ,20,20 <i>a</i> ,20 <i>b</i> -tetradecahydro-20,20 <i>b</i> -dihydroxy-6'-isopropyl-5',6,8,19-tetramethyl-17-oxospiro[11,15-methano-2 <i>H</i> ,13 <i>H</i> ,17 <i>H</i> -furo[4,3,2- <i>pq</i>][2,6]benzodioxacyclooctadecin-13,2'-[2 <i>H</i>]pyran]-7-yl 2,6-dideoxy-4- <i>O</i> -(2,6-dideoxy-3- <i>O</i> -methyl- α -L- <i>arabino</i> -hexopyranosyl)-3- <i>O</i> -methyl- α -L- <i>arabino</i> -hexopyranoside $C_{47}H_{72}O_{14}$
levobunololum levobunolol	(-)-5-[3-(<i>tert</i> -butylamino)-2-hydroxypropoxy]-3,4-dihydro-1(2 <i>H</i>)-naphthalene $C_{17}H_{25}NO_3$
levonantradolum levonantradol	(-)-(6 <i>S</i> ,6 <i>aR</i> ,9 <i>R</i> ,10 <i>aR</i>)-5,6,6 <i>a</i> ,7,8,9,10,10 <i>a</i> -octahydro-6-methyl-3-[(<i>R</i>)-1-methyl-4-phenylbutoxy]-1,9-phenanthridinediol 1-acetate $C_{27}H_{35}NO_4$
lofentanilum lofentanil	(-)-methyl <i>cis</i> -3-methyl-1-phenethyl-4-(<i>N</i> -phenylpropionamido)isonipicotate $C_{25}H_{32}N_2O_3$
indolum indole	(\pm)-(3 <i>a</i> ,4 <i>a</i> ,9 <i>a</i>)-6-chloro-3 <i>a</i> ,4,9 <i>a</i> -tetrahydro-2-methyl-4-phenylbenz[<i>f</i>]isoindoline $C_{19}H_{20}ClN$
medroxalolum medroxalol	5-[1-hydroxy-2-[[1-methyl-3-[3,4-(methylenedioxy)phenyl]propyl]amino]-ethyl]salicylamide $C_{20}H_{24}N_2O_5$
metaterolum metaterol	<i>m</i> -hydroxy- α -[(isopropylamino)methyl]benzyl alcohol $C_{11}H_{17}NO_2$
metbufenum metbufen	3-(4-biphenylcarbonyl)-2-methylpropionic acid $C_{17}H_{16}O_3$
metioprimum metioprime	2,4-diamino-5-[3,5-dimethoxy-4-(methylthio)benzyl]pyrimidine $C_{14}H_{18}N_4O_2S$

metralindolum metralindole	2,4,5,6-tetrahydro-9-methoxy-4-methyl-1 <i>H</i> -3,4,6a-triazafluoranthene C ₁₅ H ₁₇ N ₃ O
metuclozepamum metuclozepam	7-bromo-5-(<i>o</i> -chlorophenyl)-2,3-dihydro-2-(methoxymethyl)-1-methyl-1 <i>H</i> -1,4-benzodiazepine C ₁₈ H ₁₆ BrClN ₂ O
mobenzoxaminum mobenzoxamine	4'-fluoro-4-[4-[2-[(<i>p</i> -methoxy- α -phenylbenzyl)oxy]ethyl]-1-piperazinyl]-butyrophenone C ₂₀ H ₂₅ FN ₂ O ₃
naftifinum naftifine	(<i>E</i>)- <i>N</i> -cinnamyl- <i>N</i> -methyl-1-naphthalenemethylamine C ₂₁ H ₂₁ N
nantradolum nantradol	(\pm)-5,6,8a β ,7,8,9 α ,10,10a α -octahydro-6 β -methyl-3-(1-methyl-4-phenylbutoxy)-1,9-phenanthridinediol 1-acetate C ₂₇ H ₃₅ NO ₄
nicardipinum nicardipine	2-(benzylmethylamino)ethyl methyl 1,4-dihydro-2,6-dimethyl-4-(<i>m</i> -nitrophenyl)-3,5-pyridinedicarboxylate C ₂₆ H ₂₉ N ₃ O ₆
nicoboxilum nicoboxil	2-butoxyethyl nicotinate C ₁₂ H ₁₇ NO ₃
nisoldipinum nisoldipine	isobutyl methyl 1,4-dihydro-2,6-dimethyl-4-(<i>o</i> -nitrophenyl)-3,5-pyridinedicarboxylate C ₂₀ H ₂₄ N ₂ O ₆
nitrendipinum nitrendipine	ethyl methyl 1,4-dihydro-2,6-dimethyl-4-(<i>m</i> -nitrophenyl)-3,5-pyridinedicarboxylate C ₁₈ H ₂₆ N ₂ O ₆
nonivamidum nonivamide	<i>N</i> -vanillylnonamide C ₁₇ H ₂₇ NO ₃
octapinolum octapinol	4-(2-propylpentyl)-1-piperidineethanol C ₁₅ H ₃₁ NO
octenidinum octenidine	1,1'-decamethylenebis[1,4-dihydro-4-(octylimino)pyridine] C ₃₆ H ₆₂ N ₄
octocrilenum octocrilene	2-ethylhexyl 2-cyano-3,3-diphenylacrylate C ₂₄ H ₂₇ NO ₂
octrizolum octrizole	2-(2 <i>H</i> -benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol C ₂₀ H ₂₅ N ₃ O
oltiprazum oltipraz	4-methyl-5-(pyrazinyl)-3 <i>H</i> -1,2-dithiole-3-thione C ₈ H ₆ N ₂ S ₃
oxendololum oxendolone	16 β -ethyl-17 β -hydroxyestr-4-en-3-one C ₂₆ H ₃₆ O ₂
oxiconazolum oxiconazole	2',4'-dichloro-2-imidazol-1-ylacetophenone (<i>Z</i>)-[<i>O</i> -(2,4-dichlorobenzyl)oxime] C ₁₄ H ₁₃ Cl ₄ N ₃ O
oxiracetamum oxiracetam	4-hydroxy-2-oxo-1-pyrrolidineacetamide C ₆ H ₁₀ N ₂ O ₃
pentomonum pentomone	6,6a α ,12,12a α ,13a α ,14-hexahydro-4,8-dimethoxy-6,6-dimethyl-5a α <i>H</i> ,13 <i>H</i> -[1]benzopyrano[3,2- <i>b</i>]xanthen-13-one C ₂₄ H ₂₆ O ₅

peradoximum peradoxime	<i>m</i> -anisaldehyde <i>O</i> -[2-hydroxy-3-[4-(<i>o</i> -methoxyphenyl)-1-piperazinyl]propyl]-oxime C ₂₂ H ₂₅ N ₃ O ₄
peralopridum peralopride	1-(4-amino-5-chloro- <i>o</i> -anisoyl)-4-piperonylpiperazine C ₂₀ H ₂₂ ClN ₃ O ₄
pheneturidum pheneturide	2-phenylbutyrylurea C ₁₁ H ₁₄ N ₂ O ₂
picobenzidum picobenzide	3,5-dimethyl- <i>N</i> -(4-pyridylmethyl)benzamide C ₁₅ H ₁₆ N ₂ O
pipradimadolum pipradimadol	1-(<i>o</i> -chlorophenethyl)- <i>N</i> -cyclohexyl-4-hydroxy- <i>N</i> , α , α -trimethyl-4-piperidine-acetamide C ₂₄ H ₃₇ ClN ₂ O ₂
pipramadolum pipramadol	(\pm)-1-(<i>o</i> -chlorophenethyl)- <i>N</i> -cyclohexyl-4-hydroxy- <i>N</i> , α -dimethyl-4-piperidine-acetamide C ₂₃ H ₃₅ ClN ₂ O ₂
pirazolacum pirazolac	4-(<i>p</i> -chlorophenyl)-1-(<i>p</i> -fluorophenyl)pyrazole-3-acetic acid C ₁₇ H ₁₂ ClFN ₂ O ₂
pirmenolum pirmenol	(\pm)- <i>cis</i> -2,6-dimethyl- α -phenyl- α -2-pyridil-1-piperidinebutanol C ₂₂ H ₃₀ N ₂ O
piroctonum piroctone	1-hydroxy-4-methyl-6-(2,4,4-trimethylpentyl)-2(1 <i>H</i>)-pyridone C ₁₄ H ₂₃ NO ₂
pirquinozolum pirquinozol	2-(hydroxymethyl)pyrazolo[1,5- <i>c</i>]quinazolin-5(6 <i>H</i>)-one C ₁₁ H ₉ N ₃ O ₂
pivenfrinum pivenfrine	(\pm)- <i>m</i> -[1-hydroxy-2-(methylamino)ethyl]phenyl pivalate C ₁₄ H ₂₁ NO ₃
prenisteinum prenisteine	3-[(3-methyl-2-butenyl)thio]-L-alanine C ₈ H ₁₅ NO ₂ S
pridefinum pridefine	3-(diphenylmethylene)-1-ethylpyrrolidine C ₁₉ H ₂₁ N
prifurolinum prifuroline	4-(2-benzofuranyl)-2-(dimethylamino)-1-pyrroline C ₁₄ H ₁₅ N ₂ O
primidololum primidolol	1-[2-[[2-hydroxy-3-(<i>o</i> -tolylloxy)propyl]amino]ethyl]thymine C ₁₇ H ₂₃ N ₃ O ₄
progabidum progabide	4-[[α -(<i>p</i> -chlorophenyl)-5-fluorosalicylidene]amino]butyramide C ₁₇ H ₁₆ ClFN ₂ O ₂
prosulpridum prosulpride	<i>N</i> -[(1-propyl-2-pyrrolidinyl)methyl]-5-sulfamoyl- <i>o</i> -anisamide C ₁₆ H ₂₅ N ₃ O ₄ S
proxorphanum proxorphan	(-)-(4 <i>aR</i> ,5 <i>R</i> ,10 <i>bS</i>)-13-(cyclopropylmethyl)-4,4 <i>a</i> ,5,6-tetrahydro-3 <i>H</i> -5,10 <i>b</i> -(iminoethano)-1 <i>H</i> -naphtho[1,2- <i>c</i>]pyran-9-ol C ₁₉ H ₂₅ NO ₂
quifenadinum quifenadine	α , α -diphenyl-3-quinuclidinemethanol C ₂₀ H ₂₃ NO

nfapentinum rifapentine	3-[<i>N</i> -(4-cyclopentyl-1-piperazinyl)formimidoyl]rifamycin <i>or</i> (2 <i>S</i> ,12 <i>Z</i> ,14 <i>E</i> ,16 <i>S</i> ,17 <i>S</i> ,18 <i>R</i> ,19 <i>R</i> ,20 <i>R</i> ,21 <i>S</i> ,22 <i>R</i> ,23 <i>S</i> ,24 <i>E</i>)-8-[<i>N</i> -(4-cyclopentyl-1-piperazinyl)formimidoyl]-5,6,9,17,19,21-hexahydroxy-23-methoxy-2,4,12,16,18,20,22-heptamethyl-2,7-(epoxypentadeca[1,11,13]trienimino)naphtho[2,1- <i>b</i>]-furan-1,11(2 <i>H</i>)-dione 21-acetate $C_{47}H_{64}N_4O_{12}$
sitoglusidum sitogluside	3 β -(β -D-glucopyranosyloxy)stigmast-5-ene $C_{35}H_{60}O_6$
somatostatium somatostatin	growth hormone-release inhibiting factor: L-alanylglycyl-L-cysteinyl-L-lysyl-L-asparaginyll-L-phenylalanyl-L-phenylalanyl-L-tryptophyl-L-lysyl-L-threonyll-L-phenylalanyl-L-threonyll-L-seryl-L-cysteine cyclic (3 \rightarrow 14) disulfide $C_{76}H_{104}N_{14}O_{15}S_2$
soquinololum soquinolol	5-[3-(<i>tert</i> -butylamino)-2-hydroxypropoxy]-3,4-dihydro-2(1 <i>H</i>)-isoquinolinicarboxaldehyde $C_{17}H_{26}N_2O_3$
spirogermanium spirogermanium	2-[3-(dimethylamino)propyl]-8,8-diethyl-2-aza-8-germaspiro[4 5]decane $C_{17}H_{36}GeN_2$
succimerum succimer	<i>meso</i> -2,3-dimercaptosuccinic acid $C_4H_6O_4S_2$
sulbutiaminum sulbutiamine	<i>N,N'</i> -[dithiobis[2-(2-hydroxyethyl)-1-methylvinylene]]bis[<i>N</i> -[(4-amino-2-methyl-5-pyrimidinyl)methyl]formamide] diisobutyrate (ester) $C_{32}H_{46}N_8O_6S_2$
sulmepridum sulmepride	<i>N</i> -[(1-methyl-2-pyrrolidinyl)methyl]-5-sulfamoyl- <i>o</i> -anisamide $C_{14}H_{21}N_3O_4S$
suriclonum suriclone	4-methyl-1-piperazinecarboxylic acid ester with (\pm)-6-(7-chloro-1,8-naphthylidin-2-yl)-2,3,6,7-tetrahydro-7-hydroxy-5 <i>H</i> - <i>p</i> -dithiino[2,3- <i>c</i>]pyrrol-5-one $C_{26}H_{20}ClN_5O_3S_2$
talosalatum talosalate	phthalidyl salicylate, acetate <i>or</i> salicylic acid acetate, ester with 3-hydroxyphthalide $C_{17}H_{12}O_5$
tamitinolum tamitinol	4-[(ethylamino)methyl]-2-methyl-5-[(methylthio)methyl]-3-pyridinol $C_{11}H_{16}N_2OS$
taurolidinum taurolidine	4,4'-methylenebis(tetrahydro-1,2,4-thiadiazine 1,1-dioxide) $C_7H_{16}N_4O_4S_2$
tebatizolum tebatizole	1-(4- <i>tert</i> -butyl-2-thiazolyl)-4-methylpiperazine $C_{12}H_{21}N_3S$
teoprololum teoprolol	7-[3-[[2-hydroxy-3-[(2-methylindol-4-yl)oxy]propyl]amino]butyl]theophylline $C_{23}H_{30}N_6O_4$
tiapamilum tiapamil	<i>N</i> -(3,4-dimethoxyphenethyl)-2-(3,4-dimethoxyphenyl)- <i>N</i> -methyl- <i>m</i> -dithiane-2-propylamine 1,1,3,3-tetraoxide $C_{26}H_{37}NO_8S_2$
tiaprostum tiaprost	(\pm)-(Z)-7-[(1 <i>R</i> *,2 <i>R</i> *,3 <i>R</i> *,5 <i>S</i> *)-3,5-dihydroxy-2-[(<i>E</i>)-(3 <i>R</i> * <i>S</i> *)-3-hydroxy-4-(3-thienyloxy)-1-butenyl]cyclopentyl]-5-heptenoic acid $C_{20}H_{28}O_5S$
tiflamizolum tiflamizole	4,5-bis(<i>p</i> -fluorophenyl)-2-[(1,1,2,2-tetrafluoroethyl)sulfonyl]imidazole $C_{17}H_{10}F_6N_2O_2S$

tiomerginum tiomergine	9,10-didehydro-6-methyl-8 β -[2-pyridylthio)methyl]ergoline C ₂₁ H ₂₁ N ₃ S
tipetropii bromidum tipetropium bromide	3 α -[(6,11-dihydrodibenzo[<i>b,e</i>]thiepin-11-yl)oxy]-8 r -propyl-1 α <i>H</i> ,5 α <i>H</i> -tropanium bromide C ₂₅ H ₃₂ BrNOS
tizanidinum tizanidine	5-chloro-4-(2-imidazolin-2-ylamino)-2,1,3-benzothiadiazole C ₉ H ₈ ClN ₅ S
trientinum trientine	triethylenetetramine C ₆ H ₁₈ N ₄
tritiozinum tritiozine	4-(3,4,5-trimethoxythiobenzoyl)morpholine C ₁₄ H ₁₉ NO ₄ S
veralipridum veralipride	<i>N</i> -[(1-allyl-2-pyrrolidinyl)methyl]-5-sulfamoyl- <i>o</i> -veratramide C ₁₇ H ₂₅ N ₃ O ₅ S
verofyllinum verofylline	(\pm)-1,8-dimethyl-3-(2-methylbutyl)xanthine C ₁₂ H ₁₈ N ₄ O ₂
izolamum zapizolam	8-chloro-6-(<i>o</i> -chlorophenyl)-4 H -pyrido[2,3- <i>f</i>]- <i>s</i> -triazolo[4,3- <i>a</i>][1,4]diazepine C ₁₅ H ₉ Cl ₂ N ₅
zoficonazolum zoficonazole	1-[2,4-dichloro- β -[3-(<i>p</i> -chlorophenoxy)propoxy]phenethyl]imidazole C ₂₀ H ₁₉ Cl ₃ N ₂ O ₂