Supplement to WHO Chronicle, 1977. Vol. 31, No. 9 (September)

# International Nonproprietary Names for Pharmaceutical Substances

In accordance with article 3 of the Procedure for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Substances, notice is hereby given that the following names are under consideration by the World Health prization as Proposed

International Nonproprietary Names.

Comments on, or formal objections to, the proposed names may be forwarded by any person to the Pharmaceuticals unit of the World Health Organization within four months of the date of their publication in the WHO

Chronicle, e.g. for List 38 Prop. INN not later than 31 January 1978.

The inclusion of a name in the lists of proposed international nonproprietary names does not imply any recommendation for the use of the substance in medicine or pharmacy.

#### Proposed International Nonproprietary Names (Prop. INN): List 38 2

Proposed International Nonproprietary Name (Latin, English) Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number

acidum spaglumicum spaglumic acid N-(N-acetyl-L- $\beta$ -aspartyl)-L-glutamic acid C<sub>11</sub>H<sub>16</sub>N<sub>2</sub>O<sub>8</sub> 4910-46-7

Comprehensive information on the INN programme can be found in: WHO Technical Report Series, No. 581, 1975 (Nonproprietary Names for Pharmaceutical Substances. Twentieth Report of the WHO Expert Committee), ISBN 92 4 120581 4 (price: Sw. fr. 6.—); an account of this publication will be found on page 21 of this Supplement (Annex 2). All names from Lists 1-35 of Proposed International Nonproprietary Names, together with a molecular formula index, will be found in: International Nonproprietary Names for Pharmaceutical Substances. Cumulative list No. 4, 1976, World Health Organization, Geneva, 1976 (ISBN 92 4 056009 2) (price: bw. fr. 48.—). This publication consists, in the main, of a computer printout which groups together all the proposed and recommended international nonproprietary names (INN)—in Latin, English, French, Russian, and Spanish—published up to March 1976. The printout also indicates in which of the 35 individual lists of proposed names and 15 lists of recommended names, each INN was originally published, and gives references to national nonproprietary names, pharmacopoeia monographs, and other sources. In addition, the list contains molecular formulae and Chemical Abstracts Service registry numbers are indexed in a series of annexes. A final annex describes the procedure for selecting recommended INN and outlines the general principles to be followed in devising these names. All the textual material published in this volume appears in both English and French.

These publications may be obtained, direct or through booksellers, from the sales agents listed on the back cover of the WHO Chronicle. Orders from countries where sales agents have not yet been appointed may be addressed to: World Health Organization, Distribution and Sales Service, 1211 Geneva 27, Switzerland.

1967, 21, 70, 478; 1968, 22, 112, 407; 1969, 23, 183, 418; 1970, 24, 119, 413; 1971, 25, 123, 415; 1972, 26, 121, 414; 1973, 27, 120, 330; 1974, 28, 133, supplements to *WHO Chronicle*, 1974, Vol. 28, No. 9; 1975, Vol. 29, No. 3, No. 9; 1976, Vol. 30, No. 3, No. 9; 1977, Vol. 31, No. 3.

Lists of recommended international non-proprietary names were published in Chron.

Wid Hith Org., 1955, 9, 185; WHO Chronicle, 1959, 13, 106, 463; 1962, 16, 101; 1965, 19, 165, 206, 249; 1966, 20, 421; 1967, 21, 538; 1968, 22, 463; 1969, 23, 490; 1970, 24, 526; 1971, 25, 476; 1972, 26, 476, 1973, 27, 453; supplements to WHO Chronicle, 1974, Vol. 28, No. 10; 1975, Vol. 29, No. 10; 1976, Vol. 30, No. 10.

<sup>&</sup>lt;sup>1</sup> See Annex 1, p. 20.

<sup>&</sup>lt;sup>1</sup> Other lists of proposed international nonproprietary names can be found in *Chron. Wid Hilh Org.*, 1953, 7, 299; 1954, 8, 216, 313; 1956, 10, 28; 1957, 11, 231; 1958, 12, 102; *WHO Chronicle*, 1959, 13, 105, 152; 1960, 14, 168, 244; 1961, 15, 314; 1962, 16, 385; 1963, 17, 389, 1964, 18, 433; 1965, 19, 446; 1966, 20, 216,

alaproclatum alaproclate DL-alanine p-chloro-a,a-dimethylphenethyl ester C<sub>13</sub>H<sub>18</sub>CłNO<sub>2</sub> 60719-82-6

amfenacum amfenac (2-amino-3-benzoylphenyl)acetic acid C<sub>15</sub>H<sub>13</sub>NO<sub>3</sub> 51579-82-9

amrinonum amrinone 5-amino(3,4'-bipyridin)-6(1*H*)-one C<sub>10</sub>H<sub>8</sub>N<sub>3</sub>O 60719-84-8

arildonum arildone 4-[6-(2-chloro-4-methoxyphenoxy)hexyl]-3,5-heptanedione C<sub>20</sub>H<sub>29</sub>ClO<sub>4</sub> 56219-57-9

arprinocidum arprinocid 9-(2-chloro-6-fluorobenzyl)adenine  $C_{12}H_9CIFN_5$  55779-18-5

azacortum azacort 11 $\beta$ ,21-dihydroxy-2'-methyl-5' $\beta$ H-pregna-1,4-dieno[17,16-d]oxazole-3,20-dione 21-acetate C<sub>25</sub>H<sub>31</sub>NO<sub>6</sub> 14484-47-0

azanidazolum azanidazole (E)-2-amino-4-[2-(1-methyl-5-nitroimidazol-2-yl)vinyl]pryimidine C<sub>10</sub>H<sub>10</sub>N<sub>6</sub>O<sub>2</sub> 62973-76-6

$$O_2N \xrightarrow{N}_{CH=CH}^{NH_2}$$

azastenum azastene

)

4,4,17-trimethylandrosta-2,5-dieno [2,3-d]isoxazol-17 $\beta$ -ol C<sub>23</sub>H<sub>33</sub>NO<sub>2</sub> 13074-00-5

azepexolum azepexole 2-amino-6-ethyl-5,6,7,8-tetrahydro-4H-oxazolo [4,5-d] azepine C<sub>9</sub>H<sub>15</sub>N<sub>3</sub>O 36067-73-9

$$H_2N \longrightarrow N - C_2H_5$$

bacmecillinamum bacmecillinam (2S,5R,6R)-6-[[(hexahydro-1*H*-azepin-1-yl)methylene]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid ester with ethyl 1-hydroxyethyl carbonate C<sub>20</sub>H<sub>31</sub>N<sub>3</sub>O<sub>6</sub>S 50846-45-2

betacarotenum betacarotene β,β-carotene or (all-E)-3,7,12,16-tetramethyl-1,18-bis(2,6,6-trimethyl-1-cyclohexen-1-yl)-1,3,5,7,9,11,13,15,17-octadecanonaene C40H5e 7235-40-7

betamicinum betamicin

O-6-amino-6-deoxy-a-D-glucopyranosyl- $(1 \rightarrow 4)$ -O-[3-deoxy-4-C-methyl-3-(methylamino)- $\beta$ -L-arabinopyranosyl- $(1 \rightarrow 6)$ ]-2-deoxy-D-streptamine C<sub>19</sub>H<sub>38</sub>N<sub>4</sub>O<sub>10</sub> 36889-15-3

bicozamycınum bicozamycin bicyclomycin or  $(1R^*,6S^*)$ -6-hydroxy-5-methylene-1- $[(1R^*,2R^*)$ -1,2,3-trihydroxy-2-methylpropyl]-2-oxa-7,9-diazabicyclo[4.2.2]decane-8,10-dione C<sub>12</sub>H<sub>18</sub>N<sub>2</sub>O<sub>7</sub> 38129-37-2

butafosfanum butafosfan [1-(butylamino)-1-methylethyl]phosphinic acid C7H18NO2P 17316-67-5

$$\begin{array}{c|c} & & \text{CH}_3 \text{ O} \\ \text{H}_3 \text{C(CH}_2)_3 \text{ NHC} & \longrightarrow \text{POI} \\ \text{CH}_3 \text{ H} \\ \text{CH}_3 \text{ H} \end{array}$$

butocrololum butocrolol 9-[3-(tert-butylamino)-2-hydroxypropoxy]-4-hydroxy-7-methyl-5H-furo-[3,2-g][1]benzopyran-5-one C<sub>19</sub>H<sub>23</sub>NO<sub>8</sub> 55165-22-5

butoprozinum butoprozine p-[3-(dibutylamino)propoxy]phenyl 2-ethyl-3-indolizinyl ketone Сав Нав N2O2 6228-20-0

$$\begin{array}{c|c} & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ &$$

canbisolum canbisol

 $(\pm)$ -3-(1,1-dimethylheptyl)-6aβ,7,8,9,10,10aα-hexahydro-6,6-dimethyl-6H-dibenzo[b,d] pyran-1,9-diol C<sub>24</sub>H<sub>38</sub>O<sub>3</sub> 56689-43-1

$$\mathsf{H}_3\mathsf{C} \xrightarrow{\mathsf{OH}} \mathsf{OH} \\ \mathsf{H}_3\mathsf{C} \xrightarrow{\mathsf{C}(\mathsf{CH}_2)_5\mathsf{CH}_3} \\ \mathsf{CH}_2\mathsf{C} \mathsf{CH}_2\mathsf{C} \mathsf{CH}_3 \\ \mathsf{CH}_2 \\ \mathsf{CH}_2 \\ \mathsf{CH}_2 \\ \mathsf{CH}_2 \\ \mathsf{CH}_3 \\ \mathsf{CH}_2 \\ \mathsf{CH}_3 \\ \mathsf$$

cefsulodinum cefsulodin 4-carbamoyl-1-[[(6R,7R)-2-carboxy-8-oxo-7-[(2R)-2-phenyl-2-sulfo-acetamido]-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]pyridinium hydroxide, inner salt C22H20N4O8S2 62587-73-9

$$\begin{array}{c|c} & & & & & & & & & & & & & & & & \\ & & & & & & & & & & & & & \\ & & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & \\ & & & \\ & \\ & & \\ & & \\ & \\ & & \\ & \\ & & \\ \\ & \\ & \\ \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\$$

cefsumidum cefsumide (6R,7R)-7-[(2R)-2-amino-2-(m-methanesulfonamidophenyl)acetamido]-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid C17H2oN4O6S2 54818-11-0

ocyclinum ocycline 2-acetyl-4 $\alpha$ -amino-4a $\beta$ ,12a-dihydro-3,10,11,12a $\beta$ -tetrahydroxy-6,9-dimethyl-1,12(4H,5H)-naphthacenedione C<sub>22</sub>H<sub>21</sub>NO<sub>7</sub> 53228-00-5

cinnarizini clofibras cinnarizine clofibrate 2-(p-chlorophenoxy)-2-methylpropionic acid compound with (E)-1-cinnamyl-4-(diphenylmethyl)piperazine (1:1)
C26H26N2·C16H11ClO3 or C36H39ClN2O3 60763-49-7

ciprocinonidum ciprocinonide 6a,9-difluoro-11 $\beta$ ,16a,17,21-tetrahydroxypregna-1,4-diene-3,20-dione cyclic 16,17-acetal with acetone, 21-cyclopropanecarboxylate C<sub>28</sub>H<sub>34</sub>F<sub>2</sub>O<sub>7</sub> 58524-83-7

cirazolinum cirazoline 2-[(o-cyclopropylphenoxy)methyl]-2-imidazoline C13H16N2O 59939-16-1

clidanacum clidanac

6-chloro-5-cyclohexyl-1-indancarboxylic acid C16H19ClO2 34148-01-1

climbazolum climbazole 1-(*p*-chlorophenoxy)-1-imidazol-1-yl-3,3-dimethyl-2-butanone C<sub>15</sub>H<sub>17</sub>ClN<sub>2</sub>O<sub>2</sub> 38083-17-9

$$\mathsf{CI} \longleftarrow \bigcup_{\mathsf{O} \in \mathsf{CF}_3} \mathsf{CF}_3$$

cloroperonum cloroperone 4-[4-(p-chlorobenzoyl)piperidino]-4'-fluorobutyrophenone C<sub>22</sub>H<sub>23</sub>CIFNO<sub>2</sub> 61764-61-2

dazolicinum dazolicine 8-chloro-3,4,5,6-tetrahydro-6-[(1-isopropyl-2-imidazolin-2-yl)methyl]-2H-1,6-benzothiazocine  $C_{17}H_{24}CIN_3S$  61477-97-2

)

desogestrelum desogestrel 13-ethyl-11-methylene-18,19-dinor-17 $\alpha$ -pregn-4-en-20-yn-17-ol C<sub>22</sub>H<sub>30</sub>O 54024-22-5

dimetamfetaminum dimetamfetamine

(S)- $N_rN_r\alpha$ -trimethylphenethylamine C<sub>11</sub>H<sub>17</sub>N 17279-39-9

<sup>^</sup>)

CH<sub>2</sub>···C··N
CH<sub>3</sub>
CH<sub>3</sub>
CH<sub>3</sub>

diosminum diosmin diosmin or 3',5,7-trihydroxy-4'-methoxyflavone 7- $[6-O-(6-deoxy-\alpha-L-mannopyranosyl)-\beta-D-glucopyranoside$ C2aH32O15 520-27-4

diprobutinum diprobutine 1,1-dipropylbutylamine C<sub>10</sub>H<sub>23</sub>N 61822-36-4

 $H_3CCH_2CH_2$   $H_3CCH_2CH_2$   $CNH_3CCH_2CH_2$ 

J. .

dupracetamum dupracetam 1,2-bis[(2-oxo-1-pyrrolidinyl)acetyl]hydrazine C12H18N4O4 59776-90-8

ethchlorvynolum ethchlorvynol 1-chloro-3-ethyl-1-penten-4-yn-3-ol C<sub>7</sub>H<sub>9</sub>Cl0 113-18-8

etofyllini clofibras etofylline clofibrate 2-(p-chlorophenoxy)-2-methylpropionic acid ester with 7-(2-hydroxyethyl)-theophylline

C19H21CIN4O5

54504-70-0

febantelum febantel dimethyl [[2-(2-methoxyacetamido)-4-(phenylthio)phenyl]imidocarbonyl]-dicarbamate

dicarbamate C20H22N4O6S

58306-30-2

flucindolum flucindole 3-(dimethylamino)-6,8-difluoro-1,2,3,4-tetrahydrocarbazole C<sub>14</sub>H<sub>16</sub>F<sub>2</sub>N<sub>2</sub> 40594-09-0

fludalaninum fludalanine 3-fluoro-D-alanine-2-d C<sub>3</sub>H<sub>5</sub>DFNO<sub>2</sub> 35523-45-6

flumoxonidum flumoxonide  $6\alpha$ ,9-difluoro- $11\beta$ ,1 $6\alpha$ ,17-trihydroxy-3,20-dioxopregna-1,4-dien-21-al 21-(dimethyl acetal) cyclic 16,17-acetal with acetone C<sub>26</sub>H<sub>34</sub>F<sub>2</sub>O<sub>7</sub> 60135-22-0

flurocitabinum flurocitabine  $(2R,3R,3\alpha S,9\alpha R)$ -7-fluoro-2,3,3 $\alpha$ ,9 $\alpha$ -tetrahydro-3-hydroxy-6-imino-6*H*-furo-[2',3':4,5]oxazolo[3,2- $\alpha$ ]pyrimidine-2-methanol C<sub>9</sub>H<sub>10</sub>FN<sub>3</sub>O<sub>4</sub> 37717-21-8

gallopamilum gallopamil

5-[(3,4-dimethoxyphenethyl)methylamino]-2-isopropyl-2-(3,4,5-trimethoxyphenyl)valeronitrile

C28H40N2O5 16662-47-8

gepefrinum gepetrine

(+)-(S)-m-(2-aminopropyl) phenol СэНтэЙО 18840-47-6

guafecainolum guafecaino!

1-[2-(diethylamino)ethoxy]-3-(o-methoxyphenoxy)-2-propanol C16H27NO4 36199-78-7

halopemidum halopemide

N-[2-[4-(5-chloro-2-oxo-1-benzimidazoliny!)] piperidino ]ethyl]-p-fluorobenzamide C21 H22 CIFN4O2 59831-65-1

haloxazolamum haloxazolam

10-bromo-11b-(o-fluorophenyl)-2,3,7,11b-tetrahydrooxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one C17H14BrFN2O2 59128-97-1



letosteinum letosteine

2-[2-[(carboxymethyl)thio]ethyl]-4-thiazolidinecarboxylic acid 2-ethyl ester C10H17NO4S2 53943-88-7

lexofenacum lexofenac

[p-(3-oxo-1-cyclohexen-1-yl)phenyl]acetic acid C14H14O3 41387-02-4

lodoxamidum lodoxamide N,N'-(2-chloro-5-cyano-m-phenylene)dioxamic acid C:1H6CIN3Os 53882-12-5

lonidaminum lonidamine  $\begin{array}{lll} 1\hbox{-}(2,4\hbox{-dichlorobenzyl})\hbox{-}1H\hbox{-}indazole\hbox{-}3\hbox{-}carboxylic acid} \\ C_{15}H_{10}Cl_2N_2O_2 & 50264\hbox{-}69\hbox{-}2 \end{array}$ 

lorcainidum lorcainide 4'-chloro-N-(1-isopropyl-4-piperidyl)-2-phenylacetanilide  $C_{22}H_{27}CIN_2O$  59729-31-6

lormetazepamum lormetazepam 7-chloro-5-( $\rho$ -chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2H-1,4-benzodiazepin-2-one C<sub>16</sub>H<sub>12</sub>Cl<sub>2</sub>N<sub>2</sub>O<sub>2</sub> 848-75-9

meobentinum meobentine

1-(p-methoxybenzyl)-2,3-dimethylguanidine C11H17N3O 46464-11-3

meproscillarinum meproscillarin 3β-[(6-deoxy-4-*O*-methyl-α-L-mannopyranosyl)oxy]-14-hydroxybufa-4,20,22-trienolide C<sub>31</sub>H<sub>44</sub>O<sub>8</sub> 33396-37-1

metipranololum metipranolol

1-(4-hydroxy-2,3,5-trimethylphenoxy)-3-(isopropylamino)-2-propanol 4-acetate C17H27NO4

22664-55-7

mindoperonum mindoperone

4'-fluoro-4- [4-(6-methoxy-2-methylindol-3-yl)piperidino ]butyrophenone  $C_{25}H_{29}FN_2O_2$  52157-83-2

misonidazolum misonidazole

α-(methoxymethyl)-2-nitroimidazole-1-ethanol C7H11N3O4 13551-87-6

mociprazinum mociprazine

α-[[(1-ethynylcyclohexyl)oxy]methyl]-4-(σ-methoxyphenyl)-1-piperazineethanol C22H32N2O3 56693-13-1

monalazonum dinatricum monalazone disodium

p-(chlorosulfamoyl)benzoic acid disodium salt C7H4CINNa2O4S 61477-95-0

mopidamolum mopidamol

)

2,2',2'',2'''-[(4-piperidinopyrimido[5,4-d]pyrimidine-2,6-diyl)dinitrilo]tetraethanol C19H31N7O4 13665-88-8

(HOCH2CH2)2N N(CH<sub>2</sub> CH<sub>2</sub> OH)<sub>2</sub>

motretinidum motretinide

(all-E)-N-ethyl-9-(4-methoxy-2,3,6-trimethylphenyl)-3,7-dimethyl-2,4,6,8-dimethyl-2,4,8-dimethynonatetraenamide C23H31NO2 56281-36-8

moxazocinum moxazocine (–)-(2R,6S,11R)-3-(cyclopropylmethyl)-1,2,3,4,5,6-hexahydro-11-methoxy-6-methyl-2,6-methano-3-benzazocin-8-ol C<sub>18</sub>H<sub>25</sub>NO<sub>2</sub> 58239-89-7

nebidrazinum nebidrazine 2,6-dichlorobenzaldehyde (4-amíno-4*H*-1,2,4-triazol-3-yl)hydrazone CeHsCl<sub>2</sub>N<sub>6</sub> 55248-23-2

nitudipinum nitudipine bis(2-propoxyethyl) 1,4-dihydro-2,6-dimethyl-4-(*m*-nitrophenyl)-3,5-pyridinedicarboxylate C<sub>25</sub>H<sub>34</sub>N<sub>2</sub>O<sub>8</sub> 22609-73-0

nisbuterolum nisbuterol ( $\pm$ )- $\alpha$ -[(tert-butylamino)methyl]-3,4-dihydroxybenzyl alcohol 3-acetate 4-p-anisate  $C_{22}H_{27}NO_6$  60734-87-4

norletimolum norletimol

o-(N-benzylformimidoyl)phenol C<sub>14</sub>H<sub>13</sub>NO 886-08-8

oletimolum oletimol o-(N-benzylacetimidoyl) phenol C<sub>15</sub>H<sub>15</sub>NO 5879-67-4

otilonii bromidum otilonium bromide diethyl (2-hydroxyethyl) methylammonium bromide p-[o-(octyloxy)benzamido j-benzoate

26095-59-0 C29H43B1N2O4

oxarbazolum oxarbazole

9-benzoyl-1,2,3,4-tetrahydro-6-methoxycarbazole-3-carboxylic acid C21H19NO4 35578-20-2

oxatomidum oxatomide

1-[3-[4-(diphenylmethyl)-1-piperazinyl]propyl]-2-benzimidazolinone C27H30N4O 60607-34-3

∝d̃ralazinum oxdralazine

2,2'-[(6-hydrazino-3-pyridazinyl)imino]diethanol C8H15N5O2 17259-75-5

$$H_2NHN \longrightarrow N=N$$
 $N=N$ 
 $N = N$ 
 $N = N$ 

pareptidum pareptide

N-[D-1-[(carbamoylmethyl)carbamoyl]-3-methylbutyl]-N-methyl-L-2pyrrolidinecarboxamide C14H26N4O3 61484-38-6

pargeverinum pargeverine

2-(dimethylamino)ethyl diphenyl(2-propynyloxy)acetate C<sub>21</sub>H<sub>23</sub>NO<sub>3</sub> 13479-13-5

paroxetinum paroxetine

(-)-trans-4-(p-fluorophenyl)-3-[[3,4-(methylenedioxy)phenoxy]methyl]-piperidine C<sub>19</sub>H<sub>20</sub>FNO<sub>3</sub> 61869-08-7

pentafluranolum pentafluranol

4,4'-[(1R,2S)-1-methyl-2-(2,2,2-trifluoroethyl)ethylene]bis(2-fluorophenol) C<sub>17</sub>H<sub>15</sub>F<sub>5</sub>O<sub>2</sub> 54043-46-8

, ) .

pentostatinum pentostatin

(R)-3-(2-deoxy- $\beta$ -D-*erythro*-pentofuranosyl)- 3,6,7,8-tetrahydroimidazo-[4,5-d][1,3]diazepin-8-ol C<sub>11</sub>H<sub>16</sub>N<sub>4</sub>O<sub>4</sub> 63677-95-2

piperacillinum piperacillin

(2S,5R,6R)-6- [(R)-2-(4-ethyl-2,3-dioxo-1-piperazinecarboxamido)-2-phenylacetamido]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]-heptane-2-carboxylic acid  $C_{23}H_{27}N_5O_7S$  61477-96-1

pirolatum pirolate

ethyl 3,4-dihydro-7,8-dimethoxy-4-oxopyrimido [4,5-*b* ]quinoline-2-carboxylate C16H15N3O5 55149-05-8

plauracinum plauracin an antibiotic complex obtained from cultures of Actinoplanes auranticolor ATCC 31011

C26H35N3O7 and C45H53N7O11

62107-94-2

pranoprofenum pranoprofen α-methyl-5*H*- [1] benzopyrano [2,3-*b*] pyridine-7-acetic acid C<sub>15</sub>H<sub>13</sub>NO<sub>3</sub> 52549-17-4

prenalterolum prenalterol (–)-(S)-1-(p-hydroxyphenoxy)-3-(isopropylamino)-2-propanol C<sub>12</sub>H<sub>19</sub>NO<sub>3</sub> 57526-81-5

primycinum primycin [5-[19-( $\alpha$ -D-arabinofuranosyloxy)-35-butyl-10,12,14,16,18,22,26,30,34-nonahydroxy-3,5,21,33-tetramethyl-36-oxooxacyclohexatriaconta-4,20-dien-2-yl]-4-hydroxyhexyl]guanidine C<sub>55</sub>H<sub>103</sub>N<sub>3</sub>O<sub>17</sub> 47917-41-9

procinonidum procinonide  $6\alpha$ ,9-difluoro-11 $\beta$ ,1 $6\alpha$ ,17,21-tetrahydroxypregna-1,4-diene-3,20-dione cyclic 16,17-acetal with acetone, 21-propionate  $C_{27}H_{34}F_{2}O_{7}$  58497-00-0

.)

promegestonum promegestone 17α-methyl-17-propionylestra-4,9-dien-3-one C<sub>22</sub>H<sub>30</sub>O<sub>2</sub> 34184-77-5

racemetirosinum racemetirosine

(±)-a-methyl-DL-tyrosine C10H13NO3 620-30-4

ramnodiginum ramnodigin

14-hydroxy- $3\beta$ - [(2,3,6-trideoxy- $\alpha$ -L-erythro-hexopyranosyi)oxy]- $5\beta$ -card-C<sub>29</sub>H<sub>44</sub>O<sub>6</sub> 33156-28-4

razinodilum razinodil

3,4,5-trimethoxybenzoic acid ester with 3-(2-hydroxy-3-morpholinopropyl)-6,7,8-trimethoxy-1,2,3-benzotriazin-4(3H)-one C<sub>27</sub>H<sub>34</sub>N<sub>4</sub>O<sub>10</sub> 30271-85-3

rimexolonum rimexolone

11 $\beta$ -hydroxy-16 $\alpha$ ,17 $\alpha$ -dimethyl-17-propionylandrosta-1,4-dien-3-one C24H34O3 49697-38-3

rolipramum rolipram

4-[3-(cyclopentyloxy)-4-methoxyphenyl]-2-pyrrolidinone C16H21NO3 61413-54-5

secoverinum secoverine

1-cyclohexyl-4-[ethyl(p-methoxy- $\alpha$ -methylphenethyl)amino]-1-butanone C<sub>22</sub>H<sub>35</sub>NO<sub>2</sub> 57558-44-8

$$\mathsf{H}^3\mathsf{CO} \underbrace{\hspace{1cm} \overset{\mathsf{CH}^3}{\underset{\mathsf{C}^5\mathsf{H}^2}{\bigcap}}} \overset{\mathsf{CH}^3}{\underset{\mathsf{C}^5\mathsf{H}^2}{\bigcap}} \overset{\mathsf{C}}{\underset{\mathsf{C}^5\mathsf{H}^2}{\bigcap}} \overset{\mathsf{C}}{\underset{\mathsf{C}^5\mathsf{H}^3}{\bigcap}} \overset{\mathsf{C}}{\underset{\mathsf{C}^5\mathsf{H}^3}} \overset{\mathsf{C}}{\underset{\mathsf{C}^5\mathsf{H}^3}{\bigcap}} \overset{\mathsf{C}}{\underset{\mathsf{C}^5\mathsf{H}^3}} \overset{\mathsf{C}$$

strinolinum strinoline as-triazino [5,6-c] quinoline C10H6N4 39862-58-3

sulconazolum sulconazole ( $\pm$ )-1-[2,4-dichloro- $\beta$ -[(p-chlorobenzyl)thio]phenethyl]imidazole C18H15Cl3N2S 61318-90-9

7

terbucromilum terbucromil 6,8-di-*tert*-butyl-4-oxo-4*H*-1-benzopyran-2-carboxylic acid C<sub>18</sub>H<sub>22</sub>O<sub>4</sub> 37456-21-6

tienopraminum tienopramine

4-[3-(dimethylamino)propyl]-4H-thieno[3,2-b][1]benzazepine C<sub>17</sub>H<sub>20</sub>N<sub>2</sub>S 37967-98-9

$$\bigcup_{(\mathsf{CH}_2)_3\mathsf{N}(\mathsf{CH}_3)_2}^{\mathsf{S}}$$

tixocortolum tixocortol 11 β,17-dihydroxy-21-mercaptopregn-4-ene-3,20-dione C<sub>21</sub> H<sub>30</sub>O<sub>4</sub>S 61951-99-3

*?*)

HO CH3 H

trepibutonum trepibutone

3-(2,4,5-triethoxybenzoyl) propionic acid C<sub>16</sub>H<sub>22</sub>O<sub>6</sub> 41826-92-0

valdipromidum valdipromide 2,2-dipropylvaleramide C<sub>11</sub>H<sub>23</sub>NO 52061-73-1

H<sub>3</sub>CCH<sub>2</sub>CH<sub>2</sub> O CNH<sub>2</sub>
H<sub>3</sub>CCH<sub>2</sub>CH<sub>2</sub> CCNH<sub>2</sub>

valpromidum valpromide 2-propylvaleramide

CaH17NO 2430-27-5

н<sub>3</sub>ссн<sub>2</sub>сн<sub>2</sub> снсин<sub>2</sub> н<sub>3</sub>ссн<sub>2</sub>сн<sub>2</sub>

vinformidum vinformide N-demethyl-N-formylleurosine C46H54N4O10 54022-49-0

zinterolum zinterol

5'-[2-[(a,a-dimethyl)]amino]-1-hydroxyethyl]-2'-hydroxymethanesulfonanilide

C19H26N2O4S 37000-20-7

# AMENDMENTS TO PREVIOUS LISTS

## International Nonproprietary Names for Pharmaceutical Substances

Cumulative List No. 3, 1971

p. 114 propylhexedrinum propylhexedrine

Replace " (+)" in the chemical name by "  $(\pm)$ " (supersedes amendment published in List 37 proposed INN).

p. 131 delete tofisolinum tofisoline

Vol. 26, No. 3

## Proposed International Nonproprietary Names (Prop. INN): List 27

p. 121 delete

acidum fenofibricum
fenofibric acid

#### Proposed International Nonproprietary Names (Prop. INN): List 29

 p. 121 bromocriptinum bromocriptine Replace chemical name by: 2-bromo-a-ergocryptine

Supplement to Vol. 28, No. 9

#### Proposed International Nonproprietary Names (Prop. INN): List 32

p. 16 delete

polidexidum polidexide

insert

polidexidi sulfas polidexide sulfate dextran 2-(diethylamino)ethyl 2-[[2-(diethylamino)ethyl]diethylammonio]-

ethyl ether sulfate, epichlorohydrin crosslinked 63494-82-6

in the graphic formula of polidexide make the following changes :

delete nCi-

insert n/2SQ4--

xHCl

×/2H2SO4

Supplement to Vol. 29, No. 9

#### Proposed International Nonproprietary Names (Prop. INN): List 34

p. 17 delete

trimopamum trimopam însert

trepipamum trepipam

Supplement to Vol. 30, No. 9

#### Proposed International Nonproprietary Names (Prop. INN): List 36

p. 19 silibininum silibinin

1

Replace chemical name and graphic formula by the following:

3,5,7-trihydroxy-2-[3-(4-hydroxy-3-methoxyphenyl)-2-(hydroxymethyl)-

1,4-benzodioxan-6-yl]-4-chromanone

HO OH OH OH OH

Supplement to Vol. 31, No. 3

### Proposed International Nonproprietary Names (Prop. INN): List 37

p. 12 nisterimum nisterime Replace CAS registry No. by : 51354-32-6

p. 13 penprostenum penprostene Replace " $(1R^*, 2R^*)$ " by " $(1R^*, 2S^*)$ " in chemical name and replace graphic formula by the following:

#### Annex 1

# PROCEDURE FOR THE SELECTION OF RECOMMENDED INTERNATIONAL NONPROPRIETARY NAMES FOR PHARMACEUTICAL SUBSTANCES\*

The following procedure shall be followed by the World Health Organization in the selection of recommended international nonproprietary names for pharmaceutical substances, in accordance with the World Health Assembly resolution WHA3.11:

- Proposals for recommended international nonproprietary names shall be submitted to the World Health Organization on the form provided therefor.
- 2. Such proposals shall be submitted by the Director-General of the World Health Organization to the members of the Expert Advisory Panel on the International Pharmacopoeia and Pharmaceutical Preparations designated for this purpose, for consideration in accordance with the "General principles for guidance in devising International Nonproprietary Names", appended to this procedure. The name used by the person discovering or first developing and marketing a pharmaceutical substance shall be accepted, unless there are compelling reasons to the contrary.
- 3. Subsequent to the examination provided for in article 2, the Director-General of the World Health Organization shall give notice that a proposed international nonproprietary name is being considered.
- A, Such notice shall be given by publication in the Chronicle of the World Health Organization 1 and by letter to Member States and to national pharmacopoeia commissions or other bodies designated by Member States.
  - (i) Notice may also be sent to specific persons known to be concerned with a name under consideration.
  - B. Such notice shall:
  - (i) set forth the name under consideration:

- (ii) identify the person who submitted a proposal for naming the substance, if so requested by such person;
- (iii) identify the substance for which a name is being considered:
- (iv) set forth the time within which comments and objections will be received and the person and place to whom they should be directed;
- (v) state the authority under which the World Health Organization is acting and refer to these rules of procedure.
- C. In forwarding the notice, the Director-General of the World Health Organization shall request that Member States take such steps as are necessary to prevent the acquisition of proprietary rights in the proposed name during the period it is under consideration by the World Health Organization.
- 4. Comments on the proposed name may be forwarded by any person to the World Health Organization within four months of the date of publication, under article 3, of the name in the Chronicle of the World Health Organization.
- 5. A formal objection to a proposed name may be filed by any interested person within four months of the date of publication, under article 3, of the name in the *Chronicle of the World Health Organization*.<sup>1</sup>
  - A. Such objection shall:
    - (i) identify the person objecting;
  - (ii) state his interest in the name;
  - (iii) set forth the reasons for his objection to the name proposed.

- 6. Where there is a formal objection under article 5, the World Health Organization may either reconsider the proposed name or use its good offices to attempt to obtain withdrawal of the objection. Without prejudice to the consideration by the World Health Organization of a substitute name or names, a name shall not be selected by the World Health Organization as a recommended international nonproprietary name while there exists a formal objection thereto filed under article 5 which has not been withdrawn.
- 7. Where no objection has been filed under article 5, or all objections proviously filed have been withdrawn. Director-General of the World Hearth Organization shall give notice in accordance with subsection A of article 3 that the name has been selected by the World Health Organization as a recommended international nonproprietary name.
- 8. In forwarding a recommended international nonproprietary name to Member States under article 7, the Director-General of the World Health Organization shall:
- A. request that it be recognized as the nonproprietary name for the substance; and
- B. request that Member States take such steps as are necessary to prevent the acquisition of proprietary rights in the name, including prohibiting registration of the name as a trade-mark or trade-name.
- Text adopted by the Executive Board of WHO in resolution EB15.R7 (Off. Rec. Wid Hith Org., 1955, 60, 3) and amended by Board in resolution EB43.R9 (Off. Rec. Hith Org., 1969, 173, 10).
- 1 The title of this publication was changed to WHO Chronicle in January 1959.

# GENERAL PRINCIPLES FOR GUIDANCE IN DEVISING INTERNATIONAL NONPROPRIETARY NAMES FOR PHARMACEUTICAL SUBSTANCES

- 1. International Nonproprietary Names (INN) should be distinctive in sound and spelling. They should not be inconveniently long and should not be liable to confusion with names in common use.
- 2. The INN for a substance belonging to a group of pharmacologically related substances should, where appropriate, show this relationship. Names that are likely to convey to a patient an anatomical, physiological, pathological or therapeutic suggestion should be avoided.

These primary principles are to be implemented by using the following secondary principles

- 3. In devising the INN of the first substance in a new pharmacological group, consideration should be given to the possibility of devising suitable INN for related substances, belonging to the new group.
- 4. In devising INN for acids, oneword names are preferred; their salts should be named without modifying the acid name, e.g.
- " oxacillin " and " oxacillin sodium", " ibufenac " and " ibufenac sodium".
- 5. INN for substances which are used as salts should in general apply to the active base or the active acid. Names for different salts or esters of the same active substance should differ only in respect of the name of the inactive acid or the inactive base.

For quaternary ammonium substances, the cation and anion should be named appropriately as separate components of a quaternary substance and not in the amine-salt style.

- 6. The use of an isolated letter or number should be avoided; hyphenated construction is also undesirable,
- 7. To facilitate the translation and pronunciation of INN, "f" should be used instead of "ph", "t" instead of "th", "e" instead of "ae" or "oe", and "i" instead of

"y"; the use of the letters "h" and "k" should be avoided.

- 8. Provided that the names suggested are in accordance with these principles, names proposed by the person discovering or first developing and marketing a pharmaceutical preparation, or names already officially in use in any country, should receive preferential consideration.
- 9. Group relationship in INN (see

Guiding Principle 2) should if possible be shown by using a stem from the following list. The stem should only be used for substances of the appropriate group. Where a stem is shown without any hyphens it may be used anywhere in the name.

Subsidiary group relationships should be shown by devising INN which show similarities to and are analogous with a previously named substance.

	-	
Latin	English	French
-actidum	-actide	-actide
andr	andr	andr
-arolum	-arol	-arol
-azepamum	-azepam	-azépam
b <b>ol</b>	bol	bol
-buzonum	-buzone	-buzone
-cainum	-caine	-caine
7	cef-	céf-
Anum.	-cillin	-cilline
cort	cort	cort
-cyclinum	-cycline	-cycline
estr	estr	estr
-fibratum	-fibrate	-fibrate
-forminum	-formin	-formine
gest	gest	gest
gli-	gli-	gli-
io-	io-	io-
-ium	-ium	-ium
-metacinum	-metacin	-métacine
-mycinum	-mycin	-mycine
-лidazolum	-nidazole	-nidazole
-olojum	-olol	-olol
-onidum	-onide	-onide
-orexum	-orex	-orex
-praminum	-pramine	-pramine
-profenum	-profen	-profène
prost	prost	prost
-relinum	-relin	-réline
sulfa-	sulfa-	s⊔lfa-
-terolum	-terol	-térol
-tizidum	-tizide	-tizide
-verinum	-verine	-vérine

synthetic polypeptides with a corticotrophin-like action steroids, androgens anticoagulants of the dicoumarol group substances of the diazepam group steroids, anabolic anti-inflammatory analgesics of the phenylbutazone group local anaesthetics antibiotics, derivatives of cefalosporanic acid antibiotics, derivatives of 6-aminopenicillanic acid corticosteroids, except those of the prednisolone group antibiotics of the tetracycline group estrogenic substances substances of the clofibrate group hypoglycemics of the phenformin group steroids, progestogens sulfonamide hypoglycemics iodine-containing contrast media quaternary ammonium compounds anti-inflammatory substances of the indometacin group antibiotics, produced by Streptomyces strains antiprotozoal substances of the metronidazole group β-adrenergic blocking agents of the propranolol group steroids for topical use, containing an acetal group anorexigenic agents, phenethylamine derivatives substances of the imipramine group anti-inflammatory substances of the ibuprofen group prostaglandins hypophyseal hormone release-stimulating peptides sulfonamides, anti-infective bronchodilators, phenethylamine derivatives diuretics of the chlorothiazide group spasmolytics with a papaverine-like action

#### Annex 2

## NONPROPRIETARY NAMES FOR PHARMACEUTICAL SUBSTANCES: TWENTIETH REPORT OF THE WHO EXPERT COMMITTEE

In its twentieth report 1 the WHO Expert Committee on Nonproprietary Names for Pharmaceutical Substances reviewed the general principles for devising, and the procedures for selecting, international nonproprietary names (INN) in the light of developments in pharmaceutical compounds in recent years. The most significant recent change has been the extension to the naming of synthetic chemical substances of the practice previously used for substances originating in or derived from natural products. This practice involves employing a characteristic "stem" indicative of a common property of the members of a group. The reasons for, and the implications of, the change are fully

discussed. Also reported is the intention to change the practice with regard to the nomenclature of individual members of polymeric series.

Other sections of the report concern instructions to be followed by bodies making application for international nonproprietary names, the availability of computer-printed cumulative lists of international nonproprietary names, information supplied by WHO Member States concerning their official use of national or international names for pharmaceutical products, and proposals relative to the withdrawal of international nonproprietary names allocated to substances that are no longer in use.

The official texts relating to the procedures for selecting, and general

guidance for devising, international nonproprietary names are reproduced in two annexes to the report. Other annexes give examples of international nonproprietary names that incorporate selected stems, the most frequently used initial groups of letters in international nonproprietary names, a historical review of the programme of selecting international nonproprietary names, some useful literature references, and a model of the form to be used in all applications for international nonproprietary names.

<sup>1</sup> WHO Technical Report Series, No. 581, 1975 (Nonproprietary Names for Pharmaceutical Substances. Twentieth Report of the WHO Expert Committee), ISBN 92 4 120581 4. Price: Sw. fr. 6.—.