Supplement to WHO Chronicle, 1983, Vol. 37, No. 5 (October)

# International Nonproprietary Names for Pharmaceutical Substances

In accordance with article 3 of the Procedure for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Substances, notice is hereby given that the following names are under consideration by the World Health Canization as Proposed International Nonproprietary Names.

Comments on, or formal objections to, the proposed names may be forwarded by any person to the Pharmaceuticals unit of the World Health Organization within four months of the date of their publication in the WHO Chronicle, e.g., for List 50 Prop. INN not later than 29 February 1984.

The inclusion of a name in the lists of proposed international nonproprietary names does not imply any recommendation for the use of the substance in medicine or pharmacy.

### Proposed International Nonproprietary Names (Prop. INN): List 502

Proposed International Nonproprietary Name (Latin, English)

Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number

acidum gadopenteticum gadopentetic acid

dihydrogen [*N,N*-bis[2-[bis(carboxymethyl)amıno]ethyl]glycinato(5-)]gadolinate(2-) C<sub>14</sub>H<sub>29</sub>GdN<sub>3</sub>O<sub>10</sub> 80529-93-7

$$Gd^{+++}$$
 $Gd^{+++}$ 
 $CH_2 - CH_2$ 
 $CH_2 - CH_2$ 
 $CH_2 - COOH_2$ 
 $CH_2 - COOH_2$ 
 $CH_2 - COOH_2$ 

Comprehensive information on the INN programme can be found in: WHO Technical Report Series, No. 581, 1975 (Nonproprietary Names for Pharmaceutical Substances. Twentieth Report of the WHO Expert Committee), ISBN 92.4 120581.4 (price. Sw. fr. 6-); an account of this publication will be found on page 30 of this Supplement (Annex 2). All names from Lists 1-47 of Proposed International Nonproprietary Names, together with a molecular formula modey, will be found in International Nonproprietary Names (INN) for Pharmaceutical Substances. Cumulative List No. 6, 1982, World Health Organization, Geneva (ISBN 92.4 056013.0) (price: Sw. fr. 55-). This publication consists, in the main, of a computer printout which groups together all the proposed and recommended international nonproprietary names (INN)—in Latin, English, French, Russian, and Spanish-published up to April 1982. The printout also indicates in which of the 47 individual lists of proposed names and 21 lists of recommended names each INN was originally published, and gives references to national nonproprietary names, pharmacopoeia monographs, and other sources. In addition, the list contains molecular formulae and Chemical Abstracts Service registry numbers for endexed in a series of annexes. A final annex describes the procedure for selecting recommended INN and outlines the general principles to be followed in devising these names. All the textual material published in this volume appears in both English and

These publications may be obtained, direct or through booksellers, from the sales agents listed on the back cover of the WHO Chronicle Orders from countries where sales agents have not yet been appointed may be addressed to World Health Organization, Distribution and Sales Service, 1211 Geneva 27, Switzerland.

<sup>1</sup> See Annex 1, p. 29

<sup>&</sup>lt;sup>2</sup> Other lists of proposed and recommended international nonproprietary names can be found in Cumulative List No. 6, 1982

acidum octanoicum octanoic acid

octanoic acid

CaH16O2

124-07-2

 $\mathrm{H_{3}C-(CH_{2})_{6}-COOH}$ 

alaceprilum alacepril N-[1-[(S)-3-mercapto-2-methylpropionyl]-L-prolyl]-3-phenyl-L-alanine acetate (ester)

C20H26N2O5S

74258-86-9

almoxatonum almoxatone  $(+)\mbox{-}(R)\mbox{-}3\mbox{-}[p-[(m\mbox{-}chlorobenzyl)oxy]phenyl]-5-[(methylamino)methyl]-2-oxazolidinone$ 

C18H19CIN2O3

84145-89-1

altanserinum altanserin 3-[2-[4-(p-fluorobenzoyl)piperidino]ethyl]-2-thio-2,4(1H,3H)-quinazolinedione C22H22FN3O2S 76330-71-7

amflutizolum amflutizole 4-amino-3- $\{\alpha,\alpha,\alpha$ -trifluoro-m-tolył $\}$ -5-isothiazolecarboxylic acid  $C_{11}H_7F_3N_2O_2S$  82114-19-0

amosulalolum amosulalol  $(\pm)\text{-}5\text{-}\{1\text{-hydroxy-}2\text{-}[[2\text{-}(o\text{-methoxyphenoxy})\text{ethyl}]\text{-}o\text{-toluenesulfonamide} $C_{1a}H_{24}N_2O_5S$ 85320-68-9$ 

$$H_3CO$$
 $CH - CH_2 - NH - CH_2 - CH_2 - O$ 
 $H_2NO_2S$ 

aptazapinum aptazapine ( $\pm$ )-1,3,4,14b-tetrahydro-2-methyl-2*H*,10*H*-pyrazino[1,2-a]pyrrolo-[2,1-c][1,4]benzodiazepine C<sub>16</sub>H<sub>19</sub>N<sub>3</sub> 71576-40-4

aspoxicıllinum aspoxicıllin (2S,5R,6R)-6-[(2R)-2-[(2R)-2-amino-3-(methylcarbamoyl)propionamido]-2-(p-hydroxyphenyl)acetamido]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]-heptane-2-carboxylic acid  $C_{21}H_{27}N_5O_7S$  63358-49-6

avridinum avridine 2,2'-[[3-(dioctadecylamıno)propyl]imino]diethanol C<sub>43</sub>H<sub>90</sub>N<sub>2</sub>O<sub>2</sub> 35607-20-6

$$\begin{aligned} & {\rm H_{3}C-{\rm (CH_{2})}_{16}-{\rm CH_{2}}} \\ & {\rm N-CH_{2}-{\rm CH_{2}-{\rm C$$

benaxibinum benaxibine p-(p-xylosylamino)benzoic acid C<sub>12</sub>H<sub>15</sub>NO<sub>5</sub> 27661-27-4

bencianolum bencianol (2R,3S)-3',4'-[(diphenylmethylene)dioxy]-3,5,7-flavantriol  $C_{2a}H_{22}O_6$  85443-48-7

bunazosinum bunazosin 1-(4-amino-6,7-dimethoxy-2-quinazolinyl)-4-butyrylhexahydro-1H-1,4-diazepine C<sub>19</sub>H<sub>27</sub>N<sub>5</sub>O<sub>3</sub> 80755-51-7

$$\begin{array}{c|c} & & & & \\ & & & \\ & &$$

cabastinum cabastine

}

(±)-trans-1-[cis-4-cyano-4-( $\rho$ -fluorophenyl)cyclohexyl]-3-methyl-4-phenylisonipecotic acid C<sub>26</sub>H<sub>29</sub>FN<sub>2</sub>O<sub>2</sub> 79449-98-2

carbetimerum carbetimer

į

maleic anhydride polymer with ethylene, reaction product with ammonia 82230-03-3

carvedilolum carvedilol ( $\pm$ )-1-(carbazoi-4-yloxy)-3-[[2-(o-methoxyphenoxy)ethyl]amino]-2-propanol C<sub>24</sub>H<sub>26</sub>N<sub>2</sub>O<sub>4</sub> 72956-09-3

cefpimizolum cefpimizole  $\begin{array}{lll} 1\hbox{-}[[(6R,\!7R)\hbox{-}2\hbox{-}carboxy\hbox{-}7\hbox{-}[(R)\hbox{-}2\hbox{-}(5\hbox{-}carboxy\hbox{imidazole-}4\hbox{-}carboxamido)\hbox{-}2\hbox{-}phenylacetamido]\hbox{-}8\hbox{-}oxo\hbox{-}5\hbox{-}thia\hbox{-}1\hbox{-}azabicyclo[4,2.0]oct\hbox{-}2\hbox{-}en-3\hbox{-}yl]methyl]\hbox{-}4\hbox{-}(2\hbox{-}sulfoethyl)pyridinium hydroxide, inner salt $C_{28}H_{26}N_6O_{10}S_2$ & 84880\hbox{-}03\hbox{-}5 \end{array}$ 

cefpiromum cefpirome 1-[[(6R,7R)-7-[2-(2-amino-4-thiazolyl)glyoxylamido]-2-carboxy-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]-6,7-dihydro-5H-1-pyrindinium hydroxide, inner salt,  $7^2$ -(Z)-(D-methyloxime) C<sub>22</sub>H<sub>22</sub>N<sub>6</sub>O<sub>6</sub>S<sub>2</sub> 84957-29-9

ciclotropii bromidum ciclotropium bromide (8r)-3 $\alpha$ -hydroxy-8-isopropyl-1 $\alpha$ H,5 $\alpha$ H-tropanium bromide,  $\alpha$ -phenylcyclopentaneacetate C<sub>24</sub>H<sub>36</sub>BrNO<sub>2</sub> 85166-20-7

cifostodinum cifostodine cytidine cyclic 2',3'-(hydrogen phosphate) C<sub>9</sub>H<sub>12</sub>N<sub>2</sub>O<sub>7</sub>P 633-90-9

ciglitazonum ciglitazone

)

(±)-5-[p-[(1-methylcyclohexyl)methoxy]benzyl]-2,4-thiazolidinedione  $C_{16}H_{23}NO_3S$  74772-77-3

cilastatinum cilastatin

٠.

(Z)-7-[[(R)-2-amino-2-carboxyethyl]thio]-2-[(S)-2,2-dimethylcyclopropanecarboxamido]-2-heptenoic acid C<sub>16</sub>H<sub>26</sub>N<sub>2</sub>O<sub>5</sub>S 82009-34-5

$$H_{2}$$
 $H_{2}$ 
 $C = C$ 
 $C =$ 

cinepaxadılum cinepaxadil ciprazafonum ciprazafone 4'-chloro-2'-(o-chlorobenzoyl)-2-(cyclopropylamıno)-N-methylacetanılide C19H18Cl2N2O2 75616-03-4

ciprofloxacinum ciprofloxacin 1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxo-7-(1-piperazinyl)-3-quinolinecarboxylic acid  $C_{17}H_{18}FN_3O_3$  85721-33-1

dazopridum dazopride 4-amino-5-chloro-N-{1,2-diethyl-4-pyrazolidinyl}- $\sigma$ -anisamide  $C_{15}H_{23}CIN_4O_2$  70181-03-2

dembroxolum dembroxol trans-4-[(3,5-dibromosalicyl)amino]cyclohexanol Cı₃Hı₂Br₂NO₂ 83200-09-3

i lopaminum denopamine (-)-(R)- $\alpha$ -[[(3,4-dimethoxyphenethyl)amıno}methyl]-p-hydroxybenzyl alcohol Cı $\alpha$ H23NO4 71771-90-9

$$\begin{array}{c} \text{OCH}_3 \\ \\ \text{C} \\ \text{C} \\ \text{CH}_2 \\ \text{NH} \\ \text{CH}_2 \\ \text{CH}_2 \\ \text{CH}_3 \\ \text{OCH}_3 \\ \text{OCH}$$

diacereinum diacerein 9,10-dihydro-4,5-dihydroxy-9,10-dioxo-2-anthroic acid, diacetate  $C_{19}H_{12}O_{\$}$  13739-02-1

dicirenonum dicirenone

. . . )

17-hydroxy-3-oxo-17 $\alpha$ -pregn-4-ene-7 $\alpha$ ,21-dicarboxylic acid,  $\gamma$ -lactone, isopropyl ester C<sub>26</sub>H<sub>26</sub>O<sub>5</sub> 41020-79-5

dilevalolum dilevalol (–)-5-[(1R)-1-hydroxy-2-[[(1R)-1-methyi-3-phenylpropyl]-amino]ethyl]salicylamide C<sub>18</sub>H<sub>24</sub>N<sub>2</sub>O<sub>3</sub> 75659-07-3

$$\begin{array}{c} & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ &$$

dopexaminum dopexamine 
$$\begin{array}{c} \mathsf{HO} \\ \\ \mathsf{CH}_2 - \mathsf{CH}_2 - \mathsf{NH} - (\mathsf{CH}_2)_{\mathfrak{g}} - \mathsf{NH} - \mathsf{CH}_2 - \mathsf{CH}_2 \\ \\ \mathsf{HO} \end{array}$$

dotarizinum dotarizine 1-(diphenylmethyl)-4-[3-(2-phenyl-1,3-dioxolan-2-yl)propyl]piperazıne C29H34N2O2 84625-59-2

enalaprilatum enalaprilat 1-[N-[S)-1-carboxy-3-phenylpropyl]-L-alanyl]-L-proline  $C_{16}H_{24}N_2O_5$  76420-72-9

enisoprostum enisoprost (  $\pm$  )-methyl (Z)-7-[{1R,2R,3R})-3-hydroxy-2-[(E)-(4RS)-4-hydroxy-4-methyl-1-octenyl]-5-oxocyclopentyl]-4-heptenoate C22H36O5 81026-63-3

(ii)

enprostilum enprostil methyl 7-[(1 $R^*$ ,2 $R^*$ ,3 $R^*$ )-3-hydroxy-2-[(E)-(3 $R^*$ )-3-hydroxy-4-phenoxy-1-butenyl]-5-oxocyclopentyl]-4,5-heptadienoate C<sub>23</sub>H<sub>28</sub>O<sub>6</sub> 73121-56-9

ericololum ericolol 1)

erocainidum erocainide (E)-2-(p-chlorobenzylidene)cyclohexanone (E)-O-{3-(diisopropylamıno)propyl]oxime C<sub>22</sub>H<sub>32</sub>CIN<sub>2</sub>O 85750-38-5

$$(H_3C)_2CH$$
  $N - (CH_2)_3 - O - N$   $C$   $CI$ 

esmololum esmolol (+)-methyl p-[2-hydroxy-3-(isopropylamino)propoxy]hydrocinnamate  $C_{16}H_{25}NO_4$  84057-94-3

$$\begin{array}{c} \text{CH}_2-\text{CH}_2-\text{CH}_2-\text{C}-\text{OCH}_3 \\ \\ \text{OH} \\ \text{O-CH}_2-\text{CH-CH}_2-\text{NH}-\text{CH(CH}_3)_2 \end{array}$$

etersalatum etersalate salicylic acid acetate, ester with  $\beta$ -hydroxy-p-acetophenetidide or 2-(p-acetamidophenoxy)ethyl salicylate, acetate (ester) C19H19NO6 62992-61-4

etilefrini pivalas etilefrine pivalate ( $\pm$ )-m-{(ethylamino)-1-hydroxyethyl]phenyl pivalate or ( $\pm$ )- $\alpha$ -[(ethylamino)methyl]-m-hydroxybenzyl alcohol 3-pivalate C<sub>15</sub>H<sub>23</sub>NO<sub>3</sub> 85750-39-6

fisalaminum fisalamine 5-aminosalicylic acid C<sub>7</sub>H<sub>7</sub>NO<sub>3</sub> 89-57-6

florifeninum florifenine 2-(1-pyrrolidinyl)ethyl N-[7-(trifluoromethyl)-4-quinolyl]anthranılate  $C_{29}H_{22}F_{9}N_{3}O_{2}$  83863-79-0

fluprofyllinum fluprofylline 7-[3-[4-(p-fluorobenzoy!)piperidino]propyl]theaphylline C<sub>22</sub>H<sub>26</sub>FN<sub>5</sub>O<sub>3</sub> 85118-43-0


$$\begin{array}{c|c} & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\$$

flusoxololum flusoxolol

(S)-1-[ $\rho$ -[2-[( $\rho$ -fluorophenethyl)oxy]ethoxy]phenoxy]-3-(isopropylamino)-2-propanol C<sub>22</sub>H<sub>30</sub>FNO<sub>4</sub> 84057-96-5

$$\begin{array}{c} \text{OH} \\ \text{O-CH}_2 - \overset{|}{\text{C-CH}}_2 - \text{NH} - \text{CH(CH}_3)_2 \\ \\ \text{O-CH}_2 - \text{CH}_2 - \text{O-CH}_2 - \text{CH}_2 - \text{CH}_2 \end{array}$$

flutropii bromidum flutropium bromide (8r)-8-(2-fluoroethyl)-3 $\alpha$ -hydroxy-1 $\alpha$ H,5 $\alpha$ H-tropanium bromide, benzilate C<sub>24</sub>H<sub>29</sub>BrFNO<sub>3</sub> 63516-07-4



fluzinamidum fluzinamide

$$\begin{array}{c|c} & & & & \\ & & \\ & & & \\ & & \\ & & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ &$$

fosfocreatininum fosfocreatinine

(1-methyl-4-oxo-2-imidazolidinylidene)phosphoramidic acid C4H₅N₃O₄P 5786-71-0

guaimesalum guaimesal (  $\pm$  )-2-(o-methoxyphenoxy)-2-methyl-1,3-benzodioxan-4-one C  $_{16}$  H  $_{14}$  Os 81674-79-5

)

hyalosidasum hyalosidase hyaluronoglucosamınıdase *or* E.C. 3.2.1.35 37326-33-3

icospiramidum icospiramide (±)-8-[cis-4-cyano-4-(p-fluorophenyl)cyclohexyl]-1-(p-fluorophenyl)-4-oxo-1,3,8-triazaspiro[4 5]decane-3-acetamide C<sub>28</sub>H<sub>31</sub>F<sub>2</sub>N<sub>5</sub>O<sub>2</sub> 79449-99-3

idebenonum idebenone 2-(10-hydroxydecyl)-5,6-dimethoxy-3-methyl-p-benzoquinone C<sub>19</sub>H $_{\infty}$ O<sub>5</sub> 58186-27-9

$$\begin{array}{c} \mathsf{H_3CO} \\ \mathsf{H_3CO} \\ \mathsf{CH_3} \end{array} \\ \begin{array}{c} \mathsf{CH_2OH} \\ \mathsf{CH_3} \end{array}$$

ımıpenemum imipenem (5R,6S)-3-[[2-(formimidoylamino)ethyl]thio]-6-[(R)-1-hydroxyethyl]-7-oxo-1-azabicyclo[3.2 0]hept-2-ene-2-carboxylic acid C12H17N3O4S 64221-86-9

$$S - CH_2 - CH_2 - NH - CH = NH$$
 $CH_2 - CH_2 - NH - CH = NH$ 
 $CH_3 - CH_3 - C$ 

indanidinum \* †anidine 4-{2-imidazolın-2-ylamıno}-2-methyl-2H-ındazole C<sub>13</sub>H<sub>13</sub>N<sub>5</sub> 85392-79-6

ındolaprilum indolapril  $(2S,3aS,7aS)-1-[(S)-N-[(S)-1-carboxy-3-phenylpropyl]alanyl]hexahydro-2-indolinecarboxylic acid, 1-ethyl ester $C_{24}H_{34}N_2O_5$$ 80876-01-3$ 

$$\begin{array}{c} OC_2H_5 \\ O=C \\ CH_2 \\ CH_2 \end{array}$$

$$\begin{array}{c} OC_2H_5 \\ CH_3C \\ CH_2 \\ CH_2 \\ CH_3 \\ CH_$$

iosimidum iosimide N,N,N',N'',N''-hexakis(2-hydroxyethyl)-2,4,6-triiodo-1,3,5-benzenetricarboxamide  $C_{2^{\dagger}}H_{30}I_{3}N_{3}O_{3}$  79211-10-2

itraconazolum itraconazole  $\label{eq:continuous} $$ (\pm)-1-sec$-butyl-4-[\rho-[4-[\rho-[(2R^*,4S^*)-2-(2,4-dichlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl)-1,3-dioxolan-4-yl]methoxy]phenyl]-1-piperazinyl]phenyl]-$\Delta^2-1,2,4-triazolin-5-one $$C_{35}H_{30}Cl_2N_8O_4$$ 84625-61-6$ 

$$\begin{array}{c} CH_2 \\ CH_2 \\ CH_2 \\ CH_2 \\ CH_3 \end{array}$$

ketotrexatum ketotrexate  $\begin{array}{ll} \textit{N-[p-[[2-(2-amino-1,4,5,6,7,8-hexahydro-5-methyl-4-oxo-6-pteridinyl)ethyl]amino]benzoyl]-L-glutamic acid} \\ C_{21}H_{27}N_7O_6 & 52196-22-2 \end{array}$ 

laurixaminum laurixamine 3-(dodecyloxy)propylamine C<sub>15</sub>H<sub>33</sub>NO 7617-74-5

 $H_3C - \{CH_2\}_{11} - O - \{CH_2\}_3 - NH_2$ 

laurocapramum laurocapram 1-dodecylhexahydro-2*H*-azepin-2-one C<sub>18</sub>H<sub>35</sub>NO 59227-89-3

lenampicillinum lenampicillin 2,3-dihydroxy-2-butenyl (2S,5R,6R)-6-[(R)-2-amino-2-phenylacetamido]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3 2.0]heptane-2-carboxylate, cyclic carbonate  $C_{21}H_{23}N_3O_7S$  86273-18-9

levocabastinum levocabastine ( – )-trans-1-[cis-4-cyano-4-(p-fluorophenyl)cyclohexyl]-3-methyl-4-phenylisonipecotic acid  $$C_{26}H_{28}FN_2O_2$$  79516-68-0

lismoprilum lismopril 1-[ $N^2$ -[ $\{S\}$ -1-carboxy-3-phenylpropyl]-L-lysyl]-L-proline C21H31N3O5 76547-98-3

loxoprofenum loxoprofen  $(\pm)$ -p-[(2-oxocyclopentyl)methyl]hydratropic acid  $C_{15}H_{18}O_3$  68767-14-6

lufuradomum lufuradom  $(\pm)\text{-}N\text{-}[\{8\text{-}fluoro\text{-}2,3\text{-}dlhydro\text{-}1\text{-}methyl\text{-}5\text{-}phenyl\text{-}}1\text{-}1\text{-}4\text{-}benzodiazepin\text{-}2\text{-}yl)methyl]\text{-}3\text{-}furamide}$   $C_{22}H_{20}FN_{3}O_{2}$  85118-42-9

) prop

meciadanolum meciadanol (2*R*,3*S*)-3-methoxy-3',4',5,7-flavantetrol C<sub>16</sub>H<sub>16</sub>O<sub>6</sub> 65350-86-9

mifentidinum mifentidine N-( $\rho$ -imidazol-4-ylphenyl)-N'-isopropylformamidine  $C_{13}H_{16}N_4$  83184-43-4

$$H - C$$
 $NH - CH(CH_3)_2$ 

ាំក្រាលាមកា .......none 1,6-dihydro-2-methyl-6-oxo[3,4'-b;pyridine]-5-carbonitrile  $C_{12}H_9N_3O$  78415-72-2

minocromilum minocromil 6-(methylamino)-4-oxo-10-propyl-4H-pyrano[3,2-g]quinoline-2,8-dicarboxylic acid C<sub>18</sub>H<sub>16</sub>N<sub>2</sub>O<sub>6</sub> 85118-44-1

$$\begin{array}{c|c} \mathsf{CH_2} - \mathsf{CH_2} - \mathsf{CH_3} \\ \mathsf{NH} - \mathsf{CH_3} & \mathsf{O} \end{array}$$

mioflazinum mioflazine  $\{\pm\}$ -4-[4,4-bis(p-fluorophenyl)butyl]-3-carbamoyl-2',6'-dichloro-1-piperazineacetanilide  $C_{29}H_{30}Cl_2F_2N_4O_2$  79467-23-5

$$CH - (CH_2)_3 - N$$

$$N - CH_2 - C - NH$$

$$CI$$

nafarelinum nafarelin  $\begin{array}{lll} 5\text{-}oxo\text{-}\text{L-prolyl-L-histidyl-L-tryptophyl-L-seryl-L-tyrosyl-3-(2-naphthyl)-d-alanyl-L-leucyl-L-arginyl-L-prolylglycinamide} \\ C_{66}H_{63}N_{17}O_{13} & 76932\text{-}56\text{-}4 \end{array}$ 

naflocortum naflocort 9-fluoro-1',4'-dihydro-11 $\beta$ ,21-dihydroxy-2' $\beta$ H-naphtho[2',3'.16,17]pregna-1,4-diene-3,20-dione C<sub>29</sub>H<sub>33</sub>FO<sub>4</sub> 59497-39-1

nafoxadolum nafoxadol

5-(2-naphthyl)-6,8-dioxa-3-azabicyclo[3.2 1]octane C<sub>15</sub>H<sub>15</sub>NO<sub>2</sub> 84145-90-4

nedocromilum nedocromil 9-ethyl-6,9-dihydro-4,6-dioxo-10-propyl-4H-pyrano[3,2-g]quinoline-2,8-dicarboxylic acid C<sub>19</sub>H<sub>17</sub>NO<sub>7</sub> 69049-73-6

nefazodonum nefazodone

1-[3-[4-(m-chlorophenyl)-1-piperazınyl]propyl]-3-ethyl-4-(2-phenoxyethyl)- $\Delta^2$ -1,2,4-triazolin-5-one C<sub>28</sub>H<sub>32</sub>ClN<sub>5</sub>O<sub>2</sub> 83366-66-9

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & &$$

nivadıpınum nivadıpine

19

5-isopropyl 3-methyl 2-cyano-1,4-dihydro-6-methyl-4-{m-nitrophenyl}-3,5-pyridinedicarboxylate C<sub>19</sub>H<sub>19</sub>N<sub>2</sub>O<sub>6</sub> 75530-68-6

pınadolinum pinadoline 1-[(8-chlorodibenz[b,f][1,4]oxazepin-10(11H)-yl)carbonyl]-2-(5-chlorovaleryl)hydrazine C<sub>19</sub>H<sub>19</sub>Cl<sub>2</sub>N<sub>3</sub>O<sub>3</sub> 38955-22-5

propacetamolum propacetamol

N,N-diethylglycine, ester with 4'-hydroxyacetanılıde  $C_{14}H_{20}N_2O_3$  66532-85-2

$$(H_5C_2)_2N-CH_2-\overset{O}{C}-O$$
 $NH-\overset{O}{C}-CH_3$ 

proterguridum proterguride 1,1-diethyl-3-(6-propylergolin-8 $\alpha$ -yl)urea  $C_{22}H_{32}N_4O$  77650-95-4

 $\begin{array}{c|c} H & H & H \\ \hline H & NH - C - N(C_2H_5)_2 \\ \hline C_3H_7 & \end{array}$ 

quinacainolum quinacainol

(±)-2-*tert*-butyl- $\alpha$ -[2-(4-piperidyi)ethyl]-4-quinolinemethanol C<sub>21</sub>H<sub>30</sub>N<sub>2</sub>O 86024-64-8

b/Lsi

$$\begin{array}{c} \text{CH} - \text{CH}_2 - \text{CH}_2 \\ \text{OH} \end{array}$$

ropivacainum ropivacaine (-)-1-propyl-2',6'-pipecoloxylidide  $C_{17}H_{26}N_2O$  84057-95-4

$$\begin{array}{c|c} H_3C-CH_2-CH_2 & O \\ & & C-NH \\ & & H_3C \end{array}$$

22

tauromustinum tauromustine 1-{2-chloroethyl}-3-[2-{dimethylsulfamoyl}ethyl]-1-nitrosourea  $C_7H_{15}CIN_4O_4S$  85977-49-7

$${{{({\rm{H}_3C})}_2}{\rm{N}}} = {\mathop {\rm{S}}\limits_{\rm{H}_2}} - {\mathop {\rm{CH}}\nolimits_2} - {\mathop {\rm{CH}}\nolimits_2} - {\mathop {\rm{NH}}\nolimits} - {\mathop {\rm{C}}\nolimits} - {\mathop {\rm{N}}\nolimits} - {\mathop {\rm{CH}}\nolimits_2} - {\mathop {\rm{CH}}\nolimits_$$

eprofenum ، , 'eprofen

(  $\pm$  )- $\alpha$  -methyl-2-phenyl-6-benzothiazoleacetic acid C1eH13NO2S 85702-89-2

telenzepinum telenzepine 4,9-dihydro-3-methyl-4-[(4-methyl-1-piperazinyl)acetyl]-10H-thieno-[3,4-b][1,5]benzodiazepin-10-one  $C_{19}H_{27}N_4O_2S$  80880-90-6

$$\begin{array}{c|c} H & O \\ \hline \\ N & CH_3 \\ \hline \\ O & CH_2 - N \\ \end{array} \\ N - CH_3$$

teopranitolum teopranitol 1,4:3,6-dianhydro-2-deoxy-2-[[3-(1,2,3,6-tetrahydro-1,3-dimethyl-2,6-dioxopurin-7-yl)propyl]amino]-L-iditol5-nitrate  $C_{16}H_{22}N_6O_7 \\ 81792-35-0$ 

teprenonum teprenone 6,10,14,18-tetramethyl-5,9,13,17-nonadecatetraen-2-one, mixture of (5*E*,9*E*,13*E*) and (5*Z*,9*E*,13*E*) isomers  $C_{23}H_{30}O$ 

$$\mathsf{H_3C} \xrightarrow{\mathsf{CH_3}} \xrightarrow{\mathsf{CH_3}} \xrightarrow{\mathsf{CH_3}} \xrightarrow{\mathsf{CH_3}} \xrightarrow{\mathsf{CH_3}} (5E)$$

 $5E \cdot 5Z = 3:2$ 

$$H_3$$
C
 $CH_3$ 
 $CH_3$ 

terguridum terguride 1,1-diethyl-3-(6-methylergolin-8 $\alpha$ -yl)urea C<sub>20</sub>H<sub>28</sub>N<sub>4</sub>O 37686-84-3

HNNH - 
$$C - N(C_2H_5)_2$$
 $CH_3$ 

teriparatidum teriparatide L-seryl-L-valyl-L-seryl-L-glutamyl-L-isoleucyl-L-glutaminyl-L-leucyl-L-methionyl-L-histidyl-L-asparaginyl-L-leucylglycyl-L-lysyl-L-histidyl-L-leucyl-L-asparaginyl-L-seryl-L-methionyl-L-glutamyl-L-arginyl-L-valyl-L-glutamyl-L-tryptophyl-L-leucyl-L-arginyl-L-lysyl-L-leucyl-L-glutaminyl-L-aspartyl-L-valyl-L-histidyl-L-asparaginylphenyl-L-alanine  $\begin{array}{ccc} \text{C}_{18}\text{H}_{28}\text{N}_{5}\text{O}_{5}\text{N}_{2} & 52232\text{-}67\text{-}4 \end{array}$ 

tilactasum tilactase  $\beta$ -D-galactosidase or E C 3.2 1 23 9031-11-2

timefuronum timefurone 4,9-dimethoxy-7-[(methylthio)methyl]-5H-furo[3,2-g][1]benzopyran-5-one C1sH14OsS 76301-19-4

tiprinastum tiprinast 3,4-dihydro-6-ısobutyl-5-methyl-4-oxothieno[2,3-d]pyrimidine-2-carboxylic acid C<sub>12</sub>H<sub>14</sub>N<sub>2</sub>O<sub>3</sub>S 83153-39-3

$$(\mathrm{H_3C})_2\mathrm{CH} - \mathrm{CH}_2 \\ \mathrm{H_3C} \\ \mathrm{O}$$

tolnapersinum tolnapersine

, . . 5,6,7,8-tetrahydro-6- $\{4-o$ -tolyl-1-piperazinyl $\}$ -2-naphthol  $C_{21}H_{25}N_2O$  70312-00-4

tosulurum tosulur 2-methoxyethyl (p-tolylsulfonyl)carbamate C₁₁H₁₅NO₅S 87051-13-6

$$\mathsf{H_3C} - \underbrace{\hspace{1cm} \overset{\mathsf{O}}{\parallel}}_{\mathsf{SO}_2} - \mathsf{NH} - \overset{\mathsf{O}}{\mathsf{C}} - \mathsf{O} - \mathsf{CH}_2 - \mathsf{CH}_2 - \mathsf{OCH}_3$$

triletidum triletide  $N\text{-}[N\text{-}(N\text{-}acetyl\text{-}3\text{-}phenyl\text{-}L\text{-}alanyl})\text{-}3\text{-}phenyl\text{-}L\text{-}alanyl}]\text{-}L\text{-}histidine, methyl ester $C_{27}H_{31}N_5O_5$ 62087-96-1$ 

troxipidum troxipide (  $\pm$  )-3,4,5-trimethoxy-N-3-piperidylbenzamide  $C_{15}H_{22}N_2O_4~30751\text{-}05\text{-}4$ 

tubulozolum tubulozole

ethyl ( $\pm$ )-cis-p-[[[2-(2,4-dichlorophenyl)-2-(ımidazol-1-ylmethyl]-1,3-dioxolan-4-yl]methyl]thio]carbanilate C23H23Cl2N3O4S 84697-22-3

) )

$$CH_2$$
 $CH_2$ 
 $CH_2$ 

ufenamatum ufenamate butyl N- $(\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)anthranilate  $C_{18}H_{18}F_3NO_2$  67330-25-0

valproatum seminatricum valproate semisodium sodium hydrogen bis(2-propylvalerate) Ci6H31NaO4 76584-70-8

vinepidinum vinepidine

(4'S)-4'-deoxyleurocristine C<sub>46</sub>H<sub>56</sub>N<sub>4</sub>O<sub>9</sub> 68170-69-4

$$C_{2}H_{5}$$
 $H_{3}CO - C$ 
 $H_{3}CO - C$ 

zinoconazolum zinoconazole 5-chloro-2-thienyl imidazol-1-ylmethyl ketone, (E)-(2,6-dichlorophenyl)hydrazone  $C_{15}H_{11}Cl_3N_4S$  84697-21-2

$$C = N$$

$$C = N$$

$$N + C$$

$$C = N$$

$$C = N$$

$$C = N$$

zuclopenthixolum zuclopenthixol 
$$\begin{array}{c|c} \mathbf{H} & \mathbf{C} \mathbf{H}_2 - \mathbf{C} \mathbf{H}_2 - \mathbf{C} \mathbf{H}_2 - \mathbf{C} \mathbf{H}_2 \mathbf{O} \mathbf{H}_2 \\ \hline \\ \mathbf{S} \end{array}$$

#### AMENDMENT TO PREVIOUS LISTS

#### Cumulative List No. 6, 1982

## International Nonproprietary Names (INN) for Pharmaceutical Substances:

	delete	insert	
р. 40	binodalinum binodaline	binedalinum binedaline	
p. 142	furoxicillinum furoxicillin	fumoxicillinum fumoxicillin	
p. 167	isodapamidum isodapamide	zidapamıdum zidapamide	
p. 199	mithramycinum mithramycin	plicamycinum plicamycin	
р. 278	stilonii iodidum stilonium iodide	replace CAS reg. no. by: 77257-42-2	
p. 300	tiosinaminum tiosinamine	allylthiourea allylthiourea	

Vol. 28, No 9

## International Nonproprietary Names (Prop. INN): List 32

p 18 stiloniu iodidum complete chemical name with (E), e.g. triethyl[2-[(E)- and stilonium iodide replace CAS reg. no. and structure by: 77257-42-2

Vol. 37, No. 2

## International Nonproprietary Names (Prop. INN): List 49

p. 10 imidololum adimololum adimolol adimolol p 14 nipradololum nipradilolum nipradilol

#### Annex 1

# PROCEDURE FOR THE SELECTION OF RECOMMENDED INTERNATIONAL NONPROPRIETARY NAMES FOR PHARMACEUTICAL SUBSTANCES \*

The following procedure shall be followed by the World Health Organization in the selection of recommended international nonproprietary names for pharmaceutical substances, in accordance with the World Health Assembly resolution WHA3 11

- 1 Proposals for recommended international nonproprietary names shall be submitted to the World Health Organization on the form provided therefor.
- 2. Such proposals shall be submitted by the Director-General of the World Calth Organization to the members when Expert Advisory Panel on the International Pharmacopoeia and Pharmaceutical Preparations designated for this purpose, for consideration in accordance with the "General principles for guidance in devising International Nonproprietary Names", appended to this procedure. The name used by the person discovering or first developing and marketing a pharmaceutical substance shall be accepted, unless there are compelling reasons to the contrary.
- Subsequent to the examination provided for in article 2, the Director-General of the World Health Organization shall give notice that a proposed international nonproprietary name is being considered.
- A Such notice shall be given by publication in the Chronicle of the World Health Organization<sup>1</sup> and by letter to Member States and to national pharmacopoeia commissions or other bodies designated by Member
  - (i) Notice may also be sent to specific persons known to be concerned with a name under consideration.

- B. Such notice shall:
- (i) set forth the name under consideration;
- (ii) identify the person who submitted a proposal for naming the substance, if so requested by such person:
- (III) identify the substance for which a name is being considered:
- (iv) set forth the time within which comments and objections will be received and the person and place to whom they should be directed;
- (v) state the authority under which the World Health Organization is acting and refer to these rules of procedure.
- C. In forwarding the notice, the Director-General of the World Health Organization shall request that Member States take such steps as are necessary to prevent the acquisition of proprietary rights in the proposed name during the period it is under consideration by the World Health Organization.
- 4 Comments on the proposed name may be forwarded by any person to the World Health Organization within four months of the date of publication, under article 3, of the name in the Chronicle of the World Health Organization.
- 5. A formal objection to a proposed name may be filed by any interested person within four months of the date of publication, under article 3, of the name in the *Chronicle of the World Health Organization*.<sup>1</sup>
  - A. Such objection shall
  - (i) identify the person objecting;
  - (ii) state his interest in the name;
  - (iii) set forth the reasons for his objection to the name proposed

- 6. Where there is a formal objection under article 5, the World Health Organization may either reconsider the proposed name or use its good offices to attempt to obtain withdrawal of the objection. Without prejudice to the consideration by the World Health Organization of a substitute name or names, a name shall not be selected by the World Health Organization as a recommended international nonproprietary name while there exists a formal objection thereto filed under article 5 which has not been withdrawn.
- 7. Where no objection has been filed under article 5, or all objections previously filed have been withdrawn, the Director-General of the World Health Organization shall give notice in accordance with subsection A of article 3 that the name has been selected by the World Health Organization as a recommended international nonproprietary name
- 8. In forwarding a recommended international nonproprietary name to Member States under article 7, the Director-General of the World Health Organization shall
- A. request that it be recognized as the nonproprietary name for the substance, and
- B request that Member States take such steps as are necessary to prevent the acquisition of proprietary rights in the name, including prohibiting registration of the name as a trade-mark or trade-name.
- Text adopted by the Executive Board of WHO in resolution EB15 R7 (Off Rec Wid Hith Org., 1955, 60, 3) and amended by the Board in resolution EB43 R9 (Off. Rec Wid Hith Org., 1969, 173, 10)
- <sup>1</sup> The title of this publication was changed to WHO Chronicle in January 1959.

# GENERAL PRINCIPLES FOR GUIDANCE IN DEVISING INTERNATIONAL NONPROPRIETARY NAMES FOR PHARMACEUTICAL SUBSTANCES

- 1. International Nonproprietary Names (INN) should be distinctive in sound and spelling. They should not be inconveniently long and should not be liable to confusion with names in common use.
- 2 The INN for a substance belonging to a group of pharmacologically related substances should, where appropriate, show this relationship Names that are likely to convey to a patient an anatomical, physiological,

pathological or therapeutic suggestion should be avoided.

These primary principles are to be implemented by using the following secondary principles

- In devising the INN of the first substance in a new pharmacological group, consideration should be given to the possibility of devising suitable INN for related substances, belonging to the new group.
- 4 In devising INN for acids, one-word names are preferred; their salts should be named without modifying the acid name, e.g. "oxacillin" and "oxacillin sodium", "ibufenac" and "ibufenac sodium".
- 5. INN for substances which are used as salts should in general apply to the active base or the active acid. Names for different salts or esters of the same active substance should differ

only in respect of the name of the inactive acid or the inactive base.

For quaternary ammonium substances, the cation and anion should be named appropriately as separate components of a quaternary substance and not in the amine-salt style

- 6. The use of an isolated letter or number should be avoided; hyphenated construction is also undesirable.
- 7. To facilitate the translation and pronunciation of INN, "f" should be

used instead of "ph", "t" instead of "th", "e" instead of "ae" or "oe", and "i" instead of "y"; the use of the letters "h" and "k" should be avoided.

8. Provided that the names suggested are in accordance with these principles, names proposed by the person discovering or first developing and marketing a pharmaceutical preparation, or names already officially in use in any country, should receive preferential consideration.

9. Group relationship in INN (see Guiding Principle 2) should if possible be shown by using a common stem. The following list contains examples of stems for groups of substances, particularly for new groups. There are many other stems in active use. Where a stem is shown without any hyphens it may be used anywhere in the name

Latin	English	
-acum	-ac	anti-inflammatory agents of the ibufenac group
-actidum	-actide	synthetic polypeptides with a corticotrophin-like action
-adolum	-adol	, · · · · · · · · · · · · · · · · · · ·
-adol-	-adol-	analgesics
-astum	-ast	anti-asthmatic, anti-allergic substances not acting primarily as antihistaminic
-astinum	-astine	antihistaminics
-azepamum	-azepam	substances of the diazepam group
-bactamum	-bactam	$\beta$ -lactamase inhibitors
bol	bol	steroids, anabolic
-buzonum	-buzone	anti-inflammatory analgesics of the phenylbutazone group
-cain-	-cain-	antifibrillant substances with local anaesthetic activity
-cainum	-caine	local anaesthetics
cef-	cef-	antibiotics, derivatives of cefalosporanic acid
-cillinum	-cıllın	antibiotics, derivatives of 6-aminopenicillanic acid
cort	cort	corticosteroids, except those of the prednisolone group
-dipរnum	-dipine	peripheral vasodilators of the nifedipine group
-fibratum	-fibrate	substances of the clofibrate group
-forminum	-formin	hypoglycemics of the phenformin group
gest	gest	steroids, progestogens
gli-	gli-	sulfonamide hypoglycemics
10-	10-	iodine-containing contrast media
-ium	-ium	quaternary ammonium compounds
-metacinum	-metacin	anti-inflammatory substances of the indometacin group
-mycinum	-mycin	antibiotics, produced by Streptomyces strains
-nidazolum	-nidazole	antiprotozoal substances of the metronidazole group
-ololum	-olol	eta-adrenergic blocking agents of the propranolol group
-oxacinum	-oxacin	antibacterial agents of the nalidix acid group
-pridum	-pride	sulpiride derivatives
-profenum	-profen	anti-inflammatory substances of the ibuprofen group
prost	prost	prostaglandins
-relinum	-relin	hypophyseal hormone release-stimulating peptides
-terolum	-terol	bronchodilators, phenethylamine derivates
-tıdinum	-tidine	H <sub>2</sub> -receptor antagonists
-trexatum	-trexate	folic acid antagonists
-verinum	-verine	spasmolytics with a papaverine-like action
vin-	vin-	
-vin-	-vin-	vinca type alkaloids

A more extensive listing of stems is contained in the working document Pharm S/Nom 15 which is regularly updated and can be requested from Pharmaceuticals, WHO, Geneva

# Annex 2 NONPROPRIETARY NAMES FOR PHARMACEUTICAL SUBSTANCES: TWENTIETH REPORT OF THE WHO EXPERT COMMITTEE

In its twentieth report the WHO Expert Committee on Nonproprietary Names for Pharmaceutical Substances reviewed the general principles for devising, and the procedures

for selecting, international nonproprietary names (INN) in the light of developments in pharmaceutical compounds in recent years. The most significant recent change has been the extension to the naming of synthetic chemical substances of the practice previously used for substances originating in or derived from natural products. This practice in-

volves employing a characteristic "stem" indicative of a common property of the members of a group. The reasons for, and the implications of, the change are fully discussed. Also reported is the intention to change the practice with regard to the nomenclature of individual members of polymeric series.

Other sections of the report concern instructions to be followed by bodies making application for international nonproprietary names, the availability of computer-printed cumulative lists of international nonpro-

prietary names, information supplied by WHO Member States concerning their official use of national or international names for pharmaceutical products, and proposals relative to the withdrawal of international nonproprietary names allocated to substances that are no longer in use.

The official texts relating to the procedures for selecting, and general guidance for devising, international nonproprietary names are reproduced in two annexes to the report Other annexes give examples of international nonproprietary names that in-

corporate selected stems, the most frequently used initial groups of letters in international nonproprietary names, a historical review of the programme of selecting international nonproprietary names, some useful literature references, and a model of the form to be used in all applications for international nonproprietary names.

<sup>1</sup>WHO Technical Report Series, No. 581, 1975 (Nonproprietary Names for Pharmaceutical Substances Twentieth Report of the WHO Expert Committee), ISBN 92 4 120581 4 Price Sw fr 6 – .