# Eclipse Scout Migration Guide

Version 22.0

# **Table of Contents**

About This Document	2
Obtaining the Latest Version	3
Scout Runtime for Java	3
Scout Runtime for JavaScript	3
IDE Tooling (Scout SDK)	3
TypeVersion Annotation Type Change	5
Annotation EnumVersion removed	6
Native Notification Support	7
Application Logo / Info Form	8
Less Variables	9



Looking for something else? Visit <a href="https://eclipsescout.github.io">https://eclipsescout.github.io</a> for all Scout related documentation.

# **About This Document**

This document describes all relevant changes from Eclipse Scout 11.0 to Eclipse Scout 22.0. If existing code has to be migrated, instructions are provided here.

## **Obtaining the Latest Version**

#### Scout Runtime for Java

Scout Runtime artifacts for Java are distributed using Maven Central:

- 22.0-SNAPSHOT on Maven Central
- 22.0-SNAPSHOT on mvnrepository.com

Usage example in the parent POM of your Scout application:

```
<dependency>
     <groupId>org.eclipse.scout.rt</groupId>
     <artifactId>org.eclipse.scout.rt</artifactId>
          <version>22.0-SNAPSHOT</version>
           <type>pom</type>
           <scope>import</scope>
</dependency>
```

### Scout Runtime for JavaScript

Scout Runtime artifacts for JavaScript are distributed using npm:

- Scout Core Runtime
- All official Scout JavaScript packages

Usage example in your package.json:

```
{
    "name": "my-module",
    "version": "1.0.0",
    "dependencies": {
        "@eclipse-scout/core": "22.0.0-snapshot",
        "jquery": "3.5.1"
    }
}
```

The pre-built Scout JavaScript assets are also available using a CDN (e.g. to be directly included in a html document): https://www.jsdelivr.com/package/npm/@eclipse-scout/core?path=dist

#### **IDE Tooling (Scout SDK)**

Starting with Scout 11 the IDE Tooling requires at least Java 11 to run. With the help of the SDK plugins you can still develop applications running with Java 8, but the IDE itself requires Java 11 or newer.

Scout officially supports IntelliJ IDEA and Eclipse for Scout Developers.

#### **IntelliJ IDEA**

You can download the Scout plugin for IntelliJ IDEA from the JetBrains Plugin Repository or you can use the plugins client built into IntelliJ IDEA. Please refer to the IntelliJ Help on how to install and manage plugins.

#### **Eclipse**

You can download the complete Eclipse IDE with Scout SDK included here: Eclipse for Scout Developers

To install the Scout SDK into your existing Eclipse IDE, use this P2 update site: http://download.eclipse.org/scout/releases/11.0/

## **TypeVersion Annotation Type Change**

The type version of a data object is used to identify a certain structure version of the stored data object. A data object may be stored in a database or be available as a container to export certain data for import in a different compatible system. Such a data object may evolve over time and undergo structural changes. Some structural changes make it necessary to apply migrations to existing serialized data objects to comply with the new structure.

In order to prepare for migration support, the type version annotation so far containing a String value changes to a value of Class<? extends ITypeVersion>. A ITypeVersion represents a namespace/version and it's dependencies.

#### **Migration**

For each different String value used in type version annotation, create an implementation of ITypeVersion as described in *Data Objects/Namespace and ITypeVersion* in the technical documentation.

DataObjectInventory#getTypeVersion returns NamespaceVersion instead of String. Use NamespaceVersion::unwrap to access text representation.

# **Annotation EnumVersion removed**

EnumVersion was designed for migration support similar as the TypeVersion but was never part of any serialization output of a data object, therefore couldn't be used as indicator for migrations. Support for EnumVersion is removed.

#### Migration

 $\label{lem:lemove EnumVersion} Remove \ \ \textbf{EnumVersion} \ \ annotation \ on \ \ \textbf{IEnum} \ implementors.$ 

## **Native Notification Support**

The new notifications displayed by the browser use the application logo configured in AbstractDesktop#getConfiguredLogoId() by default.

If you use native notifications, you should provide a logo with a resolution of at least 150x150 px. If your application logo already has such a resolution, it should be fine. If your application logo has a lower resolution or is an SVG, you should use a different image for the notifications (SVGs are not supported by Chrome notifications). To do so, just configure the native notification defaults on your desktop.

```
@Override
protected NativeNotificationDefaults getConfiguredNativeNotificationDefaults() {
  return super.getConfiguredNativeNotificationDefaults()
  .withIconId("notification_logo.png");
}
```

# **Application Logo / Info Form**

The image application\_logo\_large and the constant AbstractIcons.ApplicationLogo have been removed. The name was confusing and it was only used for the ScoutInfoForm. The info form now uses the logo of the desktop (IDesktop#getLogoId()) by default. So if you prefer to use a different logo for the info form, just extend the info form, override the method getProductLogo() and return the name of your preferred image.

In case you don't use SVG logos yet, you should consider doing so to prevent blurry logos.

### **Less Variables**

- @navigation-background-color → @desktop-navigation-background-color
- @navigation-color → @desktop-navigation-color
- @outline-title-margin-left/right → @outline-title-padding-left/right

Notes: @desktop-navigation-background-color now points to @desktop-header-background-color; Instead of customizing the navigation background color it is suggested to now customize the header background color.



Do you want to improve this document? Have a look at the sources on GitHub.